Cucumber Report

| Start : Apr 02, 11:00:05.472 AM	End : Apr 02, 11:00:54.684 AM	Duration : 49.212 s
Features	Scenarios	Steps
PASSED - 6 FAILED - 5 SKIPPED - 0	PASSED - 69 FAILED - 46 SKIPPED - 0	PASSED - 573 FAILED - 46 SKIPPED - 67

11

115

686

54 %

60 %

83 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Validating user login	2.491 s	1	1	0	0	3	3	0	0
ProgramController Module Test with Invalid Data	13.982 s	30	27	3	0	179	176	3	0
ProgramController Module Test with Valid Data	2.558 s	5	5	0	0	30	30	0	0
Batch Module	3.695 s	8	8	0	0	48	48	0	0
Batch Module	9.452 s	30	6	24	0	180	119	24	37
Check Post request of user controller module.	0.814 s	1	1	0	0	6	6	0	0
Validating Get request for User API's	7.604 s	15	13	2	0	90	88	2	0
Validating Invalid data for User API's	4.862 s	17	1	16	0	102	56	16	30
Validating user role program batch map API's	0.904 s	2	2	0	0	12	12	0	0
Validating Delete Request	2.282 s	5	4	1	0	30	29	1	0
Validating user logout	0.428 s	1	1	0	0	6	6	0	0

#	Feature Name	Scenario Name
1	*ProgramController Module Test with Invalid Data*	*Check if Admin able to create a program with already existing program name*
2		*Check if Admin able to create a program with missing additional field*
3		*Check if Admin able to update a program status*
4	*Batch Module*	*Check if admin able to create a Batch with valid endpoint and request body (existing value in Batch Name)*
5		*Check if admin able to create a Batch missing mandatory fields in request body*
6		*Check if admin able to create a batch with invalid data in request body*
7		*Check if admin able to create a batch with inactive program ID*
8		*Check if admin able to create a Batch with valid endpoint and request body without authorization.*
9		*Check if admin able to retrieve all batches with invalid Endpoint*
10		*Check if admin able to retrieve all batches without Authorization*

#	Feature Name	Scenario Name
11	*Batch Module*	*Check if admin able to retrieve a batch with invalid endpoint*
12		*Check if admin able to retrieve a batch with invalid endpoint*
13		*Check if admin able to retrieve a batch without authorization*
14		*Check if admin able to retrieve a batch with invalid Program Id*
15		*Check if admin able to retrieve a batch with invalid endpoint*
16		*Check if admin able to update a Batch with valid batchID and mandatory fields in request body without authorization*
17		*Check if admin able to update a Batch with invalid batchID and mandatory fields in request body*
18		*Check if admin able to update a Batch with valid batchID and missing mandatory fields request body*
19		*Check if admin able to update a batch with invalid data*
20		*Check if admin able to update a Batch with invalid enpoint*

| #	Feature Name	Scenario Name
21	Batch Module	Check if admin able to update a Batch with a valid batchID and deleted programID field
22		Check if admin able to delete a Batch with invalid endpoint
23		Check if admin able to delete a Batch without authorization
24		Check if admin able to retrive a batch after the programID is deleted
25		Check if admin able to retrive a batch after deleting the batch
26		Check if admin able to retrive a deleted batch using batch name
27		Check if admin able to update a Batch with a deleted batchID in the endpoint
28	Validating Get request for User API's	Admin is able to update user roleId
29		Admin is able to get admin by programId
30	Validating Invalid data for User API's	Unauthorized admin user create post request with valid request body
31		Admin is able to get all users with invalid endpoint
32		Admin is able to get all admins with invalid endpoint

#	Feature Name	Scenario Name
33	*Validating Invalid data for User API's*	*Admin is able to get all active users with invalid endpoint*
34		*Admin is able to get all active and inactive users with invalid endpoint*
35		*Admin is able to get user with invalid userId*
36		*Admin is able to get admin by invalid program batchId*
37		*Admin is able to get admin by invalid programId*
38		*Admin is able to get admin by invalid roleId*
39		*Admin is able to get admin with roles with invalid endpoint*
40		*Admin is able to get users by roleId V2 with invalid endpoint*
41		*Admin is able to update user with invalid roleId*
42		*Admin is able to update user with existing roleId*
43		*Admin is able to update user with invalid adminroleprogrambatch*
44		*Admin is able to update user with existing adminroleprogrambatch*
45		*Admin is able to update user with invalid userloginstatus*

#	Feature Name	Scenario Name
46	Validating Delete Request	Admin is able to delete program/batches for valid adminId

TAG	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@login-Valid	1	1	0	0	1	1	0	0
@login	1	1	0	0	1	1	0	0
@CreateNewBatch	1	1	0	0	1	1	0	0
@GetBatchByBatchId	1	1	0	0	1	1	0	0
@GetBatchbyBatchName	1	1	0	0	1	1	0	0
@GetBatchByValidPgmId	1	1	0	0	1	1	0	0
@CreateBatchMandatoryField	1	1	0	0	1	1	0	0
@GetAllBatches	1	1	0	0	1	1	0	0
@GetAllBatchesSearchString	1	1	0	0	1	1	0	0
@UpdateBatchValid	1	1	0	0	1	1	0	0
@CreateBatchDuplicate	1	0	1	0	1	0	1	0
@CreateBatchMissingMandatory	1	0	1	0	1	0	1	0
@CreateBatchInvalidEndpoint	1	1	0	0	1	0	1	0
@CreateBatchInvalidData	1	0	1	0	1	0	1	0
@CreateBatchInactiveProgramId	1	0	1	0	1	0	1	0
@CreateBatchNoAuth	1	0	1	0	1	0	1	0
@GetInvalidEndpoint	1	0	1	0	1	0	1	0

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@GetAllBatchesNoAuth	1	0	1	0	1	0	1	0
@GetBatchNoAuth	1	1	0	0	1	0	1	0
@GetBatchInvalidBatchId	1	1	0	0	1	0	1	0
@GetBatchInvalidEndpoint	2	0	2	0	1	0	1	0
@GetBatchNameNoAuth	1	1	0	0	1	0	1	0
@GetBatchByInvalidBatchname	1	1	0	0	1	0	1	0
@GetBatchByPgmIdNoAuth	1	0	1	0	1	0	1	0
@GetBatchByInvalidPgmId	1	0	1	0	1	0	1	0
@GetBatchByPgmIdInvalidEndpoint	1	0	1	0	1	0	1	0
@UpdateBatchNoAuth	1	0	1	0	1	0	1	0
@UpdateBatchInvalid	1	0	1	0	1	0	1	0
@UpdateMissingMandatory	1	0	1	0	1	0	1	0
@UpdateInvalidData	1	0	1	0	1	0	1	0
@UpdateInvalidEndpoint	1	0	1	0	1	0	1	0
@UpdateBatchwithDeletedProgramId	1	0	1	0	1	0	1	0
@DeleteBatchwithInvalidEndpoint	1	0	1	0	1	0	1	0
@DeleteBatchwithInvalidBatchId	1	1	0	0	1	0	1	0

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@DeleteBatchWithNoAuth	1	0	1	0	1	0	1	0
@GetBatchbyProgramIdAfterDelete	1	0	1	0	1	0	1	0
@GetBatchAfterDeletById	1	0	1	0	1	0	1	0
@GetBatchAfterDeleteByName	1	0	1	0	1	0	1	0
@UpdatewithDeletedBatchId	1	0	1	0	1	0	1	0
@01UserModule-PostValid	1	1	0	0	1	1	0	0
@UserModule	1	1	0	0	1	1	0	0
@user	15	13	2	0	1	0	1	0
@updateuser	5	4	1	0	1	0	1	0
@02UserModule-PostInvalid	1	1	0	0	1	0	1	0
@03UserModule-PostNoAuth	1	0	1	0	1	0	1	0
@deleteuser	1	1	0	0	1	0	1	0
@DeleteBatchwithValidBatchId	1	1	0	0	1	0	1	0
@logout	1	1	0	0	1	1	0	0
@logout-withAuth	1	1	0	0	1	1	0	0

#	Feature Name	T	P	F	S	Duration
1	Validating user login	1	1	0	0	2.491 s
2	ProgramController Module Test with Invalid Data	30	27	3	0	13.982 s
3	ProgramController Module Test with Valid Data	5	5	0	0	2.558 s
4	Batch Module	8	8	0	0	3.695 s
5	Batch Module	30	6	24	0	9.452 s
6	Check Post request of user controller module.	1	1	0	0	0.814 s
7	Validating Get request for User API's	15	13	2	0	7.604 s
8	Validating Invalid data for User API's	17	1	16	0	4.862 s
9	Validating user role program batch map API's	2	2	0	0	0.904 s
10	Validating Delete Request	5	4	1	0	2.282 s

#	Feature Name	T	P	F	S	Duration
11	Validating user logout	1	1	0	0	0.428 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Validating user login	Check if user able to login with token and valid credential	3	3	0	0	2.490 s
2	ProgramController Module Test with Invalid Data	Check if Admin able to create a program with valid endpoint and request body with Authorization	6	6	0	0	0.610 s
3		Check if Admin able to create a program with valid endpoint and request body without Authorization	6	6	0	0	0.449 s
4		Check if Admin able to create a program with invalid endpoint	6	6	0	0	0.559 s
5		Check if Admin able to create a program with already existing program name	6	5	1	0	0.442 s
6		Check if Admin able to create a program with invalid method	6	6	0	0	0.421 s
7		Check if Admin able to create a program with invalid request body	6	6	0	0	0.467 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
8		Check if Admin able to create a program with missing values in the request body	6	6	0	0	0.469 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
9	ProgramController Module Test with Invalid Data	Check if Admin able to create a program with missing additional field	6	5	1	0	0.435 s
10		Check if Admin able to retrieve all programs with invalid Endpoint	6	6	0	0	0.443 s
11		Check if Admin able to retrieve all programs with invalid Method	6	6	0	0	0.425 s
12		Check if Admin able to retrieve all programs without Authorization	6	6	0	0	0.424 s
13		Check if Admin able to retrieve a program with invalid program ID	6	6	0	0	0.420 s
14		Check if Admin able to retrieve a program with invalid baseURI	6	6	0	0	0.528 s
15		Check if Admin able to retrieve a program without Authorization	6	6	0	0	0.452 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
16	ProgramController Module Test with Invalid Data	Check if Admin able to retrieve a program with invalid Endpoint	6	6	0	0	0.448 s
17		Check if Admin able to retrieve all programs with invalid Endpoint	6	6	0	0	0.460 s
18		Check if Admin able to retrieve all programs with invalid Method	6	6	0	0	0.430 s
19		Check if Admin able to retrieve all programs without Authorization	6	6	0	0	0.459 s
20		Check if Admin able to update a program with invalid program Name and request body	6	6	0	0	0.441 s
21		Check if Admin able to update a program using valid program name - missing mandatory fields in request body	6	6	0	0	0.454 s
22		Check if Admin able to update a program with invalid values in request body	6	6	0	0	0.429 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
23	ProgramController Module Test with Invalid Data	Check if Admin able to update a program with invalid program Description	6	6	0	0	0.436 s
24		Check if Admin able to update a program status	6	5	1	0	0.446 s
25		Check if Admin able to update a program without Authorization	6	6	0	0	0.407 s
26		Check if Admin able to update a program with invalid programID endpoint and valid request body	6	6	0	0	0.415 s
27		Check if Admin able to update a program with invalid request body	6	6	0	0	0.424 s
28		Check if Admin able to update a program without request body	6	6	0	0	0.451 s
29		Check if Admin able to update a program with invalid baseURI	6	6	0	0	0.427 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
30		*Check if Admin able to update a program with invalid method*	6	6	0	0	0.533 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
31	ProgramController Module Test with Invalid Data	Check if Admin able to update a program without Authorization	5	5	0	0	0.556 s
32	ProgramController Module Test with Valid Data	Check if Admin able to retrieve all programs with valid Endpoint	6	6	0	0	0.510 s
33		Check if Admin able to retrieve a program with valid program ID	6	6	0	0	0.559 s
34		Check if Admin able to retrieve all programs with valid Endpoint	6	6	0	0	0.525 s
35		Check if Admin able to update a program with Valid program Name and request body	6	6	0	0	0.482 s
36		Check if Admin able to update a program with valid programID endpoint and valid request body	6	6	0	0	0.459 s
37	Batch Module	Check if admin able to create a Batch with valid endpoint and request body	6	6	0	0	0.504 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
38		Check if admin able to retrieve a batch with valid Batch ID	6	6	0	0	0.460 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
39	Batch Module	Check if admin able to retrieve a batch with valid BATCH NAME	6	6	0	0	0.435 s
40		Check if admin able to retrieve a batch with valid Program ID	6	6	0	0	0.434 s
41		Check if admin able to create a batch with missing additional fields	6	6	0	0	0.437 s
42		Check if admin able to retrieve all batches with valid LMS API	6	6	0	0	0.474 s
43		Check if admin able to retrieve all batches with search string	6	6	0	0	0.435 s
44		Check if admin able to update a Batch with valid batchID and mandatory fields in request body	6	6	0	0	0.484 s
45		Check if admin able to create a Batch with valid endpoint and request body (existing value in Batch Name)	6	4	1	1	0.289 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
46		*Check if admin able to create a Batch missing mandatory fields in request body*	6	4	1	1	0.272 s
47		*Check if admin able to create a batch with invalid endpoint*	6	6	0	0	0.553 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
48	Batch Module	Check if admin able to create a batch with invalid data in request body	6	4	1	1	0.283 s
49		Check if admin able to create a batch with inactive program ID	6	4	1	1	0.316 s
50		Check if admin able to create a Batch with valid endpoint and request body without authorization.	6	4	1	1	0.266 s
51		Check if admin able to retrieve all batches with invalid Endpoint	6	3	1	2	0.251 s
52		Check if admin able to retrieve all batches without Authorization	6	4	1	1	0.275 s
53		Check if admin able to retrieve a batch with batch ID without authorization	6	6	0	0	0.435 s
54		Check if admin able to retrieve a batch with invalid BATCH ID	6	6	0	0	0.473 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
55		*Check if admin able to retrieve a batch with invalid endpoint*	6	3	1	2	0.266 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
56	Batch Module	Check if admin able to retrieve a batch without authorization	6	6	0	0	0.441 s
57		Check if admin able to retrieve a batch with invalid BATCH NAME	6	6	0	0	0.442 s
58		Check if admin able to retrieve a batch with invalid endpoint	6	3	1	2	0.269 s
59		Check if admin able to retrieve a batch without authorization	6	4	1	1	0.267 s
60		Check if admin able to retrieve a batch with invalid Program Id	6	3	1	2	0.260 s
61		Check if admin able to retrieve a batch with invalid endpoint	6	3	1	2	0.267 s
62		Check if admin able to update a Batch with valid batchID and mandatory fields in request body without authorization	6	4	1	1	0.247 s
63		Check if admin able to update a Batch with invalid batchID and mandatory fields in request body	6	3	1	2	0.294 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
64		Check if admin able to update a Batch with valid batchID and missing mandatory fields request body	6	4	1	1	0.257 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
65	Batch Module	Check if admin able to update a batch with invalid data	6	4	1	1	0.269 s
66		Check if admin able to update a Batch with invalid enpoint	6	3	1	2	0.252 s
67		Check if admin able to update a Batch with a valid batchID and deleted programID field	6	3	1	2	0.272 s
68		Check if admin able to delete a Batch with invalid endpoint	6	3	1	2	0.269 s
69		Check if admin able to delete a Batch with invalid Batch ID	6	6	0	0	0.445 s
70		Check if admin able to delete a Batch without authorization	6	4	1	1	0.272 s
71		Check if admin able to retrive a batch after the programID is deleted	6	3	1	2	0.246 s
72		Check if admin able to retrive a batch after deleting the batch	6	3	1	2	0.288 s
73		Check if admin able to retrive a deleted batch using batch name	6	3	1	2	0.269 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
74		*Check if admin able to update a Batch with a deleted batchID in the endpoint*	6	3	1	2	0.275 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
75	Check Post request of user controller module.	Authorized admin is able to create a new user with valid url and request body with mandatory fields.	6	6	0	0	0.814 s
76	Validating Get request for User API's	Admin is able to get count of active and in active admins	6	6	0	0	0.447 s
77		Admin is able to get all active users	6	6	0	0	0.515 s
78		Admin is able to assign update user role program batch	6	6	0	0	0.493 s
79		Admin is able to get admin by program batchId	6	6	0	0	0.436 s
80		Admin is able to update user roleId	6	5	1	0	0.414 s
81		Admin is able to get admin by programId	6	5	1	0	0.417 s
82		Admin is able to get admin by roleId	6	6	0	0	0.513 s
83		Admin is able to get all users	6	6	0	0	0.644 s
84		Admin is able to get all roles	6	6	0	0	0.583 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
85	Validating Get request for User API's	Admin is able to get user by userId	6	6	0	0	0.615 s
86		Admin is able to get all users with roles	6	6	0	0	0.439 s
87		Admin is able to get users by roleId V2	6	6	0	0	0.652 s
88		Admin is able to update user by userId	6	6	0	0	0.444 s
89		Admin is able to update user role status	6	6	0	0	0.450 s
90		Admin is able to update user login status	6	6	0	0	0.451 s
91	Validating Invalid data for User API's	Authorized admin is able to create a new user with valid url and request body with missing mandatory fields.	6	6	0	0	0.406 s
92		Unauthorized admin user create post request with valid request body	6	5	1	0	0.312 s
93		Admin is able to get all users with invalid endpoint	6	3	1	2	0.274 s
94		Admin is able to get all admins with invalid endpoint	6	3	1	2	0.276 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
95	Validating Invalid data for User API's	Admin is able to get all active users with invalid endpoint	6	3	1	2	0.274 s
96		Admin is able to get all active and inactive users with invalid endpoint	6	3	1	2	0.268 s
97		Admin is able to get user with invalid userId	6	3	1	2	0.277 s
98		Admin is able to get admin by invalid program batchId	6	3	1	2	0.282 s
99		Admin is able to get admin by invalid programId	6	3	1	2	0.278 s
10-0		Admin is able to get admin by invalid roleId	6	3	1	2	0.260 s
10-1		Admin is able to get admin with roles with invalid endpoint	6	3	1	2	0.269 s
10-2		Admin is able to get users by roleId V2 with invalid endpoint	6	3	1	2	0.262 s
10-3		Admin is able to update user with invalid roleId	6	3	1	2	0.262 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
10-4		*Admin is able to update user with existing roleId*	6	3	1	2	0.274 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
10-5	Validating Invalid data for User API's	Admin is able to update user with invalid adminroleprogrambatch	6	3	1	2	0.276 s
10-6		Admin is able to update user with existing adminroleprogrambatch	6	3	1	2	0.266 s
10-7		Admin is able to update user with invalid userloginstatus	6	3	1	2	0.256 s
10-8	Validating user role program batch map API's	Admin is able to get all admins with assigned program batches	6	6	0	0	0.462 s
10-9		Admin is able to get program/batches for valid adminId	6	6	0	0	0.434 s
11-0	Validating Delete Request	Admin is able to delete user	6	6	0	0	0.475 s
11-1		Check if admin able to delete a Batch with valid Batch ID	6	6	0	0	0.442 s
11-2		Check if Admin able to delete a program with valid programName	6	6	0	0	0.446 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
11-3		*Check if Admin able to delete a program with valid program ID*	6	6	0	0	0.457 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
11-4	*Validating Delete Request*	*Admin is able to delete program/batches for valid adminId*	6	5	1	0	0.430 s
11-5	*Validating user logout*	*Check if user able to logout with token and valid credential*	6	6	0	0	0.428 s

Validating user login

PASSED	DURATION - 2.491 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	3
/ 11:00:05.472 AM // 11:00:07.963 AM /					

Check if user able to login with token and valid credential

PASSED	DURATION - 2.490 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	3
/ 11:00:05.473 AM // 11:00:07.963 AM /				
Validating user login				
@login-Valid @login				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.006 s
2	When Admin calls Post Https method with valid endpoint	PASSED	2.469 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.010 s

ProgramController Module Test with Invalid Data

FAILED	DURATION - 13.982 s	Scenarios Total - 30 Pass - 27 Fail - 3 Skip - 0	30	Steps Total - 179 Pass - 176 Fail - 3 Skip - 0	179
/ 11:00:08.007 AM // 11:00:21.989 AM /					

Check if Admin able to create a program with valid endpoint and request body with Authorization

PASSED	DURATION - 0.610 s
/ 11:00:08.007 AM // 11:00:08.617 AM /	
ProgramController Module Test with Invalid Data	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.268 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Admins creates POST Request for the LMS with request body	PASSED	0.003 s
5	When Admins sends HTTPS Request and request Body with endpoint	PASSED	0.250 s
6	Then Admins receives 201 Created Status with response body	PASSED	0.082 s

Check if Admin able to create a program with valid endpoint and request body without Authorization

PASSED	DURATION - 0.449 s
/ 11:00:08.626 AM // 11:00:09.075 AM /	
ProgramController Module Test with Invalid Data	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.257 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admins creates POST Request for the LMS with request body	PASSED	0.002 s
5	When Admins send HTTPS Request and request Body with endpoint	PASSED	0.180 s
6	Then Admins receives 401 Unauthorized	PASSED	0.002 s

Check if Admin able to create a program with invalid endpoint

PASSED	DURATION - 0.559 s
/ 11:00:09.082 AM // 11:00:09.641 AM /	
ProgramController Module Test with Invalid Data	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.265 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admins creates POST Request for the LMS with request body	PASSED	0.002 s
5	When Admins sends HTTPS Request and the request Body with endpoint	PASSED	0.281 s
6	Then Admins receives 404 not found Status with message and boolean success details	PASSED	0.001 s

Check if Admin able to create a program with already existing program name

FAILED	DURATION - 0.442 s
/ 11:00:09.656 AM // 11:00:10.098 AM /	
ProgramController Module Test with Invalid Data	

Steps
Total - 6
Pass - 5
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.263 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admins creates POST Request for LMS with request body	PASSED	0.002 s
5	When Admins sends HTTPS Request and request Body with endpoint	PASSED	0.163 s
6	Then Admins receives 400 Bad Request Status with message and boolean success details	FAILED	0.004 s

#	Step / Hook Details	Status	Duration

	org.opentest4j.AssertionFailedError: expected: <400> but was: <201>
	   at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151)
	   at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132)
	   at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197)
	   at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182)
	   at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177)
	   at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:545)
	   at com.api.stepdefinition.PC_PositiveStepDefinitions.admin_receives_method_not_allowed(PC_PositiveStepDefinitions.java:288)
	   at ?.Admins receives 400 Bad Request Status with message and boolean success details(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/02_ProgramControllerNegative.feature:28)
	* Not displayable characters are replaced by '?'.		

Check if Admin able to create a program with invalid method

PASSED	DURATION - 0.421 s
/ 11:00:10.105 AM // 11:00:10.526 AM /	
ProgramController Module Test with Invalid Data	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.238 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admins creates POST Request for the LMS with request body	PASSED	0.002 s
5	When Admins sends HTTPS Request and request Body with endpoint.	PASSED	0.174 s
6	Then Admins receives 405 Method Not Allowed	PASSED	0.000 s

Check if Admin able to create a program with invalid request body

PASSED	DURATION - 0.467 s

/ 11:00:10.533 AM // 11:00:11.000 AM /

ProgramController Module Test with Invalid Data

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.273 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admins creates POST Request for the LMS with invalid request body	PASSED	0.002 s
5	When Admins sends HTTPS Request and request Body with endpoint	PASSED	0.181 s
6	Then Admins receives 400 Bad Request Status	PASSED	0.001 s

Check if Admin able to create a program with missing values in the request body

PASSED	DURATION - 0.469 s

/ 11:00:11.009 AM // 11:00:11.478 AM /

ProgramController Module Test with Invalid Data

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.266 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.009 s
4	Given Admins creates POST Request for the LMS with missing values in request body	PASSED	0.002 s
5	When Admins sends HTTPS Request and request Body with endpoint	PASSED	0.189 s
6	Then Admins receives 400 Bad Request Status	PASSED	0.000 s

Check if Admin able to create a program with missing additional field

FAILED	DURATION - 0.435 s
/ 11:00:11.484 AM // 11:00:11.919 AM /	
ProgramController Module Test with Invalid Data	

Steps
Total - 6
Pass - 5
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.260 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Admins creates POST Request for the LMS with request body	PASSED	0.001 s
5	When Admins sends HTTPS Request and request Body with endpoint	PASSED	0.163 s
6	Then Admins receives 200 ok	FAILED	0.001 s

	org.opentest4j.AssertionFailedError: expected: <200> but was: <400>
	    at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151)
	    at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132)
	    at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197)
	    at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182)
	    at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177)
	    at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:545)
	    at com.api.stepdefinition.PC_PositiveStepDefinitions.admin_receives_ok(PC_PositiveStepDefinitions.java:331)
	    at ?.Admins receives 200 ok(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/02_ProgramControllerNegative.feature:48)
	* Not displayable characters are replaced by '?'.		

## Check if Admin able to retrieve all programs with invalid Endpoint

PASSED	*DURATION - 0.443 s*

/ 11:00:11.928 AM // 11:00:12.371 AM /

ProgramController Module Test with Invalid Data

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.266 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admins creates GET Request for the LMS API	PASSED	0.002 s
5	When Admins sends HTTPS Request with invalid endpoint	PASSED	0.164 s
6	Then Admins receives 404 not found Status with error message	PASSED	0.000 s

Check if Admin able to retrieve all programs with invalid Method

PASSED	*DURATION - 0.425 s*

/ 11:00:12.383 AM // 11:00:12.808 AM /

ProgramController Module Test with Invalid Data

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.249 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admins creates GET Request for the LMS API	PASSED	0.001 s
5	When Admins sends HTTPS Request with invalid method	PASSED	0.162 s
6	Then Admins receives 405 Method will Not Allowed	PASSED	0.000 s

Check if Admin able to retrieve all programs without Authorization

PASSED	DURATION - 0.424 s
/ 11:00:12.813 AM // 11:00:13.237 AM /	
ProgramController Module Test with Invalid Data	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.263 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admins creates GET Request for the LMS API	PASSED	0.001 s
5	When Admins sends HTTPS Request without Authorization	PASSED	0.151 s
6	Then Admins receives 401 Status with response body as Unauthorized	PASSED	0.000 s

Check if Admin able to retrieve a program with invalid program ID

PASSED	DURATION - 0.420 s
/ 11:00:13.245 AM // 11:00:13.665 AM /	
ProgramController Module Test with Invalid Data	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.253 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.003 s
4	Given Admins creates GET Request for the LMS API	PASSED	0.001 s
5	When Admins sends HTTPS Request with invalid programID	PASSED	0.163 s
6	Then Admins receives 404 Not Found Status with message and boolean success details	PASSED	0.000 s

Check if Admin able to retrieve a program with invalid baseURI

PASSED	DURATION - 0.528 s		Steps
/ 11:00:13.668 AM // 11:00:14.196 AM /			Total - 6
			Pass - 6
ProgramController Module Test with Invalid Data			Fail - 0
			Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.268 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admins creates GET Request for the LMS API with invalid BaseURI	PASSED	0.001 s
5	When Admins sends HTTPS Request with endpoint	PASSED	0.251 s
6	Then Admins receives 404 Not Found Status with message and boolean success details	PASSED	0.000 s

Check if Admin able to retrieve a program without Authorization

PASSED	DURATION - 0.452 s		Steps
/ 11:00:14.199 AM // 11:00:14.651 AM /			Total - 6
			Pass - 6
ProgramController Module Test with Invalid Data			Fail - 0
			Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.269 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admins creates GET Request for the LMS API	PASSED	0.001 s
5	When Admins sends HTTPS Request to retrieve without Authorization	PASSED	0.173 s
6	Then Admins receives 401 Unauthorized	PASSED	0.000 s

Check if Admin able to retrieve a program with invalid Endpoint

PASSED	DURATION - 0.448 s
/ 11:00:14.662 AM // 11:00:15.110 AM /	
ProgramController Module Test with Invalid Data	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.265 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Admins creates GET Request for the LMS API	PASSED	0.001 s
5	When Admins sends HTTPS Request with invalid Endpoint for program	PASSED	0.174 s
6	Then Admins receives 404 Not Found Status with message and boolean success details	PASSED	0.001 s

Check if Admin able to retrieve all programs with invalid Endpoint

PASSED	DURATION - 0.460 s
/ 11:00:15.117 AM // 11:00:15.577 AM /	
ProgramController Module Test with Invalid Data	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.291 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admins create the GET Request for LMS API	PASSED	0.001 s
5	When Admins sends the HTTPS Request with the invalid endpoint	PASSED	0.159 s
6	Then Admins receives 404 not found Status with error message	PASSED	0.000 s

Check if Admin able to retrieve all programs with invalid Method

PASSED	DURATION - 0.430 s
/ 11:00:15.584 AM // 11:00:16.014 AM /	
ProgramController Module Test with Invalid Data	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.263 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admins create the GET Request for LMS API	PASSED	0.001 s
5	When Admins sends the HTTPS Request with the invalid Method	PASSED	0.157 s
6	Then Admins receives 405 Method Not Allowed	PASSED	0.000 s

Check if Admin able to retrieve all programs without Authorization

PASSED	DURATION - 0.459 s
/ 11:00:16.019 AM // 11:00:16.478 AM /	
ProgramController Module Test with Invalid Data	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.274 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admins create the GET Request for LMS API	PASSED	0.001 s
5	When Admins sends the HTTPS Request without Authorization	PASSED	0.173 s
6	Then Admins receives 401 Status with response body as Unauthorized	PASSED	0.001 s

## Check if Admin able to update a program with invalid program Name and request body

PASSED	DURATION - 0.441 s
/ 11:00:16.493 AM // 11:00:16.934 AM /	
ProgramController Module Test with Invalid Data	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.273 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admins creates PUT Request for the LMS API endpoint with valid request Body with mandatory and additional fields	PASSED	0.001 s
5	When Admins send HTTPS Request with invalid endpoint	PASSED	0.158 s
6	Then Admins receives 404 Not Found Status with message and boolean success details	PASSED	0.000 s

Check if Admin able to update a program using valid program name - missing mandatory fields in request body

PASSED	DURATION - 0.454 s
/ 11:00:16.940 AM // 11:00:17.394 AM /	
ProgramController Module Test with Invalid Data	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.263 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admins creates PUT Request for the LMS API with missing mandatory fields	PASSED	0.001 s
5	When Admins sends HTTPS Request with valid endpoint	PASSED	0.180 s
6	Then Admins receives 400 Bad Request Status with message and boolean success details	PASSED	0.000 s

Check if Admin able to update a program with invalid values in request body

PASSED	DURATION - 0.429 s
/ 11:00:17.398 AM // 11:00:17.827 AM /	
ProgramController Module Test with Invalid Data	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.241 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admins creates PUT Request for the LMS API endpoint and invalid program Name	PASSED	0.001 s
5	When Admins sends HTTPS Request and request Body with mandatory fields.	PASSED	0.177 s
6	Then Admins receives 400 Bad Request Status with message and boolean success details	PASSED	0.001 s

## Check if Admin able to update a program with invalid program Description

PASSED	DURATION - 0.436 s
/ 11:00:17.838 AM // 11:00:18.274 AM /	
ProgramController Module Test with Invalid Data	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.266 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admins creates PUT Request for the LMS API endpoint and invalid program Description	PASSED	0.001 s
5	When Admins sends HTTPS Request and request Body with mandatory fields.	PASSED	0.158 s
6	Then Admins receives 400 Bad Request Status with message and boolean success details	PASSED	0.000 s

Check if Admin able to update a program status

FAILED	DURATION - 0.446 s
/ 11:00:18.285 AM // 11:00:18.731 AM /	
ProgramController Module Test with Invalid Data	

Steps
Total - 6
Pass - 5
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.262 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admins creates PUT Request for the LMS API endpoint and Valid program Name and status	PASSED	0.002 s
5	When Admins sends HTTPS Request with the valid endpoint	PASSED	0.173 s
6	Then Admins receives 200 OK Status with updated value in response body.	FAILED	0.001 s

	org.opentest4j.AssertionFailedError: StatusCode is Null ==> expected: <200> but was: <500>
	   at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151)
	   at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132)
	   at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197)
	   at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:150)
	   at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:563)
	   at com.api.stepdefinition.PC_PositiveStepDefinitions.
	admin_receives_ok_status_with_updated_value_in_response_body(PC_PositiveStepDefinitions.java:167)
	   at ?.Admins receives 200 OK Status with updated value in response body.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/02_ProgramControllerNegative.feature:128)
	* Not displayable characters are replaced by '?'.		

Check if Admin able to update a program without Authorization

PASSED	DURATION - 0.407 s

/ 11:00:18.735 AM // 11:00:19.142 AM /

ProgramController Module Test with Invalid Data

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.247 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admins creates PUT Request for the LMS API endpoint with valid request Body with the mandatory , additional fields.	PASSED	0.001 s
5	When Admins sends HTTPS Request with valid endpoint and without authorization	PASSED	0.152 s
6	Then Admins receives 401 Unauthorized	PASSED	0.001 s

Check if Admin able to update a program with invalid programID endpoint and valid request body

PASSED	DURATION - 0.415 s

/ 11:00:19.150 AM // 11:00:19.565 AM /

ProgramController Module Test with Invalid Data

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.254 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Admins creates PUT Request for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.000 s
5	When Admins sends HTTPS Request with valid endpoint and invalid programid	PASSED	0.153 s
6	Then Admins receives 404 Not Found Status with message and boolean success details	PASSED	0.001 s

Check if Admin able to update a program with invalid request body

PASSED	DURATION - 0.424 s
/ 11:00:19.571 AM // 11:00:19.995 AM /	
ProgramController Module Test with Invalid Data	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.262 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.012 s
4	Given Admins creates PUT Request for the LMS API with invalid request body	PASSED	0.001 s
5	When Admins sends HTTPS Request with invalid requestbody	PASSED	0.147 s
6	Then Admins receives 400 Bad Request Status with message and boolean success details	PASSED	0.000 s

Check if Admin able to update a program without request body

PASSED	DURATION - 0.451 s
/ 11:00:19.998 AM // 11:00:20.449 AM /	
ProgramController Module Test with Invalid Data	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.266 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admins creates PUT Request for the LMS API without request body	PASSED	0.002 s
5	When Admins sends HTTPS Request with valid endpoint	PASSED	0.173 s
6	Then Admins receives 400 Bad Request Status with message and boolean success details	PASSED	0.000 s

## Check if Admin able to update a program with invalid baseURI

PASSED	DURATION - 0.427 s
/ 11:00:20.454 AM // 11:00:20.881 AM /	
ProgramController Module Test with Invalid Data	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.241 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admins creates PUT Request for the LMS API endpoint with invalid baseuri	PASSED	0.000 s
5	When Admins sends HTTPS the Request with valid endpoint	PASSED	0.176 s
6	Then Admins receives 404 Not Found the Status with message and boolean success details	PASSED	0.001 s

## Check if Admin able to update a program with invalid method

PASSED	DURATION - 0.533 s
/ 11:00:20.894 AM // 11:00:21.427 AM /	
ProgramController Module Test with Invalid Data	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.257 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admins creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields	PASSED	0.001 s
5	When Admins sends HTTPS Request for PUt with invalid method	PASSED	0.263 s
6	Then Admins receives 405 Method Not Allowed	PASSED	0.001 s

## Check if Admin able to update a program without Authorization

PASSED	DURATION - 0.556 s
/ 11:00:21.433 AM // 11:00:21.989 AM /	
ProgramController Module Test with Invalid Data	

Steps
Total - 5
Pass - 5
Fail - 0
Skip - 0

5

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.370 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Admins creates PUT Request for the LMS API endpoint with request Body	PASSED	0.001 s
5	When Admins sends HTTPS Request without the authorization	PASSED	0.179 s

ProgramController Module Test with Valid Data

PASSED	DURATION - 2.558 s
/ 11:00:21.993 AM // 11:00:24.551 AM /	

Scenarios
Total - 5
Pass - 5
Fail - 0
Skip - 0

5

Steps
Total - 30
Pass - 30
Fail - 0
Skip - 0

30

Check if Admin able to retrieve all programs with valid Endpoint

PASSED	DURATION - 0.510 s
/ 11:00:21.994 AM // 11:00:22.504 AM /	
ProgramController Module Test with Valid Data	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.271 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Admins creates GET Request for the LMS API	PASSED	0.002 s
5	When Admins sends HTTPS Request with endpoint	PASSED	0.231 s
6	Then Admins receives 200 OK Status with response body.	PASSED	0.001 s

Check if Admin able to retrieve a program with valid program ID

PASSED	DURATION - 0.559 s
/ 11:00:22.508 AM // 11:00:23.067 AM /	
ProgramController Module Test with Valid Data	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.309 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admins create GET Request for LMS API	PASSED	0.002 s
5	When Admins send HTTPS Request with the endpoint	PASSED	0.230 s
6	Then Admins receives 200 OK Status with response body	PASSED	0.010 s

Check if Admin able to retrieve all programs with valid Endpoint

PASSED	DURATION - 0.525 s
/ 11:00:23.073 AM // 11:00:23.598 AM /	
ProgramController Module Test with Valid Data	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.270 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admins create the GET Request for LMS API	PASSED	0.001 s
5	When Admins sends the HTTPS Request with endpoint	PASSED	0.244 s
6	Then Admins receive 200 OK Status with the response body	PASSED	0.000 s

Check if Admin able to update a program with Valid program Name and request body

PASSED	DURATION - 0.482 s
/ 11:00:23.603 AM // 11:00:24.085 AM /	
ProgramController Module Test with Valid Data	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.273 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admins creates PUT Request for the LMS API endpoint with the valid request Body with mandatory , additional fields.	PASSED	0.001 s
5	When Admins sends HTTPS Request with the valid endpoint	PASSED	0.187 s
6	Then Admins receives 200 OK Status with updated value in response body.	PASSED	0.011 s

### Check if Admin able to update a program with valid programID endpoint and valid request body

PASSED	DURATION - 0.459 s
/ 11:00:24.092 AM // 11:00:24.551 AM /	
ProgramController Module Test with Valid Data	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.254 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admins creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields	PASSED	0.001 s
5	When Admins sends HTTPS Request with valid endpoint	PASSED	0.189 s
6	Then Admins receives 200 OK Status with updated value in response body	PASSED	0.005 s

Batch Module

PASSED	DURATION - 3.695 s	Scenarios	Steps
/ 11:00:24.559 AM // 11:00:28.254 AM /		Total - 8 Pass - 8 Fail - 0 Skip - 0	Total - 48 Pass - 48 Fail - 0 Skip - 0

8

48

Check if admin able to create a Batch with valid endpoint and request body

PASSED	DURATION - 0.504 s		Steps
/ 11:00:24.559 AM // 11:00:25.063 AM /			Total - 6 Pass - 6 Fail - 0 Skip - 0
Batch Module			
@CreateNewBatch			

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.276 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given User creates request for the LMS API endpoint "Create New Batch".	PASSED	0.002 s
5	When User sends HTTPS post request for batch and request body with mandatory and additional fields.	PASSED	0.201 s
6	Then User receives 201 created status for batch.	PASSED	0.015 s

### Check if admin able to retrieve a batch with valid Batch ID

PASSED	DURATION - 0.460 s		Steps
/ 11:00:25.067 AM // 11:00:25.527 AM /			Total - 6
			Pass - 6
Batch Module			Fail - 0
			Skip - 0
@GetBatchByBatchId			

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.270 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admin creates GET Request with valid Batch ID.	PASSED	0.001 s
5	When Admin sends HTTPS get Request with endpoint.	PASSED	0.176 s
6	Then Admin receives 200 OK Status with response body for batch.	PASSED	0.005 s

### Check if admin able to retrieve a batch with valid BATCH NAME

PASSED	DURATION - 0.435 s		Steps
/ 11:00:25.532 AM // 11:00:25.967 AM /			Total - 6
			Pass - 6
Batch Module			Fail - 0
			Skip - 0
@GetBatchbyBatchName			

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.262 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admin creates GET Request with valid Batch Name.	PASSED	0.001 s
5	When Admin sends HTTPS Request with endpoint batchName.	PASSED	0.161 s
6	Then Admin receives 200 OK Status with the response body for batch.	PASSED	0.004 s

Check if admin able to retrieve a batch with valid Program ID

PASSED	DURATION - 0.434 s

/ 11:00:25.971 AM // 11:00:26.405 AM /

Batch Module

@GetBatchByValidPgmId

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.259 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admin creates GET Request with the program id.	PASSED	0.001 s
5	When Admin sends HTTPS Request with the endpoint for programId.	PASSED	0.167 s
6	Then Admin receives 200 OK Status with response body.	PASSED	0.000 s

Check if admin able to create a batch with missing additional fields

PASSED	DURATION - 0.437 s

/ 11:00:26.410 AM // 11:00:26.847 AM /

Batch Module

@CreateBatchMandatoryField

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.237 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Admin creates POST Request with missing additional fields Create New Batch Missing Field.	PASSED	0.001 s
5	When Admin sends HTTPS Request with endpoint.	PASSED	0.187 s
6	Then Admin receives 201 Created Status with response body.	PASSED	0.007 s

Check if admin able to retrieve all batches with valid LMS API

PASSED	DURATION - 0.474 s		Steps
/ 11:00:26.852 AM // 11:00:27.326 AM /			Total - 6 Pass - 6 Fail - 0 Skip - 0
Batch Module			
@GetAllBatches			

| #	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.266 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admin creates GET Request.	PASSED	0.001 s
5	When Admin sends "HTTPS Request" with endpoint.	PASSED	0.195 s
6	Then Admin receives 200 OK Status with response body.	PASSED	0.001 s

Check if admin able to retrieve all batches with search string

PASSED	DURATION - 0.435 s		Steps
/ 11:00:27.332 AM // 11:00:27.767 AM /			Total - 6 Pass - 6 Fail - 0 Skip - 0
Batch Module			
@GetAllBatchesSearchString			

| #	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.263 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates GET Request with search string.	PASSED	0.005 s
5	When Admin sends "HTTPS Request" with endpoint.	PASSED	0.158 s
6	Then Admin receives 200 Ok status with response body.	PASSED	0.000 s

Check if admin able to update a Batch with valid batchID and mandatory fields in request body

PASSED	DURATION - 0.484 s
/ 11:00:27.770 AM // 11:00:28.254 AM /	
Batch Module	
@UpdateBatchValid	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.267 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admin creates PUT Request with auth, valid BatchId and Update Valid Data.	PASSED	0.001 s
5	When Admin sends HTTPS Request with update endpoint.	PASSED	0.184 s
6	Then Admin receives 200 OK Status with updated value in response body.	PASSED	0.021 s

Batch Module

FAILED	DURATION - 9.452 s
/ 11:00:28.281 AM // 11:00:37.733 AM /	

Scenarios
Total - 30
Pass - 6
Fail - 24
Skip - 0

30

Steps
Total - 180
Pass - 119
Fail - 24
Skip - 37

180

Check if admin able to create a Batch with valid endpoint and request body (existing value in Batch Name)

FAILED	DURATION - 0.289 s
/ 11:00:28.281 AM // 11:00:28.570 AM /	
Batch Module	
@CreateBatchDuplicate	

Steps
Total - 6
Pass - 4
Fail - 1
Skip - 1

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.277 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates POST Request with existing value in request body "Create New Batch"	PASSED	0.003 s
5	When Admin sends HTTPS Request with endpoint	FAILED	0.001 s
	Step undefined		
6	Then Admin receives 400 Bad Request Status with message and boolean success details	SKIPPED	0.000 s

Check if admin able to create a Batch missing mandatory fields in request body

FAILED	*DURATION - 0.272 s*
/ 11:00:28.577 AM // 11:00:28.849 AM /	
Batch Module	
@CreateBatchMissingMandatory	

Steps
Total - 6
Pass - 4
Fail - 1
Skip - 1

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.262 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates POST Request with invalid data in request body "Create Missing Mandatory"	PASSED	0.002 s
5	When Admin sends HTTPS Request with endpoint	FAILED	0.001 s
	Step undefined		
6	Then Admin receives 400 Bad Request Status with message and boolean success details	SKIPPED	0.000 s

Check if admin able to create a batch with invalid endpoint

PASSED	DURATION - 0.553 s
/ 11:00:28.854 AM // 11:00:29.407 AM /	
Batch Module	
@CreateBatchInvalidEndpoint	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.261 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admin creates POST Request "Create New Batch"	PASSED	0.002 s
5	When Admin sends HTTPS Request with invalid endpoint	PASSED	0.280 s
6	Then Admin receives 404 not found Status	PASSED	0.001 s

Check if admin able to create a batch with invalid data in request body

FAILED	DURATION - 0.283 s
/ 11:00:29.417 AM // 11:00:29.700 AM /	
Batch Module	
@CreateBatchInvalidData	

Steps
Total - 6
Pass - 4
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.272 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates POST Request with invalid data in request body "Invalid Data"	PASSED	0.002 s
5	When Admin sends HTTPS Request with endpoint Step undefined	FAILED	0.000 s
6	Then Admin receives 400 Bad Request Status with message and boolean success details	SKIPPED	0.001 s

Check if admin able to create a batch with inactive program ID

FAILED	DURATION - 0.316 s		Steps
/ 11:00:29.705 AM // 11:00:30.021 AM /			Total - 6
			Pass - 4
Batch Module			Fail - 1
			Skip - 1
@CreateBatchInactiveProgramId			

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.307 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates POST Request with inactive program id "Inactive programID"	PASSED	0.001 s
5	When Admin sends HTTPS Request with endpoint Step undefined	FAILED	0.001 s
6	Then Admin receives 400 Bad Request Status with message and boolean success details	SKIPPED	0.000 s

## Check if admin able to create a Batch with valid endpoint and request body without authorization.

FAILED	DURATION - 0.266 s		Steps
/ 11:00:30.028 AM // 11:00:30.294 AM /			Total - 6
			Pass - 4
Batch Module			Fail - 1
			Skip - 1
@CreateBatchNoAuth			

| #	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.259 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Admin creates POST Request with valid data in request body "Create New Batch"	PASSED	0.001 s
5	When Admin sends HTTPS Request with endpoint	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	Step undefined		
6	Then Admin receives 401 Unauthorized	SKIPPED	0.001 s

Check if admin able to retrieve all batches with invalid Endpoint

FAILED	DURATION - 0.251 s		
/ 11:00:30.298 AM // 11:00:30.549 AM /		Steps	
		Total - 6	
Batch Module		Pass - 3	
		Fail - 1	
@GetInvalidEndpoint		Skip - 2	

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.247 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.003 s
4	Given Admin creates GET Request	FAILED	0.000 s
	Step undefined		
5	When Admin sends HTTPS Request with invalid endpoint	SKIPPED	0.000 s
6	Then Admin receives 404 status with error message Not Found .	SKIPPED	0.000 s

Check if admin able to retrieve all batches without Authorization

FAILED	DURATION - 0.275 s		
/ 11:00:30.554 AM // 11:00:30.829 AM /		Steps	
		Total - 6	
Batch Module		Pass - 4	
		Fail - 1	
@GetAllBatchesNoAuth		Skip - 1	

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.266 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates GET Request with no auth	PASSED	0.001 s
5	When Admin sends "HTTPS Request" with endpoint	FAILED	0.000 s
	Step undefined		
6	Then Admin receives 401 status with error message Unauthorized.	SKIPPED	0.001 s

Check if admin able to retrieve a batch with batch ID without authorization

PASSED	DURATION - 0.435 s
/ 11:00:30.833 AM // 11:00:31.268 AM /	
Batch Module	
@GetBatchNoAuth	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.256 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Admin creates GET Request with no auth	PASSED	0.001 s
5	When Admin sends "HTTPS" Request with endpoint	PASSED	0.172 s
6	Then Admin receives 401 status with error message Unauthorized.	PASSED	0.001 s

### Check if admin able to retrieve a batch with invalid BATCH ID

PASSED	*DURATION - 0.473 s*

/ 11:00:31.278 AM // 11:00:31.751 AM /

Batch Module

@GetBatchInvalidBatchId

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.002 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.285 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates GET Request with invalid Batch ID	PASSED	0.001 s
5	When Admin sends HTTPS Request with endpoint "invalid"	PASSED	0.176 s
6	Then Admin receives 404 Not Found Status with message and boolean success details	PASSED	0.002 s

## Check if admin able to retrieve a batch with invalid endpoint

FAILED	*DURATION - 0.266 s*

/ 11:00:31.761 AM // 11:00:32.027 AM /

Batch Module

@GetBatchInvalidEndpoint

Steps
Total - 6
Pass - 3
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.257 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates GET Request with valid Batch ID Step undefined	FAILED	0.001 s
5	When Admin sends HTTPS Request with "invalid endpoint"	SKIPPED	0.000 s
6	Then Admin receives 404 not found Status	SKIPPED	0.000 s

Check if admin able to retrieve a batch without authorization

PASSED	DURATION - 0.441 s
/ 11:00:32.032 AM // 11:00:32.473 AM /	
Batch Module	
@GetBatchNameNoAuth	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.255 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates GET Request with no auth	PASSED	0.001 s
5	When Admin sends HTTPS Request with batchName endpoint	PASSED	0.176 s
6	Then Admin receives 401 status with error message Unauthorized.	PASSED	0.001 s

Check if admin able to retrieve a batch with invalid BATCH NAME

PASSED	DURATION - 0.442 s
/ 11:00:32.482 AM // 11:00:32.924 AM /	
Batch Module	
@GetBatchByInvalidBatchname	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.257 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admin creates GET Request with invalid Batch Name	PASSED	0.001 s
5	When Admin sends HTTPS Request with endpoint invalid BatchName	PASSED	0.174 s
6	Then Admin receives 404 Not Found Status with message and boolean success details	PASSED	0.000 s

Check if admin able to retrieve a batch with invalid endpoint

FAILED	DURATION - 0.269 s
/ 11:00:32.928 AM // 11:00:33.197 AM /	
Batch Module	
@GetBatchInvalidEndpoint	

Steps

Total - 6

Pass - 3

Fail - 1

Skip - 2

| #	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.259 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates GET Request with valid Batch Name	FAILED	0.001 s
	Step undefined		
5	When Admin sends HTTPS Request with invalid endpoint batchName	SKIPPED	0.000 s
6	Then Admin receives 404 Not Found Status with message and boolean success details	SKIPPED	0.000 s

Check if admin able to retrieve a batch without authorization

FAILED	DURATION - 0.267 s
/ 11:00:33.202 AM // 11:00:33.469 AM /	
Batch Module	
@GetBatchByPgmIdNoAuth	

Steps

Total - 6

Pass - 4

Fail - 1

Skip - 1

| #	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.251 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.013 s
4	Given Admin creates GET Request with no auth	PASSED	0.001 s
5	When Admin sends HTTPS Request with endpoint for programId	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	Step undefined		
6	Then Admin receives 401 status with error message Unauthorized.	SKIPPED	0.001 s

Check if admin able to retrieve a batch with invalid Program Id

FAILED	DURATION - 0.260 s
/ 11:00:33.472 AM // 11:00:33.732 AM /	
Batch Module	
@GetBatchByInvalidPgmId	

Steps
Total - 6
Pass - 3
Fail - 1
Skip - 2

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.256 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.003 s
4	Given Admin creates GET Request with program id	FAILED	0.000 s
	Step undefined		
5	When Admin sends HTTPS Request with invalid programId endpoint	SKIPPED	0.000 s
6	Then Admin receives 404 Not Found Status with message and boolean success details	SKIPPED	0.000 s

Check if admin able to retrieve a batch with invalid endpoint

FAILED	DURATION - 0.267 s
/ 11:00:33.739 AM // 11:00:34.006 AM /	
Batch Module	
@GetBatchByPgmIdInvalidEndpoint	

Steps
Total - 6
Pass - 3
Fail - 1
Skip - 2

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.258 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates GET Request with program id Step undefined	FAILED	0.001 s
5	When Admin sends HTTPS Request with invalid endpoint for get batch	SKIPPED	0.000 s
6	Then Admin receives 404 Not Found Status with message and boolean success details	SKIPPED	0.000 s

Check if admin able to update a Batch with valid batchID and mandatory fields in request body without authorization

FAILED	DURATION - 0.247 s		Steps
/ 11:00:34.011 AM // 11:00:34.258 AM /			Total - 6
			Pass - 4
Batch Module			Fail - 1
			Skip - 1
@UpdateBatchNoAuth			

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.241 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.003 s
4	Given Admin creates PUT Request with valid BatchId and "Update Valid Data"	PASSED	0.001 s
5	When Admin sends HTTPS Request with update endpoint Step undefined	FAILED	0.001 s
6	Then Admin receives 401 status with error message Unauthorized.	SKIPPED	0.000 s

Check if admin able to update a Batch with invalid batchID and mandatory fields in request body

FAILED	DURATION - 0.294 s
/ 11:00:34.262 AM // 11:00:34.556 AM /	
Batch Module	
@UpdateBatchInvalid	

Steps
Total - 6
Pass - 3
Fail - 1
Skip - 2

| #	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.286 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates PUT Request with auth, valid BatchId and "Update Valid Data" Step undefined	FAILED	0.000 s
5	When Admin sends HTTPS Request with endpoint invalid batch	SKIPPED	0.001 s
6	Then Admin receives 404 Not Found Status with message and boolean success details	SKIPPED	0.000 s

Check if admin able to update a Batch with valid batchID and missing mandatory fields request body

FAILED	DURATION - 0.257 s
/ 11:00:34.561 AM // 11:00:34.818 AM /	
Batch Module	
@UpdateMissingMandatory	

Steps
Total - 6
Pass - 4
Fail - 1
Skip - 1

| #	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.246 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates PUT Request with auth,BatchId and "Missing mandatory Update"	PASSED	0.001 s
5	When Admin sends HTTPS Request with update endpoint Step undefined	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
6	Then Admin receives 400 Bad Request Status with message and boolean success details	SKIPPED	0.000 s

Check if admin able to update a batch with invalid data

FAILED	DURATION - 0.269 s
/ 11:00:34.822 AM // 11:00:35.091 AM /	
Batch Module	
@UpdateInvalidData	

Steps
Total - 6
Pass - 4
Fail - 1
Skip - 1

| #	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.257 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admin creates PUT Request with "Invalid Data"	PASSED	0.001 s
5	When Admin sends HTTPS Request with update endpoint Step undefined	FAILED	0.000 s
6	Then Admin receives 400 Bad Request Status with message and boolean success details	SKIPPED	0.000 s

Check if admin able to update a Batch with invalid enpoint

FAILED	DURATION - 0.252 s
/ 11:00:35.096 AM // 11:00:35.348 AM /	
Batch Module	
@UpdateInvalidEndpoint	

Steps
Total - 6
Pass - 3
Fail - 1
Skip - 2

| #	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.241 s

#	Step / Hook Details	Status	Duration
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admin creates PUT Request with auth, valid BatchId and "Update Valid Data"	FAILED	0.001 s
	Step undefined		
5	When Admin sends HTTPS put Request with invalid endpoint	SKIPPED	0.000 s
6	Then Admin receives 404 Not Found Status with message and boolean success details	SKIPPED	0.000 s

Check if admin able to update a Batch with a valid batchID and deleted programID field

FAILED	DURATION - 0.272 s
/ 11:00:35.354 AM // 11:00:35.626 AM /	
Batch Module	
@UpdateBatchwithDeletedProgramId	

Steps
Total - 6
Pass - 3
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.262 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates PUT Request with Valid batch Id and Deleted programID	FAILED	0.000 s
	Step undefined		
5	When Admin sends HTTPS Request with update endpoint and deleted programID	SKIPPED	0.000 s
6	Then Admin receives 400 Bad Request Status with message and boolean success details	SKIPPED	0.000 s

### Check if admin able to delete a Batch with invalid endpoint

FAILED	DURATION - 0.269 s
/ 11:00:35.631 AM // 11:00:35.900 AM /	
Batch Module	
@DeleteBatchwithInvalidEndpoint	

Steps
Total - 6
Pass - 3
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.259 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates DELETE Request with valid BatchId Step undefined	FAILED	0.000 s
5	When Admin sends HTTPS Request with invalid delete batch endpoint	SKIPPED	0.000 s
6	Then Admin receives 404 Not Found Status with message and boolean success details	SKIPPED	0.000 s

Check if admin able to delete a Batch with invalid Batch ID

PASSED	DURATION - 0.445 s		Steps	
/ 11:00:35.905 AM // 11:00:36.350 AM /			Total - 6	
			Pass - 6	
Batch Module			Fail - 0	
			Skip - 0	
@DeleteBatchwithInvalidBatchId				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.266 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admin creates DELETE Request with invalid BatchId	PASSED	0.001 s
5	When Admin sends HTTPS Request with endpoint invalid batchID	PASSED	0.169 s
6	Then Admin receives 404 Not Found Status with message and boolean success details	PASSED	0.001 s

Check if admin able to delete a Batch without authorization

FAILED	DURATION - 0.272 s
/ 11:00:36.362 AM // 11:00:36.634 AM /	
Batch Module	
@DeleteBatchWithNoAuth	

Steps
Total - 6
Pass - 4
Fail - 1
Skip - 1

| #	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.262 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates DELETE Request with valid BatchId no auth	PASSED	0.001 s
5	When Admin sends HTTPS Request with endpoint for batch	FAILED	0.001 s
	Step undefined		
6	Then Admin receives 401 status with error message Unauthorized.	SKIPPED	0.000 s

Check if admin able to retrive a batch after the programID is deleted

FAILED	DURATION - 0.246 s
/ 11:00:36.639 AM // 11:00:36.885 AM /	
Batch Module	
@GetBatchbyProgramIdAfterDelete	

Steps
Total - 6
Pass - 3
Fail - 1
Skip - 2

| #	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.241 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Admin creates GET Request with program id	FAILED	0.000 s
	Step undefined		
5	When Admin sends HTTPS Request with endpoint	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
6	Then Admin receives 404 Not Found Status with message and boolean success details	SKIPPED	0.000 s

Check if admin able to retrieve a batch after deleting the batch

FAILED	DURATION - 0.288 s		Steps	
/ 11:00:36.890 AM // 11:00:37.178 AM /			Total - 6	
Batch Module			Pass - 3	
			Fail - 1	
@GetBatchAfterDeletById			Skip - 2	

| #	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.280 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admin creates GET Request with valid Batch ID	FAILED	0.001 s
	Step undefined		
5	When Admin sends HTTPS get Request with endpoint	SKIPPED	0.000 s
6	Then Admin receives 200 OK Status with batchStatus field "Inactive" in the response body.	SKIPPED	0.000 s

Check if admin able to retrive a deleted batch using batch name

FAILED	DURATION - 0.269 s		Steps	
/ 11:00:37.184 AM // 11:00:37.453 AM /			Total - 6	
Batch Module			Pass - 3	
			Fail - 1	
@GetBatchAfterDeleteByName			Skip - 2	

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.260 s

#	Step / Hook Details	Status	Duration
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates GET Request with valid Batch Name	FAILED	0.000 s
	Step undefined		
5	When Admin sends HTTPS Request with endpoint batchName	SKIPPED	0.000 s
6	Then Admin receives 200 OK Status with batchStatus field "Inactive" in the response body.	SKIPPED	0.001 s

### Check if admin able to update a Batch with a deleted batchID in the endpoint

FAILED	DURATION - 0.275 s		
/ 11:00:37.458 AM // 11:00:37.733 AM /			
Batch Module			
@UpdatewithDeletedBatchId			

Steps
Total - 6
Pass - 3
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.266 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates PUT Request with auth, valid BatchId and "Update Valid Data"	FAILED	0.000 s
	Step undefined		
5	When Admin sends HTTPS Request with endpoint and deleted batchID	SKIPPED	0.000 s
6	Then Admin receives 200 Ok status with message for update	SKIPPED	0.000 s

### Check Post request of user controller module.

PASSED	DURATION - 0.814 s		
/ 11:00:37.739 AM // 11:00:38.553 AM /			

Scenarios
Total - 1
Pass - 1
Fail - 0
Skip - 0

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

Authorized admin is able to create a new user with valid url and request body with mandatory fields.

PASSED	DURATION - 0.814 s		Steps
/ 11:00:37.739 AM // 11:00:38.553 AM /			Total - 6 Pass - 6 Fail - 0 Skip - 0
Check Post request of user controller module.			
@01UserModule-PostValid @UserModule			

| #	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.248 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Authorized Admin creates POST request with valid request body.	PASSED	0.002 s
5	When Authorized admin send valid post api request	PASSED	0.549 s
6	Then Authorized admin receive 201 status with response body	PASSED	0.008 s

Validating Get request for User API's

FAILED	DURATION - 7.604 s	Scenarios		Steps	
/ 11:00:38.560 AM // 11:00:46.164 AM /		Total - 15 Pass - 13 Fail - 2 Skip - 0	15	Total - 90 Pass - 88 Fail - 2 Skip - 0	90

Admin is able to get count of active and in active admins

PASSED	DURATION - 0.447 s		Steps
/ 11:00:38.560 AM // 11:00:39.007 AM /			Total - 6 Pass - 6 Fail - 0 Skip - 0
Validating Get request for User API's			
@user			

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.264 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getcountofactiveandinactive"	PASSED	0.173 s
6	Then Users receives 200 ok.	PASSED	0.000 s

Admin is able to get all active users

PASSED	DURATION - 0.515 s			Steps	
/ 11:00:39.017 AM // 11:00:39.532 AM /				Total - 6	
				Pass - 6	
Validating Get request for User API's				Fail - 0	
				Skip - 0	
@user					6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.256 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Users creates Get user request	PASSED	0.002 s
5	When Users sends https request with "getallactiveusers"	PASSED	0.246 s
6	Then Users receives 200 ok.	PASSED	0.000 s

Admin is able to assign update user role program batch

PASSED	DURATION - 0.493 s			Steps	
/ 11:00:39.537 AM // 11:00:40.030 AM /				Total - 6	
				Pass - 6	
Validating Get request for User API's				Fail - 0	
				Skip - 0	
@updateuser @user					6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.254 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Users creates request with valid response body UserRoleProgramBatch.	PASSED	0.034 s
5	When Users sends https put request with assignupdateuserroleprogrambatch	PASSED	0.199 s
6	Then users receives the 200 ok.	PASSED	0.000 s

Admin is able to get admin by program batchId

PASSED	DURATION - 0.436 s
/ 11:00:40.034 AM // 11:00:40.470 AM /	
Validating Get request for User API's	
@user	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.248 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with getadminbyprogrambatchId	PASSED	0.178 s
6	Then Users receives 200 ok.	PASSED	0.001 s

Admin is able to update user roleId

FAILED	DURATION - 0.414 s
/ 11:00:40.480 AM // 11:00:40.894 AM /	
Validating Get request for User API's	
@updateuser @user	

Steps
Total - 6
Pass - 5
Fail - 1
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.248 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Users creates request with valid response body "UpdateUserRoleId"	PASSED	0.001 s
5	When Users sends https put request with updateuserroleId	PASSED	0.158 s
6	Then users receives the 200 ok.	FAILED	0.000 s

	org.opentest4j.AssertionFailedError: expected: <200> but was: <400>
	    at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151)
	    at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132)
	    at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197)
	    at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182)
	    at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177)
	    at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:545)
	    at com.api.stepdefinition.UC_UpdateUser.admins_receives_ok(UC_UpdateUser.java:98)
	    at ?.users receives the 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/06_UserController.feature:34)
	* Not displayable characters are replaced by '?'.		

## Admin is able to get admin by programId

FAILED	DURATION - 0.417 s
/ 11:00:40.897 AM // 11:00:41.314 AM /	
Validating Get request for User API's	
@user	

Steps
Total - 6
Pass - 5
Fail - 1
Skip - 0

6

| #	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.256 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with getadminbyprogramId	PASSED	0.152 s
6	Then Users receives 200 ok.	FAILED	0.001 s

#	Step / Hook Details	Status	Duration

	org.opentest4j.AssertionFailedError: expected: <200> but was: <404>
	    at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151)
	    at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132)
	    at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197)
	    at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182)
	    at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177)
	    at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:545)
	    at com.api.stepdefinition.UC_GetUsers.user_receives_ok(UC_GetUsers.java:53)
	    at ?.Users receives 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/06_UserController.feature:39)
	* Not displayable characters are replaced by '?'.		

Admin is able to get admin by roleId

PASSED	DURATION - 0.513 s
/ 11:00:41.327 AM // 11:00:41.840 AM /	
Validating Get request for User API's	
@user	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

| #	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.269 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getadminbyroleId"	PASSED	0.232 s
6	Then Users receives 200 ok.	PASSED	0.000 s

Admin is able to get all users

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.266 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getallusers"	PASSED	0.370 s
6	Then Users receives 200 ok.	PASSED	0.000 s

Admin is able to get all roles

| #	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.260 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getallroles"	PASSED	0.313 s
6	Then Users receives 200 ok.	PASSED	0.000 s

Admin is able to get user by userId

PASSED	DURATION - 0.615 s
/ 11:00:43.086 AM // 11:00:43.701 AM /	
Validating Get request for User API's	
@user	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

| #	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.260 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Users creates Get user request	PASSED	0.000 s
5	When Users sends https request with "getuserbyuserId"	PASSED	0.345 s
6	Then Users receives 200 ok.	PASSED	0.000 s

Admin is able to get all users with roles

PASSED	DURATION - 0.439 s
/ 11:00:43.706 AM // 11:00:44.145 AM /	
Validating Get request for User API's	
@user	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

| #	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.272 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getalluserswithroles"	PASSED	0.159 s
6	Then Users receives 200 ok.	PASSED	0.001 s

Admin is able to get users by roleId V2

PASSED	DURATION - 0.652 s
/ 11:00:44.151 AM // 11:00:44.803 AM /	
Validating Get request for User API's	
@user	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.266 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getusersbyroleIdV2"	PASSED	0.375 s
6	Then Users receives 200 ok.	PASSED	0.000 s

Admin is able to update user by userId

PASSED	DURATION - 0.444 s
/ 11:00:44.808 AM // 11:00:45.252 AM /	
Validating Get request for User API's	
@updateuser @user	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.248 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates request with valid response body "UpdateUser"	PASSED	0.002 s
5	When Users sends https put request with updateuser	PASSED	0.186 s
6	Then users receives the 200 ok.	PASSED	0.001 s

Admin is able to update user role status

PASSED	DURATION - 0.450 s
/ 11:00:45.258 AM // 11:00:45.708 AM /	
Validating Get request for User API's	
@updateuser @user	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.251 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates request with valid response body "UpdateUserRoleStatus"	PASSED	0.001 s
5	When Users sends https put request with updateuserrolestatus	PASSED	0.187 s
6	Then users receives the 200 ok.	PASSED	0.000 s

Admin is able to update user login status

PASSED	DURATION - 0.451 s
/ 11:00:45.713 AM // 11:00:46.164 AM /	
Validating Get request for User API's	
@updateuser @user	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.261 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates request with valid response body "UpdateUserLoginStatus"	PASSED	0.001 s
5	When Users sends https put request with updateuserloginstatus	PASSED	0.180 s
6	Then users receives the 200 ok.	PASSED	0.000 s

Validating Invalid data for User API's

FAILED	DURATION - 4.862 s		Scenarios		Steps	
/ 11:00:46.183 AM // 11:00:51.045 AM /			Total - 17 Pass - 1 Fail - 16 Skip - 0	17	Total - 102 Pass - 56 Fail - 16 Skip - 30	102

Authorized admin is able to create a new user with valid url and request body with missing mandatory fields.

PASSED	DURATION - 0.406 s			Steps	
/ 11:00:46.183 AM // 11:00:46.589 AM /				Total - 6 Pass - 6 Fail - 0 Skip - 0	6
Validating Invalid data for User API's					
@02UserModule-PostInvalid					

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.247 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Authorized admin user create post request with invalid request body	PASSED	0.001 s
5	When Authorized admin user send valid post api request	PASSED	0.151 s
6	Then Authorized admin user receive 400 status with message	PASSED	0.002 s

Unauthorized admin user create post request with valid request body

FAILED	DURATION - 0.312 s			Steps	
/ 11:00:46.592 AM // 11:00:46.904 AM /				Total - 6 Pass - 5 Fail - 1 Skip - 0	6
Validating Invalid data for User API's					
@03UserModule-PostNoAuth					

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.282 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Unauthorized admin user create post request with valid request body	PASSED	0.000 s
5	When Unauthorized admin user send valid post api request	PASSED	0.021 s
6	Then Unauthorized admin user receive 401 status with message	FAILED	0.000 s

	java.lang.AssertionError: expected:<403> but was:<401>
	    at org.junit.Assert.fail(Assert.java:89)
	    at org.junit.Assert.failNotEquals(Assert.java:835)
	    at org.junit.Assert.assertEquals(Assert.java:647)
	    at org.junit.Assert.assertEquals(Assert.java:633)
	    at com.api.stepdefinition.UC_PostRequestStep.unauthorized_admin_user_receive_status_with_message(UC_PostRequestStep.java:100)
	    at ?.Unauthorized admin user receive 401 status with message(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/07_InvalidUserController.feature:21)
	* Not displayable characters are replaced by '?'.		

Admin is able to get all users with invalid endpoint

FAILED	DURATION - 0.274 s
/ 11:00:46.911 AM // 11:00:47.185 AM /	
Validating Invalid data for User API's	

Steps
Total - 6
Pass - 3
Fail - 1
Skip - 2

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.266 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates Get request	FAILED	0.000 s
	Step undefined		
5	When Admin sends https request with "allusers"	SKIPPED	0.000 s
6	Then Admin receives 404	SKIPPED	0.000 s

Admin is able to get all admins with invalid endpoint

FAILED	DURATION - 0.276 s
/ 11:00:47.194 AM // 11:00:47.470 AM /	
Validating Invalid data for User API's	

Steps
Total - 6
Pass - 3
Fail - 1
Skip - 2

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.267 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates Get request	FAILED	0.000 s
	Step undefined		
5	When Admin sends https request with "allroles"	SKIPPED	0.000 s
6	Then Admin receives 404	SKIPPED	0.000 s

Admin is able to get all active users with invalid endpoint

FAILED	DURATION - 0.274 s
/ 11:00:47.476 AM // 11:00:47.750 AM /	
Validating Invalid data for User API's	

Steps
Total - 6
Pass - 3
Fail - 1
Skip - 2

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.266 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admin creates Get request	FAILED	0.000 s
	Step undefined		

#	Step / Hook Details	Status	Duration
5	When Admin sends https request with "allactiveusers"	SKIPPED	0.000 s
6	Then Admin receives 404	SKIPPED	0.000 s

Admin is able to get all active and inactive users with invalid endpoint

FAILED	DURATION - 0.268 s
/ 11:00:47.756 AM // 11:00:48.024 AM /	
Validating Invalid data for User API's	

Steps
Total - 6
Pass - 3
Fail - 1
Skip - 2

| #	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.260 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admin creates Get request	FAILED	0.000 s
	Step undefined		
5	When Admin sends https request with "countofactiveandinactive"	SKIPPED	0.000 s
6	Then Admin receives 404	SKIPPED	0.000 s

Admin is able to get user with invalid userId

FAILED	DURATION - 0.277 s
/ 11:00:48.030 AM // 11:00:48.307 AM /	
Validating Invalid data for User API's	

Steps
Total - 6
Pass - 3
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.265 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admin creates Get request Step undefined	FAILED	0.001 s
5	When Admin sends https request with "userbyuserId"	SKIPPED	0.000 s
6	Then Admin receives 404	SKIPPED	0.000 s

Admin is able to get admin by invalid program batchId

FAILED	DURATION - 0.282 s
/ 11:00:48.312 AM // 11:00:48.594 AM /	
Validating Invalid data for User API's	

Steps
Total - 6
Pass - 3
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.270 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates Get request Step undefined	FAILED	0.000 s
5	When Admin sends https request with "adminbyprogrambatchId"	SKIPPED	0.000 s
6	Then Admin receives 404	SKIPPED	0.005 s

Admin is able to get admin by invalid programId

FAILED	DURATION - 0.278 s

/ 11:00:48.598 AM // 11:00:48.876 AM /

Validating Invalid data for User API's

Steps
Total - 6
Pass - 3
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.271 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admin creates Get request	FAILED	0.000 s
	Step undefined		
5	When Admin sends https request with "adminbyprogramId"	SKIPPED	0.001 s
6	Then Admin receives 404	SKIPPED	0.000 s

Admin is able to get admin by invalid roleId

FAILED	DURATION - 0.260 s

/ 11:00:48.881 AM // 11:00:49.141 AM /

Validating Invalid data for User API's

Steps
Total - 6
Pass - 3
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.252 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates Get request	FAILED	0.000 s
	Step undefined		
5	When Admin sends https request with "adminbyroleId"	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
6	Then Admin receives 404	SKIPPED	0.000 s

Admin is able to get admin with roles with invalid endpoint

FAILED	DURATION - 0.269 s		Steps	
			Total - 6	
/ 11:00:49.146 AM // 11:00:49.415 AM /			Pass - 3	
			Fail - 1	
Validating Invalid data for User API's			Skip - 2	

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.262 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admin creates Get request	FAILED	0.000 s
	Step undefined		
5	When Admin sends https request with "alluserswithroles"	SKIPPED	0.000 s
6	Then Admin receives 404	SKIPPED	0.000 s

Admin is able to get users by roleId V2 with invalid endpoint

FAILED	DURATION - 0.262 s		Steps	
			Total - 6	
/ 11:00:49.421 AM // 11:00:49.683 AM /			Pass - 3	
			Fail - 1	
Validating Invalid data for User API's			Skip - 2	

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.257 s

#	Step / Hook Details	Status	Duration
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Admin creates Get request	FAILED	0.001 s
	Step undefined		
5	When Admin sends https request with "usersbyroleIdV2"	SKIPPED	0.000 s
6	Then Admin receives 404	SKIPPED	0.000 s

Admin is able to update user with invalid roleId

FAILED	DURATION - 0.262 s		Steps
/ 11:00:49.687 AM // 11:00:49.949 AM /			Total - 6
			Pass - 3
Validating Invalid data for User API's			Fail - 1
			Skip - 2

| #	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.254 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Admin creates request with valid response body "UserRoleId"	FAILED	0.001 s
	Step undefined		
5	When Admin sends https put request with "userroleId"	SKIPPED	0.000 s
6	Then Admin receives 404	SKIPPED	0.000 s

Admin is able to update user with existing roleId

FAILED	DURATION - 0.274 s		Steps
/ 11:00:49.954 AM // 11:00:50.228 AM /			Total - 6
			Pass - 3
Validating Invalid data for User API's			Fail - 1
			Skip - 2

| #	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.266 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admin creates request with valid response body "UserRoleId"	FAILED	0.001 s
	Step undefined		
5	When Admin sends https put request with "userroleId"	SKIPPED	0.000 s
6	Then Admin receives 404	SKIPPED	0.000 s

Admin is able to update user with invalid adminroleprogrambatch

FAILED	DURATION - 0.276 s

/ 11:00:50.234 AM // 11:00:50.510 AM /

Validating Invalid data for User API's

Steps
Total - 6
Pass - 3
Fail - 1
Skip - 2

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.269 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admin creates request with valid response body "UserRoleProgramBatchInvalid"	FAILED	0.000 s
	Step undefined		
5	When Admin sends https put request with "userroleprogrambatch"	SKIPPED	0.000 s
6	Then Admin receives 404	SKIPPED	0.000 s

Admin is able to update user with existing adminroleprogrambatch

FAILED *DURATION - 0.266 s*		**Steps** Total - 6 Pass - 3 Fail - 1 Skip - 2
/ 11:00:50.516 AM // 11:00:50.782 AM /		
Validating Invalid data for User API's		

| #	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.260 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Admin creates request with valid response body "UserRoleProgramBatchInvalid" Step undefined	FAILED	0.001 s
5	When Admin sends https put request with "userroleprogrambatch"	SKIPPED	0.000 s
6	Then Admin receives 404	SKIPPED	0.000 s

Admin is able to update user with invalid userloginstatus

FAILED *DURATION - 0.256 s*		**Steps** Total - 6 Pass - 3 Fail - 1 Skip - 2
/ 11:00:50.789 AM // 11:00:51.045 AM /		
Validating Invalid data for User API's		

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.245 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.010 s
4	Given Admin creates request with valid response body "UserLoginStatus" Step undefined	FAILED	0.000 s
5	When Admin sends https put request with "userloginstatus"	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
6	Then Admin receives 404	SKIPPED	0.000 s

Validating user role program batch map API's

PASSED	DURATION - 0.904 s	Scenarios		Steps	
/ 11:00:51.051 AM // 11:00:51.955 AM /		Total - 2 Pass - 2 Fail - 0 Skip - 0	2	Total - 12 Pass - 12 Fail - 0 Skip - 0	12

Admin is able to get all admins with assigned program batches

PASSED	DURATION - 0.462 s		Steps	
/ 11:00:51.051 AM // 11:00:51.513 AM /			Total - 6	
Validating user role program batch map API's			Pass - 6 Fail - 0 Skip - 0	6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.250 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Users creates Get user request	PASSED	0.000 s
5	When Users sends https request with "getassignedprogrambatchifalluser"	PASSED	0.202 s
6	Then Users receives 200 ok.	PASSED	0.000 s

### Admin is able to get program/batches for valid adminId

PASSED	DURATION - 0.434 s

/ 11:00:51.521 AM // 11:00:51.955 AM /

Validating user role program batch map API's

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

| #	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.256 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.002 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with getassignedprogrambatchbyuserId	PASSED	0.173 s
6	Then Users receives 200 ok.	PASSED	0.000 s

## Validating Delete Request

FAILED	DURATION - 2.282 s

/ 11:00:51.962 AM // 11:00:54.244 AM /

Scenarios
Total - 5
Pass - 4
Fail - 1
Skip - 0

5

Steps
Total - 30
Pass - 29
Fail - 1
Skip - 0

30

Admin is able to delete user

PASSED	DURATION - 0.475 s

/ 11:00:51.962 AM // 11:00:52.437 AM /

Validating Delete Request

@deleteuser

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.273 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Users creates delete request	PASSED	0.001 s
5	When Users sends delete request with deleteuser	PASSED	0.192 s
6	Then Userss receives 200 ok.	PASSED	0.000 s

Check if admin able to delete a Batch with valid Batch ID

PASSED	DURATION - 0.442 s		Steps	
/ 11:00:52.444 AM // 11:00:52.886 AM /			Total - 6	
			Pass - 6	
Validating Delete Request			Fail - 0	
			Skip - 0	
@DeleteBatchwithValidBatchId				6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.257 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.003 s
4	Given Admin creates DELETE Request with valid BatchId.	PASSED	0.000 s
5	When Admin sends HTTPS Request with endpoint for batch.	PASSED	0.180 s
6	Then Admin receives 200 Ok status with message.	PASSED	0.000 s

Check if Admin able to delete a program with valid programName

PASSED	DURATION - 0.446 s		Steps	
/ 11:00:52.889 AM // 11:00:53.335 AM /			Total - 6	
			Pass - 6	
Validating Delete Request			Fail - 0	
			Skip - 0	
				6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.262 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admins creates DELETE Request for the LMS API endpoint and valid programName	PASSED	0.001 s
5	When Admins has sends HTTPS Request with endpoint	PASSED	0.174 s
6	Then Admins receives 200 Ok status with message	PASSED	0.000 s

Check if Admin able to delete a program with valid program ID

PASSED	DURATION - 0.457 s
/ 11:00:53.344 AM // 11:00:53.801 AM /	
Validating Delete Request	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.276 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admins creates DELETE Request for the LMS API endpoint and valid program ID	PASSED	0.001 s
5	When Admins send HTTPS Request with endpoint.	PASSED	0.173 s
6	Then Admins receive 200 Ok status with message	PASSED	0.000 s

### Admin is able to delete program/batches for valid adminId

FAILED	DURATION - 0.430 s
/ 11:00:53.814 AM // 11:00:54.244 AM /	
Validating Delete Request	

Steps
Total - 6
Pass - 5
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.261 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Users creates delete request	PASSED	0.001 s
5	When Users sends delete request with deleteassignedprogrambatchbyuserId	PASSED	0.158 s
6	Then Userss receives 200 ok.	FAILED	0.002 s

	org.opentest4j.AssertionFailedError: expected: <200> but was: <404>
	    at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151)
	    at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132)
	    at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197)
	    at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182)
	    at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177)
	    at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:545)
	    at com.api.stepdefinition.UC_DeleteUser.userss_receives_ok(UC_DeleteUser.java:58)
	    at ?.Userss receives 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/Delete.feature:37)
	* Not displayable characters are replaced by '?'.		

Validating user logout

PASSED	DURATION - 0.428 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	6
/ 11:00:54.256 AM // 11:00:54.684 AM /					

Check if user able to logout with token and valid credential

PASSED	DURATION - 0.428 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	6
/ 11:00:54.256 AM // 11:00:54.684 AM /				
Validating user logout				
@logout @logout-withAuth				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.241 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given user creates GET request with valid emailid and password	PASSED	0.001 s
5	When user calls GET Http request with valid endpoint	PASSED	0.175 s
6	Then user receives 200 status.	PASSED	0.001 s