

| Feature | | Scenario | | | | Step | | | | | |
|---|----------|----------|----|---|---|------|-----|---|---|--|--|
| Name | Duration | T | P | F | S | T | P | F | S | | |
| Validating user login | 1.425 s | 3 | 2 | 1 | 0 | 9 | 8 | 1 | 0 | | |
| ProgramController Module Test with Invalid Data | 14.223 s | 30 | 29 | 1 | 0 | 180 | 179 | 1 | 0 | | |
| ProgramController Module Test with Valid Data | 2.466 s | 5 | 5 | 0 | 0 | 30 | 30 | 0 | 0 | | |
| Batch Module | 3.752 s | 8 | 8 | 0 | 0 | 48 | 48 | 0 | 0 | | |
| Batch Module | 14.953 s | 30 | 22 | 8 | 0 | 180 | 166 | 8 | 6 | | |
| Check Post request of user controller module. | 0.808 s | 1 | 1 | 0 | 0 | 6 | 6 | 0 | 0 | | |
| Validating Get request for User API's | 8.244 s | 15 | 10 | 5 | 0 | 90 | 85 | 5 | 0 | | |
| Validating Invalid data for User API's | 7.515 s | 17 | 11 | 6 | 0 | 102 | 96 | 6 | 0 | | |
| Validating user role program batch map API's | 0.950 s | 2 | 1 | 1 | 0 | 12 | 11 | 1 | 0 | | |
| ProgramController Module Test with Invalid Data | 1.725 s | 4 | 4 | 0 | 0 | 24 | 24 | 0 | 0 | | |
| Validating Delete Request | 2.216 s | 5 | 4 | 1 | 0 | 30 | 29 | 1 | 0 | | |
| Validating user logout | 0.434 s | 1 | 1 | 0 | 0 | 6 | 6 | 0 | 0 | | |

FAIL & SKIP SCENARIOS -- 3 --

| # | Feature Name | Scenario Name |
|----|---|---|
| 1 | Validating user login | Check if user able to login without token and valid credential |
| 2 | ProgramController Module Test with Invalid Data | Check if Admin able to create a program with missing additional field |
| 3 | Batch Module | Check if admin able to create a Batch with valid endpoint and request body (existing value in Batch Name) |
| 4 | | Check if admin able to create a Batch missing mandatory fields in request body |
| 5 | | Check if admin able to create a batch with invalid data in request body |
| 6 | | Check if admin able to create a batch with inactive program ID |
| 7 | | Check if admin able to create a Batch with valid endpoint and request body without authorization. |
| 8 | | Check if admin able to update a Batch with a valid batchID and deleted programID field |
| 9 | | Check if admin able to retrive a batch after the programID is deleted |
| 10 | | Check if admin able to retrive a deleted batch using batch name |

FAIL & SKIP SCENARIOS -- 4 --


| # | Feature Name | Scenario Name | | | | | | |
|----|---|---|--|--|--|--|--|--|
| 11 | Validating Get request for User API's | Admin is able to assign update user role program batch | | | | | | |
| 12 | | Admin is able to get admin by program batchId | | | | | | |
| 13 | | Admin is able to update user roleId | | | | | | |
| 14 | | Admin is able to get admin by programId | | | | | | |
| 15 | Admin is able to update user login status | | | | | | | |
| 16 | Validating Invalid data for User API's | Unauthorized admin user create post request with valid request body | | | | | | |
| 17 | | Admin is able to update user with invalid roleld | | | | | | |
| 18 | | Admin is able to update user with existing roleId | | | | | | |
| 19 | | Admin is able to update user with invalid adminroleprogrambatch | | | | | | |
| 20 | | Admin is able to update user with existing adminroleprogrambatch | | | | | | |
| 21 | | Admin is able to update user with invalid userloginstatus | | | | | | |
| 22 | Validating user role program batch map API's | Admin is able to get program/batches for valid adminId | | | | | | |
| 23 | <u>Validating Delete Request</u> <u>Admin is able to delete program/batches for valid adminId</u> | | | | | | | |

| TAG | | Scei | nario | | | ture | | |
|-------------------------------|---|------|-------|---|---|------|---|---|
| Name | Т | P | F | S | T | P | F | S |
| @login-Invalid | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @login | 3 | 2 | 1 | 0 | 1 | 0 | 1 | 0 |
| @login-NoAuth | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @login-Valid | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @CreateNewBatch | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @GetBatchByBatchId | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @GetBatchbyBatchName | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @GetBatchByValidPgmId | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @CreateBatchMandatoryField | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @GetAllBatches | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @GetAllBatchesSearchString | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @UpdateBatchValid | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @CreateBatchDuplicate | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @CreateBatchMissingMandatory | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @CreateBatchInvalidEndpoint | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @CreateBatchInvalidData | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @CreateBatchInactiveProgramId | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |

| TAG | | Scei | nario | | | ture | | |
|----------------------------------|---|------|-------|---|---|------|---|---|
| Name | T | P | F | S | T | P | F | S |
| @CreateBatchNoAuth | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @GetInvalidEndpoint | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @GetAllBatchesNoAuth | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @GetBatchNoAuth | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @GetBatchInvalidBatchId | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @GetBatchInvalidEndpoint | 2 | 2 | 0 | 0 | 1 | 0 | 1 | 0 |
| @GetBatchNameNoAuth | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @GetBatchByInvalidBatchname | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @GetBatchByPgmIdNoAuth | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @GetBatchByInvalidPgmId | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @GetBatchByPgmIdInvalidEndpoint | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @UpdateBatchNoAuth | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @UpdateBatchInvalid | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @UpdateMissingMandatory | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @UpdateInvalidData | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @UpdateInvalidEndpoint | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @UpdateBatchwithDeletedProgramId | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |


| TAG | | Scei | nario | | | ture | | |
|---------------------------------|----|------|-------|---|---|------|---|---|
| Name | T | P | F | S | T | P | F | S |
| @DeleteBatchwithInvalidEndpoint | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @DeleteBatchwithInvalidBatchId | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @DeleteBatchWithNoAuth | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @GetBatchbyProgramIdAfterDelete | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @GetBatchAfterDeletById | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @GetBatchAfterDeleteByName | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @UpdatewithDeletedBatchId | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @01UserModule-PostValid | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @UserModule | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @user | 15 | 10 | 5 | 0 | 1 | 0 | 1 | 0 |
| @updateuser | 5 | 2 | 3 | 0 | 1 | 0 | 1 | 0 |
| @02UserModule-PostInvalid | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @03UserModule-PostNoAuth | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @deleteuser | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @DeleteBatchwithValidBatchId | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @logout | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @logout-withAuth | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |

FEATURES SUMMARY -- 8 --




| # | Feature Name | T | P | F | S | Duration |
|----|---|----|----|---|---|----------|
| 1 | Validating user login | 3 | 2 | 1 | 0 | 1.425 s |
| 2 | ProgramController Module Test with Invalid Data | 30 | 29 | 1 | 0 | 14.223 s |
| 3 | ProgramController Module Test with Valid Data | 5 | 5 | 0 | 0 | 2.466 s |
| 4 | Batch Module | 8 | 8 | 0 | 0 | 3.752 s |
| 5 | Batch Module | 30 | 22 | 8 | 0 | 14.953 s |
| 6 | Check Post request of user controller module. | 1 | 1 | 0 | 0 | 0.808 s |
| 7 | Validating Get request for User API's | 15 | 10 | 5 | 0 | 8.244 s |
| 8 | Validating Invalid data for User API's | 17 | 11 | 6 | 0 | 7.515 s |
| 9 | Validating user role program batch map API's | 2 | 1 | 1 | 0 | 0.950 s |
| 10 | ProgramController Module Test with Invalid Data | 4 | 4 | 0 | 0 | 1.725 s |

FEATURES SUMMARY -- 9 --



| # | Feature Name | T | P | F | S | Duration |
|----|-------------------------------|---|---|---|---|----------|
| 11 | Validating Delete Request | 5 | 4 | 1 | 0 | 2.216 s |
| 12 | <u>Validating user logout</u> | 1 | 1 | 0 | 0 | 0.434 s |


SCENARIOS SUMMARY -- 10 --



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|--|---|---|---|---|----------|
| 1 | Validating user login | Check if user able to login with token and invalid credential | 3 | 3 | 0 | 0 | 0.703 s |
| 2 | | Check if user able to login without token and valid credential | 3 | 2 | 1 | 0 | 0.414 s |
| 3 | | Check if user able to login with token and valid credential | 3 | 3 | 0 | 0 | 0.270 s |
| 4 | ProgramController Module Test with Invalid Data | Check if Admin able to create a program with valid endpoint and request body with Authorization | 6 | 6 | 0 | 0 | 0.608 s |
| 5 | | Check if Admin able to create a program with valid endpoint and request body without Authorization | 6 | 6 | 0 | 0 | 0.425 s |
| 6 | | Check if Admin able to create a program with invalid endpoint | 6 | 6 | 0 | 0 | 0.548 s |
| 7 | | Check if Admin able to create a program with already existing program name | 6 | 6 | 0 | 0 | 0.455 s |
| 8 | | Check if Admin able to create a program with invalid method | 6 | 6 | 0 | 0 | 0.458 s |


| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--------------|--|---|---|---|---|----------|
| 9 | | Check if Admin able to create a program with invalid request | 6 | 6 | 0 | 0 | 0.429 s |
| | | <u>body</u> | | | | | |

SCENARIOS SUMMARY -- 12 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|---|---|---|---|---|---|----------|
| 10 | ProgramController Module Test with Invalid Data | Check if Admin able to create a program with missing values in the request body | 6 | 6 | 0 | 0 | 0.415 s |
| 11 | | Check if Admin able to create a program with missing additional field | 6 | 5 | 1 | 0 | 0.447 s |
| 12 | | Check if Admin able to retrieve all programs with invalid Endpoint | 6 | 6 | 0 | 0 | 0.429 s |
| 13 | | Check if Admin able to retrieve all programs with invalid Method | 6 | 6 | 0 | 0 | 0.481 s |
| 14 | | Check if Admin able to retrieve all programs without Authorization | 6 | 6 | 0 | 0 | 0.433 s |
| 15 | | Check if Admin able to retrieve a program with invalid program ID | 6 | 6 | 0 | 0 | 0.467 s |
| 16 | | Check if Admin able to retrieve a program with invalid baseURI | 6 | 6 | 0 | 0 | 0.643 s |

SCENARIOS SUMMARY -- 13 --



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|---|---|---|---|---|---|----------|
| 17 | ProgramController Module Test with Invalid Data | Check if Admin able to retrieve a program without Authorization | 6 | 6 | 0 | 0 | 0.427 s |
| 18 | | Check if Admin able to retrieve a program with invalid Endpoint | 6 | 6 | 0 | 0 | 0.465 s |
| 19 | | Check if Admin able to retrieve all programs with invalid Endpoint | 6 | 6 | 0 | 0 | 0.451 s |
| 20 | | Check if Admin able to retrieve all programs with invalid Method | 6 | 6 | 0 | 0 | 0.444 s |
| 21 | | Check if Admin able to retrieve all programs without <u>Authorization</u> | 6 | 6 | 0 | 0 | 0.444 s |
| 22 | | Check if Admin able to update a program with invalid program Name and request body | 6 | 6 | 0 | 0 | 0.515 s |
| 23 | | Check if Admin able to update a program using valid program name - missing mandatory fields in request body | 6 | 6 | 0 | 0 | 0.476 s |


SCENARIOS SUMMARY



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|---|--|----------|---|---|---|----------|
| 24 | ProgramController Module Test with Invalid Data | Check if Admin able to update a program with invalid values in request body | 6 | 6 | 0 | 0 | 0.447 s |
| 25 | | Check if Admin able to update a program with invalid program Description | 6 | 6 | 0 | 0 | 0.445 s |
| 26 | | Check if Admin able to update a program status | 6 | 6 | 0 | 0 | 0.443 s |
| 27 | | Check if Admin able to update a program without <u>Authorization</u> | 6 | 6 | 0 | 0 | 0.447 s |
| 28 | | Check if Admin able to update a program with invalid programID endpoint and valid request body | 6 | 6 | 0 | 0 | 0.425 s |
| 29 | | Check if Admin able to update a program with invalid request body | 6 | 6 | 0 | 0 | 0.450 s |
| 30 | | Check if Admin able to update a program without request body | 6 | 6 | 0 | 0 | 0.468 s |


| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--------------|--|---|---|---|---|----------|
| 31 | | Check if Admin able to update a program with invalid | 6 | 6 | 0 | 0 | 0.454 s |
| | | <u>baseURI</u> | | | | | |

SCENARIOS SUMMARY -- 16 --



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|---|--|---|---|---|---|----------|
| 32 | ProgramController Module Test with Invalid Data | Check if Admin able to update a program with invalid method | 6 | 6 | 0 | 0 | 0.477 s |
| 33 | | Check if Admin able to update a program without Authorization | 6 | 6 | 0 | 0 | 0.468 s |
| 34 | ProgramController Module Test with Valid Data | Check if Admin able to retrieve all programs with valid Endpoint | 6 | 6 | 0 | 0 | 0.523 s |
| 35 | | Check if Admin able to retrieve a program with valid program ID | 6 | 6 | 0 | 0 | 0.427 s |
| 36 | | Check if Admin able to retrieve all programs with valid Endpoint | 6 | 6 | 0 | 0 | 0.573 s |
| 37 | | Check if Admin able to update a program with Valid program Name and request body | 6 | 6 | 0 | 0 | 0.459 s |
| 38 | | Check if Admin able to update a program with valid programID endpoint and valid request body | 6 | 6 | 0 | 0 | 0.467 s |


SCENARIOS SUMMARY -- 17 --



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--------------|---|---|---|---|---|----------|
| 39 | Batch Module | Check if admin able to create a Batch with valid endpoint and request body | 6 | 6 | 0 | 0 | 0.486 s |
| 40 | | Check if admin able to retrieve a batch with valid Batch ID | 6 | 6 | 0 | 0 | 0.424 s |
| 41 | | Check if admin able to retrieve a batch with valid BATCH NAME | 6 | 6 | 0 | 0 | 0.443 s |
| 42 | | Check if admin able to retrieve a batch with valid Program ID | 6 | 6 | 0 | 0 | 0.428 s |
| 43 | | Check if admin able to create a batch with missing additional fields | 6 | 6 | 0 | 0 | 0.453 s |
| 44 | | Check if admin able to retrieve all batches with valid LMS <u>API</u> | 6 | 6 | 0 | 0 | 0.553 s |
| 45 | | Check if admin able to retrieve all batches with search string | 6 | 6 | 0 | 0 | 0.459 s |
| 46 | | Check if admin able to update a Batch with valid batchID and mandatory fields in request body | 6 | 6 | 0 | 0 | 0.473 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--------------|---|---|---|---|---|----------|
| 47 | | Check if admin able to create a Batch with valid endpoint | 6 | 4 | 1 | 1 | 0.442 s |
| | | and request body (existing value in Batch Name) | | | | | |


SCENARIOS SUMMARY -- 19 --



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--------------|---|---|---|---|---|----------|
| 48 | Batch Module | Check if admin able to create a Batch missing mandatory fields in request body | 6 | 4 | 1 | 1 | 0.446 s |
| 49 | | Check if admin able to create a batch with invalid endpoint | 6 | 6 | 0 | 0 | 1.555 s |
| 50 | | Check if admin able to create a batch with invalid data in request body | 6 | 4 | 1 | 1 | 0.458 s |
| 51 | | Check if admin able to create a batch with inactive program <u>ID</u> | 6 | 4 | 1 | 1 | 0.453 s |
| 52 | | Check if admin able to create a Batch with valid endpoint and request body without authorization. | 6 | 4 | 1 | 1 | 0.447 s |
| 53 | | Check if admin able to retrieve all batches with invalid Endpoint | 6 | 6 | 0 | 0 | 0.490 s |
| 54 | | Check if admin able to retrieve all batches without Authorization | 6 | 6 | 0 | 0 | 0.447 s |


| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--------------|---|---|---|---|---|----------|
| 55 | | Check if admin able to retrieve a batch with batch ID without | 6 | 6 | 0 | 0 | 0.421 s |
| | | authorization | | | | | |

SCENARIOS SUMMARY -- 21 --



| # | Feature Name | Scenario Name | <i>T</i> | P | F | S | Duration |
|----|--------------|---|----------|---|---|---|----------|
| 56 | Batch Module | Check if admin able to retrieve a batch with invalid BATCH | 6 | 6 | 0 | 0 | 0.452 s |
| | | <u>ID</u> | | | | | |
| 57 | | Check if admin able to retrieve a batch with invalid endpoint | 6 | 6 | 0 | 0 | 0.446 s |
| 58 | | Check if admin able to retrieve a batch without authorization | 6 | 6 | 0 | 0 | 0.452 s |
| 59 | | Check if admin able to retrieve a batch with invalid BATCH | 6 | 6 | 0 | 0 | 0.469 s |
| | | <u>NAME</u> | | | | | |
| 60 | | Check if admin able to retrieve a batch with invalid endpoint | 6 | 6 | 0 | 0 | 0.434 s |
| 61 | | Check if admin able to retrieve a batch without authorization | 6 | 6 | 0 | 0 | 0.435 s |
| 62 | | Check if admin able to retrieve a batch with invalid Program | 6 | 6 | 0 | 0 | 0.449 s |
| | | <u>Id</u> | | | | | |
| 63 | | Check if admin able to retrieve a batch with invalid endpoint | 6 | 6 | 0 | 0 | 0.602 s |
| 64 | | Check if admin able to update a Batch with valid batchID | 6 | 6 | 0 | 0 | 0.445 s |
| | | and mandatory fields in request body without authorization | | | | | |


SCENARIOS SUMMARY -- 22 --



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--------------|--|----------|---|---|---|----------|
| 65 | Batch Module | Check if admin able to update a Batch with invalid batchID and mandatory fields in request body | 6 | 6 | 0 | 0 | 0.428 s |
| 66 | | Check if admin able to update a Batch with valid batchID and missing mandatory fields request body | 6 | 6 | 0 | 0 | 0.449 s |
| 67 | | Check if admin able to update a batch with invalid data | 6 | 6 | 0 | 0 | 0.455 s |
| 68 | | Check if admin able to update a Batch with invalid enpoint | 6 | 6 | 0 | 0 | 0.467 s |
| 69 | | Check if admin able to update a Batch with a valid batchID and deleted programID field | 6 | 5 | 1 | 0 | 0.429 s |
| 70 | | Check if admin able to delete a Batch with invalid endpoint | 6 | 6 | 0 | 0 | 0.443 s |
| 71 | | Check if admin able to delete a Batch with invalid Batch ID | 6 | 6 | 0 | 0 | 0.450 s |
| 72 | | Check if admin able to delete a Batch without authorization | 6 | 6 | 0 | 0 | 0.448 s |
| 73 | | Check if admin able to retrive a batch after the programID is deleted | 6 | 4 | 1 | 1 | 0.451 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--------------|---|---|---|---|---|----------|
| 7 | 4 | Check if admin able to retrive a batch after deleting the batch | 6 | 6 | 0 | 0 | 0.446 s |


SCENARIOS SUMMARY -- 24 --



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|---|--|---|---|---|---|----------|
| 75 | Batch Module | Check if admin able to retrive a deleted batch using batch name | 6 | 5 | 1 | 0 | 0.463 s |
| 76 | | Check if admin able to update a Batch with a deleted batchID in the endpoint | 6 | 6 | 0 | 0 | 0.446 s |
| 77 | Check Post request of user controller module. | Authorized admin is able to create a new user with valid url and request body with mandatory fields. | 6 | 6 | 0 | 0 | 0.808 s |
| 78 | Validating Get request for User API's | Admin is able to get count of active and in active admins | 6 | 6 | 0 | 0 | 0.434 s |
| 79 | | Admin is able to get all active users | 6 | 6 | 0 | 0 | 0.565 s |
| 80 | | Admin is able to assign update user role program batch | 6 | 5 | 1 | 0 | 0.478 s |
| 81 | | Admin is able to get admin by program batchId | 6 | 5 | 1 | 0 | 0.445 s |
| 82 | | Admin is able to update user roleId | 6 | 5 | 1 | 0 | 0.447 s |
| 83 | | Admin is able to get admin by programId | 6 | 5 | 1 | 0 | 0.444 s |


| - 1 | # | Feature Name | Scenario Name | T | P | F | S | Duration |
|-----|----|--------------|--------------------------------------|---|---|---|---|----------|
| | 84 | | Admin is able to get admin by roleId | 6 | 6 | 0 | 0 | 0.544 s |

SCENARIOS SUMMARY -- 26 --



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--|--|---|---|---|---|----------|
| 85 | Validating Get request for User API's | Admin is able to get all users | 6 | 6 | 0 | 0 | 0.769 s |
| 86 | | Admin is able to get all roles | 6 | 6 | 0 | 0 | 0.691 s |
| 87 | | Admin is able to get user by userId | 6 | 6 | 0 | 0 | 0.810 s |
| 88 | | Admin is able to get all users with roles | 6 | 6 | 0 | 0 | 0.451 s |
| 89 | | Admin is able to get users by roleld V2 | 6 | 6 | 0 | 0 | 0.779 s |
| 90 | | Admin is able to update user by userId | 6 | 6 | 0 | 0 | 0.456 s |
| 91 | | Admin is able to update user role status | 6 | 6 | 0 | 0 | 0.414 s |
| 92 | | Admin is able to update user login status | 6 | 5 | 1 | 0 | 0.427 s |
| 93 | Validating Invalid data for User API's | Authorized admin is able to create a new user with valid url and request body with missing mandatory fields. | 6 | 6 | 0 | 0 | 0.415 s |
| 94 | | Unauthorized admin user create post request with valid request body | 6 | 5 | 1 | 0 | 0.286 s |


SCENARIOS SUMMARY -- 27 --



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----------|--|--|---|---|---|---|----------|
| 95 | Validating Invalid data for User API's | Admin is able to get all users with invalid endpoint | 6 | 6 | 0 | 0 | 0.434 s |
| 96 | | Admin is able to get all admins with invalid endpoint | 6 | 6 | 0 | 0 | 0.442 s |
| 97 | | Admin is able to get all active users with invalid endpoint | 6 | 6 | 0 | 0 | 0.425 s |
| 98 | | Admin is able to get all active and inactive users with invalid endpoint | 6 | 6 | 0 | 0 | 0.425 s |
| 99 | | Admin is able to get user with invalid userId | 6 | 6 | 0 | 0 | 0.449 s |
| 0- 0 | | Admin is able to get admin by invalid program batchId | 6 | 6 | 0 | 0 | 0.416 s |
| 0- 1 | | Admin is able to get admin by invalid programId | 6 | 6 | 0 | 0 | 0.446 s |
| .0- 2 | | Admin is able to get admin by invalid roleId | 6 | 6 | 0 | 0 | 0.567 s |
| 0- 3 | | Admin is able to get admin with roles with invalid endpoint | 6 | 6 | 0 | 0 | 0.434 s |

| 7 | # Feature Name | Scenario Name | T | P | F | S | Duration |
|---|----------------|---|---|---|---|---|----------|
| 1 | 0- 4 | Admin is able to get users by roleId V2 with invalid endpoint | 6 | 6 | 0 | 0 | 0.456 s |


SCENARIOS SUMMARY -- 29 --



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----------|---|---|---|---|---|---|----------|
| 10- 5 | Validating Invalid data for User API's | Admin is able to update user with invalid roleId | 6 | 5 | 1 | 0 | 0.432 s |
| 10- 6 | | Admin is able to update user with existing roleId | 6 | 5 | 1 | 0 | 0.415 s |
| 10- 7 | | Admin is able to update user with invalid adminroleprogrambatch | 6 | 5 | 1 | 0 | 0.440 s |
| 10- 8 | | Admin is able to update user with existing adminroleprogrambatch | 6 | 5 | 1 | 0 | 0.456 s |
| 10- 9 | | Admin is able to update user with invalid userloginstatus | 6 | 5 | 1 | 0 | 0.456 s |
| 11- 0 | Validating user role program batch map API's | Admin is able to get all admins with assigned program batches | 6 | 6 | 0 | 0 | 0.495 s |
| 11- 1 | | Admin is able to get program/batches for valid adminId | 6 | 5 | 1 | 0 | 0.445 s |
| 11- 2 | ProgramController Module Test with Invalid Data | Check if Admin able to delete a program with valid LMS API, invalid programName | 6 | 6 | 0 | 0 | 0.444 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|-----|--------------|---|---|---|---|---|----------|
| 11- | | Check if Admin able to delete a program without | 6 | 6 | 0 | 0 | 0.424 s |
| 3 | | <u>Authorization</u> | | | | | |

SCENARIOS SUMMARY -- 31 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----------|--|--|---|---|---|---|----------|
| 11- 4 | ProgramController Module Test with Invalid Data | Check if Admin able to delete a program with valid program ID | 6 | 6 | 0 | 0 | 0.399 s |
| 11- 5 | | Check if Admin able to delete a program without Authorization | 6 | 6 | 0 | 0 | 0.442 s |
| 11- 6 | Validating Delete Request | Admin is able to delete user | 6 | 6 | 0 | 0 | 0.427 s |
| 11- 7 | | Check if admin able to delete a Batch with valid Batch ID | 6 | 6 | 0 | 0 | 0.468 s |
| 11- 8 | | Check if Admin able to delete a program with valid programName | 6 | 6 | 0 | 0 | 0.431 s |
| 11- 9 | | Check if Admin able to delete a program with valid program ID | 6 | 6 | 0 | 0 | 0.413 s |
| 12- 0 | | Admin is able to delete program/batches for valid adminId | 6 | 5 | 1 | 0 | 0.441 s |
| 12- 1 | <u>Validating user logout</u> | Check if user able to logout with token and valid credential | 6 | 6 | 0 | 0 | 0.434 s |

Validating user login


| FAILED | DURATION - 1.425 s | Scenarios Total - 3 | | Steps Total - 9 | |
|-----------------|------------------------|------------------------|---|--------------------|---|
| / 1:57:07.490 P | PM // 1:57:08.915 PM / | Pass - 2 | 3 | Pass - 8 | 9 |
| | | Skip - 0 | | Skip - 0 | |

Check if user able to login with token and invalid credential




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.006 s |
| 2 | When Admin calls Post Https method with invalid endpoint | PASSED | 0.691 s |
| 3 | Then Admin receives 401 unauthorized | PASSED | 0.001 s |

Check if user able to login without token and valid credential




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with invalid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.410 s |
| 3 | Then Admin receives 400 Bad request | FAILED | 0.003 s |
| | junit.framework.AssertionFailedError: Statuscode is not Equal expected:<401> but was:<400> at junit.framework.Assert.fail(Assert.java:57) at junit.framework.Assert.failNotEquals(Assert.java:329) at junit.framework.Assert.assertEquals(Assert.java:78) at junit.framework.Assert.assertEquals(Assert.java:234) at com.api.stepdefinition.PC_login.admin_receives_bad_request(PC_login.java:121) at ?.Admin receives 400 Bad request(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/01_UC_Login.feature:14) * Not displayable characters are replaced by '?'. | | |

Check if user able to login with token and valid credential




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.262 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.006 s |

ProgramController Module Test with Invalid Data




Check if Admin able to create a program with valid endpoint and request body with Authorization



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.248 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.008 s |
| 4 | Given Admins creates POST Request for the LMS with request body | PASSED | 0.005 s |
| 5 | When Admins sends HTTPS Request and request Body with endpoint | PASSED | 0.265 s |
| 6 | Then Admins receives 201 Created Status with response body | PASSED | 0.082 s |


Check if Admin able to create a program with valid endpoint and request body without Authorization



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.245 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.005 s |
| 4 | Given Admins creates POST Request for the LMS with request body | PASSED | 0.002 s |
| 5 | When Admins send HTTPS Request and request Body with endpoint | PASSED | 0.170 s |
| 6 | Then Admins receives 401 Unauthorized | PASSED | 0.001 s |


DETAILED SECTION -- 35 --

Check if Admin able to create a program with invalid endpoint



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.260 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Admins creates POST Request for the LMS with request body | PASSED | 0.002 s |
| 5 | When Admins sends HTTPS Request and the request Body with endpoint | PASSED | 0.278 s |
| 6 | Then Admins receives 404 not found Status with message and boolean success details | PASSED | 0.001 s |


Check if Admin able to create a program with already existing program name



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.269 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.004 s |
| 4 | Given Admins creates POST Request for LMS with request body | PASSED | 0.001 s |
| 5 | When Admins sends HTTPS Request and request Body with endpoint | PASSED | 0.179 s |
| 6 | Then Admins receives 400 Bad Request Status with message and boolean success details | PASSED | 0.000 s |


DETAILED SECTION -- 36 --

Check if Admin able to create a program with invalid method



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.272 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.008 s |
| 4 | Given Admins creates POST Request for the LMS with request body | PASSED | 0.001 s |
| 5 | When Admins sends HTTPS Request and request Body with endpoint. | PASSED | 0.172 s |
| 6 | Then Admins receives 405 Method Not Allowed | PASSED | 0.001 s |


Check if Admin able to create a program with invalid request body



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.251 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.006 s |
| 4 | Given Admins creates POST Request for the LMS with invalid request body | PASSED | 0.002 s |
| 5 | When Admins sends HTTPS Request and request Body with endpoint | PASSED | 0.166 s |
| 6 | Then Admins receives 400 Bad Request Status | PASSED | 0.000 s |


DETAILED SECTION -- 37 --

Check if Admin able to create a program with missing values in the request body



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.254 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Admins creates POST Request for the LMS with missing values in request body | PASSED | 0.002 s |
| 5 | When Admins sends HTTPS Request and request Body with endpoint | PASSED | 0.149 s |
| 6 | Then Admins receives 400 Bad Request Status | PASSED | 0.001 s |

Check if Admin able to create a program with missing additional field




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.261 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.006 s |
| 4 | Given Admins creates POST Request for the LMS with request body | PASSED | 0.001 s |
| 5 | When Admins sends HTTPS Request and request Body with endpoint | PASSED | 0.173 s |
| 6 | Then Admins receives 200 ok | FAILED | 0.005 s |

DETAILED SECTION -- 38 --


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | org.opentest4j.AssertionFailedError: expected: <200> but was: <400> | | |
| | at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) | | |
| | at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) | | |
| | at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) | | |
| | at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182) | | |
| | at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177) | | |
| | at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:545) | | |
| | at com.api.stepdefinition.PC_PositiveStepDefinitions.admin_receives_ok(PC_PositiveStepDefinitions.java:331) | | |
| | at ?.Admins receives 200 ok(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/ | | |
| | resources/feature/02_ProgramControllerNegative.feature:48) | | |
| | * Not displayable characters are replaced by '?'. | | |

Check if Admin able to retrieve all programs with invalid Endpoint




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.248 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.004 s |
| 4 | Given Admins creates GET Request for the LMS API | PASSED | 0.001 s |
| 5 | When Admins sends HTTPS Request with invalid endpoint | PASSED | 0.174 s |
| 6 | Then Admins receives 404 not found Status with error message | PASSED | 0.001 s |

Check if Admin able to retrieve all programs with invalid Method



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.284 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.009 s |
| 4 | Given Admins creates GET Request for the LMS API | PASSED | 0.001 s |
| 5 | When Admins sends HTTPS Request with invalid method | PASSED | 0.186 s |
| 6 | Then Admins receives 405 Method will Not Allowed | PASSED | 0.000 s |


Check if Admin able to retrieve all programs without Authorization



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.249 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.006 s |
| 4 | Given Admins creates GET Request for the LMS API | PASSED | 0.001 s |
| 5 | When Admins sends HTTPS Request without Authorization | PASSED | 0.170 s |
| 6 | Then Admins receives 401 Status with response body as Unauthorized | PASSED | 0.002 s |


DETAILED SECTION -- 40 --

Check if Admin able to retrieve a program with invalid program ID




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.280 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Admins creates GET Request for the LMS API | PASSED | 0.001 s |
| 5 | When Admins sends HTTPS Request with invalid programID | PASSED | 0.176 s |
| 6 | Then Admins receives 404 Not Found Status with message and boolean success details | PASSED | 0.001 s |

Check if Admin able to retrieve a program with invalid baseURI




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.263 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.008 s |
| 4 | Given Admins creates GET Request for the LMS API with invalid BaseURI | PASSED | 0.001 s |
| 5 | When Admins sends HTTPS Request with endpoint | PASSED | 0.370 s |
| 6 | Then Admins receives 404 Not Found Status with message and boolean success details | PASSED | 0.000 s |

Check if Admin able to retrieve a program without Authorization




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.246 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.006 s |
| 4 | Given Admins creates GET Request for the LMS API | PASSED | 0.001 s |
| 5 | When Admins sends HTTPS Request to retrieve without Authorization | PASSED | 0.171 s |
| 6 | Then Admins receives 401 Unauthorized | PASSED | 0.001 s |

Check if Admin able to retrieve a program with invalid Endpoint




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.264 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.008 s |
| 4 | Given Admins creates GET Request for the LMS API | PASSED | 0.002 s |
| 5 | When Admins sends HTTPS Request with invalid Endpoint for program | PASSED | 0.189 s |
| 6 | Then Admins receives 404 Not Found Status with message and boolean success details | PASSED | 0.000 s |

Check if Admin able to retrieve all programs with invalid Endpoint



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.252 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.008 s |
| 4 | Given Admins create the GET Request for LMS API | PASSED | 0.001 s |
| 5 | When Admins sends the HTTPS Request with the invalid endpoint | PASSED | 0.187 s |
| 6 | Then Admins receives 404 not found Status with error message | PASSED | 0.000 s |


Check if Admin able to retrieve all programs with invalid Method



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.251 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.008 s |
| 4 | Given Admins create the GET Request for LMS API | PASSED | 0.001 s |
| 5 | When Admins sends the HTTPS Request with the invalid Method | PASSED | 0.182 s |
| 6 | Then Admins receives 405 Method Not Allowed | PASSED | 0.000 s |


DETAILED SECTION -- 43 --

Check if Admin able to retrieve all programs without Authorization




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.269 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.006 s |
| 4 | Given Admins create the GET Request for LMS API | PASSED | 0.001 s |
| 5 | When Admins sends the HTTPS Request without Authorization | PASSED | 0.164 s |
| 6 | Then Admins receives 401 Status with response body as Unauthorized | PASSED | 0.000 s |

Check if Admin able to update a program with invalid program Name and request body




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.243 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.009 s |
| 4 | Given Admins creates PUT Request for the LMS API endpoint with valid request Body with mandatory and additional fields | PASSED | 0.001 s |
| 5 | When Admins send HTTPS Request with invalid endpoint | PASSED | 0.259 s |
| 6 | Then Admins receives 404 Not Found Status with message and boolean success details | PASSED | 0.001 s |

Check if Admin able to update a program using valid program name - missing mandatory fields in request body



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.270 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.008 s |
| 4 | Given Admins creates PUT Request for the LMS API with missing mandatory fields | PASSED | 0.002 s |
| 5 | When Admins sends HTTPS Request with valid endpoint | PASSED | 0.194 s |
| 6 | Then Admins receives 400 Bad Request Status with message and boolean success details | PASSED | 0.000 s |


Check if Admin able to update a program with invalid values in request body



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.257 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Admins creates PUT Request for the LMS API endpoint and invalid program Name | PASSED | 0.001 s |
| 5 | When Admins sends HTTPS Request and request Body with mandatory fields. | PASSED | 0.180 s |
| 6 | Then Admins receives 400 Bad Request Status with message and boolean success details | PASSED | 0.001 s |


DETAILED SECTION -- 45 --

Check if Admin able to update a program with invalid program Description



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.261 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Admins creates PUT Request for the LMS API endpoint and invalid program Description | PASSED | 0.001 s |
| 5 | When Admins sends HTTPS Request and request Body with mandatory fields. | PASSED | 0.171 s |
| 6 | Then Admins receives 400 Bad Request Status with message and boolean success details | PASSED | 0.001 s |


Check if Admin able to update a program status



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.269 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.008 s |
| 4 | Given Admins creates PUT Request for the LMS API endpoint and Valid program Name and status | PASSED | 0.001 s |
| 5 | When Admins sends HTTPS Request with the valid endpoint | PASSED | 0.160 s |
| 6 | Then Admins receives 200 OK Status with updated value in response body. | PASSED | 0.004 s |


DETAILED SECTION -- 46 --

Check if Admin able to update a program without Authorization



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.265 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.008 s |
| 4 | Given Admins creates PUT Request for the LMS API endpoint with valid request Body with the mandatory , additional fields. | PASSED | 0.001 s |
| 5 | When Admins sends HTTPS Request with valid endpoint and without authorization | PASSED | 0.171 s |
| 6 | Then Admins receives 401 Unauthorized | PASSED | 0.000 s |


Check if Admin able to update a program with invalid programID endpoint and valid request body



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.257 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Admins creates PUT Request for the LMS API endpoint with valid request Body with mandatory, additional fields. | PASSED | 0.001 s |
| 5 | When Admins sends HTTPS Request with valid endpoint and invalid programid | PASSED | 0.155 s |
| 6 | Then Admins receives 404 Not Found Status with message and boolean success details | PASSED | 0.001 s |


DETAILED SECTION -- 47 --

Check if Admin able to update a program with invalid request body



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.268 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Admins creates PUT Request for the LMS API with invalid request body | PASSED | 0.001 s |
| 5 | When Admins sends HTTPS Request with invalid requestbody | PASSED | 0.170 s |
| 6 | Then Admins receives 400 Bad Request Status with message and boolean success details | PASSED | 0.000 s |


Check if Admin able to update a program without request body



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.272 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Admins creates PUT Request for the LMS API without request body | PASSED | 0.002 s |
| 5 | When Admins sends HTTPS Request with valid endpoint | PASSED | 0.184 s |
| 6 | Then Admins receives 400 Bad Request Status with message and boolean success details | PASSED | 0.001 s |


DETAILED SECTION -- 48 --

Check if Admin able to update a program with invalid baseURI




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.271 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Admins creates PUT Request for the LMS API endpoint with invalid baseuri | PASSED | 0.001 s |
| 5 | When Admins sends HTTPS the Request with valid endpoint | PASSED | 0.172 s |
| 6 | Then Admins receives 404 Not Found the Status with message and boolean success details | PASSED | 0.001 s |

Check if Admin able to update a program with invalid method



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.266 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Admins creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields | PASSED | 0.001 s |
| 5 | When Admins sends HTTPS Request for PUt with invalid method | PASSED | 0.200 s |
| 6 | Then Admins receives 405 Method Not Allowed | PASSED | 0.001 s |

Check if Admin able to update a program without Authorization




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.267 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.005 s |
| 4 | Given Admins creates PUT Request for the LMS API endpoint with request Body | PASSED | 0.001 s |
| 5 | When Admins sends HTTPS Request without the authorization | PASSED | 0.194 s |
| 6 | Then Admins receives 401 Unauthorized | PASSED | 0.000 s |

ProgramController Module Test with Valid Data

| PASSED | DURATION - 2.466 s | Scenarios | | Steps | |
|------------------|-----------------------|-----------|---|------------|----|
| | | Total - 5 | | Total - 30 | |
| / 1:57:23.171 Pl | M // 1:57:25.637 PM / | Pass - 5 | 5 | Pass - 30 | 30 |
| | | Fail - 0 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 0 | |


Check if Admin able to retrieve all programs with valid Endpoint



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.255 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Admins creates GET Request for the LMS API | PASSED | 0.001 s |
| 5 | When Admins sends HTTPS Request with endpoint | PASSED | 0.257 s |
| 6 | Then Admins receives 200 OK Status with response body. | PASSED | 0.000 s |


-- 50 --

Check if Admin able to retrieve a program with valid program ID




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.257 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.006 s |
| 4 | Given Admins create GET Request for LMS API | PASSED | 0.001 s |
| 5 | When Admins send HTTPS Request with the endpoint | PASSED | 0.157 s |
| 6 | Then Admins receives 200 OK Status with response body | PASSED | 0.005 s |

Check if Admin able to retrieve all programs with valid Endpoint




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.266 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.006 s |
| 4 | Given Admins create the GET Request for LMS API | PASSED | 0.001 s |
| 5 | When Admins sends the HTTPS Request with endpoint | PASSED | 0.298 s |
| 6 | Then Admins receive 200 OK Status with the response body | PASSED | 0.000 s |

Check if Admin able to update a program with Valid program Name and request body



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.267 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.005 s |
| 4 | Given Admins creates PUT Request for the LMS API endpoint with the valid request Body with mandatory, additional fields. | PASSED | 0.001 s |
| 5 | When Admins sends HTTPS Request with the valid endpoint | PASSED | 0.180 s |
| 6 | Then Admins receives 200 OK Status with updated value in response body. | PASSED | 0.004 s |


Check if Admin able to update a program with valid programID endpoint and valid request body




DETAILED SECTION -- 52 --

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.268 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Admins creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields | PASSED | 0.001 s |
| 5 | When Admins sends HTTPS Request with valid endpoint | PASSED | 0.186 s |
| 6 | Then Admins receives 200 OK Status with updated value in response body | PASSED | 0.005 s |

Batch Module




Check if admin able to create a Batch with valid endpoint and request body




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.267 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given User creates request for the LMS API endpoint "Create New Batch". | PASSED | 0.002 s |
| 5 | When User sends HTTPS post request for batch and request body with mandatory and additional fields. | PASSED | 0.191 s |
| 6 | Then User receives 201 created status for batch. | PASSED | 0.017 s |

DETAILED SECTION -- 53 --



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.261 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.003 s |
| 4 | Given Admin creates GET Request with valid Batch ID. | PASSED | 0.001 s |
| 5 | When Admin sends HTTPS get Request with endpoint. | PASSED | 0.155 s |
| 6 | Then Admin receives 200 OK Status with response body for batch. | PASSED | 0.003 s |


Check if admin able to retrieve a batch with valid BATCH NAME



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.246 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.005 s |
| 4 | Given Admin creates GET Request with valid Batch Name. | PASSED | 0.001 s |
| 5 | When Admin sends HTTPS Request with endpoint batchName. | PASSED | 0.176 s |
| 6 | Then Admin receives 200 OK Status with the response body for batch. | PASSED | 0.013 s |


DETAILED SECTION -- 54 --

Check if admin able to retrieve a batch with valid Program ID



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.245 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Admin creates GET Request with the program id. | PASSED | 0.001 s |
| 5 | When Admin sends HTTPS Request with the endpoint for programId. | PASSED | 0.171 s |
| 6 | Then Admin receives 200 OK Status with response body. | PASSED | 0.001 s |

Check if admin able to create a batch with missing additional fields



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.259 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.006 s |
| 4 | Given Admin creates POST Request with missing additional fields Create New Batch Missing Field. | PASSED | 0.001 s |
| 5 | When Admin sends HTTPS Request with endpoint. | PASSED | 0.180 s |
| 6 | Then Admin receives 201 Created Status with response body. | PASSED | 0.005 s |


DETAILED SECTION -- 55 --

Check if admin able to retrieve all batches with valid LMS API

| PASSED [| DURATION - 0.553 s | 0.6 - | | | ÷ | -, | | | Steps | | |
|--------------------|---------------------|-------|---|---|--------------|----|---|---|-----------|---|---|
| / 1.F7:27 002 DM | // 1:57:28.456 PM / | | | 1 | 1 | | 1 | | Total - 6 | | |
| 7 1.57.27.903 PIVI | // 1.57.26.430 PW/ | 0.4 - | | | + | - | | | Pass - 6 | | |
| Batch Module | | 0.2 - | | | <u> </u> | | | | | 6 | |
| | | | | | | | | | Skip - 0 | | , |
| @GetAllBatches | | 0 - | | | - | | | | | | |
| G GOD WIDGENES | | | 1 | 2 | 3 | 4 | 5 | 5 | | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.256 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.008 s |
| 4 | Given Admin creates GET Request. | PASSED | 0.001 s |
| 5 | When Admin sends "HTTPS Request" with endpoint. | PASSED | 0.284 s |
| 6 | Then Admin receives 200 OK Status with response body. | PASSED | 0.001 s |

Check if admin able to retrieve all batches with search string




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.260 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Admin creates GET Request with search string. | PASSED | 0.005 s |
| 5 | When Admin sends "HTTPS Request" with endpoint. | PASSED | 0.184 s |
| 6 | Then Admin receives 200 Ok status with response body. | PASSED | 0.000 s |

Check if admin able to update a Batch with valid batchID and mandatory fields in request body




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.262 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Admin creates PUT Request with auth, valid BatchId and Update Valid Data. | PASSED | 0.002 s |
| 5 | When Admin sends HTTPS Request with update endpoint. | PASSED | 0.179 s |
| 6 | Then Admin receives 200 OK Status with updated value in response body. | PASSED | 0.020 s |

Batch Module




Check if admin able to create a Batch with valid endpoint and request body (existing value in Batch Name)



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.272 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.008 s |
| 4 | Given User creates request for the LMS API endpoint "Create New Batch". | PASSED | 0.001 s |
| 5 | When Admin sends HTTPS Request with batch endpoint | FAILED | 0.158 s |
| | java.lang.NullPointerException: Cannot invoke "java.lang.Integer.intValue()" because the return value of "io.restassured.response.Response. path(String, String[])" is null at com.api.stepdefinition.Batch_SD.admin_sends_https_request_with_batch_endpoint(Batch_SD.java:100) at ?.Admin sends HTTPS Request with batch endpoint(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/05_BatchController.feature:12) * Not displayable characters are replaced by '?'. | | |
| 6 | Then Admin receives 400 Bad Request Status with message and boolean success details | SKIPPED | 0.001 s |

Check if admin able to create a Batch missing mandatory fields in request body



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.263 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.006 s |
| 4 | Given Admin creates POST Request with invalid data in request body "Create Missing Mandatory" | PASSED | 0.003 s |
| 5 | When Admin sends HTTPS Request with batch endpoint | FAILED | 0.172 s |
| | java.lang.NullPointerException: Cannot invoke "java.lang.Integer.intValue()" because the return value of "io.restassured.response.Response. path(String, String[])" is null at com.api.stepdefinition.Batch_SD.admin_sends_https_request_with_batch_endpoint(Batch_SD.java:100) at ?.Admin sends HTTPS Request with batch endpoint(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/05_BatchController.feature:18) * Not displayable characters are replaced by '?'. | | |
| 6 | Then Admin receives 400 Bad Request Status with message and boolean success details | SKIPPED | 0.001 s |


DETAILED SECTION -- 58 --

Check if admin able to create a batch with invalid endpoint

| PASSED DURATION - 1.555 s | 2 7 | | | | | : 1 | Steps | | |
|--------------------------------------|------|---|---|-----|------------|-----|-----------|---|---|
| 44.57.00.007.04.44.57.04.000.04.4 | 1.5- | | | | | | Total - 6 | | |
| / 1:57:30.307 PM // 1:57:31.862 PM / | 1 - | | | | | | Pass - 6 | | |
| Batch Module | 0.5- | | | | ! ! ! ! | | Fail - 0 | 6 | П |
| | 0.5 | | | | | | Skip - 0 | | |
| @CreateBatchInvalidEndpoint | 0 -1 | | 1 | | | | | | |
| | | 1 | 2 | 3 4 | 4 5 | 6 | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 1.272 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Admin creates POST Request "Create New Batch" | PASSED | 0.002 s |
| 5 | When Admin sends HTTPS Request with invalid endpoint | PASSED | 0.271 s |
| 6 | Then Admin receives 404 not found Status | PASSED | 0.002 s |

Check if admin able to create a batch with invalid data in request body




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.268 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.006 s |
| 4 | Given Admin creates POST Request with invalid data in request body "Invalid Data" | PASSED | 0.001 s |
| 5 | When Admin sends HTTPS Request with batch endpoint | FAILED | 0.178 s |
| | java.lang.NullPointerException: Cannot invoke "java.lang.Integer.intValue()" because the return value of "io.restassured.response.Response. | | |

DETAILED SECTION -- 59 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | path(String, String[])" is null at com.api.stepdefinition.Batch_SD.admin_sends_https_request_with_batch_endpoint(Batch_SD.java:100) at ?.Admin sends HTTPS Request with batch endpoint(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/ Team03_APIAutomators_March2024/src/test/resources/feature/05_BatchController.feature:31) * Not displayable characters are replaced by '?'. | | |
| 6 | Then Admin receives 400 Bad Request Status with message and boolean success details | SKIPPED | 0.000 s |


Check if admin able to create a batch with inactive program ID



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.279 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Admin creates POST Request with inactive program id "Inactive programID" | PASSED | 0.002 s |
| 5 | When Admin sends HTTPS Request with batch endpoint | FAILED | 0.164 s |
| | java.lang.NullPointerException: Cannot invoke "java.lang.Integer.intValue()" because the return value of "io.restassured.response.Response. path(String, String[])" is null at com.api.stepdefinition.Batch_SD.admin_sends_https_request_with_batch_endpoint(Batch_SD.java:100) at ?.Admin sends HTTPS Request with batch endpoint(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/05_BatchController.feature:37) * Not displayable characters are replaced by '?'. | | |
| 6 | Then Admin receives 400 Bad Request Status with message and boolean success details | SKIPPED | 0.000 s |

Check if admin able to create a Batch with valid endpoint and request body without authorization.

DETAILED SECTION -- 60 --



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.265 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Admin creates POST Request with valid data in request body "Create New Batch" | PASSED | 0.001 s |
| 5 | When Admin sends HTTPS Request with batch endpoint | FAILED | 0.172 s |
| | java.lang.NullPointerException: Cannot invoke "java.lang.Integer.intValue()" because the return value of "io.restassured.response.Response. path(String, String[])" is null at com.api.stepdefinition.Batch_SD.admin_sends_https_request_with_batch_endpoint(Batch_SD.java:100) at ?.Admin sends HTTPS Request with batch endpoint(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/05_BatchController.feature:43) * Not displayable characters are replaced by '?'. | | |
| 6 | Then Admin receives 401 Unauthorized | SKIPPED | 0.000 s |

Check if admin able to retrieve all batches with invalid Endpoint

| PASSED | DURATION - 0.490 s | 0.6 - | | - ; | | | | | Steps | |
|------------------|-----------------------|-------|---|-----|----------|---|---|---|-----------|---|
| / 1:57:33 250 PI | M // 1:57:33.740 PM / | ٠ | | | 1 | 1 | | | Total - 6 | |
| 7 1.37.33.23011 | VIV 1.51.55.740 F W/ | 0.4 - | | | | | | | Pass - 6 | |
| Batch Module | | 0.2 - | | | | | | | Fail - 0 | 6 |
| | do a link | | | | <u> </u> | | 🛮 | | Skip - 0 | |
| @GetInvalidEnd | дрони | | 1 | 2 | 3 | 4 | 5 | 6 | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.286 s |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Admin creates GET Request. | PASSED | 0.001 s |
| 5 | When Admin sends HTTPS Request with invalid endpoint | PASSED | 0.194 s |
| 6 | Then Admin receives 404 status with error message Not Found . | PASSED | 0.001 s |

Check if admin able to retrieve all batches without Authorization

| PASSED DURATION - 0.447 s | 0.6 - | | | | | | | Steps | | |
|--------------------------------------|-------|---|---|---|---|---|---|-----------------------|---|--|
| / 1:57:33.752 PM // 1:57:34.199 PM / | 0.4 - | | | | | | | Total - 6 Pass - 6 | | |
| Batch Module | 0.2 - | | | | | | | Fail - 0 Skip - 0 | 6 | |
| @GetAllBatchesNoAuth | 0 - | 1 | 2 | 3 | 4 | 5 | 5 | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.266 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.008 s |
| 4 | Given Admin creates GET Request with no auth | PASSED | 0.001 s |
| 5 | When Admin sends "HTTPS Request" with endpoint. | PASSED | 0.168 s |
| 6 | Then Admin receives 401 status with error message Unauthorized. | PASSED | 0.001 s |

Check if admin able to retrieve a batch with batch ID without authorization




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.256 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.008 s |
| 4 | Given Admin creates GET Request with no auth | PASSED | 0.001 s |
| 5 | When Admin sends "HTTPS" Request with endpoint | PASSED | 0.153 s |
| 6 | Then Admin receives 401 status with error message Unauthorized. | PASSED | 0.001 s |

Check if admin able to retrieve a batch with invalid BATCH ID

| PASSED DURATION - 0.452 s | 0.6 | | | | ; | | | Steps | | |
|--------------------------------------|-----|---|----------|-----|---|-----------|---|-----------|---|----------|
| / 1:57:34.638 PM // 1:57:35.090 PM / | | | - | | 1 | 1 | | Total - 6 | | |
| 7 1.57.34.038 PW // 1.57.35.090 PW / | 0.4 | | - | - + | | | + | Pass - 6 | | |
| Batch Module | 0.2 | | i | | | - <u></u> | | Fail - 0 | 6 | |
| | | | | | | | | Skip - 0 | | <i>'</i> |
| @GetBatchInvalidBatchId | 0 - | 1 | 1 | 2 | 1 | | - | | | |
| | | 1 | 2 | 3 | 4 | 3 | 0 | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.261 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Admin creates GET Request with invalid Batch ID | PASSED | 0.001 s |
| 5 | When Admin sends HTTPS Request with endpoint "invalid" | PASSED | 0.180 s |
| 6 | Then Admin receives 404 Not Found Status with message and boolean success details | PASSED | 0.001 s |

Check if admin able to retrieve a batch with invalid endpoint




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.263 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Admin creates GET Request with invalid Batch ID | PASSED | 0.001 s |
| 5 | When Admin sends HTTPS Request with "invalid endpoint" | PASSED | 0.173 s |
| 6 | Then Admin receives 404 not found Status | PASSED | 0.001 s |

Check if admin able to retrieve a batch without authorization

| PASSED DURATION - 0.452 s | 0.6 | | | | ; | | | Steps | | |
|--------------------------------------|-----|---|---|---|---|---------|---|-----------|---|-----|
| / 1:57:35.552 PM // 1:57:36.004 PM / | | | | | | | | Total - 6 | | |
| 7 1.57.35.352 PW // 1.57.30.004 PW / | 0.4 | | - | + | | | + | Pass - 6 | | A I |
| Batch Module | 0.2 | | | | | <u></u> | | Fail - 0 | 6 | |
| | | | | | | | | Skip - 0 | | , |
| @GetBatchNameNoAuth | 0 | 1 | 3 | 2 | 4 | | - | | | |
| | | 1 | 2 | 3 | 4 | 3 | 0 | | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.261 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.013 s |
| 4 | Given Admin creates GET Request with no auth | PASSED | 0.000 s |
| 5 | When Admin sends HTTPS Request with batchName endpoint | PASSED | 0.170 s |
| 6 | Then Admin receives 401 status with error message Unauthorized. | PASSED | 0.003 s |

Check if admin able to retrieve a batch with invalid BATCH NAME




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.282 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Admin creates GET Request with invalid Batch Name | PASSED | 0.001 s |
| 5 | When Admin sends HTTPS Request with endpoint invalid BatchName | PASSED | 0.175 s |
| 6 | Then Admin receives 404 Not Found Status with message and boolean success details | PASSED | 0.002 s |

Check if admin able to retrieve a batch with invalid endpoint




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.263 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Admin creates GET Request with invalid Batch Name | PASSED | 0.001 s |
| 5 | When Admin sends HTTPS Request with invalid endpoint batchName | PASSED | 0.161 s |
| 6 | Then Admin receives 404 Not Found Status with message and boolean success details | PASSED | 0.000 s |

Check if admin able to retrieve a batch without authorization




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.255 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Admin creates GET Request with no auth | PASSED | 0.001 s |
| 5 | When Admin sends HTTPS Request with the endpoint for programId. | PASSED | 0.169 s |
| 6 | Then Admin receives 401 status with error message Unauthorized. | PASSED | 0.001 s |

Check if admin able to retrieve a batch with invalid Program Id




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.268 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Admin creates GET Request with program id for batch. | PASSED | 0.001 s |
| 5 | When Admin sends HTTPS Request with invalid programId endpoint | PASSED | 0.169 s |
| 6 | Then Admin receives 404 Not Found Status with message and boolean success details | PASSED | 0.001 s |

Check if admin able to retrieve a batch with invalid endpoint




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.273 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.011 s |
| 4 | Given Admin creates GET Request with program id for batch. | PASSED | 0.001 s |
| 5 | When Admin sends HTTPS Request with invalid endpoint for get batch | PASSED | 0.314 s |
| 6 | Then Admin receives 404 Not Found Status with message and boolean success details | PASSED | 0.001 s |

Check if admin able to update a Batch with valid batchID and mandatory fields in request body without authorization




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.263 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Admin creates PUT Request with valid BatchId and "Update Valid Data" | PASSED | 0.001 s |
| 5 | When Admin sends HTTPS Request with update endpoint. | PASSED | 0.172 s |
| 6 | Then Admin receives 401 status with error message Unauthorized. | PASSED | 0.000 s |

Check if admin able to update a Batch with invalid batchID and mandatory fields in request body




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.246 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Admin creates PUT Request with auth, valid BatchId and Update Valid Data. | PASSED | 0.001 s |
| 5 | When Admin sends HTTPS Request with endpoint invalid batch | PASSED | 0.172 s |
| 6 | Then Admin receives 404 Not Found Status with message and boolean success details | PASSED | 0.001 s |

Check if admin able to update a Batch with valid batchID and missing mandatory fields request body



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.268 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Admin creates PUT Request with auth,BatchId and "Missing mandatory Update" | PASSED | 0.002 s |
| 5 | When Admin sends HTTPS Request with update endpoint. | PASSED | 0.169 s |
| 6 | Then Admin receives 400 Bad Request Status with message and boolean success details | PASSED | 0.001 s |


Check if admin able to update a batch with invalid data



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.265 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Admin creates PUT Request with "Invalid Data" | PASSED | 0.001 s |
| 5 | When Admin sends HTTPS Request with update endpoint. | PASSED | 0.178 s |
| 6 | Then Admin receives 400 Bad Request Status with message and boolean success details | PASSED | 0.001 s |


-- 68 --

Check if admin able to update a Batch with invalid enpoint



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.270 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Admin creates PUT Request with auth, valid BatchId and Update Valid Data. | PASSED | 0.001 s |
| 5 | When Admin sends HTTPS put Request with invalid endpoint | PASSED | 0.184 s |
| 6 | Then Admin receives 404 Not Found Status with message and boolean success details | PASSED | 0.001 s |


Check if admin able to update a Batch with a valid batchID and deleted programID field



DETAILED SECTION -- 69 --


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.253 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.006 s |
| 4 | Given Admin creates PUT Request with Valid batch Id and Deleted programID. | PASSED | 0.001 s |
| 5 | When Admin sends HTTPS Request with update endpoint and deleted programID. | PASSED | 0.155 s |
| 6 | Then Admin receives 400 Bad Request Status with message and boolean success details | FAILED | 0.009 s |
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) | | |
| | at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor304.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite. | | |
| | java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at com.api.stepdefinition.Batch_SD.admin_receives_bad_request_status_with_message_and_boolean_success_details(Batch_SD.java:109) at ?.Admin receives 400 Bad Request Status with message and boolean success details(file:///Users/amreennaziasyed/eclipse-workspace/ DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/05_BatchController.feature:155) * Not displayable characters are replaced by '?'. | | |

DETAILED SECTION -- 70 --



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.258 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Admin creates DELETE Request with valid BatchId. | PASSED | 0.002 s |
| 5 | When Admin sends HTTPS Request with invalid delete batch endpoint | PASSED | 0.174 s |
| 6 | Then Admin receives 404 Not Found Status with message and boolean success details | PASSED | 0.001 s |

Check if admin able to delete a Batch with invalid Batch ID




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.269 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Admin creates DELETE Request with invalid BatchId | PASSED | 0.001 s |
| 5 | When Admin sends HTTPS Request with endpoint invalid batchID | PASSED | 0.171 s |
| 6 | Then Admin receives 404 Not Found Status with message and boolean success details | PASSED | 0.000 s |

Check if admin able to delete a Batch without authorization

| PASSED | DURATION - 0.448 s | 0.6 | | | | | | | Steps | | |
|------------------|--------------------------|-----|---|---|---|---|---------|---|-----------|---|----------|
| / 1:57:42 061 DI | M // 1:57:42.509 PM / | | | 1 | | | | | Total - 6 | | |
| / 1.57.42.001 PI | WI // 1.37.42.303 F WI / | 0.4 | | - | + | | | + | Pass - 6 | | A |
| Batch Module | | 0.2 | | | | ! | <u></u> | | Fail - 0 | 6 | |
| | | | | | | | | | Skip - 0 | | <i>!</i> |
| @DeleteBatchW | /ithNoAuth | 0 - | | | - | | | | | | |
| | | | 1 | 2 | 3 | 4 | 5 | 6 | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.264 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Admin creates DELETE Request with valid BatchId no auth | PASSED | 0.001 s |
| 5 | When Admin sends HTTPS Request with endpoint for batch. | PASSED | 0.172 s |
| 6 | Then Admin receives 401 status with error message Unauthorized. | PASSED | 0.001 s |


Check if admin able to retrive a batch after the programID is deleted



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.256 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Admin creates GET Request with program id for batch. | PASSED | 0.001 s |
| 5 | When Admin sends HTTPS Request with endpoint. | FAILED | 0.184 s |
| | java.lang.NullPointerException: Cannot invoke "java.lang.Integer.intValue()" because the return value of "io.restassured.response.Response. | | |


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | path(String, String[])" is null | | |
| | at com.api.stepdefinition.Batch_SD.admin_sends_https_request_with_endpoint(Batch_SD.java:161) at ?.Admin sends HTTPS Request with endpoint.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/ | | |
| | Team03_APIAutomators_March2024/src/test/resources/feature/05_BatchController.feature:179) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 6 | Then Admin receives 404 Not Found Status with message and boolean success details | SKIPPED | 0.000 s |

Check if admin able to retrive a batch after deleting the batch



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.264 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.008 s |
| 4 | Given Admin creates GET Request with valid Batch ID. | PASSED | 0.001 s |
| 5 | When Admin sends HTTPS get Request with endpoint. | PASSED | 0.171 s |
| 6 | Then Admin receives 200 OK Status with batchStatus field "Inactive" in the response body. | PASSED | 0.001 s |


Check if admin able to retrive a deleted batch using batch name



DETAILED SECTION -- 73 --

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.275 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.008 s |
| 4 | Given Admin creates GET Request with invalid Batch Name | PASSED | 0.001 s |
| 5 | When Admin sends HTTPS Request with endpoint invalid BatchName | PASSED | 0.175 s |
| 6 | Then Admin receives 200 OK Status with batchStatus field "Inactive" in the response body. | FAILED | 0.002 s |
| | java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <404>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java.top.) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:480) at org.codehaus.groovy.runtime.callsite.Constructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImplSHamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImplSHamcrestAssertionClosuresvalidate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponselfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.validateResponselfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.validateResponselfRequired(ResponseSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor304.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(PelainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.dolnvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.dolnvoke(PlainObjectMetaMethodSite.java:185) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode | | |

Check if admin able to update a Batch with a deleted batchID in the endpoint




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.265 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.006 s |
| 4 | Given Admin creates PUT Request with auth, valid BatchId and Update Valid Data. | PASSED | 0.001 s |
| 5 | When Admin sends HTTPS Request with endpoint and deleted batchID | PASSED | 0.171 s |
| 6 | Then Admin receives 200 Ok status with message for update | PASSED | 0.001 s |

Check Post request of user controller module.

| Scenarios | | Steps | |
|-----------|-----------------------------|-----------------------------|--|
| Total - 1 | | Total - 6 | |
| Pass - 1 | 1 | Pass - 6 | 6 |
| Fail - 0 | | Fail - 0 | ľ |
| Skip - 0 | | Skip - 0 | |
| | Total - 1 Pass - 1 Fail - 0 | Total - 1 Pass - 1 Fail - 0 | Total - 1 Pass - 1 Fail - 0 Total - 6 Pass - 6 Fail - 0 |

Authorized admin is able to create a new user with valid url and request body with mandatory fields.




DETAILED SECTION -- 75 --

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.276 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Authorized Admin creates POST request with valid request body. | PASSED | 0.003 s |
| 5 | When Authorized admin send valid post api request | PASSED | 0.513 s |
| 6 | Then Authorized admin receive 201 status with response body | PASSED | 0.007 s |

Validating Get request for User API's

| FAILED DURATION - 8.244 s | Scenarios | | Steps | |
|--------------------------------------|------------|----|------------|----|
| | Total - 15 | | Total - 90 | |
| / 1:57:45.184 PM // 1:57:53.428 PM / | Pass - 10 | 15 | Pass - 85 | 90 |
| | Fail - 5 | | Fail - 5 | |
| | Skip - 0 | | Skip - 0 | |


Admin is able to get count of active and in active admins



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.259 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Users creates Get user request | PASSED | 0.001 s |
| 5 | When Users sends https request with "getcountofactiveandinactive" | PASSED | 0.165 s |
| 6 | Then Users receives 200 ok. | PASSED | 0.000 s |


Admin is able to get all active users

DETAILED SECTION -- 76 --



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.256 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.008 s |
| 4 | Given Users creates Get user request | PASSED | 0.001 s |
| 5 | When Users sends https request with "getallactiveusers" | PASSED | 0.298 s |
| 6 | Then Users receives 200 ok. | PASSED | 0.000 s |

Admin is able to assign update user role program batch




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.254 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.004 s |
| 4 | Given Users creates request with valid response body UserRoleProgramBatch. | PASSED | 0.033 s |
| 5 | When Users sends https put request with assignupdateuserroleprogrambatch | PASSED | 0.183 s |
| 6 | Then users receives the 200 ok. | FAILED | 0.001 s |
| | org.opentest4j.AssertionFailedError: expected: <200> but was: <400> | | |

DETAILED SECTION -- 77 --

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) | | |
| | at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) | | |
| | at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) | | |
| | at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182) | | |
| | at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177) | | |
| | at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:545) | | |
| | at com.api.stepdefinition.UC_UpdateUser.admins_receives_ok(UC_UpdateUser.java:98) | | |
| | at ?.users receives the 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/ | | |
| | resources/feature/06_UserController.feature:24) | | |
| | * Not displayable characters are replaced by '?'. | | |

Admin is able to get admin by program batchId




| Step / Hook Details | Status | Duration |
|---|---|---|
| Given Admin creates request with valid credentials | PASSED | 0.000 s |
| When Admin calls Post Https method with valid endpoint | PASSED | 0.263 s |
| Then Admin receives 200 created with auto generated token | PASSED | 0.006 s |
| Given Users creates Get user request | PASSED | 0.001 s |
| When Users sends https request with getadminbyprogrambatchId | PASSED | 0.174 s |
| Then Users receives 200 ok. | FAILED | 0.001 s |
| org.opentest4j.AssertionFailedError: expected: <200> but was: <404> at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177) at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:545) at com.api.stepdefinition.UC_GetUsers.user_receives_ok(UC_GetUsers.java:53) | | |
| | Given Admin creates request with valid credentials When Admin calls Post Https method with valid endpoint Then Admin receives 200 created with auto generated token Given Users creates Get user request When Users sends https request with getadminbyprogrambatchId Then Users receives 200 ok. org.opentest4j.AssertionFailedError: expected: <200> but was: <404> at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177) | Given Admin creates request with valid credentials When Admin calls Post Https method with valid endpoint Then Admin receives 200 created with auto generated token Given Users creates Get user request When Users sends https request with getadminbyprogrambatchId PASSED Then Users receives 200 ok. org.opentest4j.AssertionFailedError: expected: <200> but was: <404> at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:197) at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:197) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177) at org.junit.jupiter.api.AssertIons.assertEquals(AssertEquals.java:545) at com.api.stepdefinition.UC_GetUsers.user_receives_ok(UC_GetUsers.java:53) |

DETAILED SECTION -- 78 --


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | resources/feature/06_UserController.feature:29) * Not displayable characters are replaced by '?'. | | |

Admin is able to update user roleld




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.259 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Users creates request with valid response body "UpdateUserRoleId" | PASSED | 0.002 s |
| 5 | When Users sends https put request with updateuserroleId | PASSED | 0.175 s |
| 6 | Then users receives the 200 ok. | FAILED | 0.001 s |
| | org.opentest4j.AssertionFailedError: expected: <200> but was: <400> at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177) at org.junit.jupiter.api.Assertions.assertEquals(AssertEquals.java:545) at com.api.stepdefinition.UC_UpdateUser.admins_receives_ok(UC_UpdateUser.java:98) at ?.users receives the 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/06_UserController.feature:34) * Not displayable characters are replaced by '?'. | | |

Admin is able to get admin by programId




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.267 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Users creates Get user request | PASSED | 0.001 s |
| 5 | When Users sends https request with getadminbyprogramId | PASSED | 0.166 s |
| 6 | Then Users receives 200 ok. | FAILED | 0.000 s |
| | org.opentest4j.AssertionFailedError: expected: <200> but was: <404> at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177) at org.junit.jupiter.api.Assertions.assertEquals(AssertEquals.java:545) at com.api.stepdefinition.UC_GetUsers.user_receives_ok(UC_GetUsers.java:53) at ?.Users receives 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/06_UserController.feature:39) * Not displayable characters are replaced by '?'. | | |

Admin is able to get admin by roleId




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.269 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Users creates Get user request | PASSED | 0.001 s |
| 5 | When Users sends https request with "getadminbyroleId" | PASSED | 0.265 s |
| 6 | Then Users receives 200 ok. | PASSED | 0.000 s |

Admin is able to get all users




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.261 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.006 s |
| 4 | Given Users creates Get user request | PASSED | 0.001 s |
| 5 | When Users sends https request with "getallusers" | PASSED | 0.500 s |
| 6 | Then Users receives 200 ok. | PASSED | 0.000 s |

Admin is able to get all roles




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.257 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.005 s |
| 4 | Given Users creates Get user request | PASSED | 0.001 s |
| 5 | When Users sends https request with "getallroles" | PASSED | 0.428 s |
| 6 | Then Users receives 200 ok. | PASSED | 0.000 s |

Admin is able to get user by userId




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.250 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.006 s |
| 4 | Given Users creates Get user request | PASSED | 0.001 s |
| 5 | When Users sends https request with "getuserbyuserld" | PASSED | 0.550 s |
| 6 | Then Users receives 200 ok. | PASSED | 0.000 s |

Admin is able to get all users with roles




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.263 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.006 s |
| 4 | Given Users creates Get user request | PASSED | 0.001 s |
| 5 | When Users sends https request with "getalluserswithroles" | PASSED | 0.178 s |
| 6 | Then Users receives 200 ok. | PASSED | 0.000 s |

Admin is able to get users by roleld V2




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.259 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.015 s |
| 4 | Given Users creates Get user request | PASSED | 0.001 s |
| 5 | When Users sends https request with "getusersbyroleIdV2" | PASSED | 0.503 s |
| 6 | Then Users receives 200 ok. | PASSED | 0.000 s |

Admin is able to update user by userld




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.255 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Users creates request with valid response body "UpdateUser" | PASSED | 0.002 s |
| 5 | When Users sends https put request with updateuser | PASSED | 0.191 s |
| 6 | Then users receives the 200 ok. | PASSED | 0.000 s |

Admin is able to update user role status



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.253 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.003 s |
| 4 | Given Users creates request with valid response body "UpdateUserRoleStatus" | PASSED | 0.001 s |
| 5 | When Users sends https put request with updateuserrolestatus | PASSED | 0.156 s |
| 6 | Then users receives the 200 ok. | PASSED | 0.001 s |


Admin is able to update user login status




DETAILED SECTION -- 84 --

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.249 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Users creates request with valid response body "UpdateUserLoginStatus" | PASSED | 0.001 s |
| 5 | When Users sends https put request with updateuserloginstatus | PASSED | 0.166 s |
| 6 | Then users receives the 200 ok. | FAILED | 0.001 s |
| | org.opentest4j.AssertionFailedError: expected: <200> but was: <400> at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177) at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:545) at com.api.stepdefinition.UC_UpdateUser.admins_receives_ok(UC_UpdateUser.java:98) at ?.users receives the 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/06_UserController.feature:88) * Not displayable characters are replaced by '?'. | | |

Validating Invalid data for User API's




Authorized admin is able to create a new user with valid url and request body with missing mandatory fields.



DETAILED SECTION -- 85 --

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.238 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.006 s |
| 4 | Given Authorized admin user create post request with invalid request body | PASSED | 0.002 s |
| 5 | When Authorized admin user send valid post api request | PASSED | 0.165 s |
| 6 | Then Authorized admin user receive 400 status with message | PASSED | 0.002 s |


Unauthorized admin user create post request with valid request body



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.253 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.006 s |
| 4 | Given Unauthorized admin user create post request with valid request body | PASSED | 0.001 s |
| 5 | When Unauthorized admin user send valid post api request | PASSED | 0.025 s |
| 6 | Then Unauthorized admin user receive 401 status with message | FAILED | 0.000 s |
| | java.lang.AssertionError: expected:<403> but was:<401> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at com.api.stepdefinition.UC_PostRequestStep.unauthorized_admin_user_receive_status_with_message(UC_PostRequestStep.java:100) at ?.Unauthorized admin user receive 401 status with message(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/ Team03_APIAutomators_March2024/src/test/resources/feature/07_InvalidUserController.feature:21) * Not displayable characters are replaced by '?'. | | |


Admin is able to get all users with invalid endpoint

DETAILED SECTION -- 86



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.255 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.006 s |
| 4 | Given Users creates Get user request | PASSED | 0.001 s |
| 5 | When Users sends https request with "allusers" | PASSED | 0.170 s |
| 6 | Then Users receives 404 | PASSED | 0.000 s |


Admin is able to get all admins with invalid endpoint



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.265 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Users creates Get user request | PASSED | 0.001 s |
| 5 | When Users sends https request with "allroles" | PASSED | 0.166 s |
| 6 | Then Users receives 404 | PASSED | 0.000 s |


DETAILED SECTION -- 87 --

Admin is able to get all active users with invalid endpoint



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.246 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Users creates Get user request | PASSED | 0.001 s |
| 5 | When Users sends https request with "allactiveusers" | PASSED | 0.169 s |
| 6 | Then Users receives 404 | PASSED | 0.000 s |

Admin is able to get all active and inactive users with invalid endpoint



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.266 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Users creates Get user request | PASSED | 0.001 s |
| 5 | When Users sends https request with "countofactiveandinactive" | PASSED | 0.149 s |
| 6 | Then Users receives 404 | PASSED | 0.000 s |


DETAILED SECTION -- 88 --

Admin is able to get user with invalid userId

| PASSED DURATION - 0.449 s | 0.6 | | | | | | Steps | | 7 |
|--|-----|---|----------|-------------|---|---|-----------|---|---|
| / 1:57:55.905 PM // 1:57:56.354 PM / | | | | 1 1 | | 1 | Total - 6 | | |
| / 1.57.55.905 PW // 1.57.50.354 PW / | 0.4 | | | + | | | Pass - 6 | | |
| Validating Invalid data for User API's | 0.2 | | | | | | Fail - 0 | 6 | |
| | | | | | | | Skip - 0 | | |
| | 0 | | <u> </u> | | | | | | |
| | | 1 | 2 | 3 4 | 5 | 6 | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.265 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Users creates Get user request | PASSED | 0.001 s |
| 5 | When Users sends https request with "userbyuserld" | PASSED | 0.174 s |
| 6 | Then Users receives 404 | PASSED | 0.000 s |

Admin is able to get admin by invalid program batchId



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.252 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Users creates Get user request | PASSED | 0.001 s |
| 5 | When Users sends https request with "adminbyprogrambatchId" | PASSED | 0.154 s |
| 6 | Then Users receives 404 | PASSED | 0.000 s |


DETAILED SECTION -- 89 --

Admin is able to get admin by invalid programId

| PASSED | DURATION - 0.446 s | 0.6 - | | - ; | | ; | | | Steps | | |
|--------------------|-----------------------|-------|---|----------|---|---|---------|---|-----------|---|----------|
| / 1:57:56 792 DA | M // 1:57:57.228 PM / | | | | | 1 | | 1 | Total - 6 | | |
| 7 1.57.50.762 FI | VI // 1.37.37.220 FW/ | 0.4 - | | - | + | | | + | Pass - 6 | | |
| Validating Invalid | d data for User API's | 0.2 - | | <u> </u> | | | <u></u> | | Fail - 0 | 6 | |
| | | | | | | | | | Skip - 0 | | , |
| | | 0 - | | | | | | | | | |
| | | | 1 | 2 | 3 | 4 | 5 | ь | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.262 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.005 s |
| 4 | Given Users creates Get user request | PASSED | 0.001 s |
| 5 | When Users sends https request with "adminbyprogramId" | PASSED | 0.176 s |
| 6 | Then Users receives 404 | PASSED | 0.000 s |

Admin is able to get admin by invalid roleld



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.272 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Users creates Get user request | PASSED | 0.001 s |
| 5 | When Users sends https request with "adminbyroleId" | PASSED | 0.284 s |
| 6 | Then Users receives 404 | PASSED | 0.001 s |


DETAILED SECTION -- 90 --

Admin is able to get admin with roles with invalid endpoint

| PASSED DURATION - 0.434 s | .6 | Steps |
|--|-----------|-----------|
| / 1:57:57.816 PM // 1:57:58.250 PM / | | Total - 6 |
| / 1.57.57.610 PM // 1.57.56.250 PM / | .4 | Pass - 6 |
| Validating Invalid data for User API's | .2 | _ |
| 3 | | Skip - 0 |
| | | <u></u> |
| | 1 2 3 4 5 | 6 |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.264 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.006 s |
| 4 | Given Users creates Get user request | PASSED | 0.001 s |
| 5 | When Users sends https request with "alluserswithroles" | PASSED | 0.160 s |
| 6 | Then Users receives 404 | PASSED | 0.000 s |


Admin is able to get users by roleld V2 with invalid endpoint



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.268 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.008 s |
| 4 | Given Users creates Get user request | PASSED | 0.001 s |
| 5 | When Users sends https request with "usersbyroleIdV2" | PASSED | 0.175 s |
| 6 | Then Users receives 404 | PASSED | 0.001 s |


DETAILED SECTION -- 91 --

Admin is able to update user with invalid roleld



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.256 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.002 s |
| 4 | Given Users creates request with valid response body "UserRoleId" | PASSED | 0.001 s |
| 5 | When Users sends https put request with "userroleId" | PASSED | 0.171 s |
| 6 | Then Users receives 404 | FAILED | 0.001 s |
| | java.lang.NullPointerException: Cannot invoke "io.restassured.response.Response.getStatusCode()" because "this.response" is null at com.api.stepdefinition.UC_GetUsers.admin_receives_with_unauthorized(UC_GetUsers.java:63) at ?.Users receives 404(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/07_InvalidUserController.feature:76) * Not displayable characters are replaced by '?'. | | |

Admin is able to update user with existing roleld




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.253 s |

DETAILED SECTION -- 92 --


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Users creates request with valid response body "UserRoleId" | PASSED | 0.001 s |
| 5 | When Users sends https put request with "userroleId" | PASSED | 0.152 s |
| 6 | Then Users receives 404 | FAILED | 0.001 s |
| | java.lang.NullPointerException: Cannot invoke "io.restassured.response.Response.getStatusCode()" because "this.response" is null at com.api.stepdefinition.UC_GetUsers.admin_receives_with_unauthorized(UC_GetUsers.java:63) at ?.Users receives 404(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/07_InvalidUserController.feature:81) * Not displayable characters are replaced by '?'. | | |

Admin is able to update user with invalid adminroleprogrambatch




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.254 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.003 s |
| 4 | Given Users creates request with valid response body "UserRoleProgramBatchInvalid" | PASSED | 0.001 s |
| 5 | When Users sends https put request with "userroleprogrambatch" | PASSED | 0.180 s |
| 6 | Then Users receives 404 | FAILED | 0.001 s |
| | java.lang.NullPointerException: Cannot invoke "io.restassured.response.Response.getStatusCode()" because "this.response" is null at com.api.stepdefinition.UC_GetUsers.admin_receives_with_unauthorized(UC_GetUsers.java:63) at ?.Users receives 404(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/07_InvalidUserController.feature:86) * Not displayable characters are replaced by '?'. | | |

Admin is able to update user with existing adminroleprogrambatch



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.262 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.008 s |
| 4 | Given Users creates request with valid response body "UserRoleProgramBatchInvalid" | PASSED | 0.001 s |
| 5 | When Users sends https put request with "userroleprogrambatch" | PASSED | 0.183 s |
| 6 | Then Users receives 404 | FAILED | 0.001 s |
| | java.lang.NullPointerException: Cannot invoke "io.restassured.response.Response.getStatusCode()" because "this.response" is null at com.api.stepdefinition.UC_GetUsers.admin_receives_with_unauthorized(UC_GetUsers.java:63) at ?.Users receives 404(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/07_InvalidUserController.feature:91) * Not displayable characters are replaced by '?'. | | |

Admin is able to update user with invalid userloginstatus



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.269 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |


DETAILED SECTION -- 94 --

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 4 | Given Users creates request with valid response body "UserLoginStatus" | PASSED | 0.001 s |
| 5 | When Users sends https put request with "userloginstatus" | PASSED | 0.174 s |
| 6 | Then Users receives 404 | FAILED | 0.001 s |
| | java.lang.NullPointerException: Cannot invoke "io.restassured.response.Response.getStatusCode()" because "this.response" is null at com.api.stepdefinition.UC_GetUsers.admin_receives_with_unauthorized(UC_GetUsers.java:63) at ?.Users receives 404(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/07_InvalidUserController.feature:96) * Not displayable characters are replaced by '?'. | | |

Validating user role program batch map API's

| FAILED | DURATION - 0.950 s | Scenarios | | Steps | |
|------------------|-----------------------|-----------|---|------------|----|
| | | Total - 2 | | Total - 12 | |
| / 1:58:00.965 PM | M // 1:58:01.915 РМ / | Pass - 1 | 2 | Pass - 11 | 12 |
| | | Fail - 1 | | Fail - 1 | 12 |
| | | Skip - 0 | | Skip - 0 | |
| | | | | | |


Admin is able to get all admins with assigned program batches



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.260 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Users creates Get user request | PASSED | 0.001 s |
| 5 | When Users sends https request with "getassignedprogrambatchifalluser" | PASSED | 0.224 s |
| 6 | Then Users receives 200 ok. | PASSED | 0.001 s |


DETAILED SECTION -- 95 --

Admin is able to get program/batches for valid adminId




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.264 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.011 s |
| 4 | Given Users creates Get user request | PASSED | 0.001 s |
| 5 | When Users sends https request with getassignedprogrambatchbyuserId | PASSED | 0.166 s |
| 6 | Then Users receives 200 ok. | FAILED | 0.001 s |
| | org.opentest4j.AssertionFailedError: expected: <200> but was: <404> at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177) at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:545) at com.api.stepdefinition.UC_GetUsers.user_receives_ok(UC_GetUsers.java:53) at ?.Users receives 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/07_UserRoleProgramBatchMap.feature:18) * Not displayable characters are replaced by '?'. | | |

ProgramController Module Test with Invalid Data




DETAILED SECTION -- 96 --

Check if Admin able to delete a program with valid LMS API,invalid programName



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.263 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Admins creates DELETE Request for the LMS API endpoint | PASSED | 0.001 s |
| 5 | When Admins has sends HTTPS Request with endpoint and invalid programName | PASSED | 0.172 s |
| 6 | Then Admins receives 404 Not Found Status with message and boolean success details | PASSED | 0.001 s |


Check if Admin able to delete a program without Authorization



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.259 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Admins creates DELETE Request for the LMS API endpoint and valid programName | PASSED | 0.000 s |
| 5 | When Admins has sends HTTPS Request with endpoint and without Authorization | PASSED | 0.156 s |
| 6 | Then Admins receives 401 Unauthorized | PASSED | 0.000 s |


DETAILED SECTION -- 97 --

Check if Admin able to delete a program with valid program ID



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.237 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.005 s |
| 4 | Given Admins creates DELETE Request for the LMS API endpoint | PASSED | 0.000 s |
| 5 | When Admins send HTTPS Request with endpoint and invalid program ID. | PASSED | 0.157 s |
| 6 | Then Admins receives 404 Not Found Status with message and boolean success details | PASSED | 0.000 s |


Check if Admin able to delete a program without Authorization




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.261 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Admins create DELETE Request for the LMS API endpoint | PASSED | 0.001 s |
| 5 | When Admins send HTTPS Request with endpoint withOut Authorization | PASSED | 0.173 s |
| 6 | Then Admins receives 401 Unauthorized | PASSED | 0.000 s |

DETAILED SECTION -- 98 --

Validating Delete Request



Admin is able to delete user




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.251 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Users creates delete request | PASSED | 0.001 s |
| 5 | When Users sends delete request with deleteuser | PASSED | 0.166 s |
| 6 | Then Userss receives 200 ok. | PASSED | 0.001 s |

Check if admin able to delete a Batch with valid Batch ID

| PASSED DURATION - 0.468 s | 0.6 | | | | | | Steps Total - 6 | |
|--------------------------------------|-----|---|-----|---|---|---|----------------------|---|
| / 1:58:04.104 PM // 1:58:04.572 PM / | 0.4 | | | | | | Pass - 6 | |
| Validating Delete Request | 0.2 | | | | | | Fail - 0 Skip - 0 | 6 |
| @DeleteBatchwithValidBatchId | 0 | 1 | 2 3 | 4 | 5 | 6 | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.270 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Admin creates DELETE Request with valid BatchId. | PASSED | 0.001 s |
| 5 | When Admin sends HTTPS Request with endpoint for batch. | PASSED | 0.186 s |
| 6 | Then Admin receives 200 Ok status with message. | PASSED | 0.002 s |

Check if Admin able to delete a program with valid programName



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.268 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.006 s |
| 4 | Given Admins creates DELETE Request for the LMS API endpoint and valid programName | PASSED | 0.001 s |
| 5 | When Admins has sends HTTPS Request with endpoint | PASSED | 0.153 s |
| 6 | Then Admins receives 200 Ok status with message | PASSED | 0.000 s |


Check if Admin able to delete a program with valid program ID



DETAILED SECTION -- 100 --

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.245 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.006 s |
| 4 | Given Admins creates DELETE Request for the LMS API endpoint and valid program ID | | 0.001 s |
| 5 | When Admins send HTTPS Request with endpoint. | PASSED | 0.160 s |
| 6 | Then Admins receive 200 Ok status with message | PASSED | 0.000 s |

Admin is able to delete program/batches for valid adminId




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.258 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.008 s |
| 4 | Given Users creates delete request | PASSED | 0.001 s |
| 5 | When Users sends delete request with deleteassignedprogrambatchbyuserld | PASSED | 0.172 s |
| 6 | Then Userss receives 200 ok. | FAILED | 0.001 s |
| | org.opentest4j.AssertionFailedError: expected: <200> but was: <404> at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177) at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:545) at com.api.stepdefinition.UC_DeleteUser.userss_receives_ok(UC_DeleteUser.java:58) at ?.Userss receives 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/Delete.feature:37) * Not displayable characters are replaced by '?'. | | |

DETAILED SECTION -- 101 --

Validating user logout

| PASSED | DURATION - 0.434 s | Scenarios | | Steps | |
|------------------|-----------------------|-----------|----------|-----------|---|
| | | Total - 1 | | Total - 6 | |
| / 1:58:05.895 PM | 1 // 1:58:06.329 PM / | Pass - 1 | 1 | Pass - 6 | 6 |
| | | Fail - 0 | * | Fail - 0 | |
| | | Skip - 0 | | Skip - 0 | |
| | | | | | |

Check if user able to logout with token and valid credential



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.266 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.019 s |
| 4 | Given user creates GET request with valid emailid and password | PASSED | 0.001 s |
| 5 | When user calls GET Http request with valid endpoint | PASSED | 0.147 s |
| 6 | Then user receives 200 status. | PASSED | 0.000 s |