


| Feature | | | Scei | nario | | | Step | | | |
|---|----------|----|------|-------|---|----|------|---|---|--|
| Name | Duration | T | P | F | S | T | P | F | S | |
| Validating user login | 1.719 s | 1 | 1 | 0 | 0 | 3 | 3 | 0 | 0 | |
| ProgramController Module Test with Invalid Data | 0.615 s | 1 | 1 | 0 | 0 | 6 | 6 | 0 | 0 | |
| ProgramController Module Test with Valid Data | 2.580 s | 5 | 5 | 0 | 0 | 30 | 30 | 0 | 0 | |
| Batch Module | 3.966 s | 8 | 8 | 0 | 0 | 48 | 48 | 0 | 0 | |
| Check Post request of user controller module. | 0.733 s | 1 | 1 | 0 | 0 | 6 | 6 | 0 | 0 | |
| Validating Get request for User API's | 6.163 s | 11 | 8 | 3 | 0 | 66 | 63 | 3 | 0 | |

FAIL & SKIP SCENARIOS -- 3 --

| # | Feature Name | Scenario Name |
|---|---------------------------------------|--|
| 1 | Validating Get request for User API's | Admin is able to assign update user role program batch |
| 2 | | Admin is able to get admin by programId |
| 3 | | Admin is able to get user by userId |


| TAG | Scenario | | | | Fea | Feature | | | |
|----------------------------|----------|---|---|---|-----|---------|---|---|--|
| Name | T | P | F | S | T | P | F | S | |
| @login-Valid | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | |
| @login | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | |
| @CreateNewBatch | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | |
| @GetBatchByBatchId | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | |
| @GetBatchbyBatchName | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | |
| @GetBatchByValidPgmId | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | |
| @CreateBatchMandatoryField | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | |
| @GetAllBatches | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | |
| @GetAllBatchesSearchString | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | |
| @UpdateBatchValid | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | |
| @01UserModule-PostValid | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | |
| @UserModule | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | |
| @user | 11 | 8 | 3 | 0 | 1 | 0 | 1 | 0 | |
| @updateuser | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | |

FEATURES SUMMARY -- 5 --



| # | Feature Name | T | P | F | S | Duration |
|---|---|----|---|---|---|----------|
| 1 | <u>Validating user login</u> | 1 | 1 | 0 | 0 | 1.719 s |
| 2 | ProgramController Module Test with Invalid Data | 1 | 1 | 0 | 0 | 0.615 s |
| 3 | ProgramController Module Test with Valid Data | 5 | 5 | 0 | 0 | 2.580 s |
| 4 | Batch Module | 8 | 8 | 0 | 0 | 3.966 s |
| 5 | Check Post request of user controller module. | 1 | 1 | 0 | 0 | 0.733 s |
| 6 | Validating Get request for User API's | 11 | 8 | 3 | 0 | 6.163 s |


SCENARIOS SUMMARY -- 6 --



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|----------|
| 1 | <u>Validating user login</u> | Check if user able to login with token and valid credential | 3 | 3 | 0 | 0 | 1.718 s |
| 2 | ProgramController Module Test with Invalid Data | Check if Admin able to create a program with valid endpoint and request body with Authorization | 6 | 6 | 0 | 0 | 0.615 s |
| 3 | ProgramController Module Test with Valid Data | Check if Admin able to retrieve all programs with valid Endpoint | 6 | 6 | 0 | 0 | 0.583 s |
| 4 | | Check if Admin able to retrieve a program with valid program ID | 6 | 6 | 0 | 0 | 0.442 s |
| 5 | | Check if Admin able to retrieve all programs with valid Endpoint | 6 | 6 | 0 | 0 | 0.613 s |
| 6 | | Check if Admin able to update a program with Valid program Name and request body | 6 | 6 | 0 | 0 | 0.440 s |
| 7 | | Check if Admin able to update a program with valid programID endpoint and valid request body | 6 | 6 | 0 | 0 | 0.469 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--------------|---|---|---|---|---|----------|
| 8 | Batch Module | Check if admin able to create a Batch with valid endpoint | 6 | 6 | 0 | 0 | 0.470 s |
| | | and request body | | | | | |


SCENARIOS SUMMARY -- 8 --



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|---|--|---|---|---|---|----------|
| 9 | Batch Module | Check if admin able to retrieve a batch with valid Batch ID | 6 | 6 | 0 | 0 | 0.454 s |
| 10 | | Check if admin able to retrieve a batch with valid BATCH NAME | 6 | 6 | 0 | 0 | 0.453 s |
| 11 | | Check if admin able to retrieve a batch with valid Program ID | 6 | 6 | 0 | 0 | 0.475 s |
| 12 | | Check if admin able to create a batch with missing additional fields | 6 | 6 | 0 | 0 | 0.464 s |
| 13 | | Check if admin able to retrieve all batches with valid LMS API | 6 | 6 | 0 | 0 | 0.664 s |
| 14 | | Check if admin able to retrieve all batches with search string | 6 | 6 | 0 | 0 | 0.453 s |
| 15 | | Check if admin able to update a Batch with valid batchID and mandatory fields in request body | 6 | 6 | 0 | 0 | 0.480 s |
| 16 | Check Post request of user controller module. | Authorized admin is able to create a new user with valid url and request body with mandatory fields. | 6 | 6 | 0 | 0 | 0.733 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|---------------------------------------|---|---|---|---|---|----------|
| 17 | Validating Get request for User API's | Admin is able to get count of active and in active admins | 6 | 6 | 0 | 0 | 0.423 s |

SCENARIOS SUMMARY -- 10 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|---------------------------------------|--|---|---|---|---|----------|
| 18 | Validating Get request for User API's | Admin is able to get all active users | 6 | 6 | 0 | 0 | 0.464 s |
| 19 | | Admin is able to assign update user role program batch | 6 | 5 | 1 | 0 | 0.450 s |
| 20 | | Admin is able to get admin by program batchId | 6 | 6 | 0 | 0 | 0.439 s |
| 21 | | Admin is able to get admin by programId | 6 | 5 | 1 | 0 | 0.456 s |
| 22 | | Admin is able to get admin by roleId | 6 | 6 | 0 | 0 | 0.581 s |
| 23 | | Admin is able to get all users | 6 | 6 | 0 | 0 | 0.931 s |
| 24 | | Admin is able to get all roles | 6 | 6 | 0 | 0 | 0.473 s |
| 25 | | Admin is able to get user by userId | 6 | 5 | 1 | 0 | 0.449 s |
| 26 | | Admin is able to get all users with roles | 6 | 6 | 0 | 0 | 0.434 s |
| 27 | | Admin is able to get users by roleId V2 | 6 | 6 | 0 | 0 | 0.934 s |

DETAILED SECTION -- 11 --

Validating user login


| PASSED | DURATION - 1.719 s | Scenarios | | Steps | |
|---------------------|--------------------|-----------|---|-----------|---|
| | | Total - 1 | | Total - 3 | |
| / 2:14:24.019 PM // | / 2:14:25.738 PM / | Pass - 1 | 1 | Pass - 3 | 3 |
| | | Fail - 0 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 0 | |
| | | | | | |

Check if user able to login with token and valid credential




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.006 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 1.701 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.006 s |

ProgramController Module Test with Invalid Data



Check if Admin able to create a program with valid endpoint and request body with Authorization




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.252 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.005 s |
| 4 | Given Admins creates POST Request for the LMS with request body | PASSED | 0.004 s |
| 5 | When Admins sends HTTPS Request and request Body with endpoint | PASSED | 0.271 s |
| 6 | Then Admins receives 201 Created Status with response body | PASSED | 0.080 s |

ProgramController Module Test with Valid Data


| PASSED | DURATION - 2.580 s | Scenarios | | Steps | |
|------------------|-----------------------|-----------|---|------------|----|
| | | Total - 5 | | Total - 30 | |
| / 2:14:26.401 PM | 1 // 2:14:28.981 PM / | Pass - 5 | 5 | Pass - 30 | 30 |
| | | Fail - 0 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 0 | |

Check if Admin able to retrieve all programs with valid Endpoint




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.253 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.004 s |
| 4 | Given Admins creates GET Request for the LMS API | PASSED | 0.001 s |
| 5 | When Admins sends HTTPS Request with endpoint | PASSED | 0.321 s |
| 6 | Then Admins receives 200 OK Status with response body. | PASSED | 0.002 s |

Check if Admin able to retrieve a program with valid program ID




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.263 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.006 s |
| 4 | Given Admins create GET Request for LMS API | PASSED | 0.001 s |
| 5 | When Admins send HTTPS Request with the endpoint | PASSED | 0.165 s |
| 6 | Then Admins receives 200 OK Status with response body | PASSED | 0.003 s |

Check if Admin able to retrieve all programs with valid Endpoint




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.260 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.005 s |
| 4 | Given Admins create the GET Request for LMS API | PASSED | 0.001 s |
| 5 | When Admins sends the HTTPS Request with endpoint | PASSED | 0.344 s |
| 6 | Then Admins receive 200 OK Status with the response body | PASSED | 0.001 s |

Check if Admin able to update a program with Valid program Name and request body



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.253 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.004 s |
| 4 | Given Admins creates PUT Request for the LMS API endpoint with the valid request Body with mandatory, additional fields. | PASSED | 0.001 s |
| 5 | When Admins sends HTTPS Request with the valid endpoint | PASSED | 0.174 s |
| 6 | Then Admins receives 200 OK Status with updated value in response body. | PASSED | 0.006 s |


Check if Admin able to update a program with valid programID endpoint and valid request body




DETAILED SECTION -- 15 --

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.252 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Admins creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields | PASSED | 0.002 s |
| 5 | When Admins sends HTTPS Request with valid endpoint | PASSED | 0.201 s |
| 6 | Then Admins receives 200 OK Status with updated value in response body | PASSED | 0.005 s |

Batch Module




Check if admin able to create a Batch with valid endpoint and request body




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.263 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.006 s |
| 4 | Given User creates request for the LMS API endpoint "Create New Batch". | PASSED | 0.003 s |
| 5 | When User sends HTTPS post request for batch and request body with mandatory and additional fields. | PASSED | 0.183 s |
| 6 | Then User receives 201 created status for batch. | PASSED | 0.014 s |

DETAILED SECTION -- 16 --



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.256 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.005 s |
| 4 | Given Admin creates GET Request with valid Batch ID. | PASSED | 0.001 s |
| 5 | When Admin sends HTTPS get Request with endpoint. | PASSED | 0.183 s |
| 6 | Then Admin receives 200 OK Status with response body for batch. | PASSED | 0.007 s |


Check if admin able to retrieve a batch with valid BATCH NAME



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.256 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.008 s |
| 4 | Given Admin creates GET Request with valid Batch Name. | PASSED | 0.001 s |
| 5 | When Admin sends HTTPS Request with endpoint batchName. | PASSED | 0.171 s |
| 6 | Then Admin receives 200 OK Status with the response body for batch. | PASSED | 0.015 s |


DETAILED SECTION -- 17 --

Check if admin able to retrieve a batch with valid Program ID



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.290 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.006 s |
| 4 | Given Admin creates GET Request with the program id. | PASSED | 0.002 s |
| 5 | When Admin sends HTTPS Request with the endpoint for programId. | PASSED | 0.174 s |
| 6 | Then Admin receives 200 OK Status with response body. | PASSED | 0.001 s |

Check if admin able to create a batch with missing additional fields



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.263 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.006 s |
| 4 | Given Admin creates POST Request with missing additional fields Create New Batch Missing Field. | PASSED | 0.001 s |
| 5 | When Admin sends HTTPS Request with endpoint. | PASSED | 0.186 s |
| 6 | Then Admin receives 201 Created Status with response body. | PASSED | 0.005 s |


DETAILED SECTION -- 18 --

Check if admin able to retrieve all batches with valid LMS API

| PASSED DURATION - 0.664 s | 0.6 | 5 | | | | | | Steps | | |
|--|-----|----|---|----------|---|---|---|-----------|---|----------|
| / 2:14:31.337 PM // 2:14:32.001 PM / | | | | | | | | Total - 6 | | |
| / 2.14.31.331 F W // 2.14.32.001 F W / | 0.4 | 1 | | + | | | + | Pass - 6 | | A |
| Batch Module | 0.2 | 2- | 🖥 | | | | | Fail - 0 | 6 | |
| | | | | | | | | Skip - 0 | | ' |
| @GetAllBatches | 0 | 1 | | <u> </u> | | | | | | |
| | | 1 | 2 | 3 | 4 | 5 | ь | | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.276 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.008 s |
| 4 | Given Admin creates GET Request. | PASSED | 0.001 s |
| 5 | When Admin sends "HTTPS Request" with endpoint. | PASSED | 0.376 s |
| 6 | Then Admin receives 200 OK Status with response body. | PASSED | 0.001 s |

Check if admin able to retrieve all batches with search string



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.252 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.008 s |
| 4 | Given Admin creates GET Request with search string. | PASSED | 0.004 s |
| 5 | When Admin sends "HTTPS Request" with endpoint. | PASSED | 0.185 s |
| 6 | Then Admin receives 200 Ok status with response body. | PASSED | 0.002 s |

Check if admin able to update a Batch with valid batchID and mandatory fields in request body




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.273 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Admin creates PUT Request with auth, valid BatchId and Update Valid Data. | PASSED | 0.001 s |
| 5 | When Admin sends HTTPS Request with update endpoint. | PASSED | 0.174 s |
| 6 | Then Admin receives 200 OK Status with updated value in response body. | PASSED | 0.022 s |

Check Post request of user controller module.




Authorized admin is able to create a new user with valid url and request body with mandatory fields.




DETAILED SECTION -- 20 --

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.259 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.008 s |
| 4 | Given Authorized Admin creates POST request with valid request body. | PASSED | 0.004 s |
| 5 | When Authorized admin send valid post api request | PASSED | 0.452 s |
| 6 | Then Authorized admin receive 201 status with response body | PASSED | 0.007 s |

Validating Get request for User API's




Admin is able to get count of active and in active admins



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.260 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Users creates Get user request | PASSED | 0.001 s |
| 5 | When Users sends https request with "getcountofactiveandinactive" | PASSED | 0.152 s |
| 6 | Then Users receives 200 ok. | PASSED | 0.000 s |


Admin is able to get all active users

DETAILED SECTION -- 21 --



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.254 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.009 s |
| 4 | Given Users creates Get user request | PASSED | 0.001 s |
| 5 | When Users sends https request with "getallactiveusers" | PASSED | 0.197 s |
| 6 | Then Users receives 200 ok. | PASSED | 0.001 s |

Admin is able to assign update user role program batch




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.256 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.008 s |
| 4 | Given Users creates request with valid response body UserRoleProgramBatch. | PASSED | 0.001 s |
| 5 | When Users sends https put request with assignupdateuserroleprogrambatch | PASSED | 0.169 s |
| 6 | Then Users receives the 200 ok. | FAILED | 0.013 s |
| | org.opentest4j.AssertionFailedError: expected: <200> but was: <400> | | |

DETAILED SECTION -- 22 --


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) | | |
| | at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) | | |
| | at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) | | |
| | at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182) | | |
| | at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177) | | |
| | at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:545) | | |
| | at com.api.stepdefinition.UC_UpdateUser.admins_receives_ok(UC_UpdateUser.java:74) | | |
| | at ?.Users receives the 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/ | | |
| | resources/feature/06_UserController.feature:24) | | |
| | * Not displayable characters are replaced by '?'. | | |

Admin is able to get admin by program batchId




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.251 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.006 s |
| 4 | Given Users creates Get user request | PASSED | 0.001 s |
| 5 | When Users sends https request with getadminbyprogrambatchId | PASSED | 0.178 s |
| 6 | Then Users receives 200 ok. | PASSED | 0.000 s |

Admin is able to get admin by programId




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.264 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.009 s |
| 4 | Given Users creates Get user request | PASSED | 0.001 s |
| 5 | When Users sends https request with getadminbyprogramId | PASSED | 0.175 s |
| 6 | Then Users receives 200 ok. | FAILED | 0.002 s |
| | org.opentest4j.AssertionFailedError: expected: <200> but was: <404> at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177) at org.junit.jupiter.api.Assertions.assertEquals(AssertEquals.java:545) at com.api.stepdefinition.UC_GetUsers.user_receives_ok(UC_GetUsers.java:52) at ?.Users receives 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/06_UserController.feature:34) * Not displayable characters are replaced by '?'. | | |

Admin is able to get admin by roleld




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.257 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.009 s |
| 4 | Given Users creates Get user request | PASSED | 0.001 s |
| 5 | When Users sends https request with "getadminbyroleId" | PASSED | 0.311 s |
| 6 | Then Users receives 200 ok. | PASSED | 0.001 s |

Admin is able to get all users



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.258 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.008 s |
| 4 | Given Users creates Get user request | PASSED | 0.001 s |
| 5 | When Users sends https request with "getallusers" | PASSED | 0.661 s |
| 6 | Then Users receives 200 ok. | PASSED | 0.000 s |


Admin is able to get all roles



DETAILED SECTION -- 25 --

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.265 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.006 s |
| 4 | Given Users creates Get user request | PASSED | 0.001 s |
| 5 | When Users sends https request with "getallroles" | PASSED | 0.199 s |
| 6 | Then Users receives 200 ok. | PASSED | 0.001 s |

Admin is able to get user by userId



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.259 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.008 s |
| 4 | Given Users creates Get user request | PASSED | 0.001 s |
| 5 | When Users sends https request with getuserbyuserId | PASSED | 0.178 s |
| 6 | Then Users receives 200 ok. | FAILED | 0.001 s |
| | org.opentest4j.AssertionFailedError: expected: <200> but was: <400> at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177) at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:545) at com.api.stepdefinition.UC_GetUsers.user_receives_ok(UC_GetUsers.java:52) at ?.Users receives 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/06_UserController.feature:54) * Not displayable characters are replaced by '?'. | | |


DETAILED SECTION -- 26 --

Admin is able to get all users with roles

| PASSED DURATION - 0.434 s | 0.6 - Steps |
|--|------------------|
| / 2:4 4:20 402 DM // 2:4 4:20 027 DM / | Total - 6 |
| / 2:14:38.493 PM // 2:14:38.927 PM / | 0.4 |
| Validating Get request for User API's | 0,2 Fail - 0 |
| Tanadaning Conveyance to Converse | Skip - 0 |
| @user | 0 |
| | 1 2 3 4 5 6 |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.256 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.004 s |
| 4 | Given Users creates Get user request | PASSED | 0.001 s |
| 5 | When Users sends https request with "getalluserswithroles" | PASSED | 0.170 s |
| 6 | Then Users receives 200 ok. | PASSED | 0.000 s |

Admin is able to get users by roleld V2



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.253 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.008 s |
| 4 | Given Users creates Get user request | PASSED | 0.001 s |
| 5 | When Users sends https request with "getusersbyroleIdV2" | PASSED | 0.668 s |
| 6 | Then Users receives 200 ok. | PASSED | 0.000 s |