


| Feature | | | Scenario | | | | Step | | | | |
|---|----------|----|----------|---|---|----|------|---|---|--|--|
| Name | Duration | T | P | F | S | T | P | F | S | | |
| Validating user login | 0.908 s | 1 | 1 | 0 | 0 | 3 | 3 | 0 | 0 | | |
| ProgramController Module Test with Invalid Data | 0.635 s | 1 | 1 | 0 | 0 | 6 | 6 | 0 | 0 | | |
| ProgramController Module Test with Valid Data | 2.770 s | 5 | 5 | 0 | 0 | 30 | 30 | 0 | 0 | | |
| Batch Module | 3.959 s | 8 | 8 | 0 | 0 | 48 | 48 | 0 | 0 | | |
| Check Post request of user controller module. | 0.811 s | 1 | 1 | 0 | 0 | 6 | 6 | 0 | 0 | | |
| Validating Get request for User API's | 9.553 s | 15 | 12 | 3 | 0 | 90 | 87 | 3 | 0 | | |
| Validating user role program batch map API's | 1.062 s | 2 | 2 | 0 | 0 | 12 | 12 | 0 | 0 | | |

FAIL & SKIP SCENARIOS -- 3 --

| # | Feature Name | Scenario Name |
|---|---------------------------------------|---|
| 1 | Validating Get request for User API's | Admin is able to get admin by programId |
| 2 | | Admin is able to update user role status |
| 3 | | Admin is able to update user login status |


| TAG | Scenario | | | | Feature | | | | |
|----------------------------|----------|----|---|---|---------|---|---|---|--|
| Name | T | P | F | S | T | P | F | S | |
| @login-Valid | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | |
| @login | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | |
| @CreateNewBatch | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | |
| @GetBatchByBatchId | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | |
| @GetBatchbyBatchName | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | |
| @GetBatchByValidPgmId | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | |
| @CreateBatchMandatoryField | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | |
| @GetAllBatches | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | |
| @GetAllBatchesSearchString | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | |
| @UpdateBatchValid | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | |
| @01UserModule-PostValid | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | |
| @UserModule | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | |
| @user | 15 | 12 | 3 | 0 | 1 | 0 | 1 | 0 | |
| @updateuser | 5 | 3 | 2 | 0 | 1 | 0 | 1 | 0 | |

FEATURES SUMMARY -- 5 --



| # | Feature Name | T | P | F | S | Duration |
|---|---|----|----|---|---|----------|
| 1 | <u>Validating user login</u> | 1 | 1 | 0 | 0 | 0.908 s |
| 2 | ProgramController Module Test with Invalid Data | 1 | 1 | 0 | 0 | 0.635 s |
| 3 | ProgramController Module Test with Valid Data | 5 | 5 | 0 | 0 | 2.770 s |
| 4 | Batch Module | 8 | 8 | 0 | 0 | 3.959 s |
| 5 | Check Post request of user controller module. | 1 | 1 | 0 | 0 | 0.811 s |
| 6 | Validating Get request for User API's | 15 | 12 | 3 | 0 | 9.553 s |
| 7 | Validating user role program batch map API's | 2 | 2 | 0 | 0 | 1.062 s |


SCENARIOS SUMMARY -- 6 --



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|----------|
| 1 | Validating user login | Check if user able to login with token and valid credential | 3 | 3 | 0 | 0 | 0.907 s |
| 2 | ProgramController Module Test with Invalid Data | Check if Admin able to create a program with valid endpoint and request body with Authorization | 6 | 6 | 0 | 0 | 0.635 s |
| 3 | ProgramController Module Test with Valid Data | Check if Admin able to retrieve all programs with valid Endpoint | 6 | 6 | 0 | 0 | 0.646 s |
| 4 | | Check if Admin able to retrieve a program with valid program ID | 6 | 6 | 0 | 0 | 0.483 s |
| 5 | | Check if Admin able to retrieve all programs with valid Endpoint | 6 | 6 | 0 | 0 | 0.691 s |
| 6 | | Check if Admin able to update a program with Valid program Name and request body | 6 | 6 | 0 | 0 | 0.456 s |
| 7 | | Check if Admin able to update a program with valid programID endpoint and valid request body | 6 | 6 | 0 | 0 | 0.459 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--------------|---|---|---|---|---|----------|
| 8 | Batch Module | Check if admin able to create a Batch with valid endpoint | 6 | 6 | 0 | 0 | 0.462 s |
| | | and request body | | | | | |


SCENARIOS SUMMARY -- 8 --



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|---|--|---|---|---|---|----------|
| 9 | Batch Module | Check if admin able to retrieve a batch with valid Batch ID | 6 | 6 | 0 | 0 | 0.469 s |
| 10 | - | Check if admin able to retrieve a batch with valid BATCH NAME | 6 | 6 | 0 | 0 | 0.471 s |
| 11 | | Check if admin able to retrieve a batch with valid Program ID | 6 | 6 | 0 | 0 | 0.436 s |
| 12 | | Check if admin able to create a batch with missing additional fields | 6 | 6 | 0 | 0 | 0.464 s |
| 13 | | Check if admin able to retrieve all batches with valid LMS API | 6 | 6 | 0 | 0 | 0.656 s |
| 14 | | Check if admin able to retrieve all batches with search string | 6 | 6 | 0 | 0 | 0.468 s |
| 15 | | Check if admin able to update a Batch with valid batchID and mandatory fields in request body | 6 | 6 | 0 | 0 | 0.480 s |
| 16 | Check Post request of user controller module. | Authorized admin is able to create a new user with valid url and request body with mandatory fields. | 6 | 6 | 0 | 0 | 0.811 s |


| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|---------------------------------------|---|---|---|---|---|----------|
| 17 | Validating Get request for User API's | Admin is able to get count of active and in active admins | 6 | 6 | 0 | 0 | 0.436 s |

SCENARIOS SUMMARY -- 10 --



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|---------------------------------------|--|---|---|---|---|----------|
| 18 | Validating Get request for User API's | Admin is able to get all active users | 6 | 6 | 0 | 0 | 0.455 s |
| 19 | | Admin is able to assign update user role program batch | 6 | 6 | 0 | 0 | 0.493 s |
| 20 | | Admin is able to get admin by program batchId | 6 | 6 | 0 | 0 | 0.698 s |
| 21 | | Admin is able to update user roleId | 6 | 6 | 0 | 0 | 0.466 s |
| 22 | | Admin is able to get admin by programId | 6 | 5 | 1 | 0 | 0.455 s |
| 23 | | Admin is able to get admin by roleId | 6 | 6 | 0 | 0 | 0.605 s |
| 24 | | Admin is able to get all users | 6 | 6 | 0 | 0 | 1.186 s |
| 25 | | Admin is able to get all roles | 6 | 6 | 0 | 0 | 0.479 s |
| 26 | | Admin is able to get user by userId | 6 | 6 | 0 | 0 | 1.209 s |
| 27 | | Admin is able to get all users with roles | 6 | 6 | 0 | 0 | 0.466 s |

SCENARIOS SUMMARY -- 11 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--|---|---|---|---|---|----------|
| 28 | Validating Get request for User API's | Admin is able to get users by roleId V2 | 6 | 6 | 0 | 0 | 1.099 s |
| 29 | | Admin is able to update user by userId | 6 | 6 | 0 | 0 | 0.465 s |
| 30 | | Admin is able to update user role status | 6 | 5 | 1 | 0 | 0.433 s |
| 31 | | Admin is able to update user login status | 6 | 5 | 1 | 0 | 0.458 s |
| 32 | Validating user role program batch map API's | Admin is able to get all admins with assigned program batches | 6 | 6 | 0 | 0 | 0.606 s |
| 33 | | Admin is able to get program/batches for valid adminId | 6 | 6 | 0 | 0 | 0.444 s |

DETAILED SECTION -- 12 --

Validating user login


| PASSED | DURATION - 0.908 s | Scenarios | | Steps | |
|-------------------|----------------------|-----------|---|-----------|---|
| | | Total - 1 | | Total - 3 | |
| / 10:20:40.829 PM | // 10:20:41.737 PM / | Pass - 1 | 1 | Pass - 3 | 3 |
| | | Fail - 0 | - | Fail - 0 | |
| | | Skip - 0 | | Skip - 0 | |
| | | | | | |

Check if user able to login with token and valid credential




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.005 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.890 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |

ProgramController Module Test with Invalid Data



Check if Admin able to create a program with valid endpoint and request body with Authorization




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.252 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.005 s |
| 4 | Given Admins creates POST Request for the LMS with request body | PASSED | 0.004 s |
| 5 | When Admins sends HTTPS Request and request Body with endpoint | PASSED | 0.290 s |
| 6 | Then Admins receives 201 Created Status with response body | PASSED | 0.080 s |

ProgramController Module Test with Valid Data


| PASSED | DURATION - 2.770 s | Scenarios | | Steps | |
|-------------------|------------------------|-----------|---|------------|----|
| | | Total - 5 | | Total - 30 | |
| / 10:20:42.416 PM | 1 // 10:20:45.186 PM / | Pass - 5 | 5 | Pass - 30 | 30 |
| | | Fail - 0 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 0 | |

Check if Admin able to retrieve all programs with valid Endpoint




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.274 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.006 s |
| 4 | Given Admins creates GET Request for the LMS API | PASSED | 0.001 s |
| 5 | When Admins sends HTTPS Request with endpoint | PASSED | 0.363 s |
| 6 | Then Admins receives 200 OK Status with response body. | PASSED | 0.002 s |

Check if Admin able to retrieve a program with valid program ID




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.266 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.010 s |
| 4 | Given Admins create GET Request for LMS API | PASSED | 0.003 s |
| 5 | When Admins send HTTPS Request with the endpoint | PASSED | 0.192 s |
| 6 | Then Admins receives 200 OK Status with response body | PASSED | 0.006 s |

Check if Admin able to retrieve all programs with valid Endpoint




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.255 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.005 s |
| 4 | Given Admins create the GET Request for LMS API | PASSED | 0.001 s |
| 5 | When Admins sends the HTTPS Request with endpoint | PASSED | 0.426 s |
| 6 | Then Admins receive 200 OK Status with the response body | PASSED | 0.000 s |

Check if Admin able to update a program with Valid program Name and request body



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.261 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.005 s |
| 4 | Given Admins creates PUT Request for the LMS API endpoint with the valid request Body with mandatory, additional fields. | PASSED | 0.002 s |
| 5 | When Admins sends HTTPS Request with the valid endpoint | PASSED | 0.183 s |
| 6 | Then Admins receives 200 OK Status with updated value in response body. | PASSED | 0.003 s |


Check if Admin able to update a program with valid programID endpoint and valid request body




DETAILED SECTION -- 16 --

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.267 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.009 s |
| 4 | Given Admins creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields | PASSED | 0.002 s |
| 5 | When Admins sends HTTPS Request with valid endpoint | PASSED | 0.177 s |
| 6 | Then Admins receives 200 OK Status with updated value in response body | PASSED | 0.003 s |

Batch Module




Check if admin able to create a Batch with valid endpoint and request body




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.255 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.005 s |
| 4 | Given User creates request for the LMS API endpoint "Create New Batch". | PASSED | 0.002 s |
| 5 | When User sends HTTPS post request for batch and request body with mandatory and additional fields. | PASSED | 0.185 s |
| 6 | Then User receives 201 created status for batch. | PASSED | 0.013 s |

DETAILED SECTION -- 17 --



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.274 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.006 s |
| 4 | Given Admin creates GET Request with valid Batch ID. | PASSED | 0.002 s |
| 5 | When Admin sends HTTPS get Request with endpoint. | PASSED | 0.180 s |
| 6 | Then Admin receives 200 OK Status with response body for batch. | PASSED | 0.005 s |


Check if admin able to retrieve a batch with valid BATCH NAME



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.275 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Admin creates GET Request with valid Batch Name. | PASSED | 0.002 s |
| 5 | When Admin sends HTTPS Request with endpoint batchName. | PASSED | 0.177 s |
| 6 | Then Admin receives 200 OK Status with the response body for batch. | PASSED | 0.008 s |


DETAILED SECTION -- 18 --

Check if admin able to retrieve a batch with valid Program ID



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.266 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Admin creates GET Request with the program id. | PASSED | 0.001 s |
| 5 | When Admin sends HTTPS Request with the endpoint for programId. | PASSED | 0.160 s |
| 6 | Then Admin receives 200 OK Status with response body. | PASSED | 0.001 s |

Check if admin able to create a batch with missing additional fields



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.263 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Admin creates POST Request with missing additional fields Create New Batch Missing Field. | PASSED | 0.001 s |
| 5 | When Admin sends HTTPS Request with endpoint. | PASSED | 0.185 s |
| 6 | Then Admin receives 201 Created Status with response body. | PASSED | 0.005 s |


DETAILED SECTION -- 19 --

Check if admin able to retrieve all batches with valid LMS API

| PASSED DURATION - 0.656 s | 0.6 | | | | | | Steps | | |
|--|-------|---|-----|---|---|---|-----------------------|---|--|
| / 10:20:47.524 PM // 10:20:48.180 PM / | 0.4 - | | | | | | Total - 6 Pass - 6 | | |
| Batch Module | 0.2 - | | | | | | Fail - 0 Skip - 0 | 6 | |
| @GetAllBatches | 0 - | 1 | 2 3 | 4 | 5 | 6 | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.261 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.005 s |
| 4 | Given Admin creates GET Request. | PASSED | 0.001 s |
| 5 | When Admin sends "HTTPS Request" with endpoint. | PASSED | 0.383 s |
| 6 | Then Admin receives 200 OK Status with response body. | PASSED | 0.002 s |

Check if admin able to retrieve all batches with search string




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.260 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.008 s |
| 4 | Given Admin creates GET Request with search string. | PASSED | 0.004 s |
| 5 | When Admin sends "HTTPS Request" with endpoint. | PASSED | 0.191 s |
| 6 | Then Admin receives 200 Ok status with response body. | PASSED | 0.002 s |

Check if admin able to update a Batch with valid batchID and mandatory fields in request body


| PASSED DURATION - 0.480 s | 0.6 | | | | | | | Steps | | |
|--|-----|---|----------|-------------|-------------|---------|---|-----------|---|--|
| / 10:20:48.674 PM // 10:20:49.154 PM / | - | | | | | | | Total - 6 | | |
| 7 10.20. 10.07 17 1077 10.20. 10.10 17 107 | 0.4 | | - | | | | + | Pass - 6 | | |
| Batch Module | 0.2 | | i | | | <u></u> | | Fail - 0 | 6 | |
| | | | | | | | | Skip - 0 | | |
| @UpdateBatchValid | 0 - | | | | | | | | | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.263 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Admin creates PUT Request with auth, valid BatchId and Update Valid Data. | PASSED | 0.001 s |
| 5 | When Admin sends HTTPS Request with update endpoint. | PASSED | 0.184 s |
| 6 | Then Admin receives 200 OK Status with updated value in response body. | PASSED | 0.022 s |

Check Post request of user controller module.




Authorized admin is able to create a new user with valid url and request body with mandatory fields.




DETAILED SECTION -- 21 --

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.264 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.008 s |
| 4 | Given Authorized Admin creates POST request with valid request body. | PASSED | 0.004 s |
| 5 | When Authorized admin send valid post api request | PASSED | 0.525 s |
| 6 | Then Authorized admin receive 201 status with response body | PASSED | 0.007 s |

Validating Get request for User API's




Admin is able to get count of active and in active admins



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.253 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.005 s |
| 4 | Given Users creates Get user request | PASSED | 0.001 s |
| 5 | When Users sends https request with "getcountofactiveandinactive" | PASSED | 0.175 s |
| 6 | Then Users receives 200 ok. | PASSED | 0.001 s |


Admin is able to get all active users

DETAILED SECTION -- 22 --



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.246 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Users creates Get user request | PASSED | 0.000 s |
| 5 | When Users sends https request with "getallactiveusers" | PASSED | 0.196 s |
| 6 | Then Users receives 200 ok. | PASSED | 0.001 s |

Admin is able to assign update user role program batch



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.265 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.008 s |
| 4 | Given Users creates request with valid response body UserRoleProgramBatch. | PASSED | 0.036 s |
| 5 | When Users sends https put request with assignupdateuserroleprogrambatch | PASSED | 0.183 s |
| 6 | Then users receives the 200 ok. | PASSED | 0.000 s |


DETAILED SECTION -- 23 --

Admin is able to get admin by program batchId

| PASSED DURATION - 0.698 s | Steps | |
|--|-----------------|---|
| /40-20-54 207 PM //40-20-52 005 PM / | 0.8 - Total - 6 | |
| / 10:20:51.397 PM // 10:20:52.095 PM / | 0.6 | |
| Validating Get request for User API's | 0.4 - Fail - 0 | 6 |
| | 0.2 - Skip - 0 | |
| @user | 1 2 3 4 5 6 | |
| | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.506 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.008 s |
| 4 | Given Users creates Get user request | PASSED | 0.001 s |
| 5 | When Users sends https request with getadminbyprogrambatchId | PASSED | 0.180 s |
| 6 | Then Users receives 200 ok. | PASSED | 0.001 s |


Admin is able to update user roleld



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.265 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.008 s |
| 4 | Given Users creates request with valid response body "UpdateUserRoleId" | PASSED | 0.002 s |
| 5 | When Users sends https put request with updateuserroleId | PASSED | 0.189 s |
| 6 | Then users receives the 200 ok. | PASSED | 0.000 s |

DETAILED SECTION -- 24 --


Admin is able to get admin by programId



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.259 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.004 s |
| 4 | Given Users creates Get user request | PASSED | 0.001 s |
| 5 | When Users sends https request with getadminbyprogramId | PASSED | 0.176 s |
| 6 | Then Users receives 200 ok. | FAILED | 0.013 s |
| | org.opentest4j.AssertionFailedError: expected: <200> but was: <404> at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177) at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:545) at com.api.stepdefinition.UC_GetUsers.user_receives_ok(UC_GetUsers.java:52) at ?.Users receives 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/06_UserController.feature:39) * Not displayable characters are replaced by '?'. | | |


Admin is able to get admin by roleId

DETAILED SECTION -- 25 --



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.250 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.004 s |
| 4 | Given Users creates Get user request | PASSED | 0.000 s |
| 5 | When Users sends https request with "getadminbyroleId" | PASSED | 0.349 s |
| 6 | Then Users receives 200 ok. | PASSED | 0.000 s |

Admin is able to get all users



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.260 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.006 s |
| 4 | Given Users creates Get user request | PASSED | 0.000 s |
| 5 | When Users sends https request with "getallusers" | PASSED | 0.916 s |
| 6 | Then Users receives 200 ok. | PASSED | 0.000 s |


DETAILED SECTION -- 26 --

Admin is able to get all roles

| PASSED | DURATION - 0.479 s | 0.6 | | | ÷ | | | | Steps | | |
|------------------|-------------------------|-------|---|----------|-------------|---|---|---|----------------------|---|--|
| / 10:20:54 868 8 | PM // 10:20:55.347 PM / | | | | | | | | Total - 6 | | |
| 7 10.20.34.000 7 | W // 10.20.33.34/ 1 W/ | 0.4 - | | | | | | + | Pass - 6 | 6 | |
| Validating Get r | equest for User API's | 0.2 - | | | + | | | | Fail - 0 Skip - 0 | ° | |
| @user | | 0 - | | L | | | | | 3KIP - 0 | | |
| C | | | 1 | 2 | 3 | 4 | 5 | 6 | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.270 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.008 s |
| 4 | Given Users creates Get user request | PASSED | 0.001 s |
| 5 | When Users sends https request with "getallroles" | PASSED | 0.197 s |
| 6 | Then Users receives 200 ok. | PASSED | 0.000 s |

Admin is able to get user by userId



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.269 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.008 s |
| 4 | Given Users creates Get user request | PASSED | 0.001 s |
| 5 | When Users sends https request with "getuserbyuserId" | PASSED | 0.928 s |
| 6 | Then Users receives 200 ok. | PASSED | 0.000 s |


DETAILED SECTION -- 27 --

Admin is able to get all users with roles

| PASSED DURATION - 0.466 s | 0.6 - | | <u>-</u> | | | | Steps | | |
|---|-------|---|----------|-------------|---|----------|-----------|---|----------|
| / 10:20:56.583 PM // 10:20:57.049 PM / | | | 1 | | 1 | 1 | Total - 6 | | |
| 7 10.20.30.303 FW // 10.20.31.043 FW // | 0.4 - | | | + | | | Pass - 6 | | A I |
| Validating Get request for User API's | 0.2 - | | | <u>.</u> | | <u>_</u> | Fail - 0 | 6 | |
| 3 2 2 2 4 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | 0.2 | | | | | | Skip - 0 | | <i>'</i> |
| @user | 0 - | | <u> </u> | <u> </u> | | | _ | | |
| | | 1 | 2 | 3 | 4 | 5 6 | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.283 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Users creates Get user request | PASSED | 0.001 s |
| 5 | When Users sends https request with "getalluserswithroles" | PASSED | 0.171 s |
| 6 | Then Users receives 200 ok. | PASSED | 0.001 s |

Admin is able to get users by roleld V2



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.267 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Users creates Get user request | PASSED | 0.001 s |
| 5 | When Users sends https request with "getusersbyroleIdV2" | PASSED | 0.820 s |
| 6 | Then Users receives 200 ok. | PASSED | 0.001 s |


DETAILED SECTION -- 28 --

Admin is able to update user by userId

| PASSED DURATION - 0.465 s | 0.6 | | <u></u> | | ; | | | Steps | | |
|--|-------|---|---------|-----|-------------|-----------|---|-----------|---|----------|
| / 10:20:58.166 PM // 10:20:58.631 PM / | | | | 1 | | 1 | | Total - 6 | | |
| / 10.20.30.100 FW // 10.20.30.031 FW / | 0.4 - | | | - + | | | + | Pass - 6 | | |
| Validating Get request for User API's | 0.2 | | | | | - <u></u> | | Fail - 0 | 6 | |
| | | | | | | | | Skip - 0 | | |
| @updateuser @user | 0 - | | 1 | | | | | | | 7 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.280 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.004 s |
| 4 | Given Users creates request with valid response body "UpdateUser" | PASSED | 0.001 s |
| 5 | When Users sends https put request with updateuser | PASSED | 0.178 s |
| 6 | Then users receives the 200 ok. | PASSED | 0.000 s |

Admin is able to update user role status




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.264 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Users creates request with valid response body "UpdateUserRoleStatus" | PASSED | 0.001 s |
| 5 | When Users sends https put request with updateuserrolestatus | PASSED | 0.156 s |
| 6 | Then users receives the 200 ok. | FAILED | 0.001 s |

DETAILED SECTION -- 29 --

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | org.opentest4j.AssertionFailedError: expected: <200> but was: <404> | | |
| | at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) | | |
| | at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) | | |
| | at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) | | |
| | at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182) | | |
| | at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177) | | |
| | at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:545) | | |
| | at com.api.stepdefinition.UC_UpdateUser.admins_receives_ok(UC_UpdateUser.java:98) | | |
| | at ?.users receives the 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/ | | |
| | resources/feature/06_UserController.feature:82) | | |
| | * Not displayable characters are replaced by '?'. | | |

Admin is able to update user login status



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.263 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.006 s |
| 4 | Given Users creates request with valid response body "UpdateUserLoginStatus" | PASSED | 0.002 s |
| 5 | When Users sends https put request with updateuserloginstatus | PASSED | 0.183 s |
| 6 | Then users receives the 200 ok. | FAILED | 0.001 s |
| | org.opentest4j.AssertionFailedError: expected: <200> but was: <400> at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177) at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:545) at com.api.stepdefinition.UC_UpdateUser.admins_receives_ok(UC_UpdateUser.java:98) | | |


DETAILED SECTION -- 30 --

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at ?.users receives the 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/06_UserController.feature:88) * Not displayable characters are replaced by '?'. | | |

Validating user role program batch map API's


| PASSED | DURATION - 1.062 s | Scenarios | | Steps | | |
|---------------------|----------------------|-----------|---|------------|----|--|
| | | Total - 2 | | Total - 12 | | |
| / 10:20:59.551 PM / | // 10:21:00.613 PM / | Pass - 2 | 2 | Pass - 12 | 12 | |
| | | Fail - 0 | | Fail - 0 | 1 | |
| | | Skip - 0 | | Skip - 0 | | |
| | | | | | | |

Admin is able to get all admins with assigned program batches



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.260 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Users creates Get user request | PASSED | 0.001 s |
| 5 | When Users sends https request with "getassignedprogrambatchifalluser" | PASSED | 0.336 s |
| 6 | Then Users receives 200 ok. | PASSED | 0.000 s |

Admin is able to get program/batches for valid adminId



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.261 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.006 s |
| 4 | Given Users creates Get user request | PASSED | 0.001 s |
| 5 | When Users sends https request with getassignedprogrambatchbyuserId | PASSED | 0.174 s |
| 6 | Then Users receives 200 ok. | PASSED | 0.000 s |