Cucumber Report

Start : Apr 01, 9:42:59.153 PM	End : Apr 01, 9:43:17.137 PM	Duration : 17.984 s
Features	Scenarios	Steps
PASSED - 5 FAILED - 1 SKIPPED - 0	PASSED - 27 FAILED - 4 SKIPPED - 0	PASSED - 179 FAILED - 4 SKIPPED - 0

6

31

183

40 50 60
Pass %
30 70
20 80
10 90
83 %
0 100

40 50 60
Pass %
30 70
20 80
10 90
87 %
0 100

40 50 60
Pass %
30 70
20 80
10 90
97 %
0 100

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Validating user login	0.891 s	1	1	0	0	3	3	0	0
ProgramController Module Test with Invalid Data	0.616 s	1	1	0	0	6	6	0	0
ProgramController Module Test with Valid Data	2.737 s	5	5	0	0	30	30	0	0
Batch Module	3.878 s	8	8	0	0	48	48	0	0
Check Post request of user controller module.	0.717 s	1	1	0	0	6	6	0	0
Validating Get request for User API's	9.067 s	15	11	4	0	90	86	4	0

#	Feature Name	Scenario Name
1	*Validating Get request for User API's*	*Admin is able to assign update user role program batch*
2		*Admin is able to get admin by programId*
3		*Admin is able to update user login status*
4		*Admin is able to update user roleId*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@login-Valid	1	1	0	0	1	1	0	0
@login	1	1	0	0	1	1	0	0
@CreateNewBatch	1	1	0	0	1	1	0	0
@GetBatchByBatchId	1	1	0	0	1	1	0	0
@GetBatchbyBatchName	1	1	0	0	1	1	0	0
@GetBatchByValidPgmId	1	1	0	0	1	1	0	0
@CreateBatchMandatoryField	1	1	0	0	1	1	0	0
@GetAllBatches	1	1	0	0	1	1	0	0
@GetAllBatchesSearchString	1	1	0	0	1	1	0	0
@UpdateBatchValid	1	1	0	0	1	1	0	0
@01UserModule-PostValid	1	1	0	0	1	1	0	0
@UserModule	1	1	0	0	1	1	0	0
@user	15	11	4	0	1	0	1	0
@updateuser	5	2	3	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Validating user login	1	1	0	0	0.891 s
2	ProgramController Module Test with Invalid Data	1	1	0	0	0.616 s
3	ProgramController Module Test with Valid Data	5	5	0	0	2.737 s
4	Batch Module	8	8	0	0	3.878 s
5	Check Post request of user controller module.	1	1	0	0	0.717 s
6	Validating Get request for User API's	15	11	4	0	9.067 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Validating user login	Check if user able to login with token and valid credential	3	3	0	0	0.891 s
2	ProgramController Module Test with Invalid Data	Check if Admin able to create a program with valid endpoint and request body with Authorization	6	6	0	0	0.616 s
3	ProgramController Module Test with Valid Data	Check if Admin able to retrieve all programs with valid Endpoint	6	6	0	0	0.629 s
4		Check if Admin able to retrieve a program with valid program ID	6	6	0	0	0.470 s
5		Check if Admin able to retrieve all programs with valid Endpoint	6	6	0	0	0.681 s
6		Check if Admin able to update a program with Valid program Name and request body	6	6	0	0	0.447 s
7		Check if Admin able to update a program with valid programID endpoint and valid request body	6	6	0	0	0.469 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
8	Batch Module	Check if admin able to create a Batch with valid endpoint and request body	6	6	0	0	0.449 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
9	Batch Module	Check if admin able to retrieve a batch with valid Batch ID	6	6	0	0	0.469 s
10		Check if admin able to retrieve a batch with valid BATCH NAME	6	6	0	0	0.428 s
11		Check if admin able to retrieve a batch with valid Program ID	6	6	0	0	0.427 s
12		Check if admin able to create a batch with missing additional fields	6	6	0	0	0.491 s
13		Check if admin able to retrieve all batches with valid LMS API	6	6	0	0	0.650 s
14		Check if admin able to retrieve all batches with search string	6	6	0	0	0.450 s
15		Check if admin able to update a Batch with valid batchID and mandatory fields in request body	6	6	0	0	0.463 s
16	Check Post request of user controller module.	Authorized admin is able to create a new user with valid url and request body with mandatory fields.	6	6	0	0	0.717 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
17	Validating Get request for User API's	Admin is able to get count of active and in active admins	6	6	0	0	0.441 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
18	Validating Get request for User API's	Admin is able to get all active users	6	6	0	0	0.485 s
19		Admin is able to assign update user role program batch	6	5	1	0	0.501 s
20		Admin is able to get admin by program batchId	6	6	0	0	0.424 s
21		Admin is able to get admin by programId	6	5	1	0	0.461 s
22		Admin is able to get admin by roleId	6	6	0	0	0.626 s
23		Admin is able to get all users	6	6	0	0	1.097 s
24		Admin is able to get all roles	6	6	0	0	0.454 s
25		Admin is able to get user by userId	6	6	0	0	1.093 s
26		Admin is able to get all users with roles	6	6	0	0	0.447 s
27		Admin is able to get users by roleId V2	6	6	0	0	1.097 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
28	Validating Get request for User API's	Admin is able to update user by userId	6	6	0	0	0.470 s
29		Admin is able to update user role status	6	6	0	0	0.451 s
30		Admin is able to update user login status	6	5	1	0	0.430 s
31		Admin is able to update user roleId	6	5	1	0	0.443 s

Validating user login

PASSED	DURATION - 0.891 s	Scenarios		Steps	
		Total - 1		Total - 3	
/ 9:42:59.153 PM // 9:43:00.044 PM /		Pass - 1	1	Pass - 3	3
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Check if user able to login with token and valid credential

PASSED	DURATION - 0.891 s		Steps	
/ 9:42:59.153 PM // 9:43:00.044 PM /			Total - 3	
			Pass - 3	3
Validating user login			Fail - 0	
@login-Valid @login			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.005 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.874 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s

## ProgramController Module Test with Invalid Data

PASSED	DURATION - 0.616 s	Scenarios		Steps	
		Total - 1		Total - 6	
/ 9:43:00.085 PM // 9:43:00.701 PM /		Pass - 1	1	Pass - 6	6
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Check if Admin able to create a program with valid endpoint and request body with Authorization

PASSED	DURATION - 0.616 s
/ 9:43:00.085 PM // 9:43:00.701 PM /	
ProgramController Module Test with Invalid Data	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.263 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Admins creates POST Request for the LMS with request body	PASSED	0.004 s
5	When Admins sends HTTPS Request and request Body with endpoint	PASSED	0.258 s
6	Then Admins receives 201 Created Status with response body	PASSED	0.084 s

ProgramController Module Test with Valid Data

PASSED	DURATION - 2.737 s
/ 9:43:00.712 PM // 9:43:03.449 PM /	

Scenarios
Total - 5
Pass - 5
Fail - 0
Skip - 0

5

Steps
Total - 30
Pass - 30
Fail - 0
Skip - 0

30

Check if Admin able to retrieve all programs with valid Endpoint

PASSED	DURATION - 0.629 s
/ 9:43:00.712 PM // 9:43:01.341 PM /	
ProgramController Module Test with Valid Data	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.256 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Admins creates GET Request for the LMS API	PASSED	0.001 s
5	When Admins sends HTTPS Request with endpoint	PASSED	0.365 s
6	Then Admins receives 200 OK Status with response body.	PASSED	0.001 s

Check if Admin able to retrieve a program with valid program ID

PASSED	DURATION - 0.470 s
/ 9:43:01.356 PM // 9:43:01.826 PM /	
ProgramController Module Test with Valid Data	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.267 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admins create GET Request for LMS API	PASSED	0.001 s
5	When Admins send HTTPS Request with the endpoint	PASSED	0.187 s
6	Then Admins receives 200 OK Status with response body	PASSED	0.006 s

Check if Admin able to retrieve all programs with valid Endpoint

PASSED	DURATION - 0.681 s
/ 9:43:01.836 PM // 9:43:02.517 PM /	
ProgramController Module Test with Valid Data	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.261 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Admins create the GET Request for LMS API	PASSED	0.001 s
5	When Admins sends the HTTPS Request with endpoint	PASSED	0.411 s
6	Then Admins receive 200 OK Status with the response body	PASSED	0.000 s

Check if Admin able to update a program with Valid program Name and request body

PASSED	DURATION - 0.447 s
/ 9:43:02.526 PM // 9:43:02.973 PM /	
ProgramController Module Test with Valid Data	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.255 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Admins creates PUT Request for the LMS API endpoint with the valid request Body with mandatory , additional fields.	PASSED	0.002 s
5	When Admins sends HTTPS Request with the valid endpoint	PASSED	0.181 s
6	Then Admins receives 200 OK Status with updated value in response body.	PASSED	0.003 s

Check if Admin able to update a program with valid programID endpoint and valid request body

PASSED	DURATION - 0.469 s
/ 9:43:02.980 PM // 9:43:03.449 PM /	
ProgramController Module Test with Valid Data	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

| #	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.271 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admins creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields	PASSED	0.002 s
5	When Admins sends HTTPS Request with valid endpoint	PASSED	0.185 s
6	Then Admins receives 200 OK Status with updated value in response body	PASSED	0.003 s

Batch Module

PASSED	DURATION - 3.878 s		Scenarios		Steps	
			Total - 8		Total - 48	
/ 9:43:03.455 PM // 9:43:07.333 PM /			Pass - 8	8	Pass - 48	48
			Fail - 0		Fail - 0	
			Skip - 0		Skip - 0	

Check if admin able to create a Batch with valid endpoint and request body

PASSED	DURATION - 0.449 s	Steps	
/ 9:43:03.455 PM // 9:43:03.904 PM /		Total - 6	
		Pass - 6	6
Batch Module		Fail - 0	
		Skip - 0	
@CreateNewBatch			

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.245 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given User creates request for the LMS API endpoint "Create New Batch".	PASSED	0.002 s
5	When User sends HTTPS post request for batch and request body with mandatory and additional fields.	PASSED	0.182 s
6	Then User receives 201 created status for batch.	PASSED	0.011 s

### Check if admin able to retrieve a batch with valid Batch ID

PASSED	DURATION - 0.469 s
/ 9:43:03.909 PM // 9:43:04.378 PM /	
Batch Module	
@GetBatchByBatchId	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.267 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates GET Request with valid Batch ID.	PASSED	0.002 s
5	When Admin sends HTTPS get Request with endpoint.	PASSED	0.185 s
6	Then Admin receives 200 OK Status with response body for batch.	PASSED	0.006 s

Check if admin able to retrieve a batch with valid BATCH NAME

PASSED	DURATION - 0.428 s
/ 9:43:04.385 PM // 9:43:04.813 PM /	
Batch Module	
@GetBatchbyBatchName	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.258 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admin creates GET Request with valid Batch Name.	PASSED	0.001 s
5	When Admin sends HTTPS Request with endpoint batchName.	PASSED	0.153 s
6	Then Admin receives 200 OK Status with the response body for batch.	PASSED	0.009 s

Check if admin able to retrieve a batch with valid Program ID

PASSED	DURATION - 0.427 s
/ 9:43:04.819 PM // 9:43:05.246 PM /	
Batch Module	
@GetBatchByValidPgmId	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.253 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Admin creates GET Request with the program id.	PASSED	0.001 s
5	When Admin sends HTTPS Request with the endpoint for programId.	PASSED	0.166 s
6	Then Admin receives 200 OK Status with response body.	PASSED	0.000 s

Check if admin able to create a batch with missing additional fields

PASSED	DURATION - 0.491 s
/ 9:43:05.252 PM // 9:43:05.743 PM /	
Batch Module	
@CreateBatchMandatoryField	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.273 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admin creates POST Request with missing additional fields Create New Batch Missing Field.	PASSED	0.001 s
5	When Admin sends HTTPS Request with endpoint.	PASSED	0.200 s
6	Then Admin receives 201 Created Status with response body.	PASSED	0.007 s

Check if admin able to retrieve all batches with valid LMS API

PASSED	DURATION - 0.650 s

/ 9:43:05.749 PM // 9:43:06.399 PM /

Batch Module

@GetAllBatches

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.262 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates GET Request.	PASSED	0.001 s
5	When Admin sends "HTTPS Request" with endpoint.	PASSED	0.376 s
6	Then Admin receives 200 OK Status with response body.	PASSED	0.002 s

Check if admin able to retrieve all batches with search string

PASSED	DURATION - 0.450 s

/ 9:43:06.409 PM // 9:43:06.859 PM /

Batch Module

@GetAllBatchesSearchString

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.265 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates GET Request with search string.	PASSED	0.004 s
5	When Admin sends "HTTPS Request" with endpoint.	PASSED	0.171 s
6	Then Admin receives 200 Ok status with response body.	PASSED	0.001 s

Check if admin able to update a Batch with valid batchID and mandatory fields in request body

PASSED	DURATION - 0.463 s
/ 9:43:06.870 PM // 9:43:07.333 PM /	
Batch Module	
@UpdateBatchValid	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.246 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Admin creates PUT Request with auth, valid BatchId and Update Valid Data.	PASSED	0.001 s
5	When Admin sends HTTPS Request with update endpoint.	PASSED	0.187 s
6	Then Admin receives 200 OK Status with updated value in response body.	PASSED	0.021 s

Check Post request of user controller module.

PASSED	DURATION - 0.717 s
/ 9:43:07.339 PM // 9:43:08.056 PM /	

Scenarios
Total - 1
Pass - 1
Fail - 0
Skip - 0

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

Authorized admin is able to create a new user with valid url and request body with mandatory fields.

PASSED	DURATION - 0.717 s
/ 9:43:07.339 PM // 9:43:08.056 PM /	
Check Post request of user controller module.	
@01UserModule-PostValid @UserModule	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.258 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Authorized Admin creates POST request with valid request body.	PASSED	0.003 s
5	When Authorized admin send valid post api request	PASSED	0.441 s
6	Then Authorized admin receive 201 status with response body	PASSED	0.007 s

Validating Get request for User API's

FAILED	DURATION - 9.067 s	Scenarios		Steps	
		Total - 15		Total - 90	
/ 9:43:08.070 PM // 9:43:17.137 PM /		Pass - 11	15	Pass - 86	90
		Fail - 4		Fail - 4	
		Skip - 0		Skip - 0	

Admin is able to get count of active and in active admins

PASSED	DURATION - 0.441 s		Steps	
			Total - 6	
/ 9:43:08.070 PM // 9:43:08.511 PM /			Pass - 6	6
Validating Get request for User API's			Fail - 0	
@user			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.256 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getcountofactiveandinactive"	PASSED	0.177 s
6	Then Users receives 200 ok.	PASSED	0.000 s

Admin is able to get all active users

PASSED	DURATION - 0.485 s

/ 9:43:08.517 PM // 9:43:09.002 PM /

Validating Get request for User API's

@user

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.268 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getallactiveusers"	PASSED	0.206 s
6	Then Users receives 200 ok.	PASSED	0.001 s

Admin is able to assign update user role program batch

FAILED	DURATION - 0.501 s

/ 9:43:09.017 PM // 9:43:09.518 PM /

Validating Get request for User API's

@updateuser @user

Steps
Total - 6
Pass - 5
Fail - 1
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.271 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Users creates request with valid response body UserRoleProgramBatch.	PASSED	0.036 s
5	When Users sends https put request with assignupdateuserroleprogrambatch	PASSED	0.175 s
6	Then users receives the 200 ok.	FAILED	0.009 s
	org.opentest4j.AssertionFailedError: expected: <200> but was: <400>		

#	Step / Hook Details	Status	Duration
	at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177) at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:545) at com.api.stepdefinition.UC_UpdateUser.admins_receives_ok(UC_UpdateUser.java:94) at ?.users receives the 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/ resources/feature/06_UserController.feature:24) * Not displayable characters are replaced by '?'.		

Admin is able to get admin by program batchId

PASSED	DURATION - 0.424 s
/ 9:43:09.529 PM // 9:43:09.953 PM /	
Validating Get request for User API's	
@user	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.262 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with getadminbyprogrambatchId	PASSED	0.154 s
6	Then Users receives 200 ok.	PASSED	0.000 s

Admin is able to get admin by programId

FAILED	*DURATION - 0.461 s*		Steps
/ 9:43:09.960 PM // 9:43:10.421 PM /			Total - 6
Validating Get request for User API's			Pass - 5
			Fail - 1
			Skip - 0
@user			

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.268 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with getadminbyprogramId	PASSED	0.181 s
6	Then Users receives 200 ok.	FAILED	0.002 s

	org.opentest4j.AssertionFailedError: expected: <200> but was: <404>
	    at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151)
	    at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132)
	    at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197)
	    at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182)
	    at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177)
	    at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:545)
	    at com.api.stepdefinition.UC_GetUsers.user_receives_ok(UC_GetUsers.java:52)
	    at ?.Users receives 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/06_UserController.feature:34)
	* Not displayable characters are replaced by '?'.		

Admin is able to get admin by roleId

PASSED	*DURATION - 0.626 s*		Steps
/ 9:43:10.434 PM // 9:43:11.060 PM /			Total - 6
Validating Get request for User API's			Pass - 6
			Fail - 0
			Skip - 0
@user			

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.266 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getadminbyroleId"	PASSED	0.348 s
6	Then Users receives 200 ok.	PASSED	0.001 s

Admin is able to get all users

PASSED	DURATION - 1.097 s
/ 9:43:11.071 PM // 9:43:12.168 PM /	
Validating Get request for User API's	
@user	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.270 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getallusers"	PASSED	0.815 s
6	Then Users receives 200 ok.	PASSED	0.000 s

Admin is able to get all roles

PASSED	DURATION - 0.454 s
/ 9:43:12.180 PM // 9:43:12.634 PM /	
Validating Get request for User API's	
@user	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.266 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getallroles"	PASSED	0.176 s
6	Then Users receives 200 ok.	PASSED	0.001 s

Admin is able to get user by userId

PASSED	DURATION - 1.093 s		Steps	
/ 9:43:12.647 PM // 9:43:13.740 PM /			Total - 6	
			Pass - 6	
Validating Get request for User API's			Fail - 0	
			Skip - 0	
@user				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.276 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getuserbyuserId"	PASSED	0.806 s
6	Then Users receives 200 ok.	PASSED	0.001 s

Admin is able to get all users with roles

PASSED	DURATION - 0.447 s		Steps	
/ 9:43:13.753 PM // 9:43:14.200 PM /			Total - 6	
			Pass - 6	
Validating Get request for User API's			Fail - 0	
			Skip - 0	
@user				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.266 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Users creates Get user request	PASSED	0.000 s
5	When Users sends https request with "getalluserswithroles"	PASSED	0.172 s
6	Then Users receives 200 ok.	PASSED	0.000 s

Admin is able to get users by roleId V2

PASSED	DURATION - 1.097 s
/ 9:43:14.213 PM // 9:43:15.310 PM /	
Validating Get request for User API's	
@user	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.268 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates Get user request	PASSED	0.000 s
5	When Users sends https request with "getusersbyroleIdV2"	PASSED	0.818 s
6	Then Users receives 200 ok.	PASSED	0.001 s

Admin is able to update user by userId

PASSED	DURATION - 0.470 s
/ 9:43:15.325 PM // 9:43:15.795 PM /	
Validating Get request for User API's	
@updateuser @user	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.275 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates request with valid response body "UpdateUser"	PASSED	0.002 s
5	When Users sends https put request with updateuser	PASSED	0.183 s
6	Then users receives the 200 ok.	PASSED	0.000 s

Admin is able to update user role status

PASSED	DURATION - 0.451 s		Steps
/ 9:43:15.805 PM // 9:43:16.256 PM /			Total - 6
			Pass - 6
Validating Get request for User API's			Fail - 0
			Skip - 0
@updateuser @user			

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.269 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Users creates request with valid response body "UpdateUserRoleStatus"	PASSED	0.001 s
5	When Users sends https put request with updateuserrolestatus	PASSED	0.172 s
6	Then users receives the 200 ok.	PASSED	0.001 s

Admin is able to update user login status

FAILED	DURATION - 0.430 s		Steps
/ 9:43:16.260 PM // 9:43:16.690 PM /			Total - 6
			Pass - 5
Validating Get request for User API's			Fail - 1
			Skip - 0
@updateuser @user			

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.245 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates request with valid response body "UpdateUserLoginStatus"	PASSED	0.001 s
5	When Users sends https put request with updateuserloginstatus	PASSED	0.174 s
6	Then users receives the 200 ok.	FAILED	0.000 s

	org.opentest4j.AssertionFailedError: expected: <200> but was: <400>
	    at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151)
	    at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132)
	    at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197)
	    at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182)
	    at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177)
	    at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:545)
	    at com.api.stepdefinition.UC_UpdateUser.admins_receives_ok(UC_UpdateUser.java:94)
	    at ?.users receives the 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/06_UserController.feature:83)
	* Not displayable characters are replaced by '?'.		

Admin is able to update user roleId

FAILED	DURATION - 0.443 s
/ 9:43:16.694 PM // 9:43:17.137 PM /	
Validating Get request for User API's	
@updateuser @user	

Steps
Total - 6
Pass - 5
Fail - 1
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.262 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Users creates request with valid response body "UpdateUserRoleId"	PASSED	0.001 s
5	When Users sends https put request with updateuserroleId	PASSED	0.171 s
6	Then users receives the 200 ok.	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	org.opentest4j.AssertionFailedError: expected: <200> but was: <400>		
	at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151)		
	at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132)		
	at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197)		
	at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182)		
	at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177)		
	at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:545)		
	at com.api.stepdefinition.UC_UpdateUser.admins_receives_ok(UC_UpdateUser.java:94)		
	at ?.users receives the 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/06_UserController.feature:89)		
	* Not displayable characters are replaced by '?'.		