Cucumber Report

|		
Start : Apr 01, 4:11:14.642 PM	**End : Apr 01, 4:11:33.665 PM**	**Duration : 19.023 s**
Features	Scenarios	Steps
PASSED - 5 FAILED - 1 SKIPPED - 0	PASSED - 27 FAILED - 4 SKIPPED - 0	PASSED - 179 FAILED - 4 SKIPPED - 0

6

31

183

Pass %
83 %

Pass %
87 %

Pass %
97 %

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
Validating user login	*0.926 s*	*1*	*1*	*0*	*0*	*3*	*3*	*0*	*0*
ProgramController Module Test with Invalid Data	*1.648 s*	*1*	*1*	*0*	*0*	*6*	*6*	*0*	*0*
ProgramController Module Test with Valid Data	*2.712 s*	*5*	*5*	*0*	*0*	*30*	*30*	*0*	*0*
Batch Module	*3.964 s*	*8*	*8*	*0*	*0*	*48*	*48*	*0*	*0*
Check Post request of user controller module.	*0.759 s*	*1*	*1*	*0*	*0*	*6*	*6*	*0*	*0*
Validating Get request for User API's	*8.936 s*	*15*	*11*	*4*	*0*	*90*	*86*	*4*	*0*

#	Feature Name	Scenario Name
1	*Validating Get request for User API's*	*Admin is able to assign update user role program batch*
2		*Admin is able to get admin by programId*
3		*Admin is able to update user login status*
4		*Admin is able to update user roleId*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@login-Valid	1	1	0	0	1	1	0	0
@login	1	1	0	0	1	1	0	0
@CreateNewBatch	1	1	0	0	1	1	0	0
@GetBatchByBatchId	1	1	0	0	1	1	0	0
@GetBatchbyBatchName	1	1	0	0	1	1	0	0
@GetBatchByValidPgmId	1	1	0	0	1	1	0	0
@CreateBatchMandatoryField	1	1	0	0	1	1	0	0
@GetAllBatches	1	1	0	0	1	1	0	0
@GetAllBatchesSearchString	1	1	0	0	1	1	0	0
@UpdateBatchValid	1	1	0	0	1	1	0	0
@01UserModule-PostValid	1	1	0	0	1	1	0	0
@UserModule	1	1	0	0	1	1	0	0
@user	15	11	4	0	1	0	1	0
@updateuser	5	2	3	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Validating user login	1	1	0	0	0.926 s
2	ProgramController Module Test with Invalid Data	1	1	0	0	1.648 s
3	ProgramController Module Test with Valid Data	5	5	0	0	2.712 s
4	Batch Module	8	8	0	0	3.964 s
5	Check Post request of user controller module.	1	1	0	0	0.759 s
6	Validating Get request for User API's	15	11	4	0	8.936 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Validating user login	Check if user able to login with token and valid credential	3	3	0	0	0.925 s
2	ProgramController Module Test with Invalid Data	Check if Admin able to create a program with valid endpoint and request body with Authorization	6	6	0	0	1.648 s
3	ProgramController Module Test with Valid Data	Check if Admin able to retrieve all programs with valid Endpoint	6	6	0	0	0.569 s
4		Check if Admin able to retrieve a program with valid program ID	6	6	0	0	0.475 s
5		Check if Admin able to retrieve all programs with valid Endpoint	6	6	0	0	0.722 s
6		Check if Admin able to update a program with Valid program Name and request body	6	6	0	0	0.458 s
7		Check if Admin able to update a program with valid programID endpoint and valid request body	6	6	0	0	0.452 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
8	Batch Module	Check if admin able to create a Batch with valid endpoint and request body	6	6	0	0	0.469 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
9	Batch Module	Check if admin able to retrieve a batch with valid Batch ID	6	6	0	0	0.448 s
10		Check if admin able to retrieve a batch with valid BATCH NAME	6	6	0	0	0.466 s
11		Check if admin able to retrieve a batch with valid Program ID	6	6	0	0	0.458 s
12		Check if admin able to create a batch with missing additional fields	6	6	0	0	0.462 s
13		Check if admin able to retrieve all batches with valid LMS API	6	6	0	0	0.641 s
14		Check if admin able to retrieve all batches with search string	6	6	0	0	0.469 s
15		Check if admin able to update a Batch with valid batchID and mandatory fields in request body	6	6	0	0	0.494 s
16	Check Post request of user controller module.	Authorized admin is able to create a new user with valid url and request body with mandatory fields.	6	6	0	0	0.759 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
17	Validating Get request for User API's	Admin is able to get count of active and in active admins	6	6	0	0	0.469 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
18	Validating Get request for User API's	Admin is able to get all active users	6	6	0	0	0.488 s
19		Admin is able to assign update user role program batch	6	5	1	0	0.508 s
20		Admin is able to get admin by program batchId	6	6	0	0	0.432 s
21		Admin is able to get admin by programId	6	5	1	0	0.457 s
22		Admin is able to get admin by roleId	6	6	0	0	0.607 s
23		Admin is able to get all users	6	6	0	0	1.096 s
24		Admin is able to get all roles	6	6	0	0	0.453 s
25		Admin is able to get user by userId	6	6	0	0	1.058 s
26		Admin is able to get all users with roles	6	6	0	0	0.449 s
27		Admin is able to get users by roleId V2	6	6	0	0	0.998 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
28	Validating Get request for User API's	Admin is able to update user by userId	6	6	0	0	0.420 s
29		Admin is able to update user role status	6	6	0	0	0.452 s
30		Admin is able to update user login status	6	5	1	0	0.449 s
31		Admin is able to update user roleId	6	5	1	0	0.461 s

Validating user login

PASSED	DURATION - 0.926 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	3
/ 4:11:14.642 PM // 4:11:15.568 PM /					

Check if user able to login with token and valid credential

PASSED	DURATION - 0.925 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	3
/ 4:11:14.643 PM // 4:11:15.568 PM /				
Validating user login				
@login-Valid @login				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.006 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.909 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s

## ProgramController Module Test with Invalid Data

PASSED	DURATION - 1.648 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	6
/ 4:11:15.601 PM // 4:11:17.249 PM /					

Check if Admin able to create a program with valid endpoint and request body with Authorization

PASSED	DURATION - 1.648 s		Steps
/ 4:11:15.601 PM // 4:11:17.249 PM /			Total - 6
			Pass - 6
ProgramController Module Test with Invalid Data			Fail - 0
			Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.258 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admins creates POST Request for the LMS with request body	PASSED	0.005 s
5	When Admins sends HTTPS Request and request Body with endpoint	PASSED	1.297 s
6	Then Admins receives 201 Created Status with response body	PASSED	0.078 s

ProgramController Module Test with Valid Data

| PASSED	DURATION - 2.712 s	Scenarios		Steps	
/ 4:11:17.260 PM // 4:11:19.972 PM /		Total - 5		Total - 30	
		Pass - 5	5	Pass - 30	30
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Check if Admin able to retrieve all programs with valid Endpoint

PASSED	DURATION - 0.569 s		Steps
/ 4:11:17.260 PM // 4:11:17.829 PM /			Total - 6
			Pass - 6
ProgramController Module Test with Valid Data			Fail - 0
			Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.258 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Admins creates GET Request for the LMS API	PASSED	0.000 s
5	When Admins sends HTTPS Request with endpoint	PASSED	0.302 s
6	Then Admins receives 200 OK Status with response body.	PASSED	0.001 s

Check if Admin able to retrieve a program with valid program ID

PASSED	DURATION - 0.475 s
/ 4:11:17.841 PM // 4:11:18.316 PM /	
ProgramController Module Test with Valid Data	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.279 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admins create GET Request for LMS API	PASSED	0.001 s
5	When Admins send HTTPS Request with the endpoint	PASSED	0.179 s
6	Then Admins receives 200 OK Status with response body	PASSED	0.004 s

Check if Admin able to retrieve all programs with valid Endpoint

PASSED	DURATION - 0.722 s
/ 4:11:18.324 PM // 4:11:19.046 PM /	
ProgramController Module Test with Valid Data	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.264 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admins create the GET Request for LMS API	PASSED	0.002 s
5	When Admins sends the HTTPS Request with endpoint	PASSED	0.448 s
6	Then Admins receive 200 OK Status with the response body	PASSED	0.001 s

Check if Admin able to update a program with Valid program Name and request body

PASSED	DURATION - 0.458 s
/ 4:11:19.052 PM // 4:11:19.510 PM /	
ProgramController Module Test with Valid Data	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.255 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Admins creates PUT Request for the LMS API endpoint with the valid request Body with mandatory , additional fields.	PASSED	0.001 s
5	When Admins sends HTTPS Request with the valid endpoint	PASSED	0.186 s
6	Then Admins receives 200 OK Status with updated value in response body.	PASSED	0.009 s

Check if Admin able to update a program with valid programID endpoint and valid request body

PASSED	DURATION - 0.452 s
/ 4:11:19.520 PM // 4:11:19.972 PM /	
ProgramController Module Test with Valid Data	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

| #	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.264 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admins creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields	PASSED	0.002 s
5	When Admins sends HTTPS Request with valid endpoint	PASSED	0.173 s
6	Then Admins receives 200 OK Status with updated value in response body	PASSED	0.004 s

Batch Module

PASSED	DURATION - 3.964 s	Scenarios		Steps	
		Total - 8		Total - 48	
/ 4:11:19.984 PM // 4:11:23.948 PM /		Pass - 8	8	Pass - 48	48
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Check if admin able to create a Batch with valid endpoint and request body

PASSED	DURATION - 0.469 s		Steps	
			Total - 6	
/ 4:11:19.984 PM // 4:11:20.453 PM /			Pass - 6	6
			Fail - 0	
Batch Module			Skip - 0	
@CreateNewBatch				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.260 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given User creates request for the LMS API endpoint "Create New Batch".	PASSED	0.002 s
5	When User sends HTTPS post request for batch and request body with mandatory and additional fields.	PASSED	0.183 s
6	Then User receives 201 created status for batch.	PASSED	0.015 s

### Check if admin able to retrieve a batch with valid Batch ID

PASSED   *DURATION - 0.448 s*

/ 4:11:20.458 PM // 4:11:20.906 PM /

Batch Module

@GetBatchByBatchId

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.261 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Admin creates GET Request with valid Batch ID.	PASSED	0.001 s
5	When Admin sends HTTPS get Request with endpoint.	PASSED	0.175 s
6	Then Admin receives 200 OK Status with response body for batch.	PASSED	0.004 s

### Check if admin able to retrieve a batch with valid BATCH NAME

PASSED   *DURATION - 0.466 s*

/ 4:11:20.910 PM // 4:11:21.376 PM /

Batch Module

@GetBatchbyBatchName

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.261 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admin creates GET Request with valid Batch Name.	PASSED	0.001 s
5	When Admin sends HTTPS Request with endpoint batchName.	PASSED	0.180 s
6	Then Admin receives 200 OK Status with the response body for batch.	PASSED	0.014 s

Check if admin able to retrieve a batch with valid Program ID

PASSED	DURATION - 0.458 s		Steps	
/ 4:11:21.384 PM // 4:11:21.842 PM /			Total - 6	
			Pass - 6	
Batch Module			Fail - 0	
			Skip - 0	
@GetBatchByValidPgmId				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.260 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Admin creates GET Request with the program id.	PASSED	0.002 s
5	When Admin sends HTTPS Request with the endpoint for programId.	PASSED	0.188 s
6	Then Admin receives 200 OK Status with response body.	PASSED	0.002 s

Check if admin able to create a batch with missing additional fields

PASSED	DURATION - 0.462 s		Steps	
/ 4:11:21.853 PM // 4:11:22.315 PM /			Total - 6	
			Pass - 6	
Batch Module			Fail - 0	
			Skip - 0	
@CreateBatchMandatoryField				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.255 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admin creates POST Request with missing additional fields Create New Batch Missing Field.	PASSED	0.002 s
5	When Admin sends HTTPS Request with endpoint.	PASSED	0.190 s
6	Then Admin receives 201 Created Status with response body.	PASSED	0.005 s

Check if admin able to retrieve all batches with valid LMS API

PASSED	DURATION - 0.641 s		Steps	
/ 4:11:22.321 PM // 4:11:22.962 PM /			Total - 6	
Batch Module			Pass - 6	
			Fail - 0	
@GetAllBatches			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.273 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates GET Request.	PASSED	0.001 s
5	When Admin sends "HTTPS Request" with endpoint.	PASSED	0.355 s
6	Then Admin receives 200 OK Status with response body.	PASSED	0.001 s

Check if admin able to retrieve all batches with search string

PASSED	DURATION - 0.469 s		Steps	
/ 4:11:22.973 PM // 4:11:23.442 PM /			Total - 6	
Batch Module			Pass - 6	
			Fail - 0	
@GetAllBatchesSearchString			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.268 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admin creates GET Request with search string.	PASSED	0.004 s
5	When Admin sends "HTTPS Request" with endpoint.	PASSED	0.188 s
6	Then Admin receives 200 Ok status with response body.	PASSED	0.002 s

## Check if admin able to update a Batch with valid batchID and mandatory fields in request body

PASSED	DURATION - 0.494 s		Steps	6
/ 4:11:23.454 PM // 4:11:23.948 PM /			Total - 6 Pass - 6 Fail - 0 Skip - 0	
Batch Module				
@UpdateBatchValid				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.274 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admin creates PUT Request with auth, valid BatchId and Update Valid Data.	PASSED	0.001 s
5	When Admin sends HTTPS Request with update endpoint.	PASSED	0.186 s
6	Then Admin receives 200 OK Status with updated value in response body.	PASSED	0.022 s

Check Post request of user controller module.

| PASSED	DURATION - 0.759 s	Scenarios	1	Steps	6
/ 4:11:23.955 PM // 4:11:24.714 PM /		Total - 1 Pass - 1 Fail - 0 Skip - 0		Total - 6 Pass - 6 Fail - 0 Skip - 0	

Authorized admin is able to create a new user with valid url and request body with mandatory fields.

PASSED	DURATION - 0.759 s		Steps	6
/ 4:11:23.955 PM // 4:11:24.714 PM /			Total - 6 Pass - 6 Fail - 0 Skip - 0	
Check Post request of user controller module.				
@01UserModule-PostValid @UserModule				

| #	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.271 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Authorized Admin creates POST request with valid request body.	PASSED	0.004 s
5	When Authorized admin send valid post api request	PASSED	0.468 s
6	Then Authorized admin receive 201 status with response body	PASSED	0.007 s

Validating Get request for User API's

FAILED	DURATION - 8.936 s	Scenarios Total - 15 Pass - 11 Fail - 4 Skip - 0	15	Steps Total - 90 Pass - 86 Fail - 4 Skip - 0	90
/ 4:11:24.729 PM // 4:11:33.665 PM /					

Admin is able to get count of active and in active admins

PASSED	DURATION - 0.469 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	6
/ 4:11:24.729 PM // 4:11:25.198 PM /				
Validating Get request for User API's				
@user				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.276 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getcountofactiveandinactive"	PASSED	0.179 s
6	Then Users receives 200 ok.	PASSED	0.001 s

Admin is able to get all active users

PASSED	*DURATION - 0.488 s*
/ 4:11:25.211 PM // 4:11:25.699 PM /	
Validating Get request for User API's	
@user	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.266 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getallactiveusers"	PASSED	0.210 s
6	Then Users receives 200 ok.	PASSED	0.001 s

Admin is able to assign update user role program batch

FAILED	*DURATION - 0.508 s*
/ 4:11:25.712 PM // 4:11:26.220 PM /	
Validating Get request for User API's	
@updateuser @user	

Steps
Total - 6
Pass - 5
Fail - 1
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.274 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Users creates request with valid response body UserRoleProgramBatch.	PASSED	0.035 s
5	When Users sends https put request with assignupdateuserroleprogrambatch	PASSED	0.183 s
6	Then users receives the 200 ok.	FAILED	0.007 s
	org.opentest4j.AssertionFailedError: expected: <200> but was: <400>		

#	Step / Hook Details	Status	Duration
	at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177) at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:545) at com.api.stepdefinition.UC_UpdateUser.admins_receives_ok(UC_UpdateUser.java:87) at ?.users receives the 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/06_UserController.feature:24) * Not displayable characters are replaced by '?'.		

Admin is able to get admin by program batchId

PASSED	DURATION - 0.432 s
/ 4:11:26.228 PM // 4:11:26.660 PM /	
Validating Get request for User API's	
@user	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.257 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with getadminbyprogrambatchId	PASSED	0.165 s
6	Then Users receives 200 ok.	PASSED	0.001 s

Admin is able to get admin by programId

FAILED	*DURATION - 0.457 s*
/ 4:11:26.671 PM // 4:11:27.128 PM /	
Validating Get request for User API's	
@user	

Steps
Total - 6
Pass - 5
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.267 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with getadminbyprogramId	PASSED	0.178 s
6	Then Users receives 200 ok.	FAILED	0.001 s
	org.opentest4j.AssertionFailedError: expected: <200> but was: <404> at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177) at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:545) at com.api.stepdefinition.UC_GetUsers.user_receives_ok(UC_GetUsers.java:52) at ?.Users receives 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/06_UserController.feature:34) * Not displayable characters are replaced by '?'.		

Admin is able to get admin by roleId

PASSED	*DURATION - 0.607 s*
/ 4:11:27.140 PM // 4:11:27.747 PM /	
Validating Get request for User API's	
@user	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.252 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getadminbyroleId"	PASSED	0.344 s
6	Then Users receives 200 ok.	PASSED	0.000 s

Admin is able to get all users

PASSED	DURATION - 1.096 s
/ 4:11:27.759 PM // 4:11:28.855 PM /	
Validating Get request for User API's	
@user	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.270 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getallusers"	PASSED	0.815 s
6	Then Users receives 200 ok.	PASSED	0.000 s

Admin is able to get all roles

PASSED	DURATION - 0.453 s
/ 4:11:28.867 PM // 4:11:29.320 PM /	
Validating Get request for User API's	
@user	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.263 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.011 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getallroles"	PASSED	0.176 s
6	Then Users receives 200 ok.	PASSED	0.001 s

Admin is able to get user by userId

PASSED	DURATION - 1.058 s		Steps	
/ 4:11:29.329 PM // 4:11:30.387 PM /			Total - 6	
Validating Get request for User API's			Pass - 6 / Fail - 0 / Skip - 0	6
@user				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.263 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getuserbyuserId"	PASSED	0.783 s
6	Then Users receives 200 ok.	PASSED	0.001 s

Admin is able to get all users with roles

PASSED	DURATION - 0.449 s		Steps	
/ 4:11:30.400 PM // 4:11:30.849 PM /			Total - 6	
Validating Get request for User API's			Pass - 6 / Fail - 0 / Skip - 0	6
@user				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.273 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getalluserswithroles"	PASSED	0.166 s
6	Then Users receives 200 ok.	PASSED	0.000 s

Admin is able to get users by roleId V2

PASSED	DURATION - 0.998 s
/ 4:11:30.855 PM // 4:11:31.853 PM /	
Validating Get request for User API's	
@user	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.259 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getusersbyroleIdV2"	PASSED	0.730 s
6	Then Users receives 200 ok.	PASSED	0.001 s

Admin is able to update user by userId

PASSED	DURATION - 0.420 s
/ 4:11:31.857 PM // 4:11:32.277 PM /	
Validating Get request for User API's	
@updateuser @user	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.239 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.003 s
4	Given Users creates request with valid response body "UpdateUser"	PASSED	0.001 s
5	When Users sends https put request with updateuser	PASSED	0.174 s
6	Then users receives the 200 ok.	PASSED	0.001 s

Admin is able to update user role status

PASSED	DURATION - 0.452 s
/ 4:11:32.286 PM // 4:11:32.738 PM /	
Validating Get request for User API's	
@updateuser @user	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.267 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Users creates request with valid response body "UpdateUserRoleStatus"	PASSED	0.001 s
5	When Users sends https put request with updateuserrolestatus	PASSED	0.177 s
6	Then users receives the 200 ok.	PASSED	0.001 s

Admin is able to update user login status

FAILED	DURATION - 0.449 s
/ 4:11:32.742 PM // 4:11:33.191 PM /	
Validating Get request for User API's	
@updateuser @user	

Steps
Total - 6
Pass - 5
Fail - 1
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.267 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Users creates request with valid response body "UpdateUserLoginStatus"	PASSED	0.001 s
5	When Users sends https put request with updateuserloginstatus	PASSED	0.171 s
6	Then users receives the 200 ok.	FAILED	0.002 s

	org.opentest4j.AssertionFailedError: expected: <200> but was: <400>
	    at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151)
	    at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132)
	    at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197)
	    at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182)
	    at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177)
	    at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:545)
	    at com.api.stepdefinition.UC_UpdateUser.admins_receives_ok(UC_UpdateUser.java:87)
	    at ?.users receives the 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/06_UserController.feature:83)
	* Not displayable characters are replaced by '?'.		

Admin is able to update user roleId

FAILED	DURATION - 0.461 s
/ 4:11:33.204 PM // 4:11:33.665 PM /	
Validating Get request for User API's	
@updateuser @user	

Steps
Total - 6
Pass - 5
Fail - 1
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.268 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Users creates request with valid response body "UpdateUserRoleId"	PASSED	0.001 s
5	When Users sends https put request with updateuserroleId	PASSED	0.182 s
6	Then users receives the 200 ok.	FAILED	0.002 s

#	Step / Hook Details	Status	Duration

	org.opentest4j.AssertionFailedError: expected: <200> but was: <400>
	   at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151)
	   at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132)
	   at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197)
	   at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182)
	   at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177)
	   at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:545)
	   at com.api.stepdefinition.UC_UpdateUser.admins_receives_ok(UC_UpdateUser.java:87)
	   at ?.users receives the 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/06_UserController.feature:89)
	* Not displayable characters are replaced by '?'.		