Cucumber Report

| Start : Apr 01, 6:14:50.268 PM	End : Apr 01, 6:15:08.331 PM	Duration : 18.063 s
Features	Scenarios	Steps
PASSED - 5 FAILED - 1 SKIPPED - 0	PASSED - 27 FAILED - 4 SKIPPED - 0	PASSED - 177 FAILED - 4 SKIPPED - 2

6

31

183

40 50 60
Pass %
30   70
20   80
10   90
83 %
0   100

40 50 60
Pass %
30   70
20   80
10   90
87 %
0   100

40 50 60
Pass %
30   70
20   80
10   90
96 %
0   100

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Validating user login	0.924 s	1	1	0	0	3	3	0	0
ProgramController Module Test with Invalid Data	0.617 s	1	1	0	0	6	6	0	0
ProgramController Module Test with Valid Data	2.664 s	5	5	0	0	30	30	0	0
Batch Module	3.878 s	8	8	0	0	48	48	0	0
Check Post request of user controller module.	1.049 s	1	1	0	0	6	6	0	0
Validating Get request for User API's	8.853 s	15	11	4	0	90	84	4	2

#	Feature Name	Scenario Name
1	*Validating Get request for User API's*	*Admin is able to assign update user role program batch*
2		*Admin is able to get admin by programId*
3		*Admin is able to update user login status*
4		*Admin is able to update user roleId*

TAG	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@login-Valid	1	1	0	0	1	1	0	0
@login	1	1	0	0	1	1	0	0
@CreateNewBatch	1	1	0	0	1	1	0	0
@GetBatchByBatchId	1	1	0	0	1	1	0	0
@GetBatchbyBatchName	1	1	0	0	1	1	0	0
@GetBatchByValidPgmId	1	1	0	0	1	1	0	0
@CreateBatchMandatoryField	1	1	0	0	1	1	0	0
@GetAllBatches	1	1	0	0	1	1	0	0
@GetAllBatchesSearchString	1	1	0	0	1	1	0	0
@UpdateBatchValid	1	1	0	0	1	1	0	0
@01UserModule-PostValid	1	1	0	0	1	1	0	0
@UserModule	1	1	0	0	1	1	0	0
@user	15	11	4	0	1	0	1	0
@updateuser	5	2	3	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Validating user login	1	1	0	0	0.924 s
2	ProgramController Module Test with Invalid Data	1	1	0	0	0.617 s
3	ProgramController Module Test with Valid Data	5	5	0	0	2.664 s
4	Batch Module	8	8	0	0	3.878 s
5	Check Post request of user controller module.	1	1	0	0	1.049 s
6	Validating Get request for User API's	15	11	4	0	8.853 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Validating user login	Check if user able to login with token and valid credential	3	3	0	0	0.923 s
2	ProgramController Module Test with Invalid Data	Check if Admin able to create a program with valid endpoint and request body with Authorization	6	6	0	0	0.617 s
3	ProgramController Module Test with Valid Data	Check if Admin able to retrieve all programs with valid Endpoint	6	6	0	0	0.603 s
4		Check if Admin able to retrieve a program with valid program ID	6	6	0	0	0.447 s
5		Check if Admin able to retrieve all programs with valid Endpoint	6	6	0	0	0.666 s
6		Check if Admin able to update a program with Valid program Name and request body	6	6	0	0	0.440 s
7		Check if Admin able to update a program with valid programID endpoint and valid request body	6	6	0	0	0.475 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
8	Batch Module	Check if admin able to create a Batch with valid endpoint and request body	6	6	0	0	0.456 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
9	Batch Module	Check if admin able to retrieve a batch with valid Batch ID	6	6	0	0	0.463 s
10		Check if admin able to retrieve a batch with valid BATCH NAME	6	6	0	0	0.473 s
11		Check if admin able to retrieve a batch with valid Program ID	6	6	0	0	0.433 s
12		Check if admin able to create a batch with missing additional fields	6	6	0	0	0.440 s
13		Check if admin able to retrieve all batches with valid LMS API	6	6	0	0	0.649 s
14		Check if admin able to retrieve all batches with search string	6	6	0	0	0.450 s
15		Check if admin able to update a Batch with valid batchID and mandatory fields in request body	6	6	0	0	0.466 s
16	Check Post request of user controller module.	Authorized admin is able to create a new user with valid url and request body with mandatory fields.	6	6	0	0	1.049 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
17	Validating Get request for User API's	Admin is able to get count of active and in active admins	6	6	0	0	0.441 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
18	Validating Get request for User API's	Admin is able to get all active users	6	6	0	0	0.442 s
19		Admin is able to assign update user role program batch	6	3	1	2	0.293 s
20		Admin is able to get admin by program batchId	6	6	0	0	0.459 s
21		Admin is able to get admin by programId	6	5	1	0	0.454 s
22		Admin is able to get admin by roleId	6	6	0	0	0.632 s
23		Admin is able to get all users	6	6	0	0	1.081 s
24		Admin is able to get all roles	6	6	0	0	0.453 s
25		Admin is able to get user by userId	6	6	0	0	1.026 s
26		Admin is able to get all users with roles	6	6	0	0	0.430 s
27		Admin is able to get users by roleId V2	6	6	0	0	1.226 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
28	Validating Get request for User API's	Admin is able to update user by userId	6	6	0	0	0.486 s
29		Admin is able to update user role status	6	6	0	0	0.452 s
30		Admin is able to update user login status	6	5	1	0	0.413 s
31		Admin is able to update user roleId	6	5	1	0	0.428 s

Validating user login

PASSED	DURATION - 0.924 s	Scenarios		Steps	
/ 6:14:50.268 PM // 6:14:51.192 PM /		Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Total - 3 Pass - 3 Fail - 0 Skip - 0	3

Check if user able to login with token and valid credential

PASSED	DURATION - 0.923 s		Steps	
/ 6:14:50.269 PM // 6:14:51.192 PM /			Total - 3 Pass - 3 Fail - 0 Skip - 0	3
Validating user login				
@login-Valid @login				

| #	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.005 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.907 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s

ProgramController Module Test with Invalid Data

PASSED	DURATION - 0.617 s	Scenarios		Steps	
/ 6:14:51.228 PM // 6:14:51.845 PM /		Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Total - 6 Pass - 6 Fail - 0 Skip - 0	6

Check if Admin able to create a program with valid endpoint and request body with Authorization

| PASSED	DURATION - 0.617 s
/ 6:14:51.228 PM // 6:14:51.845 PM /	
ProgramController Module Test with Invalid Data	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.260 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admins creates POST Request for the LMS with request body	PASSED	0.004 s
5	When Admins sends HTTPS Request and request Body with endpoint	PASSED	0.263 s
6	Then Admins receives 201 Created Status with response body	PASSED	0.080 s

ProgramController Module Test with Valid Data

PASSED	DURATION - 2.664 s
/ 6:14:51.857 PM // 6:14:54.521 PM /	

Scenarios
Total - 5
Pass - 5
Fail - 0
Skip - 0

5

Steps
Total - 30
Pass - 30
Fail - 0
Skip - 0

30

### Check if Admin able to retrieve all programs with valid Endpoint

PASSED	DURATION - 0.603 s
/ 6:14:51.857 PM // 6:14:52.460 PM /	
ProgramController Module Test with Valid Data	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.242 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admins creates GET Request for the LMS API	PASSED	0.002 s
5	When Admins sends HTTPS Request with endpoint	PASSED	0.350 s
6	Then Admins receives 200 OK Status with response body.	PASSED	0.002 s

Check if Admin able to retrieve a program with valid program ID

PASSED	DURATION - 0.447 s		Steps
/ 6:14:52.466 PM // 6:14:52.913 PM /			Total - 6
			Pass - 6
ProgramController Module Test with Valid Data			Fail - 0
			Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.242 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admins create GET Request for LMS API	PASSED	0.002 s
5	When Admins send HTTPS Request with the endpoint	PASSED	0.189 s
6	Then Admins receives 200 OK Status with response body	PASSED	0.004 s

Check if Admin able to retrieve all programs with valid Endpoint

PASSED	DURATION - 0.666 s		Steps
/ 6:14:52.921 PM // 6:14:53.587 PM /			Total - 6
			Pass - 6
ProgramController Module Test with Valid Data			Fail - 0
			Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.260 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admins create the GET Request for LMS API	PASSED	0.001 s
5	When Admins sends the HTTPS Request with endpoint	PASSED	0.396 s
6	Then Admins receive 200 OK Status with the response body	PASSED	0.000 s

Check if Admin able to update a program with Valid program Name and request body

PASSED	DURATION - 0.440 s
/ 6:14:53.595 PM // 6:14:54.035 PM /	
ProgramController Module Test with Valid Data	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.253 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Admins creates PUT Request for the LMS API endpoint with the valid request Body with mandatory , additional fields.	PASSED	0.001 s
5	When Admins sends HTTPS Request with the valid endpoint	PASSED	0.174 s
6	Then Admins receives 200 OK Status with updated value in response body.	PASSED	0.005 s

Check if Admin able to update a program with valid programID endpoint and valid request body

PASSED	DURATION - 0.475 s
/ 6:14:54.046 PM // 6:14:54.521 PM /	
ProgramController Module Test with Valid Data	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

| #	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.257 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admins creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields	PASSED	0.001 s
5	When Admins sends HTTPS Request with valid endpoint	PASSED	0.204 s
6	Then Admins receives 200 OK Status with updated value in response body	PASSED	0.005 s

Batch Module

PASSED	DURATION - 3.878 s	Scenarios		Steps	
		Total - 8		Total - 48	
/ 6:14:54.532 PM // 6:14:58.410 PM /		Pass - 8	8	Pass - 48	48
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Check if admin able to create a Batch with valid endpoint and request body

PASSED	DURATION - 0.456 s		Steps	
/ 6:14:54.532 PM // 6:14:54.988 PM /			Total - 6	
			Pass - 6	6
Batch Module			Fail - 0	
@CreateNewBatch			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.243 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given User creates request for the LMS API endpoint "Create New Batch".	PASSED	0.001 s
5	When User sends HTTPS post request for batch and request body with mandatory and additional fields.	PASSED	0.189 s
6	Then User receives 201 created status for batch.	PASSED	0.014 s

### Check if admin able to retrieve a batch with valid Batch ID

PASSED	DURATION - 0.463 s
/ 6:14:54.991 PM // 6:14:55.454 PM /	
Batch Module	
@GetBatchByBatchId	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.264 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates GET Request with valid Batch ID.	PASSED	0.001 s
5	When Admin sends HTTPS get Request with endpoint.	PASSED	0.184 s
6	Then Admin receives 200 OK Status with response body for batch.	PASSED	0.004 s

Check if admin able to retrieve a batch with valid BATCH NAME

PASSED	DURATION - 0.473 s
/ 6:14:55.458 PM // 6:14:55.931 PM /	
Batch Module	
@GetBatchbyBatchName	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.262 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admin creates GET Request with valid Batch Name.	PASSED	0.001 s
5	When Admin sends HTTPS Request with endpoint batchName.	PASSED	0.185 s
6	Then Admin receives 200 OK Status with the response body for batch.	PASSED	0.014 s

Check if admin able to retrieve a batch with valid Program ID

PASSED	DURATION - 0.433 s
/ 6:14:55.938 PM // 6:14:56.371 PM /	
Batch Module	
@GetBatchByValidPgmId	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.251 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admin creates GET Request with the program id.	PASSED	0.002 s
5	When Admin sends HTTPS Request with the endpoint for programId.	PASSED	0.169 s
6	Then Admin receives 200 OK Status with response body.	PASSED	0.001 s

Check if admin able to create a batch with missing additional fields

PASSED	DURATION - 0.440 s
/ 6:14:56.382 PM // 6:14:56.822 PM /	
Batch Module	
@CreateBatchMandatoryField	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.264 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates POST Request with missing additional fields Create New Batch Missing Field.	PASSED	0.001 s
5	When Admin sends HTTPS Request with endpoint.	PASSED	0.160 s
6	Then Admin receives 201 Created Status with response body.	PASSED	0.005 s

Check if admin able to retrieve all batches with valid LMS API

PASSED	DURATION - 0.649 s

/ 6:14:56.826 PM // 6:14:57.475 PM /

Batch Module

@GetAllBatches

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.265 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates GET Request.	PASSED	0.001 s
5	When Admin sends "HTTPS Request" with endpoint.	PASSED	0.373 s
6	Then Admin receives 200 OK Status with response body.	PASSED	0.001 s

Check if admin able to retrieve all batches with search string

PASSED	DURATION - 0.450 s

/ 6:14:57.486 PM // 6:14:57.936 PM /

Batch Module

@GetAllBatchesSearchString

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.259 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admin creates GET Request with search string.	PASSED	0.004 s
5	When Admin sends "HTTPS Request" with endpoint.	PASSED	0.178 s
6	Then Admin receives 200 Ok status with response body.	PASSED	0.001 s

Check if admin able to update a Batch with valid batchID and mandatory fields in request body

PASSED	DURATION - 0.466 s
/ 6:14:57.944 PM // 6:14:58.410 PM /	
Batch Module	
@UpdateBatchValid	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.257 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admin creates PUT Request with auth, valid BatchId and Update Valid Data.	PASSED	0.001 s
5	When Admin sends HTTPS Request with update endpoint.	PASSED	0.180 s
6	Then Admin receives 200 OK Status with updated value in response body.	PASSED	0.018 s

Check Post request of user controller module.

PASSED	DURATION - 1.049 s
/ 6:14:58.418 PM // 6:14:59.467 PM /	

Scenarios
Total - 1
Pass - 1
Fail - 0
Skip - 0

1

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

Authorized admin is able to create a new user with valid url and request body with mandatory fields.

PASSED	DURATION - 1.049 s
/ 6:14:58.418 PM // 6:14:59.467 PM /	
Check Post request of user controller module.	
@01UserModule-PostValid @UserModule	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

| #	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.259 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.010 s
4	Given Authorized Admin creates POST request with valid request body.	PASSED	0.003 s
5	When Authorized admin send valid post api request	PASSED	0.766 s
6	Then Authorized admin receive 201 status with response body	PASSED	0.007 s

Validating Get request for User API's

FAILED	DURATION - 8.853 s		Scenarios		Steps	
/ 6:14:59.478 PM // 6:15:08.331 PM /			Total - 15 Pass - 11 Fail - 4 Skip - 0	15	Total - 90 Pass - 84 Fail - 4 Skip - 2	90

Admin is able to get count of active and in active admins

PASSED	DURATION - 0.441 s		Steps	
/ 6:14:59.478 PM // 6:14:59.919 PM /			Total - 6 Pass - 6 Fail - 0 Skip - 0	6
Validating Get request for User API's				
@user				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.256 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getcountofactiveandinactive"	PASSED	0.175 s
6	Then Users receives 200 ok.	PASSED	0.000 s

Admin is able to get all active users

PASSED	DURATION - 0.442 s
/ 6:14:59.931 PM // 6:15:00.373 PM /	
Validating Get request for User API's	
@user	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

| #	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.254 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getallactiveusers"	PASSED	0.179 s
6	Then Users receives 200 ok.	PASSED	0.001 s

Admin is able to assign update user role program batch

FAILED	DURATION - 0.293 s
/ 6:15:00.382 PM // 6:15:00.675 PM /	
Validating Get request for User API's	
@updateuser @user	

Steps
Total - 6
Pass - 3
Fail - 1
Skip - 2

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.262 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Users creates request with valid response body UserRoleProgramBatch.	FAILED	0.020 s
	com.fasterxml.jackson.databind.exc.InvalidDefinitionException: No serializer found for class com.api.utils.JsonReader and no properties discovered to create BeanSerializer (to avoid exception, disable SerializationFeature.FAIL_ON_EMPTY_BEANS) (through reference chain: com.api.models.userUpdateRole["post"]->com.api.stepdefinition.UC_PostRequestStep["reader"]) at com.fasterxml.jackson.databind.exc.InvalidDefinitionException.from(InvalidDefinitionException.java:77)		

| #	Step / Hook Details	Status	Duration
	at com.fasterxml.jackson.databind.SerializerProvider.reportBadDefinition(SerializerProvider.java:1330) at com.fasterxml.jackson.databind.DatabindContext.reportBadDefinition(DatabindContext.java:414) at com.fasterxml.jackson.databind.ser.impl.UnknownSerializer.failForEmpty(UnknownSerializer.java:53) at com.fasterxml.jackson.databind.ser.impl.UnknownSerializer.serialize(UnknownSerializer.java:30) at com.fasterxml.jackson.databind.ser.BeanPropertyWriter.serializeAsField(BeanPropertyWriter.java:732) at com.fasterxml.jackson.databind.ser.std.BeanSerializerBase.serializeFields(BeanSerializerBase.java:770) at com.fasterxml.jackson.databind.ser.BeanSerializer.serialize(BeanSerializer.java:183) at com.fasterxml.jackson.databind.ser.BeanPropertyWriter.serializeAsField(BeanPropertyWriter.java:732) at com.fasterxml.jackson.databind.ser.std.BeanSerializerBase.serializeFields(BeanSerializerBase.java:770) at com.fasterxml.jackson.databind.ser.BeanSerializer.serialize(BeanSerializer.java:183) at com.fasterxml.jackson.databind.ser.DefaultSerializerProvider._serialize(DefaultSerializerProvider.java:502) at com.fasterxml.jackson.databind.ser.DefaultSerializerProvider.serializeValue(DefaultSerializerProvider.java:341) at com.fasterxml.jackson.databind.ObjectWriter$Prefetch.serialize(ObjectWriter.java:1574) at com.fasterxml.jackson.databind.ObjectWriter._writeValueAndClose(ObjectWriter.java:1275) at com.fasterxml.jackson.databind.ObjectWriter.writeValueAsString(ObjectWriter.java:1140) at com.api.stepdefinition.UC_UpdateUser.users_creates_request_with_valid_response_body_user_role_program_batch(UC_UpdateUser.java:84) at ?.Users creates request with valid response body UserRoleProgramBatch.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/06_UserController.feature:22) * Not displayable characters are replaced by '?'.		
5	When Users sends https put request with assignupdateuserroleprogrambatch	SKIPPED	0.000 s
6	Then users receives the 200 ok.	SKIPPED	0.000 s

Admin is able to get admin by program batchId

PASSED	DURATION - 0.459 s
/ 6:15:00.682 PM // 6:15:01.141 PM /	
Validating Get request for User API's	
@user	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.267 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s

#	Step / Hook Details	Status	Duration
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with getadminbyprogrambatchId	PASSED	0.182 s
6	Then Users receives 200 ok.	PASSED	0.000 s

Admin is able to get admin by programId

FAILED	DURATION - 0.454 s
/ 6:15:01.152 PM // 6:15:01.606 PM /	
Validating Get request for User API's	
@user	

Steps
Total - 6
Pass - 5
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.263 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with getadminbyprogramId	PASSED	0.177 s
6	Then Users receives 200 ok.	FAILED	0.004 s

	org.opentest4j.AssertionFailedError: expected: <200> but was: <404>
	    at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151)
	    at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132)
	    at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197)
	    at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182)
	    at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177)
	    at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:545)
	    at com.api.stepdefinition.UC_GetUsers.user_receives_ok(UC_GetUsers.java:52)
	    at ?.Users receives 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/06_UserController.feature:34)
	* Not displayable characters are replaced by '?'.		

Admin is able to get admin by roleId

PASSED	*DURATION - 0.632 s*

/ 6:15:01.616 PM // 6:15:02.248 PM /

Validating Get request for User API's

@user

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.280 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getadminbyroleId"	PASSED	0.341 s
6	Then Users receives 200 ok.	PASSED	0.000 s

Admin is able to get all users

PASSED	*DURATION - 1.081 s*

/ 6:15:02.259 PM // 6:15:03.340 PM /

Validating Get request for User API's

@user

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.269 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getallusers"	PASSED	0.800 s
6	Then Users receives 200 ok.	PASSED	0.000 s

Admin is able to get all roles

PASSED	DURATION - 0.453 s
/ 6:15:03.349 PM // 6:15:03.802 PM /	
Validating Get request for User API's	
@user	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.262 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getallroles"	PASSED	0.182 s
6	Then Users receives 200 ok.	PASSED	0.001 s

Admin is able to get user by userId

PASSED	DURATION - 1.026 s
/ 6:15:03.814 PM // 6:15:04.840 PM /	
Validating Get request for User API's	
@user	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.262 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getuserbyuserId"	PASSED	0.752 s
6	Then Users receives 200 ok.	PASSED	0.001 s

Admin is able to get all users with roles

PASSED	DURATION - 0.430 s

/ 6:15:04.850 PM // 6:15:05.280 PM /

Validating Get request for User API's

@user

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.263 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getalluserswithroles"	PASSED	0.158 s
6	Then Users receives 200 ok.	PASSED	0.000 s

Admin is able to get users by roleId V2

PASSED	DURATION - 1.226 s

/ 6:15:05.293 PM // 6:15:06.519 PM /

Validating Get request for User API's

@user

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.262 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getusersbyroleIdV2"	PASSED	0.953 s
6	Then Users receives 200 ok.	PASSED	0.001 s

Admin is able to update user by userId

PASSED	DURATION - 0.486 s

/ 6:15:06.532 PM // 6:15:07.018 PM /

Validating Get request for User API's

@updateuser @user

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.271 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates request with valid response body "UpdateUser"	PASSED	0.002 s
5	When Users sends https put request with updateuser	PASSED	0.201 s
6	Then users receives the 200 ok.	PASSED	0.001 s

Admin is able to update user role status

PASSED	DURATION - 0.452 s

/ 6:15:07.029 PM // 6:15:07.481 PM /

Validating Get request for User API's

@updateuser @user

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.272 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Users creates request with valid response body "UpdateUserRoleStatus"	PASSED	0.001 s
5	When Users sends https put request with updateuserrolestatus	PASSED	0.171 s
6	Then users receives the 200 ok.	PASSED	0.000 s

Admin is able to update user login status

FAILED	DURATION - 0.413 s
/ 6:15:07.485 PM // 6:15:07.898 PM /	
Validating Get request for User API's	
@updateuser @user	

Steps
Total - 6
Pass - 5
Fail - 1
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.257 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.003 s
4	Given Users creates request with valid response body "UpdateUserLoginStatus"	PASSED	0.001 s
5	When Users sends https put request with updateuserloginstatus	PASSED	0.151 s
6	Then users receives the 200 ok.	FAILED	0.001 s

	org.opentest4j.AssertionFailedError: expected: <200> but was: <400>
	   at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151)
	   at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132)
	   at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197)
	   at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182)
	   at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177)
	   at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:545)
	   at com.api.stepdefinition.UC_UpdateUser.admins_receives_ok(UC_UpdateUser.java:105)
	   at ?.users receives the 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/06_UserController.feature:83)
	* Not displayable characters are replaced by '?'.		

Admin is able to update user roleId

FAILED	*DURATION - 0.428 s*

/ 6:15:07.903 PM // 6:15:08.331 PM /

Validating Get request for User API's

@updateuser @user

Steps
Total - 6
Pass - 5
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.260 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Users creates request with valid response body "UpdateUserRoleId"	PASSED	0.001 s
5	When Users sends https put request with updateuserroleId	PASSED	0.155 s
6	Then users receives the 200 ok.	FAILED	0.001 s

	org.opentest4j.AssertionFailedError: expected: <200> but was: <400>
	   at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151)
	   at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132)
	   at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197)
	   at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182)
	   at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177)
	   at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:545)
	   at com.api.stepdefinition.UC_UpdateUser.admins_receives_ok(UC_UpdateUser.java:105)
	   at ?.users receives the 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/06_UserController.feature:89)
	* Not displayable characters are replaced by '?'.		