


Feature		Scenario				Step				
Name	Duration	T	P	F	S	T	P	F	S	
Validating user login	1.975 s	1	1	0	0	3	3	0	0	
ProgramController Module Test with Invalid Data	0.639 s	1	1	0	0	6	6	0	0	
ProgramController Module Test with Valid Data	2.638 s	5	5	0	0	30	30	0	0	
Batch Module	3.861 s	8	8	0	0	48	48	0	0	
Check Post request of user controller module.	0.755 s	1	1	0	0	6	6	0	0	
Validating Get request for User API's	9.714 s	15	11	4	0	90	86	4	0	

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Validating Get request for User API's	Admin is able to assign update user role program batch
2		Admin is able to get admin by programId
3		Admin is able to update user login status
4		Admin is able to update user roleId


TAG	Scenario				Feature				
Name	T	P	F	S	T	P	F	S	
@login-Valid	1	1	0	0	1	1	0	0	
@login	1	1	0	0	1	1	0	0	
@CreateNewBatch	1	1	0	0	1	1	0	0	
@GetBatchByBatchId	1	1	0	0	1	1	0	0	
@GetBatchbyBatchName	1	1	0	0	1	1	0	0	
@GetBatchByValidPgmId	1	1	0	0	1	1	0	0	
@CreateBatchMandatoryField	1	1	0	0	1	1	0	0	
@GetAllBatches	1	1	0	0	1	1	0	0	
@GetAllBatchesSearchString	1	1	0	0	1	1	0	0	
@UpdateBatchValid	1	1	0	0	1	1	0	0	
@01UserModule-PostValid	1	1	0	0	1	1	0	0	
@UserModule	1	1	0	0	1	1	0	0	
@user	15	11	4	0	1	0	1	0	
@updateuser	5	2	3	0	1	0	1	0	

FEATURES SUMMARY -- 5 --



#	Feature Name	Т	P	F	S	Duration
1	<u>Validating user login</u>	1	1	0	0	1.975 s
2	ProgramController Module Test with Invalid Data	1	1	0	0	0.639 s
3	ProgramController Module Test with Valid Data	5	5	0	0	2.638 s
4	Batch Module	8	8	0	0	3.861 s
5	Check Post request of user controller module.	1	1	0	0	0.755 s
6	Validating Get request for User API's	15	11	4	0	9.714 s


SCENARIOS SUMMARY -- 6 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Validating user login	Check if user able to login with token and valid credential	3	3	0	0	1.974 s
2	ProgramController Module Test with Invalid Data	Check if Admin able to create a program with valid endpoint and request body with Authorization	6	6	0	0	0.639 s
3	ProgramController Module Test with Valid Data	Check if Admin able to retrieve all programs with valid Endpoint	6	6	0	0	0.613 s
4		Check if Admin able to retrieve a program with valid program ID	6	6	0	0	0.458 s
5		Check if Admin able to retrieve all programs with valid Endpoint	6	6	0	0	0.622 s
6		Check if Admin able to update a program with Valid program Name and request body	6	6	0	0	0.443 s
7		Check if Admin able to update a program with valid programID endpoint and valid request body	6	6	0	0	0.464 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
8	Batch Module	Check if admin able to create a Batch with valid endpoint	6	6	0	0	0.460 s
		and request body					


SCENARIOS SUMMARY -- 8 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
9	Batch Module	Check if admin able to retrieve a batch with valid Batch ID	6	6	0	0	0.471 s
10	-	Check if admin able to retrieve a batch with valid BATCH NAME	6	6	0	0	0.450 s
11		Check if admin able to retrieve a batch with valid Program ID	6	6	0	0	0.424 s
12		Check if admin able to create a batch with missing additional fields	6	6	0	0	0.467 s
13		Check if admin able to retrieve all batches with valid LMS  API	6	6	0	0	0.614 s
14		Check if admin able to retrieve all batches with search string	6	6	0	0	0.472 s
15		Check if admin able to update a Batch with valid batchID and mandatory fields in request body	6	6	0	0	0.454 s
16	Check Post request of user controller module.	Authorized admin is able to create a new user with valid url and request body with mandatory fields.	6	6	0	0	0.755 s


#	Feature Name	Scenario Name	T	P	F	S	Duration
17	Validating Get request for User API's	Admin is able to get count of active and in active admins	6	6	0	0	0.429 s

SCENARIOS SUMMARY -- 10 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
18	Validating Get request for User API's	Admin is able to get all active users	6	6	0	0	0.459 s
19		Admin is able to assign update user role program batch	6	5	1	0	0.481 s
20		Admin is able to get admin by program batchId	6	6	0	0	0.451 s
21		Admin is able to get admin by programId	6	5	1	0	0.453 s
22		Admin is able to get admin by roleId	6	6	0	0	0.587 s
23		Admin is able to get all users	6	6	0	0	0.985 s
24		Admin is able to get all roles	6	6	0	0	0.475 s
25		Admin is able to get user by userId	6	6	0	0	2.013 s
26		Admin is able to get all users with roles	6	6	0	0	0.436 s
27		Admin is able to get users by roleId V2	6	6	0	0	1.057 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
28	Validating Get request for User API's	Admin is able to update user by userId	6	6	0	0	0.437 s
29		Admin is able to update user role status	6	6	0	0	0.455 s
30		Admin is able to update user login status	6	5	1	0	0.421 s
31		Admin is able to update user roleId	6	5	1	0	0.439 s

DETAILED SECTION -- 12 --

### Validating user login


PASSED	DURATION - 1.975 s	Scenarios		Steps	
		Total - 1		Total - 3	
/ 3:40:42.485 PM	// 3:40:44.460 PM /	Pass - 1	1	Pass - 3	3
		Fail - 0	· ·	Fail - 0	
		Skip - 0		Skip - 0	

### Check if user able to login with token and valid credential




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.007 s
2	When Admin calls Post Https method with valid endpoint	PASSED	1.957 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s

#### **ProgramController Module Test with Invalid Data**



Check if Admin able to create a program with valid endpoint and request body with Authorization




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.270 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admins creates POST Request for the LMS with request body	PASSED	0.004 s
5	When Admins sends HTTPS Request and request Body with endpoint	PASSED	0.275 s
6	Then Admins receives 201 Created Status with response body	PASSED	0.079 s

### **ProgramController Module Test with Valid Data**


PASSED	DURATION - 2.638 s	Scenarios		Steps	
		Total - 5		Total - 30	
/ 3:40:45.146 PN	1 // 3:40:47.784 PM /	Pass - 5	5	Pass - 30	30
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## **Check if Admin able to retrieve all programs with valid Endpoint**




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.264 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Admins creates GET Request for the LMS API	PASSED	0.001 s
5	When Admins sends HTTPS Request with endpoint	PASSED	0.339 s
6	Then Admins receives 200 OK Status with response body.	PASSED	0.002 s

### Check if Admin able to retrieve a program with valid program ID




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.259 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admins create GET Request for LMS API	PASSED	0.002 s
5	When Admins send HTTPS Request with the endpoint	PASSED	0.184 s
6	Then Admins receives 200 OK Status with response body	PASSED	0.006 s

# **Check if Admin able to retrieve all programs with valid Endpoint**




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.265 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admins create the GET Request for LMS API	PASSED	0.001 s
5	When Admins sends the HTTPS Request with endpoint	PASSED	0.347 s
6	Then Admins receive 200 OK Status with the response body	PASSED	0.001 s

### Check if Admin able to update a program with Valid program Name and request body



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.250 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Admins creates PUT Request for the LMS API endpoint with the valid request Body with mandatory, additional fields.	PASSED	0.001 s
5	When Admins sends HTTPS Request with the valid endpoint	PASSED	0.180 s
6	Then Admins receives 200 OK Status with updated value in response body.	PASSED	0.007 s


### Check if Admin able to update a program with valid programID endpoint and valid request body




DETAILED SECTION -- 16 --

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.258 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admins creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields	PASSED	0.001 s
5	When Admins sends HTTPS Request with valid endpoint	PASSED	0.191 s
6	Then Admins receives 200 OK Status with updated value in response body	PASSED	0.005 s

#### **Batch Module**




# Check if admin able to create a Batch with valid endpoint and request body




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.257 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given User creates request for the LMS API endpoint "Create New Batch".	PASSED	0.003 s
5	When User sends HTTPS post request for batch and request body with mandatory and additional fields.	PASSED	0.179 s
6	Then User receives 201 created status for batch.	PASSED	0.014 s

DETAILED SECTION -- 17 --



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.275 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.010 s
4	Given Admin creates GET Request with valid Batch ID.	PASSED	0.002 s
5	When Admin sends HTTPS get Request with endpoint.	PASSED	0.175 s
6	Then Admin receives 200 OK Status with response body for batch.	PASSED	0.006 s


### Check if admin able to retrieve a batch with valid BATCH NAME



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.261 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admin creates GET Request with valid Batch Name.	PASSED	0.001 s
5	When Admin sends HTTPS Request with endpoint batchName.	PASSED	0.168 s
6	Then Admin receives 200 OK Status with the response body for batch.	PASSED	0.009 s


DETAILED SECTION -- 18 --

## Check if admin able to retrieve a batch with valid Program ID



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.247 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admin creates GET Request with the program id.	PASSED	0.001 s
5	When Admin sends HTTPS Request with the endpoint for programId.	PASSED	0.169 s
6	Then Admin receives 200 OK Status with response body.	PASSED	0.001 s

## Check if admin able to create a batch with missing additional fields



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.263 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates POST Request with missing additional fields Create New Batch Missing Field.	PASSED	0.001 s
5	When Admin sends HTTPS Request with endpoint.	PASSED	0.189 s
6	Then Admin receives 201 Created Status with response body.	PASSED	0.005 s


DETAILED SECTION -- 19 --

#### Check if admin able to retrieve all batches with valid LMS API

PASSED	DURATION - 0.614 s	0.6			·				Steps		
/ 2: 40:50 002 DA	A // 2:40:50 707 DM /				i				Total - 6		
7 3.40.50.093 PN	// // 3:40:50.707 PM /	0.4 -						+	Pass - 6		
Batch Module		0.2 -		i	. <del> </del>				Fail - 0	6	
							•		Skip - 0		
@GetAllBatches	;	0 -	1	2	3	4	5	6			

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.266 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates GET Request.	PASSED	0.001 s
5	When Admin sends "HTTPS Request" with endpoint.	PASSED	0.336 s
6	Then Admin receives 200 OK Status with response body.	PASSED	0.002 s

## Check if admin able to retrieve all batches with search string



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.272 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.011 s
4	Given Admin creates GET Request with search string.	PASSED	0.004 s
5	When Admin sends "HTTPS Request" with endpoint.	PASSED	0.181 s
6	Then Admin receives 200 Ok status with response body.	PASSED	0.001 s

### Check if admin able to update a Batch with valid batchID and mandatory fields in request body


PASSED DURATION - 0.454 s	0.6 -							Steps		
/ 3:40:51.203 PM // 3:40:51.657 PM /	٠							Total - 6		
7 0.40.31.200 F W 7 0.40.31.337 F W 7	0.4 -						+	Pass - 6		
Batch Module	0.2 -					<u></u> :		Fail - 0	6	
								Skip - 0		
@UpdateBatchValid	0 -				<del></del>					
		1	2	3	4	5	6			

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.251 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.003 s
4	Given Admin creates PUT Request with auth, valid BatchId and Update Valid Data.	PASSED	0.001 s
5	When Admin sends HTTPS Request with update endpoint.	PASSED	0.186 s
6	Then Admin receives 200 OK Status with updated value in response body.	PASSED	0.011 s

### **Check Post request of user controller module.**



#### Authorized admin is able to create a new user with valid url and request body with mandatory fields.




DETAILED SECTION -- 21 --

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.264 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Authorized Admin creates POST request with valid request body.	PASSED	0.004 s
5	When Authorized admin send valid post api request	PASSED	0.469 s
6	Then Authorized admin receive 201 status with response body	PASSED	0.008 s

## **Validating Get request for User API's**

FAILED	DURATION - 9.714 s	Scenarios Total - 15		Steps Total - 90	
/ 3:40:52.429 PN	M // 3:41:02.143 PM /	Pass - 11 Fail - 4	15	Pass - 86	90
		Skip - 0		Skip - 0	


## Admin is able to get count of active and in active admins



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.259 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getcountofactiveandinactive"	PASSED	0.162 s
6	Then Users receives 200 ok.	PASSED	0.000 s


## Admin is able to get all active users

DETAILED SECTION -- 22 --



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.252 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getallactiveusers"	PASSED	0.196 s
6	Then Users receives 200 ok.	PASSED	0.000 s

### Admin is able to assign update user role program batch




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.255 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Users creates request with valid response body UserRoleProgramBatch.	PASSED	0.039 s
5	When Users sends https put request with assignupdateuserroleprogrambatch	PASSED	0.171 s
6	Then users receives the 200 ok.	FAILED	0.007 s
	org.opentest4j.AssertionFailedError: expected: <200> but was: <400>		

DETAILED SECTION -- 23 --


#	Step / Hook Details	Status	Duration
	at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151)		
	at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132)		
	at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197)		
	at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182)		
	at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177)		
	at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:545)		
	at com.api.stepdefinition.UC_UpdateUser.admins_receives_ok(UC_UpdateUser.java:75)		
	at ?.users receives the 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/		
	resources/feature/06_UserController.feature:24)		
	* Not displayable characters are replaced by '?'.		

# Admin is able to get admin by program batchId



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.259 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with getadminbyprogrambatchId	PASSED	0.184 s
6	Then Users receives 200 ok.	PASSED	0.000 s


## Admin is able to get admin by programId



-- 24 --


#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.264 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.009 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with getadminbyprogramId	PASSED	0.174 s
6	Then Users receives 200 ok.	FAILED	0.001 s
	org.opentest4j.AssertionFailedError: expected: <200> but was: <404> at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177) at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:545) at com.api.stepdefinition.UC_GetUsers.user_receives_ok(UC_GetUsers.java:52) at ?.Users receives 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/06_UserController.feature:34) * Not displayable characters are replaced by '?'.		

### Admin is able to get admin by roleld




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.246 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getadminbyroleId"	PASSED	0.330 s
6	Then Users receives 200 ok.	PASSED	0.000 s

### Admin is able to get all users




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.253 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.011 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getallusers"	PASSED	0.717 s
6	Then Users receives 200 ok.	PASSED	0.000 s

### Admin is able to get all roles




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.267 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getallroles"	PASSED	0.195 s
6	Then Users receives 200 ok.	PASSED	0.001 s

### Admin is able to get user by userId




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.266 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getuserbyuserld"	PASSED	1.735 s
6	Then Users receives 200 ok.	PASSED	0.001 s

### Admin is able to get all users with roles




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.269 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getalluserswithroles"	PASSED	0.156 s
6	Then Users receives 200 ok.	PASSED	0.001 s

### Admin is able to get users by roleld V2




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.262 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getusersbyroleIdV2"	PASSED	0.783 s
6	Then Users receives 200 ok.	PASSED	0.002 s

### Admin is able to update user by userld




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.251 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Users creates request with valid response body "UpdateUser"	PASSED	0.001 s
5	When Users sends https put request with updateuser	PASSED	0.175 s
6	Then users receives the 200 ok.	PASSED	0.000 s

#### Admin is able to update user role status



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.273 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Users creates request with valid response body "UpdateUserRoleStatus"	PASSED	0.001 s
5	When Users sends https put request with updateuserrolestatus	PASSED	0.175 s
6	Then users receives the 200 ok.	PASSED	0.001 s


### Admin is able to update user login status



DETAILED SECTION -- 29 --

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.235 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates request with valid response body "UpdateUserLoginStatus"	PASSED	0.002 s
5	When Users sends https put request with updateuserloginstatus	PASSED	0.176 s
6	Then users receives the 200 ok.	FAILED	0.000 s
	org.opentest4j.AssertionFailedError: expected: <200> but was: <400> at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177) at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:545) at com.api.stepdefinition.UC_UpdateUser.admins_receives_ok(UC_UpdateUser.java:75) at ?.users receives the 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/06_UserController.feature:83) * Not displayable characters are replaced by '?'.		

# Admin is able to update user roleld



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.269 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates request with valid response body "UpdateUserRoleId"	PASSED	0.002 s
5	When Users sends https put request with updateuserroleId	PASSED	0.158 s
6	Then users receives the 200 ok.	FAILED	0.002 s

DETAILED SECTION -- 30 --

#	Step / Hook Details	Status	Duration
	org.opentest4j.AssertionFailedError: expected: <200> but was: <400>		
	at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151)		
	at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132)		
	at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197)		
	at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182)		
	at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177)		
	at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:545)		
	at com.api.stepdefinition.UC_UpdateUser.admins_receives_ok(UC_UpdateUser.java:75)		
	at ?.users receives the 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/		
	resources/feature/06_UserController.feature:89)		
	* Not displayable characters are replaced by '?'.		