


| Feature   |          | Scenario |    |   |   | Step |    |   |   |  |
|---|----------|----------|----|---|---|------|----|---|---|--|
| Name  | Duration | T        | P  | F | S | T    | P  | F | S |  |
| Validating user login                           | 0.936 s  | 1        | 1  | 0 | 0 | 3    | 3  | 0 | 0 |  |
| ProgramController Module Test with Invalid Data | 0.607 s  | 1        | 1  | 0 | 0 | 6    | 6  | 0 | 0 |  |
| ProgramController Module Test with Valid Data   | 2.641 s  | 5        | 5  | 0 | 0 | 30   | 30 | 0 | 0 |  |
| Batch Module                                    | 3.968 s  | 8        | 8  | 0 | 0 | 48   | 48 | 0 | 0 |  |
| Check Post request of user controller module.   | 0.783 s  | 1        | 1  | 0 | 0 | 6    | 6  | 0 | 0 |  |
| Validating Get request for User API's           | 8.697 s  | 15       | 11 | 4 | 0 | 90   | 84 | 4 | 2 |  |

FAIL & SKIP SCENARIOS -- 3 --

| # | Feature Name                          | Scenario Name  |
|---|---------------------------------------|--|
| 1 | Validating Get request for User API's | Admin is able to assign update user role program batch |
| 2 |                                       | Admin is able to get admin by programId                |
| 3 |                                       | Admin is able to update user login status              |
| 4 |                                       | Admin is able to update user roleId                    |


| TAG                        | Scenario |    |   |   | Feature |   |   |   |  |
|----------------------------|----------|----|---|---|---------|---|---|---|--|
| Name                       | T        | P  | F | S | T       | P | F | S |  |
| @login-Valid               | 1        | 1  | 0 | 0 | 1       | 1 | 0 | 0 |  |
| @login                     | 1        | 1  | 0 | 0 | 1       | 1 | 0 | 0 |  |
| @CreateNewBatch            | 1        | 1  | 0 | 0 | 1       | 1 | 0 | 0 |  |
| @GetBatchByBatchId         | 1        | 1  | 0 | 0 | 1       | 1 | 0 | 0 |  |
| @GetBatchbyBatchName       | 1        | 1  | 0 | 0 | 1       | 1 | 0 | 0 |  |
| @GetBatchByValidPgmId      | 1        | 1  | 0 | 0 | 1       | 1 | 0 | 0 |  |
| @CreateBatchMandatoryField | 1        | 1  | 0 | 0 | 1       | 1 | 0 | 0 |  |
| @GetAllBatches             | 1        | 1  | 0 | 0 | 1       | 1 | 0 | 0 |  |
| @GetAllBatchesSearchString | 1        | 1  | 0 | 0 | 1       | 1 | 0 | 0 |  |
| @UpdateBatchValid          | 1        | 1  | 0 | 0 | 1       | 1 | 0 | 0 |  |
| @01UserModule-PostValid    | 1        | 1  | 0 | 0 | 1       | 1 | 0 | 0 |  |
| @UserModule                | 1        | 1  | 0 | 0 | 1       | 1 | 0 | 0 |  |
| @user                      | 15       | 11 | 4 | 0 | 1       | 0 | 1 | 0 |  |
| @updateuser                | 5        | 2  | 3 | 0 | 1       | 0 | 1 | 0 |  |

FEATURES SUMMARY -- 5 --



| # | Feature Name                                    | T  | P  | F | S | Duration |
|---|---|----|----|---|---|----------|
| 1 | <u>Validating user login</u>                    | 1  | 1  | 0 | 0 | 0.936 s  |
| 2 | ProgramController Module Test with Invalid Data | 1  | 1  | 0 | 0 | 0.607 s  |
| 3 | ProgramController Module Test with Valid Data   | 5  | 5  | 0 | 0 | 2.641 s  |
| 4 | Batch Module                                    | 8  | 8  | 0 | 0 | 3.968 s  |
| 5 | Check Post request of user controller module.   | 1  | 1  | 0 | 0 | 0.783 s  |
| 6 | Validating Get request for User API's           | 15 | 11 | 4 | 0 | 8.697 s  |


SCENARIOS SUMMARY -- 6 --



| # | Feature Name                                    | Scenario Name   | T | P | F | S | Duration |
|---|---|---|---|---|---|---|----------|
| 1 | Validating user login                           | Check if user able to login with token and valid credential                                     | 3 | 3 | 0 | 0 | 0.935 s  |
| 2 | ProgramController Module Test with Invalid Data | Check if Admin able to create a program with valid endpoint and request body with Authorization | 6 | 6 | 0 | 0 | 0.607 s  |
| 3 | ProgramController Module Test with Valid Data   | Check if Admin able to retrieve all programs with valid<br>Endpoint                             | 6 | 6 | 0 | 0 | 0.589 s  |
| 4 |   | Check if Admin able to retrieve a program with valid program ID                                 | 6 | 6 | 0 | 0 | 0.433 s  |
| 5 |   | Check if Admin able to retrieve all programs with valid<br>Endpoint                             | 6 | 6 | 0 | 0 | 0.658 s  |
| 6 |   | Check if Admin able to update a program with Valid program Name and request body                | 6 | 6 | 0 | 0 | 0.427 s  |
| 7 |   | Check if Admin able to update a program with valid programID endpoint and valid request body    | 6 | 6 | 0 | 0 | 0.493 s  |

| # | Feature Name | Scenario Name   | T | P | F | S | Duration |
|---|--------------|---|---|---|---|---|----------|
| 8 | Batch Module | Check if admin able to create a Batch with valid endpoint | 6 | 6 | 0 | 0 | 0.468 s  |
|   |              | and request body  |   |   |   |   |          |


SCENARIOS SUMMARY -- 8 --




| #  | Feature Name                                  | Scenario Name  | T | P | F | S | Duration |
|----|---|--|---|---|---|---|----------|
| 9  | Batch Module                                  | Check if admin able to retrieve a batch with valid Batch ID  | 6 | 6 | 0 | 0 | 0.469 s  |
| 10 |   | Check if admin able to retrieve a batch with valid BATCH NAME  | 6 | 6 | 0 | 0 | 0.491 s  |
| 11 |   | Check if admin able to retrieve a batch with valid Program ID  | 6 | 6 | 0 | 0 | 0.443 s  |
| 12 |   | Check if admin able to create a batch with missing additional fields                                 | 6 | 6 | 0 | 0 | 0.490 s  |
| 13 |   | Check if admin able to retrieve all batches with valid LMS  API                                      | 6 | 6 | 0 | 0 | 0.626 s  |
| 14 |   | Check if admin able to retrieve all batches with search string                                       | 6 | 6 | 0 | 0 | 0.482 s  |
| 15 |   | Check if admin able to update a Batch with valid batchID and mandatory fields in request body        | 6 | 6 | 0 | 0 | 0.440 s  |
| 16 | Check Post request of user controller module. | Authorized admin is able to create a new user with valid url and request body with mandatory fields. | 6 | 6 | 0 | 0 | 0.783 s  |

|   | #  | Feature Name                          | Scenario Name   | T | P | F | S | Duration |
|---|----|---------------------------------------|---|---|---|---|---|----------|
| 2 | 17 | Validating Get request for User API's | Admin is able to get count of active and in active admins | 6 | 6 | 0 | 0 | 0.405 s  |

SCENARIOS SUMMARY -- 10 --



| #  | Feature Name                          | Scenario Name  | T | P | F | S | Duration |
|----|---------------------------------------|--|---|---|---|---|----------|
| 18 | Validating Get request for User API's | Admin is able to get all active users                  | 6 | 6 | 0 | 0 | 0.462 s  |
| 19 |                                       | Admin is able to assign update user role program batch | 6 | 3 | 1 | 2 | 0.275 s  |
| 20 |                                       | Admin is able to get admin by program batchId          | 6 | 6 | 0 | 0 | 0.433 s  |
| 21 |                                       | Admin is able to get admin by programId                | 6 | 5 | 1 | 0 | 0.453 s  |
| 22 |                                       | Admin is able to get admin by roleId                   | 6 | 6 | 0 | 0 | 0.593 s  |
| 23 |                                       | Admin is able to get all users                         | 6 | 6 | 0 | 0 | 0.994 s  |
| 24 |                                       | Admin is able to get all roles                         | 6 | 6 | 0 | 0 | 0.480 s  |
| 25 |                                       | Admin is able to get user by userId                    | 6 | 6 | 0 | 0 | 1.178 s  |
| 26 |                                       | Admin is able to get all users with roles              | 6 | 6 | 0 | 0 | 0.461 s  |
| 27 |                                       | Admin is able to get users by roleId V2                | 6 | 6 | 0 | 0 | 1.055 s  |




| #  | Feature Name                          | Scenario Name                             | T | P | F | S | Duration |
|----|---------------------------------------|---|---|---|---|---|----------|
| 28 | Validating Get request for User API's | Admin is able to update user by userId    | 6 | 6 | 0 | 0 | 0.462 s  |
| 29 |                                       | Admin is able to update user role status  | 6 | 6 | 0 | 0 | 0.451 s  |
| 30 |                                       | Admin is able to update user login status | 6 | 5 | 1 | 0 | 0.420 s  |
| 31 |                                       | Admin is able to update user roleId       | 6 | 5 | 1 | 0 | 0.432 s  |

DETAILED SECTION -- 12 --

#### Validating user login


| PASSED           | DURATION - 0.936 s  | Scenarios |   | Steps     |   |
|------------------|---------------------|-----------|---|-----------|---|
|                  |                     | Total - 1 |   | Total - 3 |   |
| / 3:49:01.453 PM | // 3:49:02.389 PM / | Pass - 1  | 1 | Pass - 3  | 3 |
|                  |                     | Fail - 0  | - | Fail - 0  |   |
|                  |                     | Skip - 0  |   | Skip - 0  |   |
|                  |                     |           |   |           |   |

# Check if user able to login with token and valid credential




| # | Step / Hook Details                                       | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials        | PASSED | 0.006 s  |
| 2 | When Admin calls Post Https method with valid endpoint    | PASSED | 0.918 s  |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.006 s  |

#### **ProgramController Module Test with Invalid Data**



Check if Admin able to create a program with valid endpoint and request body with Authorization




| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials              | PASSED | 0.001 s  |
| 2 | When Admin calls Post Https method with valid endpoint          | PASSED | 0.250 s  |
| 3 | Then Admin receives 200 created with auto generated token       | PASSED | 0.005 s  |
| 4 | Given Admins creates POST Request for the LMS with request body | PASSED | 0.004 s  |
| 5 | When Admins sends HTTPS Request and request Body with endpoint  | PASSED | 0.262 s  |
| 6 | Then Admins receives 201 Created Status with response body      | PASSED | 0.085 s  |

#### **ProgramController Module Test with Valid Data**


| DURATION - 2.641 s    | Scenarios          |                             | Steps                       |   |
|-----------------------|--------------------|-----------------------------|-----------------------------|---|
|                       | Total - 5          |                             | Total - 30                  |   |
| M // 3:49:05.682 PM / | Pass - 5           | 5                           | Pass - 30                   | 30  |
|                       | Fail - 0           |                             | Fail - 0                    |   |
|                       | Skip - 0           |                             | Skip - 0                    |   |
|                       | DURATION - 2.641 s | Total - 5 Pass - 5 Fall - 0 | Total - 5 Pass - 5 Fall - 0 | Total - 5 Pass - 5 Fall - 0  Steps  Total - 30 Pass - 30 Fall - 0 |

## **Check if Admin able to retrieve all programs with valid Endpoint**




| # | Step / Hook Details                                       | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials        | PASSED | 0.001 s  |
| 2 | When Admin calls Post Https method with valid endpoint    | PASSED | 0.254 s  |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.005 s  |
| 4 | Given Admins creates GET Request for the LMS API          | PASSED | 0.002 s  |
| 5 | When Admins sends HTTPS Request with endpoint             | PASSED | 0.325 s  |
| 6 | Then Admins receives 200 OK Status with response body.    | PASSED | 0.002 s  |

### Check if Admin able to retrieve a program with valid program ID




| # | Step / Hook Details                                       | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials        | PASSED | 0.001 s  |
| 2 | When Admin calls Post Https method with valid endpoint    | PASSED | 0.239 s  |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.005 s  |
| 4 | Given Admins create GET Request for LMS API               | PASSED | 0.001 s  |
| 5 | When Admins send HTTPS Request with the endpoint          | PASSED | 0.181 s  |
| 6 | Then Admins receives 200 OK Status with response body     | PASSED | 0.005 s  |

# **Check if Admin able to retrieve all programs with valid Endpoint**




| # | Step / Hook Details                                       | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials        | PASSED | 0.001 s  |
| 2 | When Admin calls Post Https method with valid endpoint    | PASSED | 0.256 s  |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s  |
| 4 | Given Admins create the GET Request for LMS API           | PASSED | 0.001 s  |
| 5 | When Admins sends the HTTPS Request with endpoint         | PASSED | 0.393 s  |
| 6 | Then Admins receive 200 OK Status with the response body  | PASSED | 0.000 s  |

#### Check if Admin able to update a program with Valid program Name and request body



| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials   | PASSED | 0.000 s  |
| 2 | When Admin calls Post Https method with valid endpoint   | PASSED | 0.237 s  |
| 3 | Then Admin receives 200 created with auto generated token  | PASSED | 0.003 s  |
| 4 | Given Admins creates PUT Request for the LMS API endpoint with the valid request Body with mandatory, additional fields. | PASSED | 0.002 s  |
| 5 | When Admins sends HTTPS Request with the valid endpoint  | PASSED | 0.174 s  |
| 6 | Then Admins receives 200 OK Status with updated value in response body.  | PASSED | 0.005 s  |


#### Check if Admin able to update a program with valid programID endpoint and valid request body




DETAILED SECTION -- 16 --

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials   | PASSED | 0.001 s  |
| 2 | When Admin calls Post Https method with valid endpoint   | PASSED | 0.270 s  |
| 3 | Then Admin receives 200 created with auto generated token  | PASSED | 0.007 s  |
| 4 | Given Admins creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields | PASSED | 0.001 s  |
| 5 | When Admins sends HTTPS Request with valid endpoint  | PASSED | 0.208 s  |
| 6 | Then Admins receives 200 OK Status with updated value in response body   | PASSED | 0.005 s  |

#### **Batch Module**




## Check if admin able to create a Batch with valid endpoint and request body




| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials  | PASSED | 0.001 s  |
| 2 | When Admin calls Post Https method with valid endpoint  | PASSED | 0.266 s  |
| 3 | Then Admin receives 200 created with auto generated token   | PASSED | 0.006 s  |
| 4 | Given User creates request for the LMS API endpoint "Create New Batch".                             | PASSED | 0.002 s  |
| 5 | When User sends HTTPS post request for batch and request body with mandatory and additional fields. | PASSED | 0.177 s  |
| 6 | Then User receives 201 created status for batch.  | PASSED | 0.015 s  |

DETAILED SECTION -- 17 --



| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials              | PASSED | 0.000 s  |
| 2 | When Admin calls Post Https method with valid endpoint          | PASSED | 0.269 s  |
| 3 | Then Admin receives 200 created with auto generated token       | PASSED | 0.011 s  |
| 4 | Given Admin creates GET Request with valid Batch ID.            | PASSED | 0.001 s  |
| 5 | When Admin sends HTTPS get Request with endpoint.               | PASSED | 0.182 s  |
| 6 | Then Admin receives 200 OK Status with response body for batch. | PASSED | 0.005 s  |


#### Check if admin able to retrieve a batch with valid BATCH NAME



| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials                  | PASSED | 0.001 s  |
| 2 | When Admin calls Post Https method with valid endpoint              | PASSED | 0.278 s  |
| 3 | Then Admin receives 200 created with auto generated token           | PASSED | 0.008 s  |
| 4 | Given Admin creates GET Request with valid Batch Name.              | PASSED | 0.001 s  |
| 5 | When Admin sends HTTPS Request with endpoint batchName.             | PASSED | 0.185 s  |
| 6 | Then Admin receives 200 OK Status with the response body for batch. | PASSED | 0.015 s  |


DETAILED SECTION -- 18 --

### Check if admin able to retrieve a batch with valid Program ID



| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials              | PASSED | 0.001 s  |
| 2 | When Admin calls Post Https method with valid endpoint          | PASSED | 0.257 s  |
| 3 | Then Admin receives 200 created with auto generated token       | PASSED | 0.006 s  |
| 4 | Given Admin creates GET Request with the program id.            | PASSED | 0.001 s  |
| 5 | When Admin sends HTTPS Request with the endpoint for programId. | PASSED | 0.174 s  |
| 6 | Then Admin receives 200 OK Status with response body.           | PASSED | 0.002 s  |

### Check if admin able to create a batch with missing additional fields



| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials  | PASSED | 0.000 s  |
| 2 | When Admin calls Post Https method with valid endpoint  | PASSED | 0.289 s  |
| 3 | Then Admin receives 200 created with auto generated token                                       | PASSED | 0.007 s  |
| 4 | Given Admin creates POST Request with missing additional fields Create New Batch Missing Field. | PASSED | 0.001 s  |
| 5 | When Admin sends HTTPS Request with endpoint.   | PASSED | 0.184 s  |
| 6 | Then Admin receives 201 Created Status with response body.                                      | PASSED | 0.006 s  |


DETAILED SECTION -- 19 --

#### Check if admin able to retrieve all batches with valid LMS API

| PASSED DURATION - 0.626 s               | 0.6 - |   |          | <del>-</del> |             |   |     | Steps     |   |   | ] |
|---|-------|---|----------|--------------|-------------|---|-----|-----------|---|---|---|
| / 3:49:08.086 PM // 3:49:08.712 PM /    | ١     |   |          |              |             |   | -   | Total - 6 |   |   |   |
| 7 0.43.00.000 1 1017 0.43.00.112 1 1017 | 0.4 - |   |          |              | -           |   | - + | Pass - 6  |   |   |   |
| Batch Module                            | 0.2   |   |          |              | -!          |   |     | Fail - 0  | 6 |   |   |
|   |       |   |          |              |             |   |     | Skip - 0  |   | 4 |   |
| @GetAllBatches                          | 0 -   |   | <u> </u> | <del></del>  | <del></del> |   |     |           |   |   |   |
|   |       | 1 | 2        | 3            | 4           | 5 | 6   |           |   |   |   |

| # | Step / Hook Details                                       | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials        | PASSED | 0.000 s  |
| 2 | When Admin calls Post Https method with valid endpoint    | PASSED | 0.261 s  |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s  |
| 4 | Given Admin creates GET Request.                          | PASSED | 0.001 s  |
| 5 | When Admin sends "HTTPS Request" with endpoint.           | PASSED | 0.353 s  |
| 6 | Then Admin receives 200 OK Status with response body.     | PASSED | 0.002 s  |

## Check if admin able to retrieve all batches with search string



| # | Step / Hook Details                                       | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials        | PASSED | 0.001 s  |
| 2 | When Admin calls Post Https method with valid endpoint    | PASSED | 0.275 s  |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.008 s  |
| 4 | Given Admin creates GET Request with search string.       | PASSED | 0.003 s  |
| 5 | When Admin sends "HTTPS Request" with endpoint.           | PASSED | 0.191 s  |
| 6 | Then Admin receives 200 Ok status with response body.     | PASSED | 0.001 s  |

#### Check if admin able to update a Batch with valid batchID and mandatory fields in request body


| PASSED DURATION - 0.440 s            | 0.6 |   |     |     |          |   | Steps     |   |
|--------------------------------------|-----|---|-----|-----|----------|---|-----------|---|
| / 3:49:09.220 PM // 3:49:09.660 PM / |     |   |     |     |          |   | Total - 6 |   |
| 7 3.43.03.220 FW // 3.43.03.000 FW/  | 0.4 |   |     |     |          |   | Pass - 6  |   |
| Batch Module                         | 0.2 |   |     |     | <u>-</u> |   | Fail - 0  | 6 |
|                                      |     |   |     |     |          |   | Skip - 0  |   |
| @UpdateBatchValid                    | 0 - | 1 | 1 1 | 1   |          |   |           |   |
|                                      |     | 1 | 2 3 | . 4 | , ,      | 6 |           |   |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials                              | PASSED | 0.001 s  |
| 2 | When Admin calls Post Https method with valid endpoint                          | PASSED | 0.254 s  |
| 3 | Then Admin receives 200 created with auto generated token                       | PASSED | 0.005 s  |
| 4 | Given Admin creates PUT Request with auth, valid BatchId and Update Valid Data. | PASSED | 0.001 s  |
| 5 | When Admin sends HTTPS Request with update endpoint.                            | PASSED | 0.159 s  |
| 6 | Then Admin receives 200 OK Status with updated value in response body.          | PASSED | 0.019 s  |

#### **Check Post request of user controller module.**

| DURATION - 0.783 s  | Scenarios                              |                             | Steps                       |  |
|---------------------|--|-----------------------------|-----------------------------|--|
|                     | Total - 1                              |                             | Total - 6                   |  |
| // 3:49:10.451 PM / | Pass - 1                               | 1                           | Pass - 6                    | 6  |
|                     | Fail - 0                               | - /                         | Fail - 0                    |  |
|                     | Skip - 0                               |                             | Skip - 0                    |  |
|                     | DURATION - 0.783 s // 3:49:10.451 PM / | Total - 1 Pass - 1 Fail - 0 | Total - 1 Pass - 1 Fail - 0 | Total - 1 Pass - 1 Fall - 0  Secritarios Total - 1 Pass - 6 Fall - 0 |


#### Authorized admin is able to create a new user with valid url and request body with mandatory fields.




DETAILED SECTION -- 21 --

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials                   | PASSED | 0.001 s  |
| 2 | When Admin calls Post Https method with valid endpoint               | PASSED | 0.267 s  |
| 3 | Then Admin receives 200 created with auto generated token            | PASSED | 0.008 s  |
| 4 | Given Authorized Admin creates POST request with valid request body. | PASSED | 0.004 s  |
| 5 | When Authorized admin send valid post api request                    | PASSED | 0.495 s  |
| 6 | Then Authorized admin receive 201 status with response body          | PASSED | 0.007 s  |

#### **Validating Get request for User API's**




#### Admin is able to get count of active and in active admins



| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials                | PASSED | 0.000 s  |
| 2 | When Admin calls Post Https method with valid endpoint            | PASSED | 0.233 s  |
| 3 | Then Admin receives 200 created with auto generated token         | PASSED | 0.008 s  |
| 4 | Given Users creates Get user request                              | PASSED | 0.000 s  |
| 5 | When Users sends https request with "getcountofactiveandinactive" | PASSED | 0.162 s  |
| 6 | Then Users receives 200 ok.                                       | PASSED | 0.000 s  |


## Admin is able to get all active users

DETAILED SECTION -- 22 --



| # | Step / Hook Details                                       | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials        | PASSED | 0.001 s  |
| 2 | When Admin calls Post Https method with valid endpoint    | PASSED | 0.262 s  |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.008 s  |
| 4 | Given Users creates Get user request                      | PASSED | 0.001 s  |
| 5 | When Users sends https request with "getallactiveusers"   | PASSED | 0.188 s  |
| 6 | Then Users receives 200 ok.                               | PASSED | 0.000 s  |


#### Admin is able to assign update user role program batch



| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials   | PASSED | 0.001 s  |
| 2 | When Admin calls Post Https method with valid endpoint   | PASSED | 0.259 s  |
| 3 | Then Admin receives 200 created with auto generated token  | PASSED | 0.008 s  |
| 4 | Given Users creates request with valid response body UserRoleProgramBatch.   | FAILED | 0.006 s  |
|   | java.lang.NullPointerException: Cannot invoke "org.json.JSONObject.toString()" because "this.data" is null at com.api.stepdefinition.UC_UpdateUser.users_creates_request_with_valid_response_body_user_role_program_batch(UC_UpdateUser.java:63) at ?.Users creates request with valid response body UserRoleProgramBatch.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/ |        |          |


| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
|   | Team03_APIAutomators_March2024/src/test/resources/feature/06_UserController.feature:22) * Not displayable characters are replaced by '?'. |         |          |
| 5 | When Users sends https put request with assignupdateuserroleprogrambatch  | SKIPPED | 0.001 s  |
| 6 | Then users receives the 200 ok.   | SKIPPED | 0.000 s  |

#### Admin is able to get admin by program batchId



| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials           | PASSED | 0.000 s  |
| 2 | When Admin calls Post Https method with valid endpoint       | PASSED | 0.248 s  |
| 3 | Then Admin receives 200 created with auto generated token    | PASSED | 0.003 s  |
| 4 | Given Users creates Get user request                         | PASSED | 0.000 s  |
| 5 | When Users sends https request with getadminbyprogrambatchId | PASSED | 0.180 s  |
| 6 | Then Users receives 200 ok.                                  | PASSED | 0.001 s  |


#### Admin is able to get admin by programId



DETAILED SECTION -- 24 --

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials   | PASSED | 0.000 s  |
| 2 | When Admin calls Post Https method with valid endpoint   | PASSED | 0.261 s  |
| 3 | Then Admin receives 200 created with auto generated token  | PASSED | 0.008 s  |
| 4 | Given Users creates Get user request   | PASSED | 0.002 s  |
| 5 | When Users sends https request with getadminbyprogramId  | PASSED | 0.177 s  |
| 6 | Then Users receives 200 ok.  | FAILED | 0.004 s  |
|   | org.opentest4j.AssertionFailedError: expected: <200> but was: <404> at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177) at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:545) at com.api.stepdefinition.UC_GetUsers.user_receives_ok(UC_GetUsers.java:52) at ?.Users receives 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/06_UserController.feature:34) * Not displayable characters are replaced by '?'. |        |          |

# Admin is able to get admin by roleld



| # | Step / Hook Details                                       | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials        | PASSED | 0.000 s  |
| 2 | When Admin calls Post Https method with valid endpoint    | PASSED | 0.258 s  |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.008 s  |
| 4 | Given Users creates Get user request                      | PASSED | 0.001 s  |
| 5 | When Users sends https request with "getadminbyroleId"    | PASSED | 0.321 s  |
| 6 | Then Users receives 200 ok.                               | PASSED | 0.001 s  |


DETAILED SECTION -- 25 --

## Admin is able to get all users

| PASSED            | DURATION - 0.994 s    | 1 7   |   |          | ! |   |         | : | Steps     |   |   |
|-------------------|-----------------------|-------|---|----------|---|---|---------|---|-----------|---|---|
|                   |                       | 0.8   |   |          |   |   | <u></u> |   | Total - 6 |   |   |
| / 3:49:13.146 PM  | /// 3:49:14.140 PM /  | 0.6   |   |          |   |   |         |   | Pass - 6  |   |   |
| Validating Get re | quest for User API's  | 0.4 - |   | -        |   |   |         |   | Fail - 0  | 6 |   |
| Vandating Oct 10  | quest 101 03c1 711 73 | 0.2 - |   |          |   |   |         |   | Skip - 0  |   | , |
| @user             |                       | 0 -   |   | <u> </u> |   |   |         |   |           |   | ' |
|                   |                       |       | 1 | 2        | 3 | 4 | 5       | 6 |           |   |   |

| # | Step / Hook Details                                       | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials        | PASSED | 0.000 s  |
| 2 | When Admin calls Post Https method with valid endpoint    | PASSED | 0.262 s  |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.008 s  |
| 4 | Given Users creates Get user request                      | PASSED | 0.001 s  |
| 5 | When Users sends https request with "getallusers"         | PASSED | 0.718 s  |
| 6 | Then Users receives 200 ok.                               | PASSED | 0.001 s  |

## Admin is able to get all roles



| # | Step / Hook Details                                       | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials        | PASSED | 0.001 s  |
| 2 | When Admin calls Post Https method with valid endpoint    | PASSED | 0.276 s  |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.008 s  |
| 4 | Given Users creates Get user request                      | PASSED | 0.001 s  |
| 5 | When Users sends https request with "getallroles"         | PASSED | 0.191 s  |
| 6 | Then Users receives 200 ok.                               | PASSED | 0.001 s  |


DETAILED SECTION -- 26 --

# Admin is able to get user by userId

| PASSED [           | DURATION - 1.178 s                    | 1 7   |   |   |   |   |   |   | Steps     |   |          |
|--------------------|---------------------------------------|-------|---|---|---|---|---|---|-----------|---|----------|
|                    |                                       | 0.8   |   |   |   |   |   |   | Total - 6 |   |          |
| / 3:49:14.648 PM / | // 3:49:15.826 PM /                   | 0.6   |   | - |   |   |   |   | Pass - 6  |   |          |
| Validating Get reg | Validating Get request for User API's |       |   | - |   |   |   |   | Fail - 0  | 6 |          |
| Vandating Servey   | Jacob 101 C3C1 7 W 13                 | 0.2 - |   |   |   |   |   |   | Skip - 0  |   |          |
| @user              |                                       | 0 -   |   |   |   |   |   |   |           |   | <b>'</b> |
|                    |                                       |       | 1 | 2 | 3 | 4 | 5 | 6 |           |   |          |

| # | Step / Hook Details                                       | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials        | PASSED | 0.000 s  |
| 2 | When Admin calls Post Https method with valid endpoint    | PASSED | 0.266 s  |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.008 s  |
| 4 | Given Users creates Get user request                      | PASSED | 0.001 s  |
| 5 | When Users sends https request with "getuserbyuserld"     | PASSED | 0.900 s  |
| 6 | Then Users receives 200 ok.                               | PASSED | 0.001 s  |

## Admin is able to get all users with roles



| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials         | PASSED | 0.001 s  |
| 2 | When Admin calls Post Https method with valid endpoint     | PASSED | 0.276 s  |
| 3 | Then Admin receives 200 created with auto generated token  | PASSED | 0.008 s  |
| 4 | Given Users creates Get user request                       | PASSED | 0.001 s  |
| 5 | When Users sends https request with "getalluserswithroles" | PASSED | 0.173 s  |
| 6 | Then Users receives 200 ok.                                | PASSED | 0.001 s  |


DETAILED SECTION -- 27 --

## Admin is able to get users by roleld V2

| PASSED DURATION               | - 1.055 s                             | 1 7   | : |   | ! | ! |   |   | Steps     |   |  |
|-------------------------------|---------------------------------------|-------|---|---|---|---|---|---|-----------|---|--|
|                               |                                       | 0.8 - |   |   |   |   |   |   | Total - 6 |   |  |
| / 3:49:16.304 PM // 3:49:17.3 | 859 PM /                              | 0.6   |   | - | ÷ |   |   |   | Pass - 6  |   |  |
| Validating Get request for Us | Validating Get request for User API's |       |   |   |   | - |   |   |           | 6 |  |
| Validating Get request for Os | CIAI13                                | 0.2 - |   |   | ļ |   |   |   | Skip - 0  |   |  |
| @user                         |                                       | 0 -   |   |   |   |   |   |   |           |   |  |
| _                             |                                       |       | 1 | 2 | 3 | 4 | 5 | 5 |           |   |  |

| # | Step / Hook Details                                       | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials        | PASSED | 0.001 s  |
| 2 | When Admin calls Post Https method with valid endpoint    | PASSED | 0.291 s  |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s  |
| 4 | Given Users creates Get user request                      | PASSED | 0.001 s  |
| 5 | When Users sends https request with "getusersbyroleIdV2"  | PASSED | 0.754 s  |
| 6 | Then Users receives 200 ok.                               | PASSED | 0.000 s  |

### Admin is able to update user by userId



| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials                | PASSED | 0.000 s  |
| 2 | When Admin calls Post Https method with valid endpoint            | PASSED | 0.267 s  |
| 3 | Then Admin receives 200 created with auto generated token         | PASSED | 0.008 s  |
| 4 | Given Users creates request with valid response body "UpdateUser" | PASSED | 0.003 s  |
| 5 | When Users sends https put request with updateuser                | PASSED | 0.181 s  |
| 6 | Then users receives the 200 ok.                                   | PASSED | 0.000 s  |


DETAILED SECTION -- 28 --

## Admin is able to update user role status

| PASSED DU             | RATION - 0.451 s   | 0.6   |   |   | ÷           | - |   |   | Steps     |   |  |
|-----------------------|--------------------|-------|---|---|-------------|---|---|---|-----------|---|--|
| / 3:49:17.839 PM // 3 | 2:40:10 200 DM /   |       |   |   |             |   |   |   | Total - 6 |   |  |
| 7 3.49.17.039 PW // 3 | 5.49.16.290 PM /   | 0.4 - |   |   | · ·         | - |   |   | Pass - 6  |   |  |
| Validating Get reque  | est for User API's | 0.2 - |   |   | <u> </u>    |   | L |   |           | 6 |  |
| 3 2 2 2 4 2           |                    | 0.2   |   |   |             |   |   |   | Skip - 0  |   |  |
| @updateuser @use      | r                  | 0 -   | ' |   | <del></del> |   |   |   |           |   |  |
| gapaatedoer grade     | '                  |       | 1 | 2 | 3           | 4 | 5 | 5 |           |   |  |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials                          | PASSED | 0.000 s  |
| 2 | When Admin calls Post Https method with valid endpoint                      | PASSED | 0.277 s  |
| 3 | Then Admin receives 200 created with auto generated token                   | PASSED | 0.005 s  |
| 4 | Given Users creates request with valid response body "UpdateUserRoleStatus" | PASSED | 0.001 s  |
| 5 | When Users sends https put request with updateuserrolestatus                | PASSED | 0.168 s  |
| 6 | Then users receives the 200 ok.   | PASSED | 0.000 s  |

### Admin is able to update user login status




| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials                           | PASSED | 0.000 s  |
| 2 | When Admin calls Post Https method with valid endpoint                       | PASSED | 0.237 s  |
| 3 | Then Admin receives 200 created with auto generated token                    | PASSED | 0.003 s  |
| 4 | Given Users creates request with valid response body "UpdateUserLoginStatus" | PASSED | 0.000 s  |
| 5 | When Users sends https put request with updateuserloginstatus                | PASSED | 0.173 s  |
| 6 | Then users receives the 200 ok.  | FAILED | 0.002 s  |

DETAILED SECTION -- 29 --

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | org.opentest4j.AssertionFailedError: expected: <200> but was: <400>   |        |          |
|   | at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151)  |        |          |
|   | at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132)                                |        |          |
|   | at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197)   |        |          |
|   | at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182)   |        |          |
|   | at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177)   |        |          |
|   | at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:545)   |        |          |
|   | at com.api.stepdefinition.UC_UpdateUser.admins_receives_ok(UC_UpdateUser.java:86)   |        |          |
|   | at ?.users receives the 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/ |        |          |
|   | resources/feature/06_UserController.feature:83)   |        |          |
|   | * Not displayable characters are replaced by '?'.   |        |          |

## Admin is able to update user roleld



| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials  | PASSED | 0.000 s  |
| 2 | When Admin calls Post Https method with valid endpoint  | PASSED | 0.239 s  |
| 3 | Then Admin receives 200 created with auto generated token   | PASSED | 0.005 s  |
| 4 | Given Users creates request with valid response body "UpdateUserRoleId"   | PASSED | 0.002 s  |
| 5 | When Users sends https put request with updateuserroleId  | PASSED | 0.184 s  |
| 6 | Then users receives the 200 ok.   | FAILED | 0.001 s  |
|   | org.opentest4j.AssertionFailedError: expected: <200> but was: <400> at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177) at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:545) at com.api.stepdefinition.UC_UpdateUser.admins_receives_ok(UC_UpdateUser.java:86) |        |          |

DETAILED SECTION -- 30 --

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | at ?.users receives the 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/06_UserController.feature:89)  * Not displayable characters are replaced by '?'. |        |          |