



USER GUIDE

FLIP Platform Console

Every console flow, step by step — from onboarding an organization to offboarding it — with screenshots and answers to common questions.

1 Get started

2 Plans & apps

3 Onboard

4 Activate

5 Manage

6 Roles & users

7 Renew & remind

8 Offboard

9 Govern

Contents

1 · GET STARTED

Find your way around the console Super admin & Sales

2 · PLANS & APPS

Create a subscription plan Super admin

Add a new application and its migration details Super admin

3 · ONBOARD

Onboard a new organization Super admin

4 · ACTIVATE

Activate the organization's URL Super admin

5 · MANAGE

Edit an organization, change or extend its plan Super admin

Manage subscriptions Super admin & Sales

Set application access and limits Super admin

Check usage and reset counters Super admin

See what an organization processed Super admin & Sales

6 · ROLES & USERS

Create custom roles Super admin

Add, edit and remove users Super admin

7 · RENEW & REMIND

Send and schedule expiry reminders Super admin & Sales

8 · OFFBOARD

Offboard an organization Super admin

9 · GOVERN

Review the audit log Super admin

Manage console users Super admin

QUESTIONS

Frequently asked questions 32 answers

STAGE 1 · GET STARTED

Find your way around the console

The FLIP Platform console is where Kanerika runs every customer organization. These guides follow one example from start to finish: Kanerika Software Pvt Ltd, from building its plan and onboarding it, through roles, users, usage and renewals, to offboarding it.

Where: Overview

Who: Super admin & Sales


3 steps

1 Customer Insights

The first page after sign-in. It shows how the customer base is doing and what needs attention next.

DO THIS

1. Click Overview in the left menu.
2. Pick a date range (for example Last 6 months) and what it applies to: onboarding date, subscription start or subscription end.
3. Read the tiles under "Your business at a glance": total, paid and trial organizations, active subscriptions, renewals due in 30 days, expired, unsubscribed and reactivated.
4. Click any tile to see the organizations behind the number.
5. Use "Renewals & follow-ups" for the next best action: renewals due, trials to follow up, and organizations to win back.
6. Click Export report to download the numbers.



Customer Insights — metrics, filters and the follow-up list.

2 Organizations list

Every customer, with its web address, plans, status and onboarding date.

DO THIS

1. Click Organizations in the left menu.
2. Type a name or domain in the search box — for example "Kanerika".
3. Narrow the list with the status and plan filters, or the quick chips: expiring in 7 days, expiring in 30 days, paid only, and ready for URL activation.
4. Click a row to open that organization.
5. Click Onboard organization to add a new customer, or Export CSV to download the list.

The screenshot shows the 'Organizations' page in the FLIP Platform Console. The left sidebar contains a navigation menu with sections: Platform console (LOCAL), WORKSPACE (Overview, Organizations, Applications, Subscription Plans), OPERATIONS (Notifications, Offboarding, Audit log, Console users), and SUPPORT (Help). The 'Organizations' section is active. The main content area has a header 'ALL TENANTS Organizations' with '2 of 57 organizations'. Below the header are filters: a search bar with 'Kanerika', dropdowns for 'Any status', 'Any plan', and 'Newest onboarded', and quick chips for 'Expiring ≤7d', 'Expiring ≤30d', 'Paid only', and 'Needs URL activation'. A table lists the organizations:

ORGANIZATION	DOMAIN	PLANS	PRIMARY STATUS	ONBOARDED	END DATE
K Kanerika Software Pvt Ltd	kankerikademo.sit.flipnow.cloud Not activated	Kanerika Enterprise Suite	ACTIVE	Oct 1, 2026	Sep 30, 2027
K Kanerika Software Pvt. Ltd.	kspinev1.sit.flipnow.cloud Released	Cognos Migration Test	SUSPENDED	Sep 13, 2026	Sep 12, 2027

Searching for Kanerika.

3 Menu, environment badge and your account

The left menu is grouped into Workspace, Operations and Support.

DO THIS

1. The badge under "Platform console" shows the environment you are in (LOCAL, DEV or SIT). There is no badge in production.
2. Click your name at the bottom of the menu to see your role and to sign out. Click anywhere else, or press Esc, to close it.
3. Click the ☰ button at the top to collapse or expand the menu.

Note: Sales users see Overview, Organizations (including each organization's Processing insights), Notifications and Help. Applications, Subscription Plans, Offboarding, Audit log and Console users are for Super admins only.

STAGE 2 · PLANS & APPS

Create a subscription plan

A plan decides which applications an organization gets and how much it may use them. In the example we build "Kanerika Enterprise Suite", which switches on every application and caps Admin Console usage.

Where: Subscription Plans

Who: Super admin


6 steps

1 Open Subscription Plans

Every plan is listed as a card: type (Default or Custom), status, key, primary application, number of applications and organizations, and billing mode.

DO THIS

1. Click Subscription Plans in the left menu.
2. Search by name, or filter by type. Switch between card and list view with the buttons on the right.
3. Click Create custom plan.



2 Step 1 · Details

Name the plan and say how it is billed.

DO THIS

1. Fill in the fields.
2. Click Next.

WHAT TO FILL IN

Display name	The name everyone sees on subscriptions and usage screens — "Kanerika Enterprise Suite".
Plan key	Filled in for you from the display name (KANERIKA_ENTERPRISE_SUITE). It is the permanent ID of the plan and cannot be changed later.
Description	Who the plan is for and what it includes.
Billing mode	How the plan is billed, for example Prepaid.

MANAGE PLANS

Create custom plan

Toggle applications on, then set design-time and runtime limits per application.

1 Details — 2 Applications — 3 Limits & scopes — 4 Review

Display name

Kanerika Enterprise Suite

What everyone sees — in the console, on subscriptions and in usage screens. Write it the way you would say it.

Plan key

KANERIKA_ENTERPRISE_SUITE

The unique key the platform resolves this plan by. It cannot be changed later.

Description

Every FLIP application for Kanerika Software, with design-time and runtime allowances.

Billing mode

Prepaid

Cancel Next


3 Step 2 · Applications

Choose which applications the plan includes.

DO THIS

1. Set each application to Enabled, Disabled or Hidden. To switch everything on at once, click Enabled next to "Set all visible".
2. Enabling a sub-application turns its parent on automatically. Use Expand all to see sub-applications.
3. Choose the Primary application — the accelerator the plan is billed against (Admin Console in the example).
4. Click Next.

What you'll see: The counter shows how many top-level applications are enabled — "11 of 11 enabled" in the example, 64 applications in total.



4 Step 3 · Limits & scopes

Every enabled application starts with unlimited design-time and runtime use. Cap only what the plan should limit.

DO THIS

- 1. Find the application — for example Admin Console.
- 2. Click "Set a limit" under Design-time and type the number (500). Do the same under Runtime (200).
- 3. Click × next to a number to make it unlimited again.
- 4. Click Next.

WHAT TO FILL IN

Design-time	How much the organization can build or configure in the application.
Runtime	How much the organization can run. Leave both as ∞ for no limit.

Platform console

LOCAL

WORKSPACE

- Overview
- Organizations
- Applications
- Subscription Plans**

OPERATIONS

- Notifications
- Offboarding
- Audit log
- Console users

SUPPORT

- Help

Jordan Ellis
Super Admin

Find an application... 11 of 11 enabled Expand all Collapse all

APPLICATION	ACCESS	DESIGN-TIME	RUNTIME
> Admin Console 2	ENABLED	500 x	200 x
AI	ENABLED	∞ Unlimited SET A LIMIT	∞ Unlimited SET A LIMIT
AI Workbench	ENABLED	∞ Unlimited SET A LIMIT	∞ Unlimited SET A LIMIT
Dashboard	ENABLED	∞ Unlimited SET A LIMIT	∞ Unlimited SET A LIMIT
KPI Handbook	ENABLED	∞ Unlimited SET A LIMIT	∞ Unlimited SET A LIMIT
> Monitor 1	ENABLED	∞ Unlimited SET A LIMIT	∞ Unlimited SET A LIMIT
PHI	ENABLED	∞ Unlimited SET A LIMIT	∞ Unlimited SET A LIMIT
> Pipelines 46	ENABLED	∞ Unlimited SET A LIMIT	∞ Unlimited SET A LIMIT
> Settings 4	ENABLED	∞ Unlimited SET A LIMIT	∞ Unlimited SET A LIMIT
Alteryx to Fabric (Premigration)	ENABLED	∞ Unlimited SET A LIMIT	∞ Unlimited SET A LIMIT
Crystal Reports to Dev Express Premigration	ENABLED	∞ Unlimited SET A LIMIT	∞ Unlimited SET A LIMIT

Unlimited has no usage cap. An allowance of 0 prevents usage. Only enabled applications can be capped.

Cancel Back Next


5 Step 4 · Review and create

Check the plan before saving it.

DO THIS

1. Check the name, key, billing mode, number of applications and every limit.
2. Click Back to change anything, or Create plan to save.

What you'll see: The plan page opens with the message "Plan 'Kanerika Enterprise Suite' created".



6 Manage the plan

The plan page shows its details, every application with its allowances, and the organizations using it.

DO THIS

1. Assign to organization — give an existing organization this plan.
2. Edit — change applications and limits.
3. Clone — start a new plan from this one.
4. Archive or Reactivate — stop or resume offering the plan.
5. Delete — only possible while no organization uses the plan.

FLIP

Platform console

LOCAL

WORKSPACE

Overview

Organizations

Applications

Subscription Plans

OPERATIONS

Notifications

Offboarding

Audit log

Console users

SUPPORT

Help

Jordan Ellis
Super Admin

APPLICATION	ACCESS	DESIGN-TIME	RUNTIME
> Admin Console 2	ENABLED	500	200
AI	ENABLED	∞ Unlimited	∞ Unlimited
AI Workbench	ENABLED	∞ Unlimited	∞ Unlimited
Dashboard	ENABLED	∞ Unlimited	∞ Unlimited
KPI Handbook	ENABLED	∞ Unlimited	∞ Unlimited
> Monitor 1	ENABLED	∞ Unlimited	∞ Unlimited
PHI	ENABLED	∞ Unlimited	∞ Unlimited
> Pipelines 46	ENABLED	∞ Unlimited	∞ Unlimited
> Settings 4	ENABLED	∞ Unlimited	∞ Unlimited
Alteryx to Fabric (Premigration)	ENABLED	∞ Unlimited	∞ Unlimited
Crystal Reports to Dev Express Premigration	ENABLED	∞ Unlimited	∞ Unlimited

Organizations on this plan

No organizations are on this plan.

Tip: Build the plan before onboarding. The onboarding wizard can also create one on the spot with "+ New plan".

Note: A plan keeps a row for every application in the catalog. Disabled applications are not part of the plan; Enabled and Hidden ones are.

STAGE 2 · PLANS & APPS

Add a new application and its migration details

New applications go into the catalog first. A migration application also needs its migration details, and then it is added to plans. In the example we add "Talend to Databricks" under Migration and put it on Kanerika Enterprise Suite.

Where: Applications

Who: Super admin

6 steps

1 Open the catalog

The catalog is a tree of applications and their sub-applications, with their machine names, scopes and how many organizations and plans use each one.

DO THIS

1. Click Applications in the left menu.
2. Search by name, or use Expand all to see the whole tree.
3. Row buttons, left to right: add a sub-application, choose subscription plans, migration details (migration apps only), edit, delete.
4. Click New application.

PLATFORM CATALOG

Applications

64 applications available to build plans from

Refresh + New application

This is the catalog of applications the platform knows about. An application reaches organizations through the **subscription plans** that include it – use on a row to add it to plans or remove it, and set its design-time and runtime limits under **Plans**. The scopes you give it here are the permissions those plans' roles grant. Once an organization is using an application it is locked: its scopes are what live users' permissions are computed from, so editing and deleting are both disabled until it is removed from their plans.

Search by name...

11 shown Expand all

APPLICATION	MACHINE NAME	PARENT	SCOPES	ASSIGNED	ACTIONS
> A Admin Console 2	ADMIN_CONSOLE	—	ALL	22 orgs · 11 plans	
A AI	AI	—	ALL	15 orgs · 10 plans	
A AI Workbench	AI_WORKBENCH	—	ALL	21 orgs · 11 plans	
A Alteryx to Fabric (Premigration)	ALTERYX_TO_FABRIC_PREMIGRATION	Unknown	ALL	21 orgs · 11 plans	
C Crystal Reports to Dev Express Premigration	CRYSTAL_REPORTS_TO_DEV_EXPRESS_PREMIGRATION	Unknown	ALL	27 orgs · 12 plans	
D Dashboard	DASHBOARD	—	ALL	22 orgs · 11 plans	
K KPI Handbook	KPI_HANDBOOK	—	ALL	9 orgs · 9 plans	
> M Monitor 1	MONITOR	—	ALL	9 orgs · 9 plans	
P PHI	PHI	—	ALL	9 orgs · 9 plans	

Jordan Ellis
Super Admin

2 Step 1 · New application

Describe the application and where it sits in the catalog.


DO THIS

- 1. Fill in the fields.
- 2. Click Create application.

WHAT TO FILL IN

Display name	What everyone sees — "Talend to Databricks".
Machine name	Filled in from the display name (TALEND_TO_DATABRICKS): capital letters, digits and underscores. It cannot be changed later.
Parent application	Optional. Pick "Migration" for a migration accelerator, or leave it at top level.
Scopes	The permissions roles can grant: ALL, or individual ones such as VIEW, ADD and EDIT.

What you'll see: "'Talend to Databricks' added to the catalog". For a migration application, step 2 opens straight away.



3 Step 2 · Migration details

What the migration needs in order to run. Saving writes the master migration_types table only; organizations get their copy when the application reaches their plan.

DO THIS

- 1. Fill in the fields, or use "Fill from SQL INSERT" (next step).
- 2. Click Save and continue — or Skip for now to add the details later.

WHAT TO FILL IN

Name and Description	How the migration appears to organizations.
Processing type	Where it runs — AZURE_FUNCTIONS or API.
Inventory	Tick "Supports inventory" if the migration can scan the source first.
Source image / Target image	Logos shown on the migration card: PNG, JPG or SVG, under 1.4 MB.
Endpoints & storage	Migration type URL (optional), Health check API URL, Encryption API URL (optional) and the Blob folder the files go to.
Configuration (JSON)	Migration screen settings, additional questions, source and target forms, target defaults and storage settings. Leave blank where not needed.

What you'll see: "Migration details saved (id 20)". The ID is assigned automatically.

Migration details - Talend to Databricks

gets its copy when this application is added to a plan it subscribes to, or when a plan that includes it is assigned to the organization.

Id is assigned automatically on save Fill from SQL INSERT

BASICS

Name
Talend to Databricks

Description
Converts Talend jobs into Databricks notebooks and workflows.

Processing type
AZURE_FUNCTIONS

Inventory
☒ Supports inventory

IMAGES

Source image
Upload image
PNG, JPG or SVG - under 1.4 MB

Target image
Upload image
PNG, JPG or SVG - under 1.4 MB

ENDPOINTS & STORAGE

Skip for now Save and continue

Done
Form filled from the INSERT statement. Review it, then save.

4 Or fill it from a SQL INSERT

If the migration already exists as SQL, paste it instead of typing.

DO THIS

1. Click Fill from SQL INSERT.
2. Paste an INSERT INTO ... migration_types (...) VALUES (...) statement.
3. Click Fill form. Each column goes into its field; the id is ignored because a new one is assigned on save.
4. Check the fields, then click Save and continue.

Migration details - Talend to Databricks

STEP 2 OF 3 - MIGRATION DETAILS

What this migration needs to run. Saving writes master.migration_types only. An organization's migration_types table gets its copy when this application is added to a plan it subscribes to, or when a plan that includes it is assigned to the organization.

Id is assigned automatically on save [Fill from SQL INSERT](#)

Paste an INSERT INTO .. migration_types (...) VALUES (...); statement

```
INSERT INTO di_import_repo.migration_types (id, "name", description, migration_type_url, migration_form_attributes, health_check_api_url, migration_blob_folder, processing_type, is_inventory_supported) VALUES(1, 'Talend to Databricks', 'Converts Talend jobs into Databricks notebooks and workflows.', NULL, '{"schedule": "optional", "supportedFileTypes": [".zip", ".item"]}':jsonb, 'https://talend-databricks.example.test/api/health', 'talend-to-databricks', 'TALEND_FUNCTIONS', '1.0.0');
```

Every column it contains fills the matching field below. Its id is ignored – a new one is assigned when you save.

Cancel [Fill form](#)

BASICS

Name

Talend to Databricks

Description

What this migration moves, and what it produces on the target.

[Skip for now](#) [Save and continue](#)


5 Step 3 · Add it to subscription plans

Choose which plans include the new application.

DO THIS

1. Open the "Add to plans" tab.
2. Search for the plan — "Kanerika" — and tick Kanerika Enterprise Suite.
3. Click Add to 1 plan.

What you'll see: "Added to 1 plan · 0 organizations affected". Organizations already on the plan get the application at once, and its migration details are copied into their schemas. Their existing roles do not change.



6 Find it in the catalog

The new application appears under its parent, with the number of plans and organizations that use it.

DO THIS

1. To change its plans later, click the clipboard button on its row. "On plans" lists the plans that include it — tick any and choose Remove from plans.
2. To delete it, click the bin and type its machine name. Deleting is refused while any plan, organization limit or role still uses it.

FLIP

Platform console

LOCAL

WORKSPACE

Overview

Organizations

Applications

Subscription Plans

OPERATIONS

Notifications

Offboarding

Audit log

Console users

SUPPORT

Help

Jordan Ellis

Super Admin

PLATFORM CATALOG

Applications

65 applications available to build plans from

Refresh

New application

This is the catalog of applications the platform knows about. An application reaches organizations through the **subscription plans** that include it — use  on a row to add it to plans or remove it, and set its design-time and runtime limits under **Plans**. The scopes you give it here are the permissions those plans' roles grant. Once an organization is using an application it is locked: its scopes are what live users' permissions are computed from, so editing and deleting are both disabled until it is removed from their plans.

Talend to

3 shown

Expand all

APPLICATION	MACHINE NAME	PARENT	SCOPES	ASSIGNED	ACTIONS
P Pipelines	PIPELINES	—	ALL	10 orgs · 9 plans	
M Migration	MIGRATION	Pipelines	ALL	10 orgs · 9 plans	
T Talend to Databricks	TALEND_TO_DATABRICKS	Migration	ALL	1 org · 1 plan	

Tip: A migration application with an orange arrows button still needs its migration details. Click it to finish.

Note: IDs are handled for you: the master row gets the highest ID used in any schema plus one, and each organization schema gives its copy its own next ID. Copies are matched by name.

STAGE 3 · ONBOARD

Onboard a new organization

The onboarding wizard creates the organization, its first admin and one subscription for each plan it bought. In the example we onboard Kanerika Software Pvt Ltd with Priya Sharma as its admin.

Where: Organizations → Onboard organization

Who: Super admin

5 steps

1 Step 1 · Organization


Who the customer is and where their workspace will live.

DO THIS

1. Click Organizations, then Onboard organization.
2. Fill in the fields.
3. Click Next.

WHAT TO FILL IN

Organization name	"Kanerika Software Pvt Ltd". It must be unique.
Web address	The prefix of their workspace URL — "kanerikademo" becomes https://kanerikademo.sit.flipnow.cloud . Use Edit URL to change the domain.
Tier	Paid or Trial.
Email domain	Optional. Groups the organization with the company's other domains (kanerika.example.test).
External tenant id	Optional. The customer's Azure AD tenant, if they sign in with Microsoft.
Provision a dedicated database schema	Tick for its own schema. Leave unticked to use the shared trial schema.
Provision the data integration app	Tick if the organization needs a data integration app. It is created when the URL is activated.



2 Step 2 · Admin user

The organization's first admin — the "Original admin", who can never be removed.


DO THIS

- 1. Fill in the fields.
- 2. Click Next.

WHAT TO FILL IN

First name / Last name	"Priya" "Sharma".
Email (used as username)	"priya.sharma@example.test". This is how they sign in.

What you'll see: This person receives the Admin role of every subscription added in the next step.



3 Step 3 · Subscriptions

Add one subscription for each plan the customer bought.

DO THIS

- 1. Fill in the fields.
- 2. Click "+ Add another subscription" for more plans.
- 3. Click Next.

WHAT TO FILL IN

Plan	Pick "KANERIKA_ENTERPRISE_SUITE". Use "+ New plan" to build one without leaving the wizard.
Start date / End date	The subscription period — one year by default.
Organization run limit	Optional. Leave blank for unlimited.
Also provision this subscription's developer role	Tick to create a Developer role next to Admin.

ONBOARDING

Onboard organization

Creates the organization, its admin user and one subscription-scoped role set per purchased plan.

Progress: 1 Organization (✓) 2 Admin user (✓) 3 Subscriptions (3) 4 Review (4) 5 Provisioning (5)

Subscription 1

Plan
KANERIKA_ENTERPRISE_SUITE – ADMIN_CONSOLE + New plan

Admin role template: ADMIN - 65 applications

Start date
30-09-2026

End date
30-09-2027

Organization run limit
Unlimited Leave blank for unlimited.

☒ Also provision this subscription's developer role

[+ Add another subscription](#)

[Cancel](#) [Back](#) [Next](#)

Jordan Ellis
Super Admin

4 Step 4 · Review

Everything the wizard will create, on one screen.

DO THIS

1. Check the organization, web address, tier, schema, admin user and subscriptions.
2. Click Back to change anything, or Start provisioning.

ONBOARDING

Onboard organization

Creates the organization, its admin user and one subscription-scoped role set per purchased plan.

Progress: 1 Organization (✓) 2 Admin user (✓) 3 Subscriptions (✓) 4 Review (4) 5 Provisioning (5)

ORGANIZATION Kanerika Software Pvt Ltd TIER Paid ADMIN USER Priya Sharma · priya.sharma@example.test	WEB ADDRESS https://kanerikademo.sit.flipnow.cloud SCHEMA Dedicated SUBSCRIPTION 1 Kanerika Enterprise Suite · 2026-09-30 → 2027-09-30 · with developer role
--	---

[Cancel](#) [Back](#) [Start provisioning](#)

Jordan Ellis
Super Admin


5 Step 5 · Provisioning

The wizard creates everything and reports the result.

DO THIS

1. Wait for the steps to finish.
2. Note the login URL and username. Click Copy to clipboard or Download as .txt to keep them.
3. Read any warning that needs follow-up.
4. Click View organization.

What you'll see: "Kanerika Software Pvt Ltd is ready." Nothing exists in DNS or Keycloak yet — the admin's password is created when you activate the URL.



Important: Onboarding only reserves the web address. A reservation that is never activated is released automatically after 15 days.

Note: A warning such as "Dedicated schema table creation failed and needs a manual retry" means the organization exists but DevOps must finish that step.

STAGE 4 · ACTIVATE

Activate the organization's URL

Activation brings the organization online: it creates (or adopts) the DNS record, creates the sign-in realm and the data integration app, and creates the admin's sign-in.

Where: Organization → Overview

Who: Super admin


3 steps

1 Check the workspace address

A new organization shows "Not activated" and what activation will create.

DO THIS

1. Open the organization from the Organizations list.
2. On the Overview tab, find the Workspace address card.
3. If DevOps has already created the DNS record, tick "DNS record already created by DevOps" so activation adopts it instead of creating another.




2 Activate

Confirm the activation.

DO THIS

1. Click Activate URL.
2. Read the confirmation, then click Activate domain.



3 Share the admin's sign-in

The address is live and the admin can sign in.

DO THIS

1. Check the status: Live, with DNS record, sign-in realm and data schema ticked.
2. In "Administrator sign-in created", copy the username and temporary password (click the eye to reveal it). They are shown only once.
3. Share them with the admin, then click "Saved, hide".

What you'll see: The admin signs in at the workspace URL and chooses their own password.

The screenshot shows the FLIP Platform Console interface. On the left is a sidebar with navigation links: Platform console (LOCAL), Workspace (Overview, Organizations, Applications, Subscription Plans), Operations (Notifications, Offboarding, Audit log, Console users), and Support (Help). The main content area is titled 'ORGANIZATION Kanerika Software Pvt Ltd' and includes tabs for Overview, Subscriptions, Usage & resets, Apps & limits, Users & roles, Notifications, and Activity. A 'Done' notification at the top right indicates 'Domain activated'. The 'Overview' tab is active, showing the 'WORKSPACE ADDRESS' as 'kanerikademo.sit.flipnow.cloud' with 'Live' and 'Deactivate URL' buttons. Below this, a table of DNS records shows 'Adopted from DevOps' for 'flip-kanerikademo' and 'kanerikademo'. A section titled 'Administrator sign-in created' shows the username 'priya.sharma@example.test' and a temporary password. At the bottom, 'Organization details' include the administrator 'Priya Sharma', the plan 'Kanerika Enterprise Suite', the tier 'Paid', the subscription expiration date 'Sep 30, 2027', and the creation date 'Oct 1, 2026'.

Platform console
LOCAL

WORKSPACE
Overview
Organizations
Applications
Subscription Plans

OPERATIONS
Notifications
Offboarding
Audit log
Console users

SUPPORT
Help

ORGANIZATION
Kanerika Software Pvt Ltd
ACTIVE Edit Change plan Extend subscription

Overview Subscriptions Usage & resets Apps & limits Users & roles Notifications Activity

WORKSPACE ADDRESS
kanerikademo.sit.flipnow.cloud Live Deactivate URL
This organization is reachable at its URL and its administrators can sign in.

DNS record
Adopted from DevOps
Sign-in realm flip-kanerikademo
Data schema kanerikademo

Administrator sign-in created
Share these with Priya Sharma now — the password is shown only this once. Saved, hide
USERNAME priya.sharma@example.test
TEMPORARY PASSWORD

Organization details
ADMINISTRATOR
Priya Sharma
priya.sharma@example.test
PLAN
Kanerika Enterprise Suite
TIER
Paid
SUBSCRIPTION EXPIRES
Sep 30, 2027
in 364d
CREATED
Oct 1, 2026

Jordan Ellis
Super Admin

Important: Users can be added only after activation, because their logins live in the sign-in realm that activation creates.

Note: Deactivate URL takes a live address offline again. A DNS record adopted from DevOps is never deleted by the console.

STAGE 5 · MANAGE

Edit an organization, change or extend its plan

The organization header holds the everyday actions: Edit, Change plan, Extend subscription and more.

Where: Organizations → an organization

Who: Super admin


5 steps

1 The organization page

Eight tabs cover everything about one organization: Overview, Subscriptions, Usage & resets, Apps & limits, Users & roles, Notifications and Activity.

DO THIS

1. Open the organization.
2. The Overview tab shows the workspace address, administrator, plan, tier, expiry and creation date.



2 Edit organization

Change the name or tier.


DO THIS

1. Click Edit.
2. Change the fields.
3. Click Save changes.

WHAT TO FILL IN

Organization name	The new name. It must be unique.
Tier	Paid or Trial.

What you'll see: The web address and infrastructure cannot be changed here — they were set at onboarding.



3 Change plan


Move the organization to another plan, now or when the current one ends.

DO THIS

- 1. Click Change plan.
- 2. Fill in the fields.
- 3. Click Apply.

WHAT TO FILL IN

New plan	The plan to move to.
When should this take effect?	"Switch now" (remaining usage is forfeited) or "Keep the current plan running until it expires, then switch automatically".
Reason	Why — for example "Customer upgrading at renewal". It is kept in the audit log.




4 Extend subscription

Add 90 days to the current subscription.

DO THIS

1. Click Extend subscription.
2. Check the old and new end dates.
3. Enter a reason.
4. Click Extend by 90 days.

What you'll see: "Subscription extended by 90 days". Pending reminders for the old date are cancelled.




5 More actions

The ... button holds the less frequent actions.

DO THIS

1. Suspend access — pause the active subscription. Reactivate appears in the header while it is suspended.
2. Offboard organization — opens the Offboarding page for this organization.



Note: Every change here is recorded with its reason on the Activity tab and in the Audit log.

Note: Organizations bought through Azure Marketplace are managed there and are read-only in the console.

STAGE 5 · MANAGE

Manage subscriptions

The Subscriptions tab lists every plan the organization holds, with its status and dates.

Where: Organization → Subscriptions

Who: Super admin & Sales

1 step

1 Subscription actions

Each row is one subscription. After the extension in the example, Kanerika Enterprise Suite runs from Sep 30, 2026 to Dec 29, 2027.

DO THIS

1. Open the Subscriptions tab.
2. Extend — move the end date out.
3. Shorten — bring the end date forward.
4. Suspend — pause access without ending the subscription.
5. Deactivate — end the subscription.
6. Add subscription — give the organization another plan through the wizard.

The screenshot shows the FLIP Platform Console interface. On the left is a sidebar with navigation links: Platform console, LOCAL, WORKSPACE (Overview, Organizations, Applications, Subscription Plans), OPERATIONS (Notifications, Offboarding, Audit log, Console users), and SUPPORT (Help). The main content area is titled 'ORGANIZATION Kanerika Software Pvt Ltd' and includes buttons for 'ACTIVE', 'Edit', 'Change plan', and 'Extend subscription'. Below this is a tabbed interface with 'Subscriptions' selected. A table lists subscriptions with columns: SUBSCRIPTION, PLAN, STATUS, START, END, and ACTIONS. One subscription is shown: '5726f8dc-347f-4ce4-aa25-f9861f3be975' for 'Kanerika Enterprise Suite' with status 'ACTIVE', starting 'Sep 30, 2026' and ending 'Dec 29, 2027'. The actions for this subscription are 'Extend', 'Shorten', 'Suspend', and 'Deactivate'. A note below the table states: 'Changing the plan or cancelling a subscription is handled by a super admin on the Subscriptions screen.' At the bottom left, the user 'Jordan Ellis Super Admin' is logged in.

SUBSCRIPTION	PLAN	STATUS	START	END	ACTIONS
5726f8dc-347f-4ce4-aa25-f9861f3be975	Kanerika Enterprise Suite	ACTIVE	Sep 30, 2026	Dec 29, 2027	Extend Shorten Suspend Deactivate

STAGE 5 · MANAGE

Set application access and limits

Apps & limits controls, for one organization, which applications are visible and how much each may be used — on top of what its plan allows.

Where: Organization → Apps & limits

Who: Super admin

3 steps

1 Review access and allowances

Every application with its access state and its design-time and runtime allowance.

DO THIS

1. Open the Apps & limits tab.
2. Filter with the chips: All, Enabled, Disabled, Hidden and Modified.
3. Search for an application, or use Expand all.
4. Use "Set all visible" to change the access of every listed application at once.

The screenshot displays the 'Apps & limits' interface for the organization 'Kanerika Software Pvt Ltd'. The page is titled 'Access & allowances' and includes a 'Reset usage' button. Below this, there are filter chips for 'All' (65), 'Enabled' (65), 'Disabled' (0), 'Hidden' (0), and 'Modified' (0). A search bar is present with the text 'Find an application...'. The main table lists applications with their respective access states and usage limits. The 'Admin Console' application is expanded, showing its details. The 'AI' application is also listed with 'Unlimited' design-time and runtime limits. The 'AI Workbench' application is listed with 'Unlimited' design-time and runtime limits. The 'Alteryx to Fabric (Premigration)' application is listed with 'Unlimited' design-time and runtime limits. The 'Crystal Reports to Dev Express Premigration' application is listed with 'Unlimited' design-time and runtime limits. The sidebar on the left contains navigation links for 'Platform console', 'Workspace', 'Organizations', 'Applications', 'Subscription Plans', 'Operations', and 'Support'.

APPLICATION	ACCESS	DESIGN-TIME	RUNTIME
> Admin Console 2	Enabled Disabled Hidden	500 x 0 / 500	200 x 0 / 200
AI	Enabled Disabled Hidden	∞ Unlimited SET A LIMIT 0 used	∞ Unlimited SET A LIMIT 0 used
AI Workbench	Enabled Disabled Hidden	∞ Unlimited SET A LIMIT 0 used	∞ Unlimited SET A LIMIT 0 used
Alteryx to Fabric (Premigration)	Enabled Disabled Hidden	∞ Unlimited SET A LIMIT 0 used	∞ Unlimited SET A LIMIT 0 used
Crystal Reports to Dev Express Premigration	Enabled Disabled Hidden	∞ Unlimited SET A LIMIT 0 used	∞ Unlimited SET A LIMIT 0 used

2 Change a limit

In the example we cap AI Workbench design-time use at 100.


DO THIS

1. Find AI Workbench.
2. Under Design-time, click "Set a limit" and type 100.
3. A bar appears at the bottom: "1 unsaved change". Change more rows if needed.

4. Click Save all changes (or Discard all).

WHAT TO FILL IN

Access	Enabled — can be used. Disabled — switched off. Hidden — not shown to the organization.
Design-time / Runtime	A number caps use; ∞ means unlimited. Click × to make it unlimited again.




3 Confirm with a reason

The dialog shows each change as before → after.

DO THIS

1. Check the changes.
2. Enter a reason — "Cap AI Workbench design-time use for the pilot".
3. Click Save changes.

What you'll see: "Application limits updated".



Note: New applications appear here as Hidden. An application must be on one of the organization's plans before it can be enabled.

STAGE 5 · MANAGE

Check usage and reset counters

Usage & resets shows how much of each allowance an organization has used, and resets application counters — for example at the start of a billing period.

Where: Organization → Usage & resets

Who: Super admin


3 steps

1 · Choose a plan

Usage is counted per plan.

DO THIS

1. Open the Usage & resets tab.
2. Click the plan — KANERIKA_ENTERPRISE_SUITE.



2 and 3 · Review usage and select applications

Step 2 shows the plan's pooled allowance (total, used, remaining). Step 3 lists every application with its own design-time and runtime counters.

DO THIS

1. Choose the Reset type: Design time, Runtime or Both.
2. Tick the applications to reset — only applications with a finite limit can be ticked (Admin Console and AI Workbench in the example). Select all ticks every eligible application.
3. Click Reset selected apps.

The screenshot displays the 'Usage & resets' interface in the FLIP Platform Console for the organization 'Kanerika Software Pvt Ltd'. The left sidebar contains navigation links for Platform console, Workspace (Overview, Organizations, Applications, Subscription Plans), Operations (Notifications, Offboarding, Audit log, Console users), and Support (Help). The main content area is titled 'Usage & resets' and includes a 'Refresh usage' button. It is divided into three steps: 1. Choose a plan (showing 'KANERIKA_ENTERPRISE_SUITE' with 65 applications and unlimited allowance), 2. Plan usage summary (showing 'Unlimited' total limit, '0' plan used, and 'Unlimited' plan remaining), and 3. Per-application limits (showing 65 applications with their own design-time and runtime counters). At the bottom, there are filters for 'Reset type' (Design time, Runtime, Both) and a 'Reset selected apps' button.


3 Confirm the reset

The dialog lists every counter that will be reset, before → after.

DO THIS

1. Check the counters.
2. Enter a reason — "Start of the new billing month".
3. Click Reset selected apps.

What you'll see: "Selected finite usage counters reset successfully". Used becomes 0; unlimited counters and the plan allowance are not touched.



STAGE 5 · MANAGE

See what an organization processed

Processing insights shows, for one organization and one period, how many files it processed, how many PDF pages were extracted and how many files wait for manual review — read straight from the organization's own data.

Where: Organization → Processing insights

Who: Super admin & Sales

4 steps

1 Open Processing insights

The tab sits right after Users & roles. It opens on the latest month in which the organization processed anything.

DO THIS

1. Open the organization from the Organizations list.
2. Click the Processing insights tab.

2 Choose the period


Everything is chosen from one Period dropdown at the top right.

DO THIS

1. Open the Period dropdown and pick an option.
2. Click the refresh button beside it to reload the numbers.

WHAT TO FILL IN

Latest month	The default: the most recent month with activity (its name is shown in the dropdown).
This month / Last month	A single calendar month.
Last 3 months / This year	A range; the numbers add up across it.
Months with activity	Jump straight to any month in which files were processed.
Custom range...	Shows From and To month pickers — choose both and click Apply. Up to 36 months.




Custom range chosen: From and To month pickers with Apply, beside the Period dropdown.

3 Read the headline numbers

Three big numbers for the chosen period.

WHAT TO FILL IN

Files processed	PDF, XLSX, XLS, CSV and ZIP files whose status is completed. Skipped jobs are not counted.
PDF pages processed	The total number of PDF pages extracted, including PDFs that arrived inside a ZIP.
Manual review required	Files waiting for a person to check them — this happens to PDFs whose extraction needs a review.



KSPL, latest month: the three headline numbers and one tile per source file type.

4 Files processed by source type

One big number for each source file type — the type of file the organization uploaded, not the file that was produced from it.

DO THIS

1. Read the PDF, XLSX, XLS, CSV and ZIP tiles. A grey number means none were processed in the period.
2. ZIP counts the files processed from ZIP uploads, not the ZIP upload itself.
3. A tile also shows how many of its files are in manual review, when there are any.

What you'll see: When nothing was processed in the period, the tab says so and offers to show the latest month with activity.

Note: The numbers come from the organization's own schema (`import_monitor_view` and `processing_metrics`). If a schema is shared with other organizations, the tab says so, because their files are counted too.

Tip: A file belongs to the month it finished in. Files still running, failed or skipped are not counted.

STAGE 6 · ROLES & USERS

Create custom roles

Roles decide what people can open and do. Every subscription comes with built-in Admin and Developer roles; custom roles grant exactly the applications a group needs. In the example we create "Migration Analyst" and "Report Viewer".

Where: Organization → Users & roles → Roles

Who: Super admin


3 steps

1 See the built-in roles

Onboarding created Admin and Developer for Kanerika Enterprise Suite. They carry a lock: they can be given to users, but not changed or deleted.

DO THIS

1. Open the Users & roles tab.
2. Click Roles at the top left.
3. Click Create role.



2 Fill in the role

Name the role and choose its applications.

DO THIS


1. Search "Talend to Databricks" and tick it, then search "Informatica to Databricks" and tick it. Their parents (Migration, Pipelines) turn on automatically.

- 2. The chips at the top and the "4 apps · 4 scopes" counter show what is selected. "Selected only" hides everything else.
- 3. Click Create role.

WHAT TO FILL IN

Role name	"Migration Analyst".
Description	Optional. "Runs Talend and Informatica migrations to Databricks and reviews their results".
App permissions	Search for an application and tick it to grant all of it, or pick individual scopes. Only applications on the organization's plans can be chosen.

What you'll see: "Role 'Migration Analyst' created". Repeat for "Report Viewer" with Dashboard and KPI Handbook.




3 The finished roles

Each card shows the role's applications, scopes and number of users.

DO THIS

- 1. Click the pencil on a custom role to change it.
- 2. Click the bin to delete it. Its users lose only that role.



Tip: Ticking a sub-application turns its parent on; turning a parent off turns its children off; switching off every child turns the parent off too.

STAGE 6 · ROLES & USERS

Add, edit and remove users

Super admins can manage an organization's users directly: create logins with roles, change names and roles, and remove people. In the example Kanerika gets a second Admin, a Developer, a Migration Analyst and a Report Viewer.

Where: Organization → Users & roles

Who: Super admin


8 steps

1 Open Users

Right after onboarding the list holds only the Original admin, Priya Sharma.

DO THIS

1. Open the Users & roles tab.
2. Click Add user.



2 Fill in the new user


The form has two parts: the person and their roles.

DO THIS

1. Fill in the fields.
2. Click Create user.

WHAT TO FILL IN

Email address	"vikram.singh@example.test". It is also their username.
First name / Last name	"Vikram" "Singh".
Roles	Click one or more role cards — "Migration Analyst". Built-in roles show which plan they belong to.
Email the sign-in details	Turn on to email the username and temporary password straight away. You can also copy them afterwards.




3 Need a role that doesn't exist yet? Create it here

You don't have to leave the form for the Roles tab. The role editor opens on top, and everything you typed stays as it is.

DO THIS

1. Under Roles, click the dashed "Create a new role" card at the end of the list.



The "Create a new role" card sits after the existing roles.


4 Fill in the new role

The role editor opens on top of the user form — the same form as on the Roles tab.

DO THIS

1. Enter the role name and an optional description.
2. Choose its app permissions: tick an app for all of it, or pick individual scopes.
3. Click Create role.
4. Finish the user and click Create user (or Save changes when editing a user).

What you'll see: The editor closes and the new role appears in the list, already selected for this user. Press Esc to close only the role editor — the user form stays open.




5 Hand over the credentials

The login is created with a temporary password and the roles are granted.

DO THIS

1. Copy the details, or click Send by email.
2. Click Done. The password is not shown again.
3. Repeat for the other users: Rahul Verma (Admin), Anita Rao (Developer), Neha Gupta (Report Viewer).

What you'll see: The user signs in at <https://kanerikademo.sit.flipnow.cloud> and chooses their own password.




6 Edit a user

Change a name or roles. In the example Neha Gupta also gets Migration Analyst.

DO THIS

1. Click Edit on the user's row.
2. Change the first or last name, or click role cards to add or remove roles.
3. Check the strip that lists added and removed roles.
4. Click Save changes.

What you'll see: The email cannot be changed — remove the user and add the new address instead.




7 Remove a user

Remove takes away the person's roles here and deletes their login for this organization.

DO THIS

1. Click Remove on the user's row.
2. Read the confirmation, then click Remove user.

What you'll see: If they belong to other organizations, their account moves to one of those; otherwise it is deleted.



8 The finished list

Kanerika now has two Admins, a Developer, a Migration Analyst, and a Report Viewer who is also a Migration Analyst.

DO THIS

1. Search by name, email or role.
2. Priya Sharma's Remove button is locked because she is the Original admin.

The screenshot displays the FLIP Platform Console interface. On the left is a sidebar with navigation options: Platform console (LOCAL), WORKSPACE (Overview, Organizations, Applications, Subscription Plans), OPERATIONS (Notifications, Offboarding, Audit log, Console users), and SUPPORT (Help). The main content area is titled 'ORGANIZATION Kanerika Software Pvt Ltd' and includes buttons for 'ACTIVE', 'Edit', 'Change plan', and 'Extend subscription'. Below this is a tabbed interface with 'Users & roles' selected. A search bar and 'Add user' button are at the top of the table. The table lists five users with their roles and access levels.

USER	ROLES	ACCESS	ACTIONS
AR Anita Rao anita.rao@example.test	Developer	Home organization	Edit Remove
NG Neha Gupta neha.gupta@example.test	Migration Analyst Report Viewer	Home organization	Edit Remove
PS Priya Sharma Original admin priya.sharma@example.test	Admin	Home organization	Edit Remove
RV Rahul Verma rahul.verma@example.test	Admin	Home organization	Edit Remove
VS Vikram Singh vikram.singh@example.test	Migration Analyst	Home organization	Edit Remove

At the bottom left of the sidebar, the user 'Jordan Ellis' (Super Admin) is logged in.

Important: The Original admin can never be removed or lose the Admin role. Admins added later can be removed, as long as another Admin remains.

Note: If the email already has a FLIP account in another organization, that person is added here with the chosen roles instead of getting a second account.

STAGE 7 · RENEW & REMIND

Send and schedule expiry reminders

Reminders keep customers aware of upcoming expiry — automatically on a schedule, or on demand.

Where: Notifications

Who: Super admin & Sales

4 steps

1 Expiring soon

Organizations whose subscriptions have expired or expire soon, with their admin's email.

DO THIS

1. Click Notifications in the left menu.
2. Tick the organizations to remind, or Select all.
3. Click Send reminder (n).

The screenshot shows the FLIP Platform Console interface. On the left is a sidebar with a menu including 'Platform console', 'LOCAL', 'WORKSPACE' (Overview, Organizations, Applications, Subscription Plans), 'OPERATIONS' (Notifications, Offboarding, Audit log, Console users), and 'SUPPORT' (Help). The 'Notifications' item is highlighted. The main content area is titled 'EXPIRY REMINDERS' and 'Notifications'. Below this is a sub-header 'Expiring soon' with tabs for 'History' and 'Settings'. A table lists organizations with columns for 'ORGANIZATION', 'ADMIN EMAIL', and 'EXPIRES'. The first row, 'Demo Organization 26', is selected with a checkbox. A 'Send reminder (1)' button is in the top right of the table. The bottom of the sidebar shows the user 'Jordan Ellis, Super Admin'.

ORGANIZATION	ADMIN EMAIL	EXPIRES
☒ Demo Organization 26	sam.carter@example.com	44d ago
☐ Demo Organization 01	mei.tanaka@example.com	25d ago
☐ Demo Organization 28	alex.morgan@example.com	25d ago
☐ Summit Insurance Group	rita.gomez@example.com	15d ago
☐ Demo Organization 02	omar.haddad@example.com	5d ago
☐ Demo Organization 01	mei.tanaka@example.com	4d ago
☐ Delta Migrations	lena.fischer@example.com	in 9d
☐ Demo Organization 03	noah.brooks@example.com	in 15d
☐ Demo Organization 02	omar.haddad@example.com	in 16d
☐ Brackenwood Legal	ivy.chen@example.com	in 24d
☐ Demo Organization 05	kai.nakamura@example.com	in 27d

2 Settings — automatic reminders


Decide when reminders go out on their own.

DO THIS

1. Open the Settings tab.
2. Choose the options.
3. Click Save settings.

WHAT TO FILL IN

Automatic reminders	Turn on to email admins automatically as expiry approaches.
When to send	Pick any of: 30 days before, 15 days before, 7 days before, 1 day before, On expiry.
Also notify	Addresses copied on every reminder, for example the account team.




3 History

Every reminder sent: when, organization, subject, recipient, timing and status.

DO THIS

1. Open the History tab.




4 From the organization

The organization's Notifications tab lists what was sent to it.

DO THIS

- 1. Open the organization, then the Notifications tab.
- 2. Send reminder now emails the admin immediately — there is no confirmation step.



STAGE 8 · OFFBOARD

Offboard an organization

Offboarding ends a customer in two stages: first expire their access (reversible), then — only if the data must be destroyed — delete permanently.

Where: Offboarding

Who: Super admin

4 steps

1 Find the organization

Offboarding lists organizations with their domain and status.

DO THIS

1. Click Offboarding in the left menu (or ... → Offboard organization on its page).
2. Search "Kanerika". Sort and filter with Latest first and the All / Active / Expired chips.
3. Click Offboard on the row.

The screenshot shows the FLIP Platform Console interface. On the left, a sidebar menu includes 'Platform console', 'LOCAL', 'WORKSPACE' (with 'Overview', 'Organizations', 'Applications', 'Subscription Plans'), 'OPERATIONS' (with 'Notifications', 'Offboarding', 'Audit log', 'Console users'), and 'SUPPORT' (with 'Help'). The 'Offboarding' option is highlighted. The main content area is titled 'DECOMMISSIONING Offboarding' with the subtitle 'Expire an organization's access, or permanently delete its data.' Below this is a search bar containing 'Kanerika', a 'Latest first' dropdown, and filter chips for 'All 2', 'Active 2', and 'Expired 0'. A table lists organizations with columns 'ORGANIZATION', 'DOMAIN', and 'STATUS'. Two rows are visible, both with 'Active' status and an 'Offboard' button.

ORGANIZATION	DOMAIN	STATUS
Kanerika Software Pvt Ltd anita.rso@example.test	kanerikademo.sit.flipnow.cloud	Active
Kanerika Software Pvt. Ltd. sam.carter@example.com	ksplnew1.sit.flipnow.cloud	Active

2 Check what will be affected

The dialog counts active users and open subscriptions. Click View to list them.


DO THIS

1. Fill in both fields.
2. Click Expire access.

WHAT TO FILL IN

Reason	Why — "Contract ended — customer asked to close the workspace".
Type the organization name	Type "Kanerika Software Pvt Ltd" exactly to unlock the button.

What you'll see: "Organization expired — access is blocked, no data was deleted". Every user's login is blocked at once.



3 Reactivate or delete

The row now reads "Expired · access blocked", with the date and reason.

DO THIS

- 1. Click Reactivate to restore access.
- 2. Click Delete permanently only when the data must be destroyed.

DECOMMISSIONING

Offboarding

Expire an organization's access, or permanently delete its data.

Search: Kanerika | Latest first | All 2 | Active 1 | Expired 1

ORGANIZATION	DOMAIN	STATUS	
Kanerika Software Pvt Ltd anita.rso@example.test	kanerikademo.sit.flipnow.cloud	Expired - access blocked Expired Oct 1, 2026 *Contract ended - customer asked to close the ...	Reactivate Delete permanently
Kanerika Software Pvt. Ltd. sam.carter@example.com	ksp1new1.sit.flipnow.cloud	Active	Offboard


Jordan Ellis
Super Admin

4 Delete permanently

Archives the organization's record and permanently deletes its data, database, sign-in realm and web address.

DO THIS

1. Click Delete permanently.
2. Type the organization name.
3. Click Permanently delete. This cannot be undone.



Important: Use Expire access by default. Delete permanently only when the customer has asked for their data to be destroyed.

STAGE 9 · GOVERN

Review the audit log

Every action a console user takes is recorded permanently: who did what, to what, and whether it worked.

Where: Audit log

Who: Super admin

2 steps

1 Search the audit log

Columns: When, Actor, Action, Target and Result.

DO THIS

1. Click Audit log in the left menu.
2. Search by actor, action or target — "Kanerika" shows every step of the example.
3. Filter by result (All, Success only, Failure only) and by date range.
4. Click Export CSV to download the filtered list.

WHEN	ACTOR	ACTION	TARGET	RESULT
Oct 1, 2026, 2:59 AM	Jordan Ellis sam.carter@example.com	REMINDER SENT	NOTIFICATION priya.sharma@example.test — Your FLIP subscription expires in 454 days	SUCCESS
Oct 1, 2026, 2:58 AM	Jordan Ellis sam.carter@example.com	ORG USER REMOVED	ORGANIZATION arjun.mehta@example.test from Kanerika Software Pvt Ltd	SUCCESS
Oct 1, 2026, 2:58 AM	Jordan Ellis sam.carter@example.com	ORG USER UPDATED	ORGANIZATION neha.gupta@example.test in Kanerika Software Pvt Ltd	SUCCESS
Oct 1, 2026, 2:58 AM	Jordan Ellis sam.carter@example.com	ORG USER ADDED	ORGANIZATION arjun.mehta@example.test → Kanerika Software Pvt Ltd	SUCCESS
Oct 1, 2026, 2:57 AM	Jordan Ellis sam.carter@example.com	ORG USER ADDED	ORGANIZATION neha.gupta@example.test → Kanerika Software Pvt Ltd	SUCCESS
Oct 1, 2026, 2:57 AM	Jordan Ellis sam.carter@example.com	ORG USER ADDED	ORGANIZATION anita.rao@example.test → Kanerika Software Pvt Ltd	SUCCESS
Oct 1, 2026, 2:57 AM	Jordan Ellis sam.carter@example.com	ORG USER ADDED	ORGANIZATION rahul.verma@example.test → Kanerika Software Pvt Ltd	SUCCESS
Oct 1, 2026, 2:57 AM	Jordan Ellis sam.carter@example.com	ORG USER ADDED	ORGANIZATION vikram.singh@example.test → Kanerika Software Pvt Ltd	SUCCESS

2 One organization's activity

The organization's Activity tab shows the same record for that organization only.

DO THIS

1. Open the organization, then the Activity tab.

FLIP

Platform console

LOCAL

WORKSPACE

Overview

Organizations

Applications

Subscription Plans

OPERATIONS

Notifications

Offboarding

Audit log

Console users

SUPPORT

Help

Jordan Ellis

Super Admin

ORGANIZATION

Kanerika Software Pvt Ltd

ACTIVE

Edit

Change plan

Extend subscription

Overview

Subscriptions

Usage & resets

Apps & limits

Users & roles

Notifications

Activity

WHEN	ACTOR	ACTION	RESULT
Oct 1, 2026, 2:58 AM	sam.carter@example.com	ORG_USER_REMOVED – arjun.mehta@example.test from Kanerika Software Pvt Ltd	SUCCESS
Oct 1, 2026, 2:58 AM	sam.carter@example.com	ORG_USER_UPDATED – neha.gupta@example.test in Kanerika Software Pvt Ltd	SUCCESS
Oct 1, 2026, 2:58 AM	sam.carter@example.com	ORG_USER_ADDED – arjun.mehta@example.test → Kanerika Software Pvt Ltd	SUCCESS
Oct 1, 2026, 2:57 AM	sam.carter@example.com	ORG_USER_ADDED – neha.gupta@example.test → Kanerika Software Pvt Ltd	SUCCESS
Oct 1, 2026, 2:57 AM	sam.carter@example.com	ORG_USER_ADDED – anita.rao@example.test → Kanerika Software Pvt Ltd	SUCCESS
Oct 1, 2026, 2:57 AM	sam.carter@example.com	ORG_USER_ADDED – rahul.verma@example.test → Kanerika Software Pvt Ltd	SUCCESS
Oct 1, 2026, 2:57 AM	sam.carter@example.com	ORG_USER_ADDED – vikram.singh@example.test → Kanerika Software Pvt Ltd	SUCCESS
Oct 1, 2026, 2:55 AM	sam.carter@example.com	ORG_ROLE_CREATED – Report Viewer in Kanerika Software Pvt Ltd	SUCCESS
Oct 1, 2026, 2:55 AM	sam.carter@example.com	ORG_ROLE_CREATED – Migration Analyst in Kanerika Software Pvt Ltd	SUCCESS
Oct 1, 2026, 2:54 AM	sam.carter@example.com	USAGE_RESET – Start of the new billing month	SUCCESS
Oct 1, 2026, 2:53 AM	sam.carter@example.com	LIMIT_OVERRIDE – Cap AI Workbench design-time use for the pilot	SUCCESS
Oct 1, 2026, 2:51 AM	sam.carter@example.com	SUBSCRIPTION_EXTENDED – Extended – Annual contract signed for an extra quarter	SUCCESS

STAGE 9 · GOVERN

Manage console users

Console users are the Kanerika people who can sign in to this console, as Super admin or Sales.

Where: Console users

Who: Super admin


5 steps

1 Open Console users

Each console user's email, name, role and status. Your own account is protected.

DO THIS

- 1. Click Console users in the left menu.
- 2. Click Add console user.



2 Add a console user

If the person already has a Kanerika login it is reused; otherwise a new one is created.


DO THIS

- 1. Fill in the fields.
- 2. Click Add user.

WHAT TO FILL IN

Email	"sneha.kulkarni@example.test".
-------	--------------------------------

First name / Last name	"Sneha" "Kulkarni".
Role	Sales — organizations, subscriptions, notifications and Customer Insights. Super admin — full access, including plans, limits and provisioning.




3 Share the login

For a new login the temporary password is shown once.

DO THIS

- 1. Click Copy to clipboard and share it securely.
- 2. Click Done.

What you'll see: They choose their own password at first sign-in.




4 Edit

Change the name, email or role.

DO THIS

1. Click Edit on the row.
2. Change the fields — changing the email also updates their login.
3. Click Save changes.




5 Remove access

Stops them signing in to this console.

DO THIS

1. Click Remove access on the row.
2. Confirm with Remove access.

What you'll see: Their Kanerika login is kept, so other applications are unaffected. You can add them back at any time.



QUESTIONS

Frequently asked questions

GETTING STARTED

In what order should I set up a new customer?

Make sure the plan exists (Subscription Plans), onboard the organization, activate its URL, then create any custom roles and add users. Reminders and usage tracking then run on their own.

See: [Onboard a new organization](#)

What can a Sales console user do?

Sales users see Customer Insights, Organizations and Notifications, can view an organization's users and roles, and can add subscriptions to existing organizations. Plans, applications, offboarding, the audit log and console users are for Super admins.

See: [Manage console users](#)

How do I know which environment I am in?

Look under "Platform console" in the left menu: a badge shows LOCAL, DEV or SIT. Production has no badge.

See: [Find your way around the console](#)

PLANS & APPLICATIONS

What is the difference between Enabled, Disabled and Hidden?

Enabled — the organization can use the application. Disabled — switched off, and not part of the plan. Hidden — part of the plan but not shown to the organization.

See: [Set application access and limits](#)

What do design-time and runtime limits mean?

Design-time is how much an organization can build or configure in an application; runtime is how much it can run. ∞ means unlimited. Plans set the default; Apps & limits can change it for one organization.

See: [Create a subscription plan](#)

Does adding an application to a plan change anyone's roles?

No. Organizations on the plan become entitled to it straight away, but no existing user gets access until it is added to one of their roles. New subscriptions get it in their default Admin and Developer roles.

See: [Add a new application and its migration details](#)

When are migration details copied into an organization's schema?

Saving them writes the master table only. They are copied when the application is added to a plan the organization is on, and when an organization is given a plan that includes it. Existing copies are never overwritten.

See: [Add a new application and its migration details](#)

The result says "schema not provisioned yet". What should I do?

That organization has no data schema with a migration_types table yet, so nothing could be copied. Nothing else is affected. Once DevOps finishes the schema, the copy happens the next time the organization is given the plan.

See: [Add a new application and its migration details](#)

Why can't I delete a plan or an application?

Something still uses it. A plan can be deleted only when no organization is on it. An application can be deleted only when no plan, organization limit or role refers to it. Hover the disabled button to see why.

See: [Create a subscription plan](#)

ONBOARDING & ACTIVATION**I onboarded an organization. Why doesn't its web address work?**

Onboarding only reserves the address. Open the organization and click Activate URL on the Overview tab. A reservation that is never activated is released after 15 days.

See: [Activate the organization's URL](#)

When should I tick "DNS record already created by DevOps"?

When DevOps has already created the organization's DNS record. Activation then adopts that record instead of creating a second one, and deactivating the URL later will not delete it.

See: [Activate the organization's URL](#)

Provisioning finished with a warning. Is the organization usable?

Yes — the organization, admin and subscriptions exist. The warning names the step that needs a manual retry (for example the dedicated schema tables). Share it with DevOps, then continue with activation.

See: [Onboard a new organization](#)

Where is the admin's password?

It is created when you activate the URL and shown once, in "Administrator sign-in created" on the Overview tab. Copy it before clicking "Saved, hide".

See: [Activate the organization's URL](#)

ROLES & USERS**Why does Add user say the sign-in realm isn't created yet?**

Organization logins live in the sign-in realm that URL activation creates. Activate the URL first, then add users.

See: [Add, edit and remove users](#)

Who is the "Original admin" and why can't I remove them?

The first Admin, created at onboarding. They can never be removed or lose Admin, so the organization always has an owner. Admins added later can be removed as long as another Admin remains.

See: [Add, edit and remove users](#)

Why can't I edit or delete Admin and Developer?

They are built-in roles created for each subscription. They can be given to users but not changed or deleted. Create a custom role for anything different.

See: [Create custom roles](#)

Why do I see more than one Admin role?

Each subscription has its own built-in roles. The plan name on each role card shows which subscription it belongs to.

See: [Create custom roles](#)

Do I have to go to the Roles tab to create a role for a new user?

No. In Add user or Edit user, click "Create a new role" at the end of the role list. The role editor opens on top of the form, and the role you create is selected for that user straight away.

See: [Add, edit and remove users](#)

Can a user have several roles?

Yes. Click as many role cards as needed when adding or editing a user — in the example Neha Gupta is both Report Viewer and Migration Analyst.

See: [Add, edit and remove users](#)

A user lost their temporary password. What now?

Passwords are never stored, so the console cannot show it again. For anyone other than the Original admin, remove the user and add them again to create a new temporary password.

See: [Add, edit and remove users](#)

USAGE & REMINDERS

What exactly does a usage reset do?

For the ticked applications, the chosen counters (design time, runtime or both) go back to 0 used and the full limit remaining. Unlimited counters and the plan's pooled allowance are not touched. Every reset is recorded with its reason.

See: [Check usage and reset counters](#)

Why can't I tick some applications in Usage & resets?

Only applications with a finite limit have something to reset. Unlimited applications are shown for information only.

See: [Check usage and reset counters](#)

When are expiry reminders sent?

Automatically at the times chosen in Notifications → Settings, to the organization's admin plus the "Also notify" addresses. You can also send one by hand from Expiring soon, or from the organization's Notifications tab — which sends immediately.

See: [Send and schedule expiry reminders](#)

Change plan: switch now or at expiry?

"Switch now" moves the organization immediately and forfeits what is left on the current plan. "At expiry" keeps the current plan until its end date and then switches automatically.

See: [Edit an organization, change or extend its plan](#)

PROCESSING INSIGHTS

What counts as a processed file?

A PDF, XLSX, XLS, CSV or ZIP file whose status is COMPLETED and that was not a skipped job. Files still running, failed or skipped are not counted, and other file types are not shown.

See: [See what an organization processed](#)

Why does ZIP show more files than the ZIPs we uploaded?

ZIP counts the files processed from ZIP uploads. A ZIP with ten files inside counts as ten; the ZIP upload itself is not counted separately.

See: [See what an organization processed](#)

Where do the PDF page numbers come from?

From processing_metrics — the page count recorded for every PDF that was extracted, including PDFs inside a ZIP and PDFs now in manual review.

See: [See what an organization processed](#)

Which month does a file belong to?

The month it finished in. If it has no finish time yet, its start time is used.

See: [See what an organization processed](#)

Why does the tab say the schema is shared?

The numbers are read from the organization's data schema. When another organization uses the same schema, their files are in the same tables, so they are counted too.

See: [See what an organization processed](#)

OFFBOARDING

What is the difference between Expire access and Delete permanently?

Expire access blocks every user's login but keeps all data, and can be undone with Reactivate. Delete permanently archives the organization record and destroys its data, database, sign-in realm and web address — it cannot be undone.

See: [Offboard an organization](#)

Can I bring back an offboarded organization?

Yes, if it was only expired: click Reactivate on the Offboarding page. After Delete permanently it cannot be restored.

See: [Offboard an organization](#)

AUDIT

Where can I see who changed something?

The Audit log records every console action with the actor, target, result and reason, and can be exported to CSV. Each organization's Activity tab shows the same record for that organization.

See: [Review the audit log](#)
