ASSIGNMENT 2

NAME: AMRINDER Singh

ROLL NO: 24118005

SUBJECT: DBMS

Ques: To create and modify database tables using Data Definition Language (DDL) and manipulate data using Data Manipulation Language (DML) commands.

```
CREATE DATABASE school;
USE school;

CREATE TABLE Student_Amrinder (
   RollNo INT PRIMARY KEY,
   Name VARCHAR(50),
   Age INT,
   Marks INT
);

DESC Student_Amrinder;
ALTER TABLE Student_Amrinder ADD City VARCHAR(30);
ALTER TABLE Student_Amrinder MODIFY Marks FLOAT;
DESC Student_Amrinder;
```

esult Grid | Filter Rows: | Export: | Wrap Cell Content:

Field	Type	Null	Key	Default	Extra
RollNo	int	NO	PRI	NULL	
Name	varchar(50)	YES		NULL	
Age	int	YES		NULL	
Marks	int	YES		NULL	

esult 2 ×

tput

Action Output

#	Time	Action	Message
✓	22:48:42	DESC Student_Amrinder	4 row(s) returned
✓	22:53:45	CREATE TABLE Student_Amrinder (RollNo INT PRIMARY KEY, Name VARCHAR(50), Name VARCHAR(50), Age INT,..	0 row(s) affected
✓	22:53:53	DESC Student_Amrinder	4 row(s) returned

ALTER TABLE Student_Amrinder CHANGE City Address VARCHAR(40);

ALTER TABLE Student_Amrinder DROP Address;

DESC Student_Amrinder;

esult Grid | Filter Rows: | Export: | Wrap Cell Content:

Field	Type	Null	Key	Default	Extra
RollNo	int	NO	PRI	NULL	
Name	varchar(50)	YES		NULL	
Age	int	YES		FLAL	
Marks	lint	YES		NULL	

esult 4

utput

Action Output

#	Time	Action	Message
	22:59:45	ALTER TABLE Student_Amrinder CHANGE City ·Address VARCHAR(40)	0 row(s) affected Records: 0
	22:59:45	ALTER TABLE Student_Amrinder DROP Address	0 row(s) affected Records: 0
	22:59:45	DESC Student_Amrinder	4 row(s) returned

```
INSERT INTO Student_Amrinder VALUES (1, 'Priyanshu', 20, 85);
INSERT INTO Student_Amrinder VALUES (2, 'Amrinder', 19, 90);
INSERT INTO Student_Amrinder VALUES (3, 'Kumawat', 21, 78);
```

```
SELECT * FROM Student_Amrinder;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

	RollNo	Name	Age	Marks
1	1	Priyanshu	20	85
2	2	Amrinder	19	90
3	3	Kumawat	21	78
•	NULL	NULL	NULL	NULL

Student_Amrinder 5

Output

Action Output

#	Time	Action	Message
✓	23:01:14	INSERT INTO Student_Amrinder VALUES (2, 'Amrinder', 19, 90)	1 row(s) affected
✓	23:01:14	INSERT INTO Student_Amrinder VALUES (3, 'Kumawat', 21, 78)	1 row(s) affected
✓	23:01:14	SELECT * FROM Student_Amrinder LIMIT 0, 1000	3 row(s) returned

```
SELECT * FROM Student_Amrinder WHERE Marks > 85;
```

```
UPDATE Student_Amrinder
SET Marks = 95
WHERE RollNo = 2;
SELECT * FROM Student_Amrinder;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

	RollNo	Name	Age	Marks
1	1	Priyanshu	20	85
2	2	Amrinder	19	90
3	3	Kumawat	21	78
•	NULL	NULL	NULL	NULL

Student_Amrinder 5

Output

Action Output

#	Time	Action	Message
✓	23:01:14	INSERT INTO Student_Amrinder VALUES (2, 'Amrinder', 19, 90)	1 row(s) affected
✓	23:01:14	INSERT INTO Student_Amrinder VALUES (3, 'Kumawat', 21, 78)	1 row(s) affected
✓	23:01:14	SELECT * FROM Student_Amrinder LIMIT 0, 1000	3 row(s) returned