

Learn with Ankit Bansal







100 Coding Problems



Akash Mahindrakar

Data Engineer
akashsjce8050@gmail.com

Step - 1 : Problem Statement

Problem Statement:

52 - LOAN REPAYMENT

You're working for a large financial institution that provides various types of loans to customers. Your task is to analyze loan repayment data to assess credit risk and improve risk management strategies.

Write an SQL to create 2 flags for each loan as per below rules. Display loan id, loan amount, due date and the 2 flags.

- 1- fully_paid_flag: 1 if the loan was fully repaid irrespective of payment date else it should be 0.
- 2- on_time_flag : 1 if the loan was fully repaid on or before due date else 0.

Difficult Level : MEDIUM

Step - 2: Identifying The Input Data And Expected

INPUT

loans							
LOAN_ID	CUSTOMER_ID	LOAN_AMOUNT	DUE_DATE				
1	1	5000	2023-01-15				
2	2	8000	2023-02-20				
3	3	10000	2023-03-10				
4	4	6000	2023-04-05				
5	5	7000	2023-05-01				

payments					
PAYMENT_ID	LOAN_ID	PAYMENT_DATE	AMOUNT_PAI D		
1	1	2023-01-10	2000		
2	1	2023-02-10	1500		
3	2	2023-02-20	8000		
4	3	2023-04-20	5000		
5	4	2023-03-15	2000		
6	4	2023-04-02	4000		
7	5	2023-04-02	4000		
8	5	2023-05-02	3000		

OUTPUT

LOAN_ID	LOAN_AMOUNT	DUE_DATE	FULLY_PAID _FLAG	ON_TIME_FL AG
1	5000	2023-01-15	0	0
3	10000	2023-03-10	0	0
4	6000	2023-04-05	1	0
5	7000	2023-05-01	1	1
2	8000	2023-02-20	1	1

100 DAY CODING PROBLEMS

Step - 3: Writing the sql query to solve the

```
• • •
 2 WITH CTE
 3 AS (
      SELECT L.loan_id
          ,L.loan_amount
          ,L.due_date
          ,sum(amount_paid) AS total_amount
          ,max(payment_date) AS last_payment_date
      FROM payments P
      JOIN loans L ON P.loan_id = L.loan_id
      GROUP BY L.loan_id
          ,L.loan_amount
          ,L.due_date
15 SELECT LOAN_ID
      ,LOAN_AMOUNT
      ,DUE_DATE
      ,CASE
          WHEN LOAN_AMOUNT = TOTAL_AMOUNT
              THEN 1
          ELSE 0
          END AS fully_paid_flag
          WHEN LOAN_AMOUNT = TOTAL_AMOUNT
              AND DUE_DATE ≤ last_payment_date
              THEN 1
          END AS on_time_flag
29 FROM CTE
```

NAMASTESQL - DAY 7



Was it helpful?

follow for more!



Akash Mahindrakar Data Engineer akashsjce8050@gmail.com



SHARE YOUR THOUGHTS
IN COMMENT BELOW

