

Task 1: Deploy a Static Website on AWS S3

Name: Amritansh Srivastava

College: Vellore Institute of Technology

Internship: Internspark

Submission Date:01/06/2026

Objective:

To host a static website using AWS S3 and make it publicly accessible through a website endpoint.

Tools Used:

- AWS S3
- HTML

Steps Performed:

1. Logged into AWS Management Console.
2. Opened Amazon S3 service.
3. Created a bucket named "amritansh-cloud-internship-7342".
4. Disabled Block Public Access settings.
5. Created an index.html file containing website content.
6. Uploaded the index.html file to the S3 bucket.
7. Enabled Static Website Hosting.
8. Configured a bucket policy to allow public read access.
9. Accessed the website using the generated S3 website endpoint.

Bucket Name:

amritansh-cloud-internship-7342

Website Endpoint:


http://amritansh-cloud-internship-7342.s3-website.ap-south-1.amazonaws.com/

Outcome:


Successfully deployed a static website on AWS S3 and made it publicly accessible through the website endpoint.

Screenshots:

1. Bucket Creation



2. File Upload



3. Static Website Hosting Configuration

Edit static website hosting Info

Static website hosting
Use this bucket to host a website or redirect requests. [Learn more](#)

Static website hosting

☐ Disable

☒ Enable

Hosting type

☒ Host a static website
Use the bucket endpoint as the web address. [Learn more](#)

☐ Redirect requests for an object
Redirect requests to another bucket or domain. [Learn more](#)

Index document
Specify the home or default page of the website.

Error document - optional
This is returned when an error occurs.

Redirection rules - optional
Redirection rules, written in JSON, automatically redirect webpage requests for specific content. [Learn more](#)

For your customers to access content at the website endpoint, you must make all your content publicly readable. To do so, you can edit the S3 Block Public Access settings for the bucket. For more information, see [Using Amazon S3 Block Public Access](#)

4. Bucket Policy Configuration

Bucket policy

The bucket policy, written in JSON, provides access to the objects stored in the bucket. Bucket policies don't apply to objects owned by other accounts. [Learn more](#)

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Sid": "PublicRead",
      "Effect": "Allow",
      "Principal": "*",
      "Action": "s3:GetObject",
      "Resource": "arn:aws:s3:::amritansh-cloud-internship-7342/*"
    }
  ]
}
```

5. Website Running in Browser

Hello from AWS S3!

Cloud Computing Internship Task 1

Created by Amritansh Srivastava

Conclusion:

The task was completed successfully by creating an Amazon S3 bucket, configuring static website hosting, setting public access permissions, and deploying a static website accessible through a public endpoint.