

amritesh@Ghost: ~

Session Actions Edit View Help

(amritesh@Ghost)-[~]

\$ hostname

Ghost

(amritesh@Ghost)-[~]

\$ telnet

telnet> _

amritesh@Ghost: ~

Session Actions Edit View Help

```
(amritesh@Ghost)-[~]  
$ sudo busybox telnetd -f -p 23  
[sudo] password for amritesh:
```

```
(amritesh@Ghost)-[~]  
$ _
```



Edit V Session Actions Edit View Help

amritesh@Ghost: ~



port ==

Ti

476 9

477 9

478 9

479 9

480 9

481 9

482 9

483 9

484 9

485 9

me 1:

ernet

ernet

nsmiss

(amritesh@Ghost)-[~]

\$ telnet localhost

Trying ::1...

Connected to localhost.

Escape character is '^'].

Ghost login: amritesh

Password:

Linux Ghost 6.17.10+kali-amd64 #1 SMP PREEMPT_DYNAMIC Kali 6.17.10-1kali1 (2025-12-08) x86_64

The programs included with the Kali GNU/Linux system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Kali GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent
permitted by applicable law.

(amritesh@Ghost)-[~]

\$ _


I

wires



Capturing from Loopback: lo

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help



tcp.port == 23

No.	Time	Source	Destination	Protocol	Length
473	97.314009775	::1	::1	TCP	86
474	97.314028146	::1	::1	TELNET	307
475	97.314030507	::1	::1	TCP	86
476	97.375113571	::1	::1	TELNET	190
477	97.375123765	::1	::1	TCP	86
478	97.375134308	::1	::1	TELNET	108
479	97.375136037	::1	::1	TCP	86
480	97.375154608	::1	::1	TELNET	212
481	97.375158326	::1	::1	TCP	86
482	97.387150648	::1	::1	TELNET	247
483	97.387160065	::1	::1	TCP	86

▶ Frame 480: Packet, 212 bytes on wire (1696 bits) 0020 00 00 00 00 00 01 00 00
▶ Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00) 0030 00 00 00 00 00 01 00 17
▶ Internet Protocol Version 6, Src: ::1, Dst: ::1 0040 f4 3e 80 18 00 40 00 a6
▶ Transmission Control Protocol, Src Port: 23, Dst Port: 23 0050 ab 7e ce 10 ab 41 20 20
▶ Telnet 0060 20 20 20 20 20 20 20 20
Data: 0070 20 20 20 20 20 20 20 20
0080 20 20 20 20 20 20 20 20
0090 20 20 20 20 20 20 20 20
00a0 20 20 20 20 20 20 20 20
00b0 20 20 20 20 20 20 20 20
00c0 35 35 61 50 72 65 74 65
00d0 2a 20 7d 07

Telnet (telnet), 126 bytes

Packets: 485 - Displayed: 485 (100.0%) | Profile: Default



Session Actions Edit View Help

amritesh@Ghost: ~

(amritesh@Ghost)-[~]

\$ sudo apt install openssh-server

[sudo] password for amritesh:

openssh-server is already the newest version (1:10.2p1-3).

Summary:

Upgrading: 0, Installing: 0, Removing: 0, Not Upgrading: 5

(amritesh@Ghost)-[~]

\$

(telnet data), 10/ bytes

Packets: 485 · Displayed: 485 (100.0%) · Profile: Default



amritesh@Ghost: ~

Session Actions Edit View Help

(amritesh@Ghost)-[~]

\$ sudo apt install openssh-server

[sudo] password for amritesh:

openssh-server is already the newest version (1:10.2p1-3).

Summary:

Upgrading: 0, Installing: 0, Removing: 0, Not Upgrading: 5

(amritesh@Ghost)-[~]

\$ sudo systemctl start ssh

(amritesh@Ghost)-[~]

\$ sudo systemctl enable ssh

Synchronizing state of ssh.service with SysV to match /usr/lib/systemd/systemd-sysv-install

Executing: /usr/lib/systemd/systemd-sysv-install enable ssh

Created symlink '/etc/systemd/system/ssh.service' → '/usr/lib/systemd/system/ssh.service'.

Created symlink '/etc/systemd/system/multi-user.target.wants/ssh.service' → '/usr/lib/systemd/system/ssh.service'.

(amritesh@Ghost)-[~]

\$

telnet.data), 10/ bytes

Packets: 485 · Displayed: 485 (100.0%) | Profile: Default




```
amritesh@Ghost: ~  
Session Actions Edit View Help  
Executing: /usr/lib/systemd/systemd-sysv-install enable ssh  
Created symlink '/etc/systemd/system/ssh.service' → '/usr/lib/systemd/system/ssh.service'.  
Created symlink '/etc/systemd/system/multi-user.target.wants/ssh.service' → '/usr/lib/systemd/system/ssh.service'.  
  
(amritesh@Ghost)-[~]  
$ sudo systemctl ststatus ssh  
Unknown command verb 'ststatus', did you mean 'status'?  
  
(amritesh@Ghost)-[~]  
$ sudo systemctl status ssh  
● ssh.service - OpenBSD Secure Shell server  
   Loaded: loaded (/usr/lib/systemd/system/ssh.service; vendor preset: disabled)  
   Active: active (running) since Sun 2025-12-28 21:03:03 IST; 1min 34s ago  
 Invocation: bf92e227a1dc408eafe89f3c35eadb83  
    Docs: man:sshd(8)  
          man:sshd_config(5)  
 Main PID: 3989 (sshd)  
   Tasks: 1 (limit: 8939)  
  Memory: 1.9M (peak: 3.2M)  
    CPU: 34ms  
   CGroup: /system.slice/ssh.service  
           └─3989 "sshd: /usr/sbin/sshd -D [listener] 0 of 10-100 startups"  
  
Dec 28 21:03:03 Ghost systemd[1]: Starting ssh.service - OpenBSD Secure Shell server ...  
Dec 28 21:03:03 Ghost sshd[3989]: Server listening on 0.0.0.0 port 22.  
Dec 28 21:03:03 Ghost sshd[3989]: Server listening on :: port 22.  
Dec 28 21:03:03 Ghost systemd[1]: Started ssh.service - OpenBSD Secure Shell server.  
  
(amritesh@Ghost)-[~]  
$
```

(teinet data), 10/ bytes

Packets: 485 · Displayed: 485 (100.0%) | Profile: Default



amritesh@Ghost: ~

Session Actions Edit View Help

Memory: 1.9M (peak: 3.2M)

CPU: 34ms

CGroup: /system.slice/ssh.service

Dec 28 21:03:03 Ghost sshd[3989] -D [listener] 0 of 10-100 started

Dec 28 21:03:03 Ghost systemd[1]: Starting ssh.service - OpenBSD Secure Shell server...
Dec 28 21:03:03 Ghost sshd[3989]: Server listening on 0.0.0.0 port 22.
Dec 28 21:03:03 Ghost sshd[3989]: Server listening on :: port 22.
Dec 28 21:03:03 Ghost systemd[1]: Started ssh.service - OpenBSD Secure Shell server.

(amritesh@Ghost)-[~]

\$

(amritesh@Ghost)-[~]

\$ ssh localhost

The authenticity of host 'localhost (:::1)' can't be established.

ED25519 key fingerprint is: SHA256:WiSwF3n8MaD8ILugqk0V95uyNdNyI3xyLyH1Ayu0hCI
This key is not known by any other names.

Are you sure you want to continue connecting (yes/no/[fingerprint])? yes

Warning: Permanently added 'localhost' (ED25519) to the list of known hosts.

amritesh@localhost's password:

Linux Ghost 6.17.10+kali-amd64 #1 SMP PREEMPT_DYNAMIC Kali 6.17.10-1kali1 (2025-12-08) x86_64

The programs included with the Kali GNU/Linux system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Kali GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent
permitted by applicable law.

(amritesh@Ghost)-[~]

\$

shark_loopbackNPAUIS.pcapng

Packets: 525 · Displayed: 40 (7.6%) · Profile: Default



File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help



tcp.port == 22

No.	Time	Source	Destination	Protocol	Length	Info
516	570.998159414	:::1	:::1	SSHv2	1186	CL
517	571.005095096	:::1	:::1	SSHv2	626	Ser
518	571.012495600	:::1	:::1	SSHv2	194	Ser
519	571.012542473	:::1	:::1	TCP	86	515
520	571.012762479	:::1	:::1	SSHv2	506	Ser
521	571.055583471	:::1	:::1	TCP	86	515
522	571.084150730	:::1	:::1	SSHv2	250	Ser
523	571.084160945	:::1	:::1	TCP	86	515
524	571.096371793	:::1	:::1	SSHv2	282	Ser
525	571.096381032	:::1	:::1	TCP	86	515

Frame 520: Packet, 506 bytes on wire (4048 bits)
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 6, Src: :::1, Dst: :::1
Transmission Control Protocol, Src Port: 22, Dst Port: 515
SSH Protocol
SSH Version 2 (encryption:chacha20-poly1305)
[Direction: Server to Client]

0000	00 00 00 00 00 00 00 00	0
0010	7d de 01 c4 06 40 00 00	6
0020	00 00 00 00 00 01 00 00	6
0030	00 00 00 00 00 01 00 16	c
0040	82 d7 80 18 00 4f 01 cc	6
0050	e5 a4 ce 17 e5 a3 ef 74	f
0060	0a 42 1b 2d 1c eb 70 0f	3
0070	bf 07 60 92 94 78 1b 52	a
0080	1a b1 c3 ab 9b 62 d0 40	c
0090	0a 37 6e e7 b0 9b fc 0d	7
00a0	20 1c 52 dc 3e b6 6b fb	4
00b0	df 70 ba 83 c7 94 b6 b9	8

wireshark_LoopbackNPAQI3.pcapng

Packets: 525 - Displayed: 40 (7.6%) | Profile: Default



Wireshark · Follow TCP Stream (tcp.stream eq 2) · Loopback: lo

SSH-2.0-OpenSSH_10.2p1 Debian-3

SSH-2.0-OpenSSH_10.2p1 Debian-3

```
.....g}UX.... .L..S...^mlkem768x25519-sha256,sntrup761x25519-sha512,sntrup761x25519-sha512@openssh.com,curve25519-sha256,curve25519-sha256@libssh.org,ecdh-sha2-nistp256,ecdh-sha2-nistp384,ecdh-sha2-nistp521,diffie-hellman-group-exchange-sha256,diffie-hellman-group16-sha512,diffie-hellman-group18-sha512,diffie-hellman-group14-sha256,ext-info-c,kex-strict-c-v00@openssh.com....ssh-ed25519-cert-v01@openssh.com,ecdsa-sha2-nistp256-cert-v01@openssh.com,ecdsa-sha2-nistp384-cert-v01@openssh.com,ecdsa-sha2-nistp521-cert-v01@openssh.com,sk-ssh-ed25519-cert-v01@openssh.com,sk-ecdsa-sha2-nistp256-cert-v01@openssh.com,rsa-sha2-512-cert-v01@openssh.com,rsa-sha2-256-cert-v01@openssh.com,ssh-ed25519,ecdsa-sha2-nistp256,ecdsa-sha2-nistp384,ecdsa-sha2-nistp521,sk-ssh-ed25519@openssh.com,sk-ecdsa-sha2-nistp256@openssh.com,rsa-sha2-512,rsa-sha2-256...lchacha20-poly1305@openssh.com,aes128-gcm@openssh.com,aes256-gcm@openssh.com,aes128-ctr,aes192-ctr,aes256-ctr...lchacha20-poly1305@openssh.com,aes128-gcm@openssh.com,aes256-gcm@openssh.com,aes128-ctr,aes192-ctr,aes256-ctr....umac-64-etm@openssh.com,umac-128-etm@openssh.com,hmac-sha2-256-etm@openssh.com,hmac-sha2-512-etm@openssh.com,hmac-sha1-etm@openssh.com,umac-64@openssh.com,umac-128@openssh.com,hmac-sha2-256,hmac-sha2-512,hmac-sha1....umac-64-etm@openssh.com,umac-128-etm@openssh.com,hmac-sha2-256-etm@openssh.com,hmac-sha2-512-etm@openssh.com,hmac-sha1-etm@openssh.com,umac-64@openssh.com,umac-128@openssh.com,hmac-sha2-256,hmac-sha2-512,hmac-sha1....none,zlib@openssh.com....none,zlib@openssh.com.....
```

9 client pkts, 13 server pkts, 15 turns.

Entire conversation (9,478 | ▾

Show as ASCII ▾

No delta times ▾

Stream 2 ▾

Find:

Case sensitive

Find Next

Filter Out This Stream

Print

Save as...

Back

× Close

○ Help

wireshark_LoopbackNPAQI3.pcapng

Packets: 525 · Displayed: 40 (7.6%) | Profile: Default