

Aditya Contribution Improvement Assessment

Contributor credit: GitHub @Adityakrpand

Reviewed source: PR #8 at immutable head 621dfb61b39a4c49e8abb46ce60c54ea3d044479

Contribution outcome: 22 contributions became new canonical released classes; 1 contribution improved the existing Solubility class.

Portfolio indicator movement: 55.4/100 baseline to 76.3/100 integrated internal QA.

This assessment credits the curriculum, scene, narration, and panorama work supported by evidence. It explains what the integration system changed and what future classes should do from the start. It is a contribution-improvement assessment, not a performance review.

Publication and evidence maturity remain separate: all classes are released at internal QA. Repository and browser evidence do not replace physical Quest acceptance or controlled classroom evidence.

What to keep doing

- Start from a specific curriculum concept and turn it into a visible learner journey.
- Preserve useful scene ideas, narration writing, and locally owned panorama work with explicit provenance.
- Make the intended student action and observation concrete enough for reviewers to test.
- Contribute in reviewable curriculum slices so the class can be mapped to one canonical identity.

How to read each contribution card

Baseline scores use only the immutable PR head. Integrated scores use the remediated canonical library. A positive delta measures product-contract improvement, not an individual grade. Remaining risks keep absent device and classroom evidence visible.

Contribution 01: walls-tell-stories-ancient-fort-visit

Title: A Visit of an Ancient Fort

Canonical class: c5-ch10-a01-a-visit-of-ancient-fort

Integration: new-class

Baseline score: 65/100

Integrated score: 79/100

Score delta: +14

Baseline strengths

- Selected the curriculum-aligned A Visit of an Ancient Fort topic and expressed it as a staged spatial class.
- Contributed useful learner-facing scene, interaction, panorama, and narration ideas that could be retained during integration.
- Established a working route-level prototype that made the intended student journey concrete for review.

Baseline defects

- The viewer owned renderer, animation, input, audio, state, and disposal concerns instead of using the project runtime contract.
- The regression test inspected source strings rather than executing the learner behavior, so it could pass while the class was broken.
- Contributor audio existed, but stable cue ownership, content hashes, captions, and shared playback lifecycle were not standardized.

Implemented remediation

- Moved curriculum, narration, assessment, assets, legacy route, and release state into a validated ImplementedSimulationDefinition.
- Replaced the cloned renderer/controller lifecycle with a shared guided viewer, declarative scene adapter, normalized actions, and evidence-gated controller.
- Converted contributor panoramas to bounded local WebP assets, retained explicit credit, added digest checks, and preserved scene fallbacks.

Remediation evidence paths

- packages/simulation-content/src/implemented/guided/definitions.generated.ts
- tests/unit/guided-simulation-controller.test.ts
- assets:sim-c05-ch10-a01-a-visit-of-ancient-fort
- narration:guided-ancient-fort
- npm run verify
- /simulations/c5-ch10-a01-a-visit-of-ancient-fort

Remaining risk

- No signed physical-headset acceptance has been run, so comfort, controller discoverability, frame rate, and listener quality remain internal-QA risks.
- No controlled classroom study has been run, so the release makes no claim of measured learning improvement.
- Upstream generation/license metadata for the contributed panorama remains undocumented and is carried as an explicit provenance limitation.

Next action

Run the published reviewer checklist on a representative browser and headset, then pilot with a teacher and record evidence before raising maturity.

Contribution 02: up-you-go-snow-mountain-climbing

Title: Snow Mountain Climbing

Canonical class: c5-ch09-a04-snow-mountain-climbing

Integration: new-class

Baseline score: 52/100

Integrated score: 75/100

Score delta: +23

Baseline strengths

- Selected the curriculum-aligned Snow Mountain Climbing topic and expressed it as a staged spatial class.
- Contributed useful learner-facing scene, interaction, panorama, and narration ideas that could be retained during integration.
- Established a working route-level prototype that made the intended student journey concrete for review.

Baseline defects

- The viewer owned renderer, animation, input, audio, state, and disposal concerns instead of using the project runtime contract.
- The regression test inspected source strings rather than executing the learner behavior, so it could pass while the class was broken.
- Narration depended on missing files or runtime/browser speech; the PR portfolio referenced 189 requests while only 16 clips were tracked.

Implemented remediation

- Moved curriculum, narration, assessment, assets, legacy route, and release state into a validated `ImplementedSimulationDefinition`.
- Replaced the cloned renderer/controller lifecycle with a shared guided viewer, declarative scene adapter, normalized actions, and evidence-gated controller.
- Converted contributor panoramas to bounded local WebP assets, retained explicit credit, added digest checks, and preserved scene fallbacks.

Remediation evidence paths

- `packages/simulation-content/src/implemented/guided/definitions.generated.ts`
- `tests/unit/guided-simulation-controller.test.ts`
- `assets:sim-c05-ch09-a04-snow-mountain-climbing`
- `narration:guided-snow-mountain-climbing`
- `npm run verify`
- `/simulations/c5-ch09-a04-snow-mountain-climbing`

Remaining risk

- No signed physical-headset acceptance has been run, so comfort, controller discoverability, frame rate, and listener quality remain internal-QA risks.
- No controlled classroom study has been run, so the release makes no claim of measured learning improvement.
- Upstream generation/license metadata for the contributed panorama remains undocumented and is carried as an explicit provenance limitation.

Next action

Run the published reviewer checklist on a representative browser and headset, then pilot with a teacher and record evidence before raising maturity.

Contribution 03: up-you-go-camp-in-snow

Title: Camp in the Snow

Canonical class: c5-ch09-a03-camp-in-the-snow

Integration: new-class

Baseline score: 51/100

Integrated score: 75/100

Score delta: +24

Baseline strengths

- Selected the curriculum-aligned Camp in the Snow topic and expressed it as a staged spatial class.
- Contributed useful learner-facing scene, interaction, panorama, and narration ideas that could be retained during integration.
- Established a working route-level prototype that made the intended student journey concrete for review.

Baseline defects

- The viewer owned renderer, animation, input, audio, state, and disposal concerns instead of using the project runtime contract.
- The regression test inspected source strings rather than executing the learner behavior, so it could pass while the class was broken.
- Narration depended on missing files or runtime/browser speech; the PR portfolio referenced 189 requests while only 16 clips were tracked.

Implemented remediation

- Moved curriculum, narration, assessment, assets, legacy route, and release state into a validated ImplementedSimulationDefinition.
- Replaced the cloned renderer/controller lifecycle with a shared guided viewer, declarative scene adapter, normalized actions, and evidence-gated controller.
- Converted contributor panoramas to bounded local WebP assets, retained explicit credit, added digest checks, and preserved scene fallbacks.

Remediation evidence paths

- packages/simulation-content/src/implemented/guided/definitions.generated.ts
- tests/unit/guided-simulation-controller.test.ts
- assets:sim-c05-ch09-a03-camp-in-the-snow
- narration:guided-camp-in-snow
- npm run verify
- /simulations/c5-ch09-a03-camp-in-the-snow

Remaining risk

- No signed physical-headset acceptance has been run, so comfort, controller discoverability, frame rate, and listener quality remain internal-QA risks.
- No controlled classroom study has been run, so the release makes no claim of measured learning improvement.
- Upstream generation/license metadata for the contributed panorama remains undocumented and is carried as an explicit provenance limitation.

Next action

Run the published reviewer checklist on a representative browser and headset, then pilot with a teacher and record evidence before raising maturity.

Contribution 04: up-you-go-rock-climbing

Title: Rock Climbing

Canonical class: c5-ch09-a02-rock-climbing

Integration: new-class

Baseline score: 61/100

Integrated score: 79/100

Score delta: +18

Baseline strengths

- Selected the curriculum-aligned Rock Climbing topic and expressed it as a staged spatial class.
- Contributed useful learner-facing scene, interaction, panorama, and narration ideas that could be retained during integration.
- Established a working route-level prototype that made the intended student journey concrete for review.

Baseline defects

- The viewer owned renderer, animation, input, audio, state, and disposal concerns instead of using the project runtime contract.
- The regression test inspected source strings rather than executing the learner behavior, so it could pass while the class was broken.
- Contributor audio existed, but stable cue ownership, content hashes, captions, and shared playback lifecycle were not standardized.

Implemented remediation

- Moved curriculum, narration, assessment, assets, legacy route, and release state into a validated ImplementedSimulationDefinition.
- Replaced the cloned renderer/controller lifecycle with a shared guided viewer, declarative scene adapter, normalized actions, and evidence-gated controller.
- Converted contributor panoramas to bounded local WebP assets, retained explicit credit, added digest checks, and preserved scene fallbacks.

Remediation evidence paths

- packages/simulation-content/src/implemented/guided/definitions.generated.ts
- tests/unit/guided-simulation-controller.test.ts
- assets:sim-c05-ch09-a02-rock-climbing
- narration:guided-rock-climbing
- npm run verify
- /simulations/c5-ch09-a02-rock-climbing

Remaining risk

- No signed physical-headset acceptance has been run, so comfort, controller discoverability, frame rate, and listener quality remain internal-QA risks.
- No controlled classroom study has been run, so the release makes no claim of measured learning improvement.
- Upstream generation/license metadata for the contributed panorama remains undocumented and is carried as an explicit provenance limitation.

Next action

Run the published reviewer checklist on a representative browser and headset, then pilot with a teacher and record evidence before raising maturity.

Contribution 05: up-you-go-river-crossing-adventure

Title: River Crossing Adventure

Canonical class: c5-ch09-a01-river-crossing-adventure

Integration: new-class

Baseline score: 52/100

Integrated score: 75/100

Score delta: +23

Baseline strengths

- Selected the curriculum-aligned River Crossing Adventure topic and expressed it as a staged spatial class.
- Contributed useful learner-facing scene, interaction, panorama, and narration ideas that could be retained during integration.
- Established a working route-level prototype that made the intended student journey concrete for review.

Baseline defects

- The viewer owned renderer, animation, input, audio, state, and disposal concerns instead of using the project runtime contract.
- The regression test inspected source strings rather than executing the learner behavior, so it could pass while the class was broken.
- Narration depended on missing files or runtime/browser speech; the PR portfolio referenced 189 requests while only 16 clips were tracked.

Implemented remediation

- Moved curriculum, narration, assessment, assets, legacy route, and release state into a validated ImplementedSimulationDefinition.
- Replaced the cloned renderer/controller lifecycle with a shared guided viewer, declarative scene adapter, normalized actions, and evidence-gated controller.
- Converted contributor panoramas to bounded local WebP assets, retained explicit credit, added digest checks, and preserved scene fallbacks.

Remediation evidence paths

- packages/simulation-content/src/implemented/guided/definitions.generated.ts
- tests/unit/guided-simulation-controller.test.ts
- assets:sim-c05-ch09-a01-river-crossing-adventure
- narration:guided-river-crossing
- npm run verify
- /simulations/c5-ch09-a01-river-crossing-adventure

Remaining risk

- No signed physical-headset acceptance has been run, so comfort, controller discoverability, frame rate, and listener quality remain internal-QA risks.
- No controlled classroom study has been run, so the release makes no claim of measured learning improvement.
- Upstream generation/license metadata for the contributed panorama remains undocumented and is carried as an explicit provenance limitation.

Next action

Run the published reviewer checklist on a representative browser and headset, then pilot with a teacher and record evidence before raising maturity.

Contribution 06: treat-for-mosquitoes-mosquito-life-cycle

Title: Life Cycle of the Mosquito

Canonical class: c5-ch08-a02-life-cycle-of-the-mosquito

Integration: new-class

Baseline score: 57/100

Integrated score: 75/100

Score delta: +18

Baseline strengths

- Selected the curriculum-aligned Life Cycle of the Mosquito topic and expressed it as a staged spatial class.
- Contributed useful learner-facing scene, interaction, panorama, and narration ideas that could be retained during integration.
- Established a working route-level prototype that made the intended student journey concrete for review.

Baseline defects

- The viewer owned renderer, animation, input, audio, state, and disposal concerns instead of using the project runtime contract.
- The regression test inspected source strings rather than executing the learner behavior, so it could pass while the class was broken.
- Narration depended on missing files or runtime/browser speech; the PR portfolio referenced 189 requests while only 16 clips were tracked.

Implemented remediation

- Moved curriculum, narration, assessment, assets, legacy route, and release state into a validated ImplementedSimulationDefinition.
- Replaced the cloned renderer/controller lifecycle with a shared guided viewer, declarative scene adapter, normalized actions, and evidence-gated controller.
- Converted contributor panoramas to bounded local WebP assets, retained explicit credit, added digest checks, and preserved scene fallbacks.

Remediation evidence paths

- packages/simulation-content/src/implemented/guided/definitions.generated.ts
- tests/unit/guided-simulation-controller.test.ts
- assets:sim-c05-ch08-a02-life-cycle-of-the-mosquito
- narration:guided-mosquito-life-cycle
- npm run verify
- /simulations/c5-ch08-a02-life-cycle-of-the-mosquito

Remaining risk

- No signed physical-headset acceptance has been run, so comfort, controller discoverability, frame rate, and listener quality remain internal-QA risks.
- No controlled classroom study has been run, so the release makes no claim of measured learning improvement.
- Upstream generation/license metadata for the contributed panorama remains undocumented and is carried as an explicit provenance limitation.

Next action

Run the published reviewer checklist on a representative browser and headset, then pilot with a teacher and record evidence before raising maturity.

Contribution 07: treat-for-mosquitoes-malaria-diagnosis

Title: Diagnosis of Malaria

Canonical class: c5-ch08-a01-diagnosis-of-malaria

Integration: new-class

Baseline score: 57/100

Integrated score: 75/100

Score delta: +18

Baseline strengths

- Selected the curriculum-aligned Diagnosis of Malaria topic and expressed it as a staged spatial class.
- Contributed useful learner-facing scene, interaction, panorama, and narration ideas that could be retained during integration.
- Established a working route-level prototype that made the intended student journey concrete for review.

Baseline defects

- The viewer owned renderer, animation, input, audio, state, and disposal concerns instead of using the project runtime contract.
- The regression test inspected source strings rather than executing the learner behavior, so it could pass while the class was broken.
- Narration depended on missing files or runtime/browser speech; the PR portfolio referenced 189 requests while only 16 clips were tracked.

Implemented remediation

- Moved curriculum, narration, assessment, assets, legacy route, and release state into a validated ImplementedSimulationDefinition.
- Replaced the cloned renderer/controller lifecycle with a shared guided viewer, declarative scene adapter, normalized actions, and evidence-gated controller.
- Converted contributor panoramas to bounded local WebP assets, retained explicit credit, added digest checks, and preserved scene fallbacks.

Remediation evidence paths

- packages/simulation-content/src/implemented/guided/definitions.generated.ts
- tests/unit/guided-simulation-controller.test.ts
- assets:sim-c05-ch08-a01-diagnosis-of-malaria
- narration:guided-malaria-diagnosis
- npm run verify
- /simulations/c5-ch08-a01-diagnosis-of-malaria

Remaining risk

- No signed physical-headset acceptance has been run, so comfort, controller discoverability, frame rate, and listener quality remain internal-QA risks.
- No controlled classroom study has been run, so the release makes no claim of measured learning improvement.
- Upstream generation/license metadata for the contributed panorama remains undocumented and is carried as an explicit provenance limitation.

Next action

Run the published reviewer checklist on a representative browser and headset, then pilot with a teacher and record evidence before raising maturity.

Contribution 08: experiments-with-water-float-or-sink

Title: What Floats, What Sinks?

Canonical class: c5-ch07-a01-a-concept-about-what-floats-what-sinks

Integration: new-class

Baseline score: 64/100

Integrated score: 78/100

Score delta: +14

Baseline strengths

- Selected the curriculum-aligned What Floats, What Sinks? topic and expressed it as a staged spatial class.
- Contributed useful learner-facing scene, interaction, panorama, and narration ideas that could be retained during integration.
- Established a working route-level prototype that made the intended student journey concrete for review.

Baseline defects

- The viewer owned renderer, animation, input, audio, state, and disposal concerns instead of using the project runtime contract.
- The regression test inspected source strings rather than executing the learner behavior, so it could pass while the class was broken.
- Narration depended on missing files or runtime/browser speech; the PR portfolio referenced 189 requests while only 16 clips were tracked.

Implemented remediation

- Moved curriculum, assessment, narration, assets, legacy route, and release state into the canonical content registry.
- Separated pure domain outcomes from the shared interactive investigation session so unknown actions cannot advance the lesson.
- Added executable behavior tests and registered the class through the shared route/viewer host instead of a viewer-local lifecycle.

Remediation evidence paths

- packages/simulation-content/src/implemented/interactive/floatOrSink.ts
- tests/unit/interactive-investigation-session.test.ts
- assets-c5-ch07-a01-a-concept-about-what-floats-what-sinks
- narration-c5-ch07-a01-a-concept-about-what-floats-what-sinks
- npm run verify
- /simulations/c5-ch07-a01-a-concept-about-what-floats-what-sinks

Remaining risk

- No signed physical-headset acceptance has been run, so comfort, controller discoverability, frame rate, and listener quality remain internal-QA risks.
- No controlled classroom study has been run, so the release makes no claim of measured learning improvement.
- Upstream generation/license metadata for the contributed panorama remains undocumented and is carried as an explicit provenance limitation.

Next action

Run the published reviewer checklist on a representative browser and headset, then pilot with a teacher and record evidence before raising maturity.

Contribution 09: experiments-with-water-dead-sea-salt-water

Title: Dead Sea: Salt Water and Its Effects

Canonical class: c5-ch07-a02-dead-sea-salt-water-and-its-effects

Integration: new-class

Baseline score: 56/100

Integrated score: 75/100

Score delta: +19

Baseline strengths

- Selected the curriculum-aligned Dead Sea: Salt Water and Its Effects topic and expressed it as a staged spatial class.
- Contributed useful learner-facing scene, interaction, panorama, and narration ideas that could be retained during integration.
- Established a working route-level prototype that made the intended student journey concrete for review.

Baseline defects

- The viewer owned renderer, animation, input, audio, state, and disposal concerns instead of using the project runtime contract.
- The regression test inspected source strings rather than executing the learner behavior, so it could pass while the class was broken.
- Narration depended on missing files or runtime/browser speech; the PR portfolio referenced 189 requests while only 16 clips were tracked.

Implemented remediation

- Moved curriculum, narration, assessment, assets, legacy route, and release state into a validated ImplementedSimulationDefinition.
- Replaced the cloned renderer/controller lifecycle with a shared guided viewer, declarative scene adapter, normalized actions, and evidence-gated controller.
- Converted contributor panoramas to bounded local WebP assets, retained explicit credit, added digest checks, and preserved scene fallbacks.

Remediation evidence paths

- packages/simulation-content/src/implemented/guided/definitions.generated.ts
- tests/unit/guided-simulation-controller.test.ts
- assets:sim-c05-ch07-a02-dead-sea-salt-water-and-its-effects
- narration:guided-dead-sea-salt-water
- npm run verify
- /simulations/c5-ch07-a02-dead-sea-salt-water-and-its-effects

Remaining risk

- No signed physical-headset acceptance has been run, so comfort, controller discoverability, frame rate, and listener quality remain internal-QA risks.
- No controlled classroom study has been run, so the release makes no claim of measured learning improvement.
- Upstream generation/license metadata for the contributed panorama remains undocumented and is carried as an explicit provenance limitation.

Next action

Run the published reviewer checklist on a representative browser and headset, then pilot with a teacher and record evidence before raising maturity.

Contribution 10: experiments-with-water-soluble-insoluble

Title: Soluble and Insoluble Substances Lab

Canonical class: c5-ch07-a03-soluble-and-insoluble-substances

Integration: existing-enhancement

Baseline score: 63/100

Integrated score: 81/100

Score delta: +18

Baseline strengths

- Selected the curriculum-aligned Soluble and Insoluble Substances Lab topic and expressed it as a staged spatial class.
- Contributed useful learner-facing scene, interaction, panorama, and narration ideas that could be retained during integration.
- Established a working route-level prototype that made the intended student journey concrete for review.

Baseline defects

- The viewer owned renderer, animation, input, audio, state, and disposal concerns instead of using the project runtime contract.
- The regression test inspected source strings rather than executing the learner behavior, so it could pass while the class was broken.
- Narration depended on missing files or runtime/browser speech; the PR portfolio referenced 189 requests while only 16 clips were tracked.

Implemented remediation

- Integrated the useful PR experiment as an enhancement of the existing Solubility class, avoiding a duplicate 36th simulation.
- Moved curriculum, assessment, narration, assets, legacy route, and release state into the canonical content registry.
- Separated pure domain outcomes from the shared interactive investigation session so unknown actions cannot advance the lesson.
- Added executable behavior tests and registered the class through the shared route/viewer host instead of a viewer-local lifecycle.

Remediation evidence paths

- packages/simulation-content/src/implemented/interactive/solubility.ts
- tests/unit/interactive-investigation-session.test.ts
- assets-c5-ch07-a03-soluble-and-insoluble-substances
- narration-c5-ch07-a03-soluble-and-insoluble-substances
- npm run verify
- /simulations/c5-ch07-a03-soluble-and-insoluble-substances

Remaining risk

- No signed physical-headset acceptance has been run, so comfort, controller discoverability, frame rate, and listener quality remain internal-QA risks.
- No controlled classroom study has been run, so the release makes no claim of measured learning improvement.
- Upstream generation/license metadata for the contributed panorama remains undocumented and is carried as an explicit provenance limitation.

Next action

Run the published reviewer checklist on a representative browser and headset, then pilot with a teacher and record evidence before raising maturity.

Contribution 11: every-drop-counts-rainwater-storage

Title: The Storage of Rainwater

Canonical class: c5-ch06-a01-the-storage-of-rainwater

Integration: new-class

Baseline score: 54/100

Integrated score: 75/100

Score delta: +21

Baseline strengths

- Selected the curriculum-aligned The Storage of Rainwater topic and expressed it as a staged spatial class.
- Contributed useful learner-facing scene, interaction, panorama, and narration ideas that could be retained during integration.
- Established a working route-level prototype that made the intended student journey concrete for review.

Baseline defects

- The viewer owned renderer, animation, input, audio, state, and disposal concerns instead of using the project runtime contract.
- The regression test inspected source strings rather than executing the learner behavior, so it could pass while the class was broken.
- Narration depended on missing files or runtime/browser speech; the PR portfolio referenced 189 requests while only 16 clips were tracked.

Implemented remediation

- Moved curriculum, narration, assessment, assets, legacy route, and release state into a validated ImplementedSimulationDefinition.
- Replaced the cloned renderer/controller lifecycle with a shared guided viewer, declarative scene adapter, normalized actions, and evidence-gated controller.
- Converted contributor panoramas to bounded local WebP assets, retained explicit credit, added digest checks, and preserved scene fallbacks.

Remediation evidence paths

- packages/simulation-content/src/implemented/guided/definitions.generated.ts
- tests/unit/guided-simulation-controller.test.ts
- assets:sim-c05-ch06-a01-the-storage-of-rainwater
- narration:guided-rainwater-storage
- npm run verify
- /simulations/c5-ch06-a01-the-storage-of-rainwater

Remaining risk

- No signed physical-headset acceptance has been run, so comfort, controller discoverability, frame rate, and listener quality remain internal-QA risks.
- No controlled classroom study has been run, so the release makes no claim of measured learning improvement.
- Upstream generation/license metadata for the contributed panorama remains undocumented and is carried as an explicit provenance limitation.

Next action

Run the published reviewer checklist on a representative browser and headset, then pilot with a teacher and record evidence before raising maturity.

Contribution 12: every-drop-counts-stepwell-structure

Title: A Step Well Structure

Canonical class: c5-ch06-a02-a-step-well-structure

Integration: new-class

Baseline score: 52/100

Integrated score: 75/100

Score delta: +23

Baseline strengths

- Selected the curriculum-aligned A Step Well Structure topic and expressed it as a staged spatial class.
- Contributed useful learner-facing scene, interaction, panorama, and narration ideas that could be retained during integration.
- Established a working route-level prototype that made the intended student journey concrete for review.

Baseline defects

- The viewer owned renderer, animation, input, audio, state, and disposal concerns instead of using the project runtime contract.
- The regression test inspected source strings rather than executing the learner behavior, so it could pass while the class was broken.
- Narration depended on missing files or runtime/browser speech; the PR portfolio referenced 189 requests while only 16 clips were tracked.

Implemented remediation

- Moved curriculum, narration, assessment, assets, legacy route, and release state into a validated ImplementedSimulationDefinition.
- Replaced the cloned renderer/controller lifecycle with a shared guided viewer, declarative scene adapter, normalized actions, and evidence-gated controller.
- Converted contributor panoramas to bounded local WebP assets, retained explicit credit, added digest checks, and preserved scene fallbacks.

Remediation evidence paths

- packages/simulation-content/src/implemented/guided/definitions.generated.ts
- tests/unit/guided-simulation-controller.test.ts
- assets:sim-c05-ch06-a02-a-step-well-structure
- narration:guided-stepwell-structure
- npm run verify
- /simulations/c5-ch06-a02-a-step-well-structure

Remaining risk

- No signed physical-headset acceptance has been run, so comfort, controller discoverability, frame rate, and listener quality remain internal-QA risks.
- No controlled classroom study has been run, so the release makes no claim of measured learning improvement.
- Upstream generation/license metadata for the contributed panorama remains undocumented and is carried as an explicit provenance limitation.

Next action

Run the published reviewer checklist on a representative browser and headset, then pilot with a teacher and record evidence before raising maturity.

Contribution 13: seeds-and-seeds-seed-dispersal

Title: Seed Dispersal

Canonical class: c5-ch05-a02-seed-dispersal

Integration: new-class

Baseline score: 54/100

Integrated score: 75/100

Score delta: +21

Baseline strengths

- Selected the curriculum-aligned Seed Dispersal topic and expressed it as a staged spatial class.
- Contributed useful learner-facing scene, interaction, panorama, and narration ideas that could be retained during integration.
- Established a working route-level prototype that made the intended student journey concrete for review.

Baseline defects

- The viewer owned renderer, animation, input, audio, state, and disposal concerns instead of using the project runtime contract.
- The regression test inspected source strings rather than executing the learner behavior, so it could pass while the class was broken.
- Narration depended on missing files or runtime/browser speech; the PR portfolio referenced 189 requests while only 16 clips were tracked.

Implemented remediation

- Moved curriculum, narration, assessment, assets, legacy route, and release state into a validated ImplementedSimulationDefinition.
- Replaced the cloned renderer/controller lifecycle with a shared guided viewer, declarative scene adapter, normalized actions, and evidence-gated controller.
- Converted contributor panoramas to bounded local WebP assets, retained explicit credit, added digest checks, and preserved scene fallbacks.

Remediation evidence paths

- packages/simulation-content/src/implemented/guided/definitions.generated.ts
- tests/unit/guided-simulation-controller.test.ts
- assets:sim-c05-ch05-a02-seed-dispersal
- narration:guided-seed-dispersal
- npm run verify
- /simulations/c5-ch05-a02-seed-dispersal

Remaining risk

- No signed physical-headset acceptance has been run, so comfort, controller discoverability, frame rate, and listener quality remain internal-QA risks.
- No controlled classroom study has been run, so the release makes no claim of measured learning improvement.
- Upstream generation/license metadata for the contributed panorama remains undocumented and is carried as an explicit provenance limitation.

Next action

Run the published reviewer checklist on a representative browser and headset, then pilot with a teacher and record evidence before raising maturity.

Contribution 14: seeds-and-seeds-pitcher-plant

Title: Pitcher Plant - The Insect Hunter

Canonical class: c5-ch05-a01-pitcher-plant-the-insect-hunter

Integration: new-class

Baseline score: 54/100

Integrated score: 75/100

Score delta: +21

Baseline strengths

- Selected the curriculum-aligned Pitcher Plant - The Insect Hunter topic and expressed it as a staged spatial class.
- Contributed useful learner-facing scene, interaction, panorama, and narration ideas that could be retained during integration.
- Established a working route-level prototype that made the intended student journey concrete for review.

Baseline defects

- The viewer owned renderer, animation, input, audio, state, and disposal concerns instead of using the project runtime contract.
- The regression test inspected source strings rather than executing the learner behavior, so it could pass while the class was broken.
- Narration depended on missing files or runtime/browser speech; the PR portfolio referenced 189 requests while only 16 clips were tracked.

Implemented remediation

- Moved curriculum, narration, assessment, assets, legacy route, and release state into a validated ImplementedSimulationDefinition.
- Replaced the cloned renderer/controller lifecycle with a shared guided viewer, declarative scene adapter, normalized actions, and evidence-gated controller.
- Converted contributor panoramas to bounded local WebP assets, retained explicit credit, added digest checks, and preserved scene fallbacks.

Remediation evidence paths

- packages/simulation-content/src/implemented/guided/definitions.generated.ts
- tests/unit/guided-simulation-controller.test.ts
- assets:sim-c05-ch05-a01-pitcher-plant-the-insect-hunter
- narration:guided-pitcher-plant
- npm run verify
- /simulations/c5-ch05-a01-pitcher-plant-the-insect-hunter

Remaining risk

- No signed physical-headset acceptance has been run, so comfort, controller discoverability, frame rate, and listener quality remain internal-QA risks.
- No controlled classroom study has been run, so the release makes no claim of measured learning improvement.
- Upstream generation/license metadata for the contributed panorama remains undocumented and is carried as an explicit provenance limitation.

Next action

Run the published reviewer checklist on a representative browser and headset, then pilot with a teacher and record evidence before raising maturity.

Contribution 15: mangoes-round-the-year-aam-papad

Title: The Making of Aam Papad

Canonical class: c5-ch04-a03-the-making-of-aam-papad

Integration: new-class

Baseline score: 50/100

Integrated score: 75/100

Score delta: +25

Baseline strengths

- Selected the curriculum-aligned The Making of Aam Papad topic and expressed it as a staged spatial class.
- Contributed useful learner-facing scene, interaction, panorama, and narration ideas that could be retained during integration.
- Established a working route-level prototype that made the intended student journey concrete for review.

Baseline defects

- The viewer owned renderer, animation, input, audio, state, and disposal concerns instead of using the project runtime contract.
- The regression test inspected source strings rather than executing the learner behavior, so it could pass while the class was broken.
- Narration depended on missing files or runtime/browser speech; the PR portfolio referenced 189 requests while only 16 clips were tracked.

Implemented remediation

- Moved curriculum, narration, assessment, assets, legacy route, and release state into a validated ImplementedSimulationDefinition.
- Replaced the cloned renderer/controller lifecycle with a shared guided viewer, declarative scene adapter, normalized actions, and evidence-gated controller.
- Converted contributor panoramas to bounded local WebP assets, retained explicit credit, added digest checks, and preserved scene fallbacks.

Remediation evidence paths

- packages/simulation-content/src/implemented/guided/definitions.generated.ts
- tests/unit/guided-simulation-controller.test.ts
- assets:sim-c05-ch04-a03-the-making-of-aam-papad
- narration:guided-aam-papad
- npm run verify
- /simulations/c5-ch04-a03-the-making-of-aam-papad

Remaining risk

- No signed physical-headset acceptance has been run, so comfort, controller discoverability, frame rate, and listener quality remain internal-QA risks.
- No controlled classroom study has been run, so the release makes no claim of measured learning improvement.
- Upstream generation/license metadata for the contributed panorama remains undocumented and is carried as an explicit provenance limitation.

Next action

Run the published reviewer checklist on a representative browser and headset, then pilot with a teacher and record evidence before raising maturity.

Contribution 16: mangoes-round-the-year-milk-spoilage

Title: Milk Spoilage

Canonical class: c5-ch04-a02-milk-spoilage

Integration: new-class

Baseline score: 50/100

Integrated score: 75/100

Score delta: +25

Baseline strengths

- Selected the curriculum-aligned Milk Spoilage topic and expressed it as a staged spatial class.
- Contributed useful learner-facing scene, interaction, panorama, and narration ideas that could be retained during integration.
- Established a working route-level prototype that made the intended student journey concrete for review.

Baseline defects

- The viewer owned renderer, animation, input, audio, state, and disposal concerns instead of using the project runtime contract.
- The regression test inspected source strings rather than executing the learner behavior, so it could pass while the class was broken.
- Narration depended on missing files or runtime/browser speech; the PR portfolio referenced 189 requests while only 16 clips were tracked.

Implemented remediation

- Moved curriculum, narration, assessment, assets, legacy route, and release state into a validated ImplementedSimulationDefinition.
- Replaced the cloned renderer/controller lifecycle with a shared guided viewer, declarative scene adapter, normalized actions, and evidence-gated controller.
- Converted contributor panoramas to bounded local WebP assets, retained explicit credit, added digest checks, and preserved scene fallbacks.

Remediation evidence paths

- packages/simulation-content/src/implemented/guided/definitions.generated.ts
- tests/unit/guided-simulation-controller.test.ts
- assets:sim-c05-ch04-a02-milk-spoilage
- narration:guided-milk-spoilage
- npm run verify
- /simulations/c5-ch04-a02-milk-spoilage

Remaining risk

- No signed physical-headset acceptance has been run, so comfort, controller discoverability, frame rate, and listener quality remain internal-QA risks.
- No controlled classroom study has been run, so the release makes no claim of measured learning improvement.
- Upstream generation/license metadata for the contributed panorama remains undocumented and is carried as an explicit provenance limitation.

Next action

Run the published reviewer checklist on a representative browser and headset, then pilot with a teacher and record evidence before raising maturity.

Contribution 17: mangoes-round-the-year-food-spoilage

Title: Food Spoilage

Canonical class: c5-ch04-a01-food-spoilage

Integration: new-class

Baseline score: 50/100

Integrated score: 75/100

Score delta: +25

Baseline strengths

- Selected the curriculum-aligned Food Spoilage topic and expressed it as a staged spatial class.
- Contributed useful learner-facing scene, interaction, panorama, and narration ideas that could be retained during integration.
- Established a working route-level prototype that made the intended student journey concrete for review.

Baseline defects

- The viewer owned renderer, animation, input, audio, state, and disposal concerns instead of using the project runtime contract.
- The regression test inspected source strings rather than executing the learner behavior, so it could pass while the class was broken.
- Narration depended on missing files or runtime/browser speech; the PR portfolio referenced 189 requests while only 16 clips were tracked.

Implemented remediation

- Moved curriculum, narration, assessment, assets, legacy route, and release state into a validated ImplementedSimulationDefinition.
- Replaced the cloned renderer/controller lifecycle with a shared guided viewer, declarative scene adapter, normalized actions, and evidence-gated controller.
- Converted contributor panoramas to bounded local WebP assets, retained explicit credit, added digest checks, and preserved scene fallbacks.

Remediation evidence paths

- packages/simulation-content/src/implemented/guided/definitions.generated.ts
- tests/unit/guided-simulation-controller.test.ts
- assets:sim-c05-ch04-a01-food-spoilage
- narration:guided-food-spoilage
- npm run verify
- /simulations/c5-ch04-a01-food-spoilage

Remaining risk

- No signed physical-headset acceptance has been run, so comfort, controller discoverability, frame rate, and listener quality remain internal-QA risks.
- No controlled classroom study has been run, so the release makes no claim of measured learning improvement.
- Upstream generation/license metadata for the contributed panorama remains undocumented and is carried as an explicit provenance limitation.

Next action

Run the published reviewer checklist on a representative browser and headset, then pilot with a teacher and record evidence before raising maturity.

Contribution 18: sorting-materials-by-shape

Title: Sorting Materials According to Their Shape

Canonical class: c6-ch04-a01-sorting-materials-according-to-their-shape

Integration: new-class

Baseline score: 51/100

Integrated score: 78/100

Score delta: +27

Baseline strengths

- Selected the curriculum-aligned Sorting Materials According to Their Shape topic and expressed it as a staged spatial class.
- Contributed useful learner-facing scene, interaction, panorama, and narration ideas that could be retained during integration.
- Established a working route-level prototype that made the intended student journey concrete for review.

Baseline defects

- The viewer owned renderer, animation, input, audio, state, and disposal concerns instead of using the project runtime contract.
- The regression test inspected source strings rather than executing the learner behavior, so it could pass while the class was broken.
- Narration depended on missing files or runtime/browser speech; the PR portfolio referenced 189 requests while only 16 clips were tracked.

Implemented remediation

- Moved curriculum, assessment, narration, assets, legacy route, and release state into the canonical content registry.
- Separated pure domain outcomes from the shared interactive investigation session so unknown actions cannot advance the lesson.
- Added executable behavior tests and registered the class through the shared route/viewer host instead of a viewer-local lifecycle.

Remediation evidence paths

- packages/simulation-content/src/implemented/interactive/shapeSorting.ts
- tests/unit/interactive-investigation-session.test.ts
- assets-c6-ch04-a01-sorting-materials-according-to-their-shape
- narration-c6-ch04-a01-sorting-materials-according-to-their-shape
- npm run verify
- /simulations/c6-ch04-a01-sorting-materials-according-to-their-shape

Remaining risk

- No signed physical-headset acceptance has been run, so comfort, controller discoverability, frame rate, and listener quality remain internal-QA risks.
- No controlled classroom study has been run, so the release makes no claim of measured learning improvement.
- Upstream generation/license metadata for the contributed panorama remains undocumented and is carried as an explicit provenance limitation.

Next action

Run the published reviewer checklist on a representative browser and headset, then pilot with a teacher and record evidence before raising maturity.

Contribution 19: fibre-to-fabric-cotton-farming

Title: Cotton Farming

Canonical class: c6-ch03-a01-cotton-farming

Integration: new-class

Baseline score: 52/100

Integrated score: 75/100

Score delta: +23

Baseline strengths

- Selected the curriculum-aligned Cotton Farming topic and expressed it as a staged spatial class.
- Contributed useful learner-facing scene, interaction, panorama, and narration ideas that could be retained during integration.
- Established a working route-level prototype that made the intended student journey concrete for review.

Baseline defects

- The viewer owned renderer, animation, input, audio, state, and disposal concerns instead of using the project runtime contract.
- The regression test inspected source strings rather than executing the learner behavior, so it could pass while the class was broken.
- Narration depended on missing files or runtime/browser speech; the PR portfolio referenced 189 requests while only 16 clips were tracked.

Implemented remediation

- Moved curriculum, narration, assessment, assets, legacy route, and release state into a validated ImplementedSimulationDefinition.
- Replaced the cloned renderer/controller lifecycle with a shared guided viewer, declarative scene adapter, normalized actions, and evidence-gated controller.
- Converted contributor panoramas to bounded local WebP assets, retained explicit credit, added digest checks, and preserved scene fallbacks.

Remediation evidence paths

- packages/simulation-content/src/implemented/guided/definitions.generated.ts
- tests/unit/guided-simulation-controller.test.ts
- assets:sim-c06-ch03-a01-cotton-farming
- narration:guided-cotton-farming
- npm run verify
- /simulations/c6-ch03-a01-cotton-farming

Remaining risk

- No signed physical-headset acceptance has been run, so comfort, controller discoverability, frame rate, and listener quality remain internal-QA risks.
- No controlled classroom study has been run, so the release makes no claim of measured learning improvement.
- Upstream generation/license metadata for the contributed panorama remains undocumented and is carried as an explicit provenance limitation.

Next action

Run the published reviewer checklist on a representative browser and headset, then pilot with a teacher and record evidence before raising maturity.

Contribution 20: fibre-to-fabric-cotton-ginning

Title: The Process of Cotton Ginning

Canonical class: c6-ch03-a02-the-process-of-cotton-ginning

Integration: new-class

Baseline score: 52/100

Integrated score: 75/100

Score delta: +23

Baseline strengths

- Selected the curriculum-aligned The Process of Cotton Ginning topic and expressed it as a staged spatial class.
- Contributed useful learner-facing scene, interaction, panorama, and narration ideas that could be retained during integration.
- Established a working route-level prototype that made the intended student journey concrete for review.

Baseline defects

- The viewer owned renderer, animation, input, audio, state, and disposal concerns instead of using the project runtime contract.
- The regression test inspected source strings rather than executing the learner behavior, so it could pass while the class was broken.
- Narration depended on missing files or runtime/browser speech; the PR portfolio referenced 189 requests while only 16 clips were tracked.

Implemented remediation

- Moved curriculum, narration, assessment, assets, legacy route, and release state into a validated ImplementedSimulationDefinition.
- Replaced the cloned renderer/controller lifecycle with a shared guided viewer, declarative scene adapter, normalized actions, and evidence-gated controller.
- Converted contributor panoramas to bounded local WebP assets, retained explicit credit, added digest checks, and preserved scene fallbacks.

Remediation evidence paths

- packages/simulation-content/src/implemented/guided/definitions.generated.ts
- tests/unit/guided-simulation-controller.test.ts
- assets:sim-c06-ch03-a02-the-process-of-cotton-ginning
- narration:guided-cotton-ginning
- npm run verify
- /simulations/c6-ch03-a02-the-process-of-cotton-ginning

Remaining risk

- No signed physical-headset acceptance has been run, so comfort, controller discoverability, frame rate, and listener quality remain internal-QA risks.
- No controlled classroom study has been run, so the release makes no claim of measured learning improvement.
- Upstream generation/license metadata for the contributed panorama remains undocumented and is carried as an explicit provenance limitation.

Next action

Run the published reviewer checklist on a representative browser and headset, then pilot with a teacher and record evidence before raising maturity.

Contribution 21: components-of-food-mineral-sources

Title: The Sources of Minerals in Food

Canonical class: c6-ch02-a05-the-sources-of-minerals-in-food

Integration: new-class

Baseline score: 58/100

Integrated score: 78/100

Score delta: +20

Baseline strengths

- Selected the curriculum-aligned The Sources of Minerals in Food topic and expressed it as a staged spatial class.
- Contributed useful learner-facing scene, interaction, panorama, and narration ideas that could be retained during integration.
- Established a working route-level prototype that made the intended student journey concrete for review.

Baseline defects

- The viewer owned renderer, animation, input, audio, state, and disposal concerns instead of using the project runtime contract.
- The regression test inspected source strings rather than executing the learner behavior, so it could pass while the class was broken.
- Narration depended on missing files or runtime/browser speech; the PR portfolio referenced 189 requests while only 16 clips were tracked.

Implemented remediation

- Moved curriculum, assessment, narration, assets, legacy route, and release state into the canonical content registry.
- Separated pure domain outcomes from the shared interactive investigation session so unknown actions cannot advance the lesson.
- Added executable behavior tests and registered the class through the shared route/viewer host instead of a viewer-local lifecycle.

Remediation evidence paths

- packages/simulation-content/src/implemented/interactive/mineralSources.ts
- tests/unit/interactive-investigation-session.test.ts
- assets-c6-ch02-a05-the-sources-of-minerals-in-food
- narration-c6-ch02-a05-the-sources-of-minerals-in-food
- npm run verify
- /simulations/c6-ch02-a05-the-sources-of-minerals-in-food

Remaining risk

- No signed physical-headset acceptance has been run, so comfort, controller discoverability, frame rate, and listener quality remain internal-QA risks.
- No controlled classroom study has been run, so the release makes no claim of measured learning improvement.
- Upstream generation/license metadata for the contributed panorama remains undocumented and is carried as an explicit provenance limitation.

Next action

Run the published reviewer checklist on a representative browser and headset, then pilot with a teacher and record evidence before raising maturity.

Contribution 22: components-of-food-vitamins-deficiencies

Title: Sources of Vitamins and Their Deficiencies

Canonical class: c6-ch02-a04-the-sources-of-vitamins-and-their-deficiencies

Integration: new-class

Baseline score: 58/100

Integrated score: 78/100

Score delta: +20

Baseline strengths

- Selected the curriculum-aligned Sources of Vitamins and Their Deficiencies topic and expressed it as a staged spatial class.
- Contributed useful learner-facing scene, interaction, panorama, and narration ideas that could be retained during integration.
- Established a working route-level prototype that made the intended student journey concrete for review.

Baseline defects

- The viewer owned renderer, animation, input, audio, state, and disposal concerns instead of using the project runtime contract.
- The regression test inspected source strings rather than executing the learner behavior, so it could pass while the class was broken.
- Narration depended on missing files or runtime/browser speech; the PR portfolio referenced 189 requests while only 16 clips were tracked.

Implemented remediation

- Moved curriculum, assessment, narration, assets, legacy route, and release state into the canonical content registry.
- Separated pure domain outcomes from the shared interactive investigation session so unknown actions cannot advance the lesson.
- Added executable behavior tests and registered the class through the shared route/viewer host instead of a viewer-local lifecycle.

Remediation evidence paths

- packages/simulation-content/src/implemented/interactive/vitaminDeficiencies.ts
- tests/unit/interactive-investigation-session.test.ts
- assets-c6-ch02-a04-the-sources-of-vitamins-and-their-deficiencies
- narration-c6-ch02-a04-the-sources-of-vitamins-and-their-deficiencies
- npm run verify
- /simulations/c6-ch02-a04-the-sources-of-vitamins-and-their-deficiencies

Remaining risk

- No signed physical-headset acceptance has been run, so comfort, controller discoverability, frame rate, and listener quality remain internal-QA risks.
- No controlled classroom study has been run, so the release makes no claim of measured learning improvement.
- Upstream generation/license metadata for the contributed panorama remains undocumented and is carried as an explicit provenance limitation.

Next action

Run the published reviewer checklist on a representative browser and headset, then pilot with a teacher and record evidence before raising maturity.

Contribution 23: components-of-food-lipid-test

Title: Test the Presence of Lipids

Canonical class: c6-ch02-a03-test-the-presence-of-lipids

Integration: new-class

Baseline score: 62/100

Integrated score: 78/100

Score delta: +16

Baseline strengths

- Selected the curriculum-aligned Test the Presence of Lipids topic and expressed it as a staged spatial class.
- Contributed useful learner-facing scene, interaction, panorama, and narration ideas that could be retained during integration.
- Established a working route-level prototype that made the intended student journey concrete for review.

Baseline defects

- The viewer owned renderer, animation, input, audio, state, and disposal concerns instead of using the project runtime contract.
- The regression test inspected source strings rather than executing the learner behavior, so it could pass while the class was broken.
- Narration depended on missing files or runtime/browser speech; the PR portfolio referenced 189 requests while only 16 clips were tracked.

Implemented remediation

- Moved curriculum, assessment, narration, assets, legacy route, and release state into the canonical content registry.
- Separated pure domain outcomes from the shared interactive investigation session so unknown actions cannot advance the lesson.
- Added executable behavior tests and registered the class through the shared route/viewer host instead of a viewer-local lifecycle.

Remediation evidence paths

- packages/simulation-content/src/implemented/interactive/lipidTest.ts
- tests/unit/interactive-investigation-session.test.ts
- assets-c6-ch02-a03-test-the-presence-of-lipids
- narration-c6-ch02-a03-test-the-presence-of-lipids
- npm run verify
- /simulations/c6-ch02-a03-test-the-presence-of-lipids

Remaining risk

- No signed physical-headset acceptance has been run, so comfort, controller discoverability, frame rate, and listener quality remain internal-QA risks.
- No controlled classroom study has been run, so the release makes no claim of measured learning improvement.
- Upstream generation/license metadata for the contributed panorama remains undocumented and is carried as an explicit provenance limitation.

Next action

Run the published reviewer checklist on a representative browser and headset, then pilot with a teacher and record evidence before raising maturity.

Authoring checklist for the next contribution

Use docs/simulation-design/simulation-authoring-standard.md as the normative class contract.

- Register one canonical identity, route, legacy aliases, publication status, and evidence maturity.
- Compose a definition, domain/session model, and scene adapter over shared runtime and web packages.
- Require an explicit learner action and evidence before forward progression.
- Test behavior, scientific invariants, cleanup, input parity, narration ownership, and fallback behavior.
- Commit narration manifests and assets with stable IDs, hashes, captions, credits, and licenses.
- Keep production builds offline; narration generation is an explicit authoring action.
- Record browser, physical-device, and classroom evidence separately; never infer one from another.

Closing position

The contribution set supplied substantial curriculum coverage and concrete simulation ideas. The integrated library demonstrates how those ideas become maintainable released classes: one registry, shared lifecycles, declared evidence gates, reproducible assets, behavior tests, and honest evidence maturity. The next contribution should begin with those contracts instead of retrofitting them after a viewer is complete.