

Exam / Computer Vision

Human Vision and Computer Vision course

Master CIMET - June 2012

(No document is authorized - duration: 1 hour 1/2)

Problem 1: Short Answer Questions


This part consists of four short answer questions. Answer each question in this part clearly and concisely.

Question 1: Name four scene properties that would cause an edge (brightness discontinuity) in an image.

Question 2: Compare and contrast the use of stereopsis and motion information in vision systems. In particular you should explain what is meant by the terms *stereo disparity in pairs of images* and *optic flow fields in image sequences*.

Question 3: Consider a train moving on straight tracks over flat, open countryside. Describe, with a sketch, the optic flow field observed by a camera aimed horizontally out of a window on the left side of the train, assuming the camera is on a support fixed rigidly to the train. In addition, describe the flow field produced if the camera is instead mounted on an active head, and is moved so as to track an object on the ground to the side of the train.

Question 4: What are the main sources of information for layout (the three-dimensional arrangement of surfaces) in each of the images below? Relate your answer explicitly to features of the two images, and state any assumptions that need to be made in order to use each information source.



Problem 2: Multiple TRUE/FALSE Questions

Each question in this part requires you to indicate which of four statements, (A)–(D), are **true** and which are **false**? Note that questions in this part may have zero, one or more statements that are true. No statement is intended to be ambiguous. You may add a comment to explain your choice of **true** or **false** if you find a statement to be ambiguous.

Question 1: Which of the following statements are **true** for a pinhole camera model? Which are **false**?

- (A) A pinhole camera is a box with a small hole in it.
- (B) Images in a pinhole camera are upside down.
- (C) A pinhole camera has a fixed focal length, f .
- (D) Images in a pinhole camera are a perspective projection.

Question 2: A pinhole camera is not widely used in practice. Which of the following statements are **true** for a pinhole camera model used in practice? Which are **false**?

- (A) It takes a too long time to acquire an image.
- (B) It uses an orthographic projection.
- (C) It works only for black and white (B&W), not for color.
- (D) It has a too small depth of field (i.e., a too small range of object distances for which the image is in sharp focus).

Question 3: Consider a set of 3D lines that all share the same horizon line when projected onto an image under a perspective projection. Which of the statements, (A)–(D), are **true** and which are **false**?

- (A) The lines are all parallel in 3D.
- (B) The lines all lie on the same 3D plane.
- (C) The lines are both parallel and on the same 3D plane.
- (D) There is no constraint. A set of 3D lines always shares the same horizon line when projected onto an image?

Question 4: Consider conditions under which an epipolar constraint used in stereo matching holds between images from two cameras. Which of the following conditions are **true**? Which are **false**? Note: You can assume that the cameras perform standard perspective projection.

- (A) The two cameras must have coplanar projection planes.
- (B) The two cameras must face in the same direction (i.e., have parallel optical axes).
- (C) The two images must be rectified.
- (D) There are no restrictions on camera locations or orientations, an epipolar constraint always applies.

Question 5: Stereo matching can be performed by correlating windows of pixels between the two images. But, it is difficult to know what window size to use. The following statements identify problems when the selected window size is too large. Which are **true**? Which are **false**?

- (A) There will be more false matches due to ambiguity and image noise.
- (B) The exact location of correct matches will be known with less accuracy.
- (C) Places where depth is discontinuous will be poorly matched.
- (D) The epipolar constraint is not as effective to limit the number of matches.


Problem 3:

The images shown in the two figures (a) and (b) below are line drawings from the left and right parts respectively of a stereo pair, taken using identical cameras mounted at the same horizontal level and with their optical axes parallel.


Question 1: Draw a plan view of the scene to show roughly what the spatial arrangement of the objects was. (Relative rather than accurately measured positions only are required.) Describe the reasoning behind your answer.

Question 2: How could these images be used to make estimates of absolute distances to the objects in the scene? What additional information about the cameras is required for this?

Question 3: Discuss the issues that arise when matching corresponding points in a stereo pair, with particular reference to the difference between a pair of the kind shown in the two figures (a) and (b) below.



(a)



(b)