

PRD — Publish Preference: School Partners

Status: Draft for review

Owner: Himanshu Kumar (Head of Product, Exxat One)

Date: 2026-09-16

Related: bulk-clone-availabilities-requirements.md (existing Publish Preference / Tiered Partners spec this extends), exxat-one-comprehensive-availability report (Site Portal). Part 2 of 2 — see Partner_Category_MultiSelect_PRD.docx (Part 1) for the School Partners module's Partner Category single-select → multi-select change that section 5.2's Tiered Partners panel depends on.

1. Problem

Publish Preference today lets a coordinator target an availability at Public, All Partners, or a set of Tiers. There's no way to target specific individual school partners. A coordinator who wants to give one or two named schools early or exclusive access — a common ask, e.g. “let Bowie State see this rotation two weeks before anyone else” — has no option that matches. Today the workaround is either publishing to everyone (over-exposing the slot) or using a Tier as a proxy for a school (requires pre-configuring a tier with exactly one member, which is a configuration hack, not a real workflow).

Separately, the current Tiered Partners picker is a checklist embedded inside the “Who sees this availability?” dropdown itself. That pattern doesn't scale to a school list, which is materially longer than a tenant's tier list (tiers today top out around 11 per the QA tenant we reviewed; school partner rosters run into the dozens or more). Reusing the inline-dropdown pattern for schools would produce an unusable, unscrollable dropdown.

2. Goals

- Add “School Partners” as a fourth option under “Who sees this availability?”, letting a coordinator target one or more specific schools by name.
- Move the recipient picker (tiers today, schools tomorrow) out of the “Who sees” dropdown and into its own standalone panel — search field, Select All / Deselect All, and a multi-select checklist — shared by both Tiered Partners and School Partners so we build one component, not two.
- Preserve the existing Publish When behavior (Now / Scheduled / Do Not Publish) unchanged, and extend the existing “Schedule Publishing” per-recipient date modal to work against schools the same way it already works against tiers.

- Ship this consistently across every surface that currently supports Publish Preference: Create Availability (single and bulk create), Edit Availability, and Bulk Edit.
- Extend the comprehensive availability report so School Partners selections are visible and auditable the same way Tiered selections are today.

3. Non-goals

- Not building a new notification system. Whatever currently fires when Tiered Partners or Public availabilities publish (scheduled or immediate) is assumed to fire the same way for School Partners — this PRD does not introduce new notification channels or templates.
- Not building any new map/marketplace filtering logic in Discover & Engage. Resolved: the School Partners picker itself only ever offers schools already qualified for the availability (matched on Program Type / Discipline, per section 5.2) — so the existing per-school “can this school see this availability” visibility check needs zero new logic, it just evaluates against a correctly-scoped recipient set. No Discover & Engage query changes are in scope.
- Not adding per-row (per-availability) override inside Bulk Clone or Bulk Edit — the existing “one publish preference per batch/card” model stands; School Partners slots into that model, it doesn't change it.
- Not solving School Partners account lifecycle (onboarding new school partners, contract management) — this PRD assumes the School Partners list already exists and is sourced from the existing School Partners module.
- Not introducing a new permission/role model. Resolved: access to create or edit an availability's Publish Preference is governed entirely by whatever access a user already has to create/edit that availability — no additional role gate specific to School Partners or Tiered Partners.
- Not touching Consortium or Program Partner as Who Sees categories. Consortium is restricted to a couple of specific clients and Program Partner is a legacy/edge value seen only in the report sample — both are out of scope for this pass and untouched by any change here.
- Not instrumenting adoption/usage metrics for this feature at launch (see section 10).
- Not building the Partner Category multi-select management UI itself — the School Partners list column/filter, the row-level “Edit Category” panel, and the individual school About page are Partner_Category_MultiSelect_PRD.docx (Part 1). This PRD only consumes that PRD's resolved decisions (section 5.2) — it does not spec the Partner Category CRUD surfaces themselves.

4. Current state (baseline, verified in QA)

Publish Preference is step 5 of the Create Availability wizard (Location → Basic Info → Description → Request Fields → Publish Preferences), and the same block appears in Edit

Availability. One or more Publish Preference cards can be added via “+ Add Publish Preference.” Each card has:

“Who sees this availability?” — single-select: Public, All Partners, or Tiered Partners. Choosing Tiered Partners expands a checkbox list of tenant-configured tiers inline, inside the same dropdown control, with all tiers pre-checked by default and a count badge (e.g. “11”).

“Publish When” — appears once Who Sees is set. Now shows an optional Due Date field. Scheduled (only meaningfully different from Now when Tiered Partners is selected) shows a “Set Preferred Dates for Tiers” button opening a “Schedule Publishing” modal — one row per selected tier, each with a required “Publish on” date and an optional “Due Date,” saved independently per tier. Do Not Publish shows no extra fields.

On submit, each card's state is stored and surfaces in the comprehensive availability report as a composite text field (column C, “Publish Preferences”): one segment per card, joined with “ | ”. Public and All Partners render as “Public: Now (Feb 06, 2026)”. Tiered renders as a semicolon-separated list of tier name + date pairs: “Tiered: Tier 3 (Feb 18, 2026); Gold (Feb 19, 2026); Non-Tiered Partner (Feb 26, 2026)”. Do Not Publish renders as “Tiered: Not Published”. Two other columns carry structured versions of the same thing: column AF (“Who can view availability?”) is a short tag list per card type (Public, Tier, Partner, Consortium, Program Partner were the values found in the sampled report, each paired with a constant “School” suffix on nearly every row — its exact meaning is unconfirmed), and column AG (“When do you want to publish?”) is a comma list of Now/Scheduled/Draft values in card order (the report calls Do Not Publish “Draft” — a pre-existing naming inconsistency with the UI, not something this project introduces).

Two of the sampled column AF values — Consortium and Program Partner — are out of scope for this PRD per section 3: Consortium is restricted to a couple of specific clients and Program Partner appears to be a legacy/edge value; neither is part of the active Who Sees dropdown this document is extending, and neither needs reconciling here.

This is a purely additive, forward-only change. No backfill or migration of existing rows is planned or needed — every availability created or edited under today's model keeps its existing Publish Preference data and existing report representation exactly as-is. Only availabilities created or edited after this ships will use the School Partners option and its new report segment.

5. Proposed change

5.1 “Who sees this availability?” dropdown

Add School Partners as a fourth radio option: Public / All Partners / Tiered Partners / School Partners. Single-select, as today. Tiered Partners and School Partners are mutually exclusive within one card — picking one clears the other. A coordinator who needs both a tier and specific named schools targeted differently uses two separate Publish Preference cards, exactly as the model already allows for combining, say, Public and All Partners across cards today.

Access to this entire block — every option in it, School Partners included — is governed by whatever permission the user already has to create or edit the availability itself. There is no new role or permission gate introduced for School Partners specifically: if a user's existing role lets them reach the Publish Preference step at all, they can use every option in it.

Figure 1. “Who sees this availability?” dropdown open, showing School Partners added as a fourth, mutually-exclusive option alongside Public / All Partners / Tiered Partners.

5.2 Recipient picker moves out of the dropdown

Both Tiered Partners and School Partners stop expanding inline inside the “Who sees” combobox. Instead, picking either one reveals a standalone panel directly below the dropdown: a search field, “Select All” / “Deselect All” links, and a scrollable checklist of recipients (tiers or schools, whichever applies). This is one shared component with two data sources, not two separate builds. Selected-count badge shows next to the panel's own title, not inside the “Who sees” field.

For School Partners specifically, selected schools pin to the top of the list (above a divider), separated from the unselected, searchable remainder — this matters more here than for tiers because the school list is long enough that a selection could otherwise scroll out of view.

A field styled like every other field on the card, not a one-off: “Selected Tiers” / “Selected Schools” is its own field, separate from “Who sees this availability?” — never folded into that dropdown, which always shows just the plain recipient type (“Tiered Partners”, “School

Partners”). While the coordinator is actively building the recipient list — searching, checking boxes — it’s expanded into the full panel exactly as Figures 2 and 3 show. Once they move on to configure Publish When (or elsewhere on the form), it collapses into the exact same field component every other field on this card already uses: a bold label above (“Selected Tiers” / “Selected Schools”), a bordered value box below showing a short summary (“4 Tiers Selected” / “3 Schools Selected”), and a chevron — visually identical to “Who sees this availability?” and “Publish When,” not a bespoke component. Clicking it re-opens the exact panel, pre-populated with the existing selection, so nothing already chosen is lost or has to be redone. Figure 4 shows this explicitly with a callout pointing at the collapsed field.

Figure 2. Tiered Partners selected — the tier checklist now lives outside the “Who sees” dropdown as its own panel, with search and Select All / Deselect All.

Default selection state on first opening the panel: nothing pre-checked. This is a deliberate change from today's Tiered Partners behavior, which defaults to all-tiers-checked. Defaulting School Partners to all-checked risks silently exposing an availability to every partner school the moment the option is picked, before the coordinator has made an active choice — feels like an easy way to create an unintended broad-publish incident. Recommend making this the new default for Tiered Partners too, for consistency and the same safety reasoning, rather than having the two pickers behave differently. Flagged as a decision point in Open Questions, not assumed silently.

The list is not the full school partner roster — it's pre-qualified. The School Partners picker only ever shows schools already qualified for this specific availability, matched against the availability's own Program Type and Discipline (the same matching logic that presumably already governs which schools can submit a Slot Request against an availability, or see it via Discover & Engage). A school with no partnership relevant to the availability's discipline/program never appears in the list at all — the picker is not a general-purpose “every partner school” directory. This is also what keeps section 3's Discover & Engage non-goal true: because the recipient set is qualification-filtered at selection time, no separate map/marketplace query logic needs to change.

Create Availability

Availability name: INT-23E876- You're in Single Creation Mode. One availability will be created for all selected locations.

Location > Basic Info > Description > Request Fields > **5. Publish Preferences** Previous Save

Publish Preferences (1) Give partner schools or specific partner categories early access, and expand visibility to all schools later. [+ Add Publish Preference](#)

Who sees this availability? *

School Partners

Selected Schools 3 [Select All](#) [Deselect All](#)

Search by school name

SELECTED (3)

- ☒ Bowie State University — Nursing
- ☒ Baylor University — Occupational Therapy
- ☒ Eastwood State College

☐ Ruchita – ATI Physical Therapy School

☐ Gun Barrell City College

☐ Hendrick School of Nursing

☐ MedStar School Partner Program

Search a long partner list; selections pin to top so they're never scrolled out of view.

Publish When *

Please select an option

Figure 3. School Partners selected — same panel pattern as Figure 2, with selected schools pinned above a divider ahead of the searchable, qualification-filtered remainder.

Dependency (Part 1): Partner_Category_MultiSelect_PRD.docx (Part 1) moves Partner Category — the same taxonomy Tiered Partners is built on — from single-select to multi-select. That means a school can now qualify under more than one selected tier at once. The Tiered Partners panel above needs a qualified-school count per tier and an inline preview of which schools qualify, so a coordinator sees overlap as expected rather than confusing; selecting multiple tiers that share a school does not create a duplicate recipient, publish, or notification — that school still receives access exactly once (Part 1, section 5.4). Per Part 1's resolved decision, this evaluation is live, not snapshoted: a school's category change takes effect immediately against

every Tiered Partners card built on that tier, including cards already Scheduled or already Published, with no action on the availability itself.

✕ Create Availability

Availability name:

You're in Single Creation Mode. One availability will be created for all selected locations.

Location > Basic Info > Description > Request Fields > **5. Publish Preferences**

Previous Save

Publish Preferences (1) Give tiers or schools early access, then open visibility to everyone later. [+ Add Publish Preference](#)

Who sees this availability? *

Tiered Partners

Selected Tiers **3** [Select All](#) [Deselect All](#)

Search by tier name

SELECTED (3)

☒ Tier 1	2 qualified schools	Exxat, AutomationPrismPartner
☒ Gold	2 qualified schools	Exxat, AutomationPrismPartner
☒ Bronze	1 qualified school	Exxat
☐ Silver	3 qualified schools	Exxat security3, AutomationNonPrismPartner, AutomationPrismPartner
☐ Tier 2	1 qualified school	AutomationPrismPartner
☐ Non-Tiered Partner	1 qualified school	Exxat Demo

Search a long tier list; selections pin to top so they're never scrolled out of view.

Exxat and AutomationPrismPartner qualify under more than one selected tier — each still receives exactly one publish; the report shows one segment per matching tier (not a duplicate).

Publish When *

Please select an option

Figure 9. Tiered Partners panel showing a school (Exxat, AutomationPrismPartner) qualifying under more than one selected tier once Partner Category is multi-select (Part 1) — qualified-school counts and an overlap notice make the de-duplication explicit rather than silent.

5.3 Publish When — unchanged logic, extended scope

Now / Scheduled / Do Not Publish behave exactly as they do today, just now available uniformly whether the card's recipient type is a tier set or a school set. Now shows an optional Due Date. Do Not Publish shows nothing extra. Scheduled shows “Set Preferred Dates” (generalized label, no longer hardcoded to “for Tiers”) opening the same Schedule Publishing modal, now with one row per selected school instead of per tier when the card's recipient type is School Partners — same two fields per row (required Publish on, optional Due Date).

Publish When depends on recipient selection, not on whether that field happens to be expanded: Publish When is not independently meaningful for a Tiered Partners or School Partners card — it only takes real effect once at least one recipient is checked in “Selected Tiers”/“Selected Schools,” because submit is already blocked at zero recipients selected regardless of what Publish When is set to (section 9, section 11 AC). Configuring Now, a Scheduled date, or Do Not Publish before selecting any recipient is allowed as an in-progress editing state, but it does not represent a state the card can actually be saved in. This dependency holds whether that field is expanded or collapsed at the time — collapsing it

(section 5.2) is a display-state change only; it never clears the underlying selection and never bypasses the zero-recipient block.

×

Create Availability

Availability name:

You're in Single Creation ModeOne availability will be created for all selected locations.

Location

Basic Info

Description

Request Fields

5. Publish Preferences

Previous

Save

Publish Preferences (1)

+ Add Publish Preference

Who sees this availability? *

School Partners

Selected Schools *

3 Schools Selected

Click to re-expand
(reopens the Figure 3 panel)

Publish When *

Now

Due Date

Select or enter date

"Selected Schools" is its own field, styled the same as "Who sees" and "Publish When" — it collapses to this same field style once you move on, and re-expands to the Figure 3 panel on click.

Figure 4. School Partners + Publish When = Now — “Selected Schools” has collapsed to the standard field style (“3 Schools Selected”) now that Publish When is the active field; the callout shows it re-expands the Figure 3 panel on click.

×

Create Availability

Availability name:

You're in Single Creation ModeOne availability will be created for all selected locations.

Location

Basic Info

Description

Request Fields

5. Publish Preferences

Previous

Save

Publish Preferences (1)

+ Add Publish Preference

Who sees this availability? *

School Partners

Selected Schools *

3 Schools Selected

Publish When *

Do Not Publish

Do Not Publish — no date fields; the 3 selected schools remain saved behind the "Selected Schools" field above.

Figure 5. School Partners + Publish When = Do Not Publish — “Selected Schools” stays collapsed in its field form; the 3 selected schools remain saved behind it.

×

Create Availability

Availability name:

You're in Single Creation ModeOne availability will be created for all selected locations.

Location

Basic Info

Description

Request Fields

5. Publish Preferences

Previous

Save

Publish Preferences (1)

+ Add Publish Preference

Who sees this availability? *

Tiered Partners

Selected Tiers *

4 Tiers Selected

Publish When *

Scheduled

Set Preferred Dates

Schedule Publishing — Tiers

Select the date and time to schedule publishing for the selected recipients.

Tier	Publish on	Due Date
Gold	Sep 17, 2026 X	Select date
Silver	Sep 17, 2026 X	Sep 24, 2026
Tier 1	Sep 18, 2026 X	Select date
Non-Tiered Partner	Sep 20, 2026 X	Select date

Cancel

Save

Figure 6. Tiered Partners + Publish When = Scheduled — “Selected Tiers” has collapsed to its field form (“4 Tiers Selected”) while the Schedule Publishing modal is open.

Create Availability

Availability name: INT-23E876- You're in Single Creation Mode. One availability will be created for all selected locations.

Location > Basic Info > Description > Request Fields > Publish Preferences

Publish Preferences (1)

Who sees this availability?

School Partners

Selected Schools •

3 Schools Selected

Publish When •

Scheduled

Set Preferred Dates

Schedule Publishing — School Partners

Select the date and time to schedule publishing for the selected recipients.

School Partner	Publish on	Due Date
Bowie State University — Nursing	Sep 17, 2026 X	Select date
Baylor University — OT	Sep 19, 2026 X	Sep 26, 2026
Eastwood State College	Sep 22, 2026 X	Select date

Cancel Save

Figure 7. School Partners + Publish When = Scheduled — “Selected Schools” has collapsed to its field form (“3 Schools Selected”) while the Schedule Publishing modal is open.

5.4 Multiple cards, mixed recipient types

No change to the existing multi-card model. A single availability can carry, for example, a Public + Now card and a School Partners + Scheduled card simultaneously — general visibility later, early access to two named schools now. This mirrors patterns already present in the sampled report data (rows combining Tiered + All Partners + Public across three cards on one availability).

✕ Create Availability

Availability name:

You're in Single Creation Mode. One availability will be created for all selected locations.

Location > Basic Info > Description > Request Fields > **5. Publish Preferences** Previous Save

Publish Preferences (2) Give partner schools or specific partner categories early access, and expand visibility to all schools later. [+ Add Publish Preference](#)

Who sees this availability? *

Public Remove

Publish When *

Now

Due Date

Who sees this availability? *

School Partners Remove

Selected Schools *

3 Schools Selected

Publish When *

Scheduled

Two independent cards stacked: e.g. Public+Now for general visibility, School Partners+Scheduled — its "Selected Schools" field collapsed — for an early-access subset.

Figure 8. Two stacked Publish Preference cards on one availability — Public + Now (no “Selected ...” field at all; Public has nothing to pick) alongside School Partners + Scheduled, whose “Selected Schools” field is collapsed (“3 Schools Selected”) in the same style as every other field — each card’s expand/collapse state is independent of the other card’s.

6. Where this shows up (entry points)

- Create Availability — single. Step 5 of the wizard, as documented in section 4.
- Create Availability — bulk (Bulk Clone). Per the existing Bulk Clone spec, one or more Publish Preference cards apply to the whole batch; no per-row override. School Partners becomes a selectable recipient type there too, under the same batch-level constraint.
- Edit Availability (single). Reached via the Edit action on an existing availability; Publish Preference is the last section, requiring a scroll to reach. No structural change other than the new option and the panel relocation.
- Bulk Edit (multi-select). Selecting one or more existing availabilities from the list and choosing bulk edit exposes the same Publish Preference block. This is the one entry point that raises a question this PRD does not resolve: when the selected availabilities currently have different Who Sees / recipient states, does the bulk edit form present a blank slate that overwrites all of them uniformly (consistent with the “no per-row override, one preference for the whole action” rule Bulk Clone already established), or does it need a “leave unchanged” affordance? Editing already-live, already-published availabilities is higher blast-

radius than cloning new ones, so this deserves an explicit decision rather than inheriting the Bulk Clone answer by default. See Open Questions.

7. Reporting impact (comprehensive availability report)

Column C (“Publish Preferences”) gets a new segment format that mirrors the existing Tiered convention exactly — same semicolon-separated name + date list, new label:

School Partners: Bowie State University – Nursing (Feb 18, 2026);
Baylor University – OT (Feb 19, 2026)

Do Not Publish renders as “School Partners: Not Published”, matching “Tiered: Not Published”. This requires no new syntax, just a new segment label following the pattern the report already implements for Tiered — low engineering risk on this column specifically.

Column AF (“Who can view availability?”) gets a new tag value for School Partners cards: “School Partner (Specific)”. This is final, not one of several candidates — chosen specifically to be visually and textually distinct from the existing constant “School” suffix already present on nearly every row (2,593 of 2,807 sampled), so a saved filter or dashboard built against the old five-value tag set fails obviously (unrecognized value) rather than silently matching the wrong thing. What the legacy “School” suffix itself denotes is still unconfirmed, but it no longer needs to be resolved before this ships, since the new tag doesn't reuse that word.

Column AG (“When do you want to publish?”) needs no structural change — a School Partners card contributes its own Now/Scheduled/Draft value into the same comma list, in card order, same as every existing card type.

Given school lists can run much longer than tier lists, the column C composite text could become a very dense, hard-to-scan cell for an availability published to, say, 40 named schools. Recommend a companion column — something like “School Partners Selected (Count)” — rather than relying solely on the text blob to communicate scale at a glance. This is a report design call for Himanshu/eng, not assumed here.

Any downstream consumer keyed on the fixed known values of column AF (dashboards, saved BI filters, exports) needs to be checked for hardcoded assumptions about the tag set before this ships, since we're adding a new value to what was previously a closed list of five.

Multi-category follow-on (Part 1): per Partner_Category_MultiSelect_PRD.docx (Part 1), a single school can legitimately appear under more than one tier segment within the same “Tiered: ...” column C value on the same card once that school qualifies under multiple selected tiers. This is not a duplicate row or a reporting bug; anyone consuming column C for a per-school count (rather than a per-segment count) needs to de-duplicate by school name within a card, not just split on “;”.

8. Data model signal (for engineering scoping, not a commitment)

The report's existing Tiered segment already stores a name + date pair per selected recipient, which implies the backend already has some normalized structure behind “recipient → publish date → due date” rather than a single flat field. If that's accurate, School Partners likely slots into the same structure as a different recipient type (school ID instead of tier ID) rather than requiring a schema fork. This is inferred from report output, not confirmed against the actual schema — flagging it as a starting hypothesis for engineering to validate, not a design decision this PRD is making.

Dependency (Part 1): Partner_Category_MultiSelect_PRD.docx (Part 1) owns the underlying migration of Partner Category from a scalar field to a multi-value structure. This PRD's only dependency on it: section 5.2's tier-matching query changes from “school.category = tier” to “tier IN school.categories” for every Tiered Partners card, existing or new, the moment Part 1 ships. This PRD's Tiered Partners picker has no migration of its own to run.

9. Edge cases

Switching recipient type mid-edit. A coordinator has Tiered Partners selected with 4 tiers checked, then switches “Who sees” to School Partners. The tier selection is discarded (mutually exclusive, per section 5.1). Resolved: this requires an explicit confirmation prompt whenever the card being switched away from has one or more recipients already checked — “Switching will clear your N selected tiers. Continue?” or equivalent. Switching with zero recipients checked (nothing to lose) clears silently, no prompt needed. This is the authoritative behavior — see AC in section 11.

Zero recipients selected. School Partners chosen but no school checked — submit must block, same as we'd expect (but haven't independently confirmed) Tiered Partners already blocks on zero tiers selected. Needs confirming the existing Tiered validation behavior so School Partners matches it rather than inventing a new rule.

Selected Tiers/Selected Schools must look and behave like every other field on the card, collapsed or expanded. It legitimately collapses once the coordinator moves on to Publish When (section 5.2) — that's correct, intended behavior, not a bug — but the collapsed state must render as the exact same field component as “Who sees this availability?” and “Publish When” (bold label above, bordered value box below, chevron), never as a count badge folded into “Who sees” itself and never as a bespoke, differently-styled row. It must also be fully editable: clicking it reopens the exact panel with the existing selection intact, the same way any other completed field on this form can be reopened and changed. Figure 4's callout documents this expectation directly against the design so it doesn't have to be inferred by whoever builds it.

Very long school lists. A tenant with hundreds of partner schools needs the search to be fast and the list virtualized/paginated rather than rendering every row — no confirmed number for a “typical” or “max” school-partner count per site exists in the data reviewed; recommend

engineering supply real tenant distribution numbers before committing to a specific virtualization threshold.

Ambiguous or duplicate school names. Two partner schools with similar or identical display names (e.g. two campuses of the same university system) must be distinguishable in the search results — needs a secondary identifier shown alongside the name (city/state, or internal ID) rather than name alone.

Deactivated or contract-expired school partner. A school selected in a still-open availability later has its partnership deactivated. Whether it should still show as selected (historical accuracy) versus disappear from future edits (current-state accuracy) is undefined — recommend it remains visible read-only on already-saved cards but is excluded from the selectable list when creating or editing going forward.

Changing a Scheduled date after it has already passed for some but not all selected schools. If 3 of 5 selected schools already had their scheduled publish date pass (i.e., they already have access) and the coordinator edits the card, changing the overall selection or dates must not silently revoke access those 3 schools already received — needs an explicit warning/confirmation rather than a silent save. This applies equally to today's Tiered Partners flow and isn't a new problem introduced by School Partners, but it's worth fixing for both at the same time since School Partners will hit it more often (more, smaller recipient sets mean more partial-completion states).

“Select All” semantics under an active search filter. Undefined today whether Select All should select every recipient tenant-wide or only the currently filtered/visible subset — this materially changes behavior and needs an explicit product decision, not an assumption, especially given the earlier discussion establishing that Select All / Deselect All should exist for both tiers and schools.

Bulk edit across availabilities with mixed existing states. Covered in section 6 — flagged as unresolved.

No school partners configured for the site. A brand-new or unpartnered site has zero entries to show. School Partners should either be disabled in the dropdown with an inline explanation, or open to an empty-state message (“No partner schools configured yet”), rather than presenting a working-looking but empty picker.

Program Type or Discipline changed after schools are already selected. A coordinator selects specific schools under School Partners, then navigates back to Basic Info and changes Program Type or Discipline, invalidating the qualification some already-selected schools were matched against. Resolved direction: the now-unqualified school(s) are flagged inline on returning to Publish Preferences and must be explicitly removed or the Basic Info change reverted — never silently dropped and never silently kept. No mockup currently shows this flagged state; needs a design pass before build (see AC in section 11).

Permissions on school visibility. Resolved: no additional role-based restriction layers on top of the qualification filter. Any user with existing access to create/edit the availability sees the same qualified school list (filtered by Program Type/Discipline, per section 5.2) — there's no separate contract-tier-gating by role.

Notification firing. Whether selecting School Partners and publishing (immediately or on a scheduled date) triggers the same new-availability notification email/alert to that specific school that a Tiered or Public publish already triggers is unconfirmed — this is the same open question already flagged and unresolved in the Bulk Clone spec (“Notification behavior on instant-publish clones”), and applies here too rather than being a new gap.

Long school names in the UI. Selected-school chips and list rows need truncation with a hover tooltip for long names (e.g. “Baylor University — Occupational Therapy”) rather than breaking card layout.

Concurrent edits. Two coordinators editing the same availability's Publish Preference at the same time (one via single Edit, one via Bulk Edit) — assumed last-write-wins, consistent with how the rest of the availability record presumably already behaves; flagging the assumption rather than asserting new conflict-resolution behavior is in scope.

A school qualifies under more than one selected tier (multi-category). Per Partner_Category_MultiSelect_PRD.docx (Part 1), Partner Category is multi-select, so a school can qualify under more than one selected tier at once (e.g. both Gold and Tier 1). Selecting multiple such tiers must not create a duplicate recipient, publish, or notification — the school receives access exactly once. The Tiered Partners panel and the report both make this overlap visible (qualified-school count, inline preview, de-dup notice) rather than silent. See Figure 9.

Tier membership changes after a card is already Scheduled or already Published. Resolved (Part 1): tier membership evaluation is live, not snapshotted — a school's category change (made in the School Partners module, at any time) takes effect immediately against every Tiered Partners card built on that tier, including cards already Scheduled or already Published, with no action taken on the availability itself and no warning shown in this flow. This is accepted, decided behavior, not an open risk; documented here so it reads as expected rather than a bug report.

10. Success metrics

Not tracked for this feature at launch — explicit product decision, not an oversight. See section 3.

11. Acceptance criteria

- ☐ “Who sees this availability?” offers Public, All Partners, Tiered Partners, and School Partners.

- ☐ Switching Who Sees away from Tiered Partners or School Partners when the current card has one or more recipients already checked shows a confirmation prompt before clearing them; switching with zero recipients checked clears silently.
- ☐ Selecting Tiered Partners or School Partners reveals a standalone panel below the dropdown (not inside it) with a search field, Select All, Deselect All, and a checklist.
- ☐ The School Partners checklist only ever lists schools qualified for the availability's Program Type / Discipline — never the full partner roster.
- ☐ School Partners panel pins currently-selected schools above a divider, separate from the searchable unselected list.
- ☐ No recipient is pre-checked by default when the panel first opens for a new School Partners card. (Tiered Partners currently defaults to all-checked; whether that changes to match is Open Question 4 below — not asserted as decided by this AC.)
- ☐ Publish When (Now / Scheduled / Do Not Publish) renders identically regardless of whether the card's recipient type is a tier set or a school set.
- ☐ Now shows an optional Due Date field only; Do Not Publish shows no additional fields; Scheduled opens a “Set Preferred Dates” modal with one row per selected recipient, each with a required Publish On date and an optional Due Date.
- ☐ Submit is blocked if School Partners is selected as Who Sees with zero recipients checked. (Whether Tiered Partners already blocks on zero today is Open Question 1 below — this AC does not assert Tiered Partners' current behavior, only School Partners' new one, which is required to at least match whatever that turns out to be.)
- ☐ “Selected Tiers” / “Selected Schools” renders as its own field, separate from “Who sees this availability?” — the count is never shown as a badge inside the “Who sees” dropdown itself.
- ☐ Once Tiered Partners or School Partners has one or more recipients selected, the “Selected Tiers”/“Selected Schools” field collapses — as soon as it is no longer the active field, e.g. once the coordinator moves on to Publish When — into the same visual component as every other field on the card: bold label above, bordered value box below (a short summary such as “4 Tiers Selected”), and a chevron. This collapse never clears the underlying selection.
- ☐ Clicking a collapsed “Selected Tiers”/“Selected Schools” field re-opens the full recipient panel (search, Select All/Deselect All, checklist), pre-populated with the existing selection exactly as it was left — in every Publish When state (Now, Scheduled with the modal open, Do Not Publish) and independently per card in a multi-card form.

- ☐ Access to the Publish Preference block, including School Partners, requires no permission beyond the user's existing ability to create/edit the availability itself — no new role gate.
- ☐ The same Publish Preference block and behavior is available in Create Availability (single), Bulk Clone, Edit Availability, and Bulk Edit.
- ☐ Comprehensive availability report column C renders a “School Partners: {name} (date); {name} (date)” segment matching the existing Tiered convention, including a “School Partners: Not Published” form for Do Not Publish.
- ☐ Comprehensive availability report column AF carries the tag “School Partner (Specific)”, distinct from the existing constant “School” suffix already present on other rows.
- ☐ Existing (pre-launch) availabilities and their report rows are untouched — no backfill runs against them.
- ☐ A site with zero qualified school partners for a given availability shows a disabled option or explicit empty state for School Partners, not a blank working-looking picker.
- ☐ If Program Type or Discipline is changed after one or more schools are already selected under School Partners, any now-unqualified school is flagged inline on return to the Publish Preferences step and must be explicitly removed or the Basic Info change reverted — it is never silently dropped from or silently kept in the selection.
- ☐ Per Partner_Category_MultiSelect_PRD.docx (Part 1), the Tiered Partners panel shows a qualified-school count per tier and surfaces overlap when a school qualifies under more than one selected tier; that school still receives exactly one publish and exactly one notification — de-duplicated by school, not by tier-membership row.
- ☐ Comprehensive availability report column C correctly renders the same school under more than one tier segment within a single card's “Tiered: ...” value when that school qualifies under multiple selected tiers (e.g. “Tiered: Tier 1 (date); Gold (date)” for one school) — expected output, not a rendering bug, and must not be collapsed or deduplicated by the report itself. Both ACs above are verifiable only once Part 1 has shipped in the same environment.

12. Open questions (need an answer before this is build-ready)

Resolved since the prior draft: report tag naming (now final, section 7), permission model (section 5.1 — inherits existing availability access, no new gate), Discover & Engage / map-view scope (section 3 — no change needed, recipient list is pre-qualified), Consortium/Program Partner (section 3 — out of scope, Consortium is client-restricted), migration/backfill (section 4 — none needed, forward-only), the AC-1 / switching-cards contradiction (section 9/11 — confirmation prompt is now the single authoritative behavior), and — per

Partner_Category_MultiSelect_PRD.docx (Part 1) — tier membership stays live (not snapshotted) and Partner Category enforces a minimum of one category.

Still open:

1. Does Tiered Partners' current zero-selection state actually block submit today? School Partners needs to match whatever that real behavior is, not assume it.
2. Should "Select All" operate against the full recipient list or only the currently search-filtered subset?
3. For Bulk Edit specifically, when selected availabilities have different existing Who Sees / recipient states, does the form overwrite all of them uniformly (per the Bulk Clone precedent), or does it need a "leave unchanged" option given the higher blast radius of editing already-live availabilities? (Simpler case — all selected availabilities already share the same state — is unambiguous: the bulk edit form pre-populates with that shared state. The open question is the mixed-state branch only.) Himanshu to decide later.
4. Should the default-all-checked behavior on today's Tiered Partners panel change to default-unchecked, to match the safer default proposed for School Partners, or should the two intentionally diverge?
5. Does publishing to School Partners trigger the same notification flow as Tiered/Public publishing? (Same unresolved question already flagged in the Bulk Clone spec — carrying it forward rather than re-opening it as new.)
6. What's the real distribution of school-partner counts qualified per availability (typical and max), to size the search/virtualization approach correctly?
7. Should column C get a companion count column for School Partners given the potential list length, or is the semicolon-blob acceptable as-is?
8. Should the School Partners list-level Category filter (Part 1) use OR or AND semantics when multiple categories are selected, and should Tiered Partners' multi-tier-selection matching in section 5.2 follow the same convention for consistency across the product? Not resolved here — surfaced so the two PRDs don't land on different answers independently; primary ownership sits with Part 1.
9. Is a qualified school for the School Partners picker (section 5.2) scoped only by the availability's Program Type and Discipline, or also by its selected Location(s)? Location already scopes which Disciplines are offered in Basic Info, so a school qualified on Program Type/Discipline alone could still be wrong for the specific Location(s) on this availability. Needs an explicit answer — if Location also applies, the qualifying query needs a third dimension, not two.

Report refresh cadence (existing 24h/3:30 AM EST lag) applies to this feature the same as everything else in the report — treated as an existing engineering characteristic, not a product open question for this PRD.

13. Out of scope / future considerations

- Per-school notification customization (different message per school).
- School-partner-specific pricing, contract, or tiering logic layered on top of the plain selection (e.g., a school that's both in a Tier and individually selected — this PRD assumes School Partners and Tiered Partners stay mutually exclusive per card precisely to avoid this overlap question; if that changes, this document needs revisiting).
- Any change to how Discover & Engage's map/marketplace view is built — not needed, per section 3.
- Consortium and Program Partner as Who Sees categories — untouched; Consortium is restricted to a couple of specific clients.
- Adoption/usage metrics instrumentation for this feature.
- Backfilling or re-tagging any of the ~2,807 existing availability rows in the comprehensive report — this is forward-only.
- The Partner Category multi-select management UI and its data-model migration — Partner_Category_MultiSelect_PRD.docx (Part 1). This document only consumes Part 1's resolved decisions (live tier-membership evaluation, minimum-one-category) in section 5.2.