

Cucumber Report

2 Feb 2024, 21:33:30

Start : Feb 02, 9:28:40.423 pm

End : Feb 02, 9:33:08.073 pm

Duration : 4 m 27.650 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 2
SKIPPED - 0

PASSED - 4
FAILED - 2
SKIPPED - 9



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login Functionality</u>	4 m 27.650 s	2	0	2	0	15	4	2	9

#	Feature Name	Scenario Name
1	<u>Login Functionality</u>	<u>User should be able to login with valid Credentials</u>
2		<u>User should not be able to login with invalid Credentials</u>





#	Feature Name	T	P	F	S	Duration
1	Login Functionality	2	0	2	0	4 m 27.650 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login Functionality</u>	<u>User should be able to login with valid Credentials</u>	9	2	1	6	2 m 43.436 s
2		<u>User should not be able to login with invalid Credentials</u>	6	2	1	3	1 m 43.673 s


Login Functionality

FAILED	DURATION - 4 m 27.650 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 15 Pass - 4 Fail - 2 Skip - 9	
/ 9:28:40.423 pm // 9:33:08.073 pm /					

User should be able to login with valid Credentials

<div><div>FAILED</div><div>DURATION - 2 m 43.436 s</div></div>		<div></div>	<div>Steps Total - 9 Pass - 2 Fail - 1 Skip - 6</div>	<div></div>
/ 9:28:40.555 pm // 9:31:23.991 pm /				
Login Functionality				

#	Step / Hook Details	Status	Duration
1	When User clicks on Accept Cookies	PASSED	26.744 s
2	When User clicks on Login Link	PASSED	13.845 s
3	And User enters valid Username "patelrutvisha@gmail.com"	FAILED	24.680 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//iframe[@class='oneauth-iframe']"} (Session info: chrome=121.0.6167.140) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3d0bf67deab168f3daf686b8b10b80a7, findElement {using=xpath, value=//iframe[@class='oneauth-iframe']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 121.0.6167.140, chrome: {chromedriverVersion: 121.0.6167.85 (3f98d690ad7e..., userDataDir: C:\Users\sneha\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61890}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:61890/devtoo..., se.cdpVersion: 121.0.6167.140, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3d0bf67deab168f3daf686b8b10b80a7</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy2.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteTargetLocator.frame(RemoteWebDriver.java:1193) at uk.co.heartbingo.pages.LoginPage.switchToFrame(LoginPage.java:64) at uk.co.heartbingo.pages.LoginPage.enterUsername(LoginPage.java:69) at uk.co.heartbingo.steps.Login.userEntersValidUsername(Login.java:17) at ?.User enters valid Username "patelrutvisha@gmail.com"(file:///C:/Users/sneha/IdeaProjects/fronend-heartbingo/src/test/resources/features/Login.feature:9) * Not displayable characters are replaced by '?'. </pre>		
4	And User enters valid Password "charm123!"	SKIPPED	0.003 s
5	And User clicks on Login Button	SKIPPED	0.003 s
6	Then User should see Deposit link at the top	SKIPPED	0.002 s
7	And User clicks on My Account Button	SKIPPED	0.003 s
8	Then User should see the Logout Button	SKIPPED	0.003 s
9	Then User clicks the Logout Button	SKIPPED	0.006 s
	AFTER - uk.co.heartbingo.steps.Hook.tearDown(io.cucumber.java.Scenario)	PASSED	24.770 s
	User should be able to login with valid Credentials		
			

User should not be able to login with invalid Credentials

<div>FAILED</div> <div>DURATION - 1 m 43.673 s</div>		<div><table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>20</td></tr><tr><td>2</td><td>8</td></tr><tr><td>3</td><td>24</td></tr></tbody></table></div>	Step	Duration (s)	1	20	2	8	3	24	<div>Steps</div> <div>Total - 6</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div><div>6</div></div>
Step	Duration (s)											
1	20											
2	8											
3	24											
/ 9:31:24.400 pm // 9:33:08.073 pm /												
Login Functionality												

#	Step / Hook Details	Status	Duration
1	When User clicks on Accept Cookies	PASSED	19.871 s
2	When User clicks on Login Link	PASSED	7.942 s
3	And User enters Invalid Username "patelrutvisha9@gmail.com"	FAILED	24.158 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//iframe[@class='oneauth-iframe']"} (Session info: chrome=121.0.6167.140) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8aa7d7a98ab9027093d4678bb1b9c06f, findElement {using=xpath, value=//iframe[@class='oneauth-iframe']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 121.0.6167.140, chrome: {chromedriverVersion: 121.0.6167.85 (3f98d690ad7e..., userDataDir: C:\Users\sneha\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61987}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:61987/devtoo..., se.cdpVersion: 121.0.6167.140, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8aa7d7a98ab9027093d4678bb1b9c06f</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)</p>		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy28.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteTargetLocator.frame(RemoteWebDriver.java:1193) at uk.co.heartbingo.pages.LoginPage.switchToFrame(LoginPage.java:64) at uk.co.heartbingo.pages.LoginPage.enterUsername(LoginPage.java:69) at uk.co.heartbingo.steps.Login.userEntersInvalidUsername(Login.java:52) at ?.User enters Invalid Username "patelrutvisha9@gmail.com"(file:///C:/Users/sneha/IdeaProjects/fronend-heartbingo/src/test/resources/features/Login.feature:21) * Not displayable characters are replaced by '?'.		
4	And User enters Invalid Password "rutu12345!"	SKIPPED	0.031 s
5	And User clicks on Login Button	SKIPPED	0.002 s
6	Then User should see error message for invalid Username and Password	SKIPPED	0.002 s
	AFTER - uk.co.heartbingo.steps.Hook.tearDown(io.cucumber.java.Scenario)	PASSED	12.408 s
	User should not be able to login with invalid Credentials		
	