
Cucumber Report



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Login Functionality	6 m 4.234 s	2	0	2	0	15	7	2	6

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Login Functionality	User should be able to login with valid Credentials
2		User should not be able to login with invalid Credentials

FEATURES SUMMARY -- 4 -




#	Feature Name	T	P	F	S	Duration
1	Login Functionality	2	0	2	0	6 m 4.234 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login Functionality	User should be able to login with valid Credentials	9	5	1	3	4 m 1.974 s
2		User should not be able to login with invalid Credentials	6	2	1	3	2 m 1.901 s

DETAILED SECTION -- 6 --

Login Functionality



User should be able to login with valid Credentials




#	Step / Hook Details	Status	Duration
1	When User clicks on Accept Cookies	PASSED	24.701 s
2	When User clicks on Login Link	PASSED	15.301 s
3	And User enters valid Username "patelrutvisha@gmail.com"	PASSED	38.461 s
4	And User enters valid Password "charm123!"	PASSED	12.163 s
5	And User clicks on Login Button	PASSED	14.646 s
6	Then User should see Deposit link at the top	FAILED	44.280 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Deposit"} (Session info: chrome=121.0.6167.140) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/ troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os. arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9bdff13f60bf1f731cb09846831757e2, findElement {using=link text, value=Deposit}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 121.0.6167.140, chrome: {chromedriverVersion: 121.0.6167.85 (3f98d690ad7e, userDataDir: C:\Users\sneha\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62251}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62251/devtoo, se:cdp\Version: 121.0.6167.140, set\WindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9bdff13f60bf1f731cb09846831757e2		

DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
#	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.Odec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$Element(Element(Element(ElementLocation.java:165)) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)	Status	Duration
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy28.getText(Unknown Source) at uk.co.heartbingo.utility.Utility.getTextFromElement(Utility.java:62) at uk.co.heartbingo.pages.LoginPage.getDepositText(LoginPage.java:91) at uk.co.heartbingo.steps.Login.userShouldSeeDepositLinkAtTheTop(Login.java:32)		
	at ?.User should see Deposit link at the top(file:///C:/Users/sneha/IdeaProjects/fronend-heartbingo/src/test/resources/features/Login. feature:12) * Not displayable characters are replaced by '?'.		
7	And User clicks on My Account Button	SKIPPED	0.003 s
8	Then User should see the Logout Button	SKIPPED	0.040 s
9	Then User clicks the Logout Button	SKIPPED	0.004 s
	AFTER - uk.co.heartbingo.steps.Hook.tearDown(io.cucumber.java.Scenario)	PASSED	13.665 s
	User should be able to login with valid Credentials		
	The first Corps The fi		

User should not be able to login with invalid Credentials



# Step / Hook Details	Status	Duration
1 When User clicks on Accept Cookies	PASSED	17.862 s
When User clicks on Login Link	PASSED	8.801 s
And User enters Invalid Username "patelrutvisha9@gmail.com"	FAILED	22.135 s
org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"/iframe[@class='oneauth-iframe"]"} (Session info: chrome=121.0.6167.140) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '101.0', java.version: '170.0'; Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [3786bf3c8973f54629a847d2d5b69e88, findElement {using=xpath, value=//iframe]p] Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 121.0.6167.140, chrome: {chromedriverVersion: 121.0.6167.85 (3788d690ad7e, user/DataDir: C.\UsersIsneha\AppDataLloca), fedcm:accounts: true, goog.chromeOptions: {debuggerAddress: localhosts62463/devtoo, secdp/version: 121.0.6167.140, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:miPinLength: true, webauthn:extension:prf: true, webauthn:extension:argeBlob: true, webauthn:extension:miPinLength: true, webauthn:extension:prf: true, webauthn:extension:argeBlob: true, webauthn:extension:miPinLength: true, webauthn:extension:prf: true, at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.BemoteNebDriver.java:Corj.nat.penq		

DETAILED SECTION -- 9 --

Step / Hook Details	Status	Duration
at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy28.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteTargetLocator.frame(RemoteWebDriver.java:1193) at uk.co.heartbingo.pages.LoginPage.switchToFrame(LoginPage.java:64) at uk.co.heartbingo.pages.LoginPage.enterUsername(LoginPage.java:69) at uk.co.heartbingo.steps.Login.userEntersInvalidUsername(Login.java:52) at ?.User enters Invalid Username "pateIrutvisha9@gmail.com"(file:///C:/Users/sneha/IdeaProjects/fronend-heartbingo/src/test/resources/features/Login.feature:21) * Not displayable characters are replaced by '?'.		
And User enters Invalid Password "rutu12345!"	SKIPPED	0.068 s
And User clicks on Login Button	SKIPPED	0.013 s
Then User should see error message for invalid Username and Password	SKIPPED	0.003 s
AFTER - uk.co.heartbingo.steps.Hook.tearDown(io.cucumber.java.Scenario) User should not be able to login with invalid Credentials	PASSED	24.935 s
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy28.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteTargetLocator.frame(RemoteWebDriver.java:1193) at uk.co.heartbingo.pages.LoginPage.switchToFrame(LoginPage.java:69) at uk.co.heartbingo.pages.LoginPage.enterUsername(LoginPage.java:69) at uk.co.heartbingo.steps.Login.userEntersInvalidUsername(Login,java:52) at ?.User enters Invalid Username "pateIrutvisha9@gmail.com"(file:///C:/Users/sneha/IdeaProjects/fronend-heartbingo/src/test/resources/features/Login.feature:21) * Not displayable characters are replaced by '?'. And User enters Invalid Password "rutu12345!" And User should see error message for invalid Username and Password AFTER - uk.co.heartbingo.steps.Hook.tearDown(io.cucumber.java.Scenario) User should not be able to login with invalid Credentials	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy28.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteTargetLocator.frame(RemoteWebDriver.java:1193) at uk.co.heartbingo.pages.LoginPage.switchToFrame(LoginPage.java:69) at uk.co.heartbingo.pages.LoginPage.enterUsername(LoginPage.java:69) at uk.co.heartbingo.steps.Login.userEntersInvalidUsername(Login.java:52) at ?.User enters Invalid Username "pateIrutvisha9@gmail.com"(file:///C:/Users/sneha/IdeaProjects/fronend-heartbingo/src/test/resources/features/Login.feature:21) * Not displayable characters are replaced by '?'. And User enters Invalid Password "rutu12345!" And User clicks on Login Button SKIPPED Then User should see error message for invalid Username and Password AFTER - uk.co.heartbingo.steps.Hook.tearDown(io.cucumber.java.Scenario) User should not be able to login with invalid Credentials