

Q1. Create a calculated column Total Price using and Unit Price ?

```
1 TotalPrice = amazon_store_sales_2022[Quantity]*amazon_store_sales_2022[UnitPrice]
```

Quantity	UnitPrice	Discount	SalesAmount	Region	SalesChannel	TotalPrice	Discounted Price
7	\$260.46	\$0.22	1697.47	East	Online	\$1,823.22	\$1,422
1	\$287.8	\$0.07	4592.68	West	Mobile App	\$287.8	\$268
2	\$274.17	\$0.03	3802.72	North	Online	\$548.34	\$532
9	\$263.02	\$0.26	3265.31	East	Online	\$2,367.18	\$1,752
1	\$84.4	\$0.02	4401.51	South	Online	\$84.4	\$83
8	\$465.39	\$0.1	582.46	West	Online	\$3,723.12	\$3,351
3	\$98.66	\$0.07	2112.19	South	Mobile App	\$295.98	\$275

Q2.Create a calculated column Discounted Price?

```
1 Discounted Price = amazon_store_sales_2022[TotalPrice]*(1-amazon_store_sales_2022[Discount])
```

Quantity	UnitPrice	Discount	SalesAmount	Region	SalesChannel	TotalPrice	Discounted Price
7	\$260.46	\$0.22	1697.47	East	Online	\$1,823.22	\$1,422
1	\$287.8	\$0.07	4592.68	West	Mobile App	\$287.8	\$268
2	\$274.17	\$0.03	3802.72	North	Online	\$548.34	\$532
9	\$263.02	\$0.26	3265.31	East	Online	\$2,367.18	\$1,752
1	\$84.4	\$0.02	4401.51	South	Online	\$84.4	\$83

Q3. Create a measure Average Order Value (AOV)?

```
1 Avg Order value = DIVIDE(amazon_store_sales_2022[SalesAmount],[Total Order])
```


Quantity	UnitPrice	Discount	SalesAmount	Region	SalesChannel	TotalPrice	Discounted Price	Avg Order value
7	\$260.46	\$0.22	1697.47	East	Online	\$1,823.22	\$1,422	\$1,697.47
1	\$287.8	\$0.07	4592.68	West	Mobile App	\$287.8	\$268	\$4,592.68
2	\$274.17	\$0.03	3802.72	North	Online	\$548.34	\$532	\$3,802.72
9	\$263.02	\$0.26	3265.31	East	Online	\$2,367.18	\$1,752	\$3,265.31

Q4. Using DAX, create a measure that calculates cumulative Year-to-Date (YTD) Sales based on the Order Date?

```
1 YTD Sales =
2 TOTALYTD(
3     SUM('amazon_store_sales_2022'[SalesAmount]),
4     amazon_store_sales_2022[OrderDate]
5 )
```

Q5.Using DAX, create a measure to rank each product according to its Total Sales, with the highest-selling product ranked first?

```
Product Rank =
RANKX(
    ALL(amazon_store_sales_2022[ProductCategory]),
    [Total Sales],
    ,
    DESC,
    DENSE
)
```



Q6.Create a calculated column classifying orders as “High Value” if sales > 2000, else “Low Value”?

```
1 Order Category =
2 IF(
3     'amazon_store_sales_2022'[SalesAmount] > 2000,
4     "High Value",
5     "Low Value"
6 )
```

Quantity	UnitPrice	Discount	SalesAmount	Region	SalesChannel	TotalPrice	Discounted Price	Avg Order value	Order Category
7	\$260.46	\$0.22	1697.47	East	Online	\$1,823.22	\$1,422	\$1,697.47	Low Value
1	\$287.8	\$0.07	4592.68	West	Mobile App	\$287.8	\$268	\$4,592.68	High Value
2	\$274.17	\$0.03	3802.72	North	Online	\$548.34	\$532	\$3,802.72	High Value
9	\$263.02	\$0.26	3265.31	East	Online	\$2,367.18	\$1,752	\$3,265.31	High Value
1	\$84.4	\$0.02	4401.51	South	Online	\$84.4	\$83	\$4,401.51	High Value

Q7. Create a measure to calculate total sales from the Online channel only?

```
1 Online Sales =  
2 CALCULATE(  
3     SUM('amazon_store_sales_2022'[SalesAmount]),  
4     'amazon_store_sales_2022'[SalesChannel] = "Online"  
5 )
```

Q8. Create a measure called "Date Difference" that calculates the number of days between the latest Order Date and today's date using the DATEDIFF function.

```
1 Date Difference =  
2 DATEDIFF(  
3     MAX('amazon_store_sales_2022'[OrderDate]),  
4     TODAY(),  
5     DAY  
6 )
```