

Biosafety, IPR, Global Regulatory Agencies & Ethics of Human Genetic Modification



1. Genome Editing – Introduction

Definition: Making precise changes in the DNA of cells or organisms; can add, remove, or alter genes.

Types of Human Genome Editing:

1. **Somatic Cell Editing**
 - Done on body cells; **not inherited**.
Treats diseases like HIV, sickle-cell disease.
Generally ethically accepted with regulations.
2. **Germline Editing (Non-Reproductive)**
 - Done on embryos/reproductive cells; **not for making babies**.
3. **Heritable Germline Editing (Reproductive)**
 - Changes can be **passed to future generations**.
Highly controversial; mostly banned.

Challenges:

- Need safe, inclusive technologies.
Rogue clinics offering unproven therapies.
Illegal or unsafe experiments.
-



2. Ethics of Human Genome Editing

- **Somatic editing:** Ethically acceptable if for treatment; follow safety rules.
Heritable editing: High ethical risk:
 - Unknown long-term effects
Social inequality ("**designer babies**")
Genetic discrimination
 - Ongoing global debate.
-



3. Human Embryonic Stem Cell Research – Ethical Issues

- Conflict: **Cure diseases vs. respect human life**
Moral status of embryos debated among scientists & philosophers.
-



4. Moral Status of Human Embryo – 3 Views

1. Full moral status from fertilization

- Embryo = human being; should not be destroyed.
Supported by many religions.
Counter: Early embryos have no brain/consciousness.

2. Gradual moral status

- Embryo gains value over time: implantation (day 6), primitive streak (day 14), fetus, birth.
Early embryos may be used for research.
Counter: Hard to decide exact stage of moral importance.

3. No moral status

- Early embryo = group of cells; can be used for research.
Counter: Potential to become a human baby.
-



5. Religious Views on Embryo Research

Religion	View
Christianity (Catholic, Orthodox, Conservative Protestants)	Life begins at fertilization; embryo destruction is wrong
Less conservative Protestants	Potential life; research allowed <14 days in special cases
Judaism	<40 days = no full human status; research encouraged to save lives
Islam	Soul enters at 40–120 days; research before this allowed
Buddhism	Avoid harming sentient beings; early embryos (before day 14) non-sentient
Hinduism	Avoid harming life; unused IVF embryos = lesser evil



6. Biosafety

Definition: Safe handling of biological materials to protect humans, environment, and lab workers.

Biosafety Levels (BSL):

- **BSL-1:** Low-risk organisms
BSL-2: Moderate-risk pathogens
BSL-3: Highly infectious organisms
BSL-4: Dangerous, deadly pathogens
Purpose: Prevent accidental release or misuse of genetic engineering.
-

7. Intellectual Property Rights (IPR)

- Protects inventions in biology: patents, copyrights, trademarks, trade secrets.
Encourages innovation, prevents misuse, credits inventors.
Examples: CRISPR patents.
-

8. Global Regulatory Agencies

Agency	Role
FDA (USA)	Approves medicines, vaccines, gene therapies; ensures GMO food safety
WHO	Global guidelines on genome editing ethics, vaccine safety, pandemics; monitors illegal genetic experiments

9. Case Study – Golden Rice

- **Purpose:** Genetically engineered to produce **beta-carotene** (vitamin A precursor)
Need: Vitamin A deficiency → 670,000 child deaths, 500,000 cases of blindness annually.
Features: 3 added genes for beta-carotene production.
Controversy: Environmental concerns, nutrient stability, ecological impact.
Progress: Golden Rice 2 → 23× more beta-carotene; approved in Australia, NZ, Canada, USA (2018); 2015 Patents for Humanity Award.
-

HUMAN GENE THERAPY & BIOSAFETY

1. Human Gene Therapy

Definition: Using genes as medicine to treat disease.

First Successful Therapy: 1990, William French Anderson et al., treating ADA-SCID ("Boy in the Bubble").

Causes of ADA-SCID:

- Two defective ADA genes → deoxyadenosine accumulation → T-cell destruction → fatal immune failure.

David Vetter, known as **"Bubble Boy,"** was born in 1971 with a rare immune disorder called severe combined immunodeficiency (SCID), which made him extremely vulnerable to infections. To protect him, he lived in a sterile plastic bubble for his entire life. David's story became widely known as he spent his days isolated from the outside world, except for brief outings in a special spacesuit designed by **NASA**.



In 2019, a **breakthrough in gene therapy using HIV to treat "bubble boy" disease** (severe combined immunodeficiency, or SCID) was announced. The treatment, developed at St. Jude Children's Research Hospital, cured eight infants who had the disorder, allowing them to develop fully functional immune systems.



The therapy involved collecting the infants' bone marrow, correcting the genetic defect in their DNA, and then reintroducing the corrected cells. The correction was made by inserting a gene into the babies' cells using an altered version of HIV, the virus that causes AIDS. The treatment was so effective that most of the babies were discharged from the hospital within a month and are now living normal, healthy lives, with functioning immune systems. This success is particularly significant for SCID-X1, the most common type of SCID. The babies treated in this study were able to respond to vaccinations and fight infections, which had previously been impossible for children with this condition.

The therapy uses lentiviruses (modified viruses) or CRISPR to deliver or edit the correct gene in the patient's stem cells, which are then put back into the body to create a healthy immune system.

Types of Gene Therapy

Type	Target	Inheritance	Ethical Status	Examples
Somatic	Body cells	Not inherited	Ethically accepted	ADA deficiency, Familial hypercholesterolemia, Cystic fibrosis, Cancer, HIV
Germline	Egg/Sperm	Inherited	Highly controversial, mostly banned	Eliminating hereditary disorders

Gene Delivery Methods

A. Viral Vectors

1. **Adenovirus:** Efficient, short-term expression; cancer/inflammation therapy.
Retrovirus (MLV): Integrates into host genome; long-term, only dividing cells.
Lentivirus (HIV-based): Infects non-dividing cells; safer "minimal vectors" used.

B. Non-Viral Methods

- **Chimeraplasty:** DNA-RNA oligos induce precise point mutations; used in sickle-cell anemia.
-

Examples of Success

- **Sickle Cell:** 10–20% cells corrected in lab using oligos.
Lung Cancer (p53 therapy): Tumor shrinkage/stability in patients via adenovirus carrying p53.
-

Ethical, Social & Economic Issues

- **Pros:** Enhances human abilities, economic growth, benefits future generations.
Cons: Designer babies, fairness issues, social impact, unknown germline consequences.

Somatic vs Germline Therapy

Feature	Somatic	Germline
Affected	Individual	Future generations
Legal	Yes	Mostly illegal
Purpose	Treat disease	Eliminate hereditary disorder
Ethics	Acceptable	Controversial


2. rBST & IGF-1 – Safety & Environmental Impact

Safety

- **FDA, WHO, NIH:** Milk/meat from rBST-treated cows is safe; no direct human hormone effect.
- Controversies:
 - Animal welfare: mastitis, foot issues.
 - Slight IGF-1 increase in milk, not proven harmful.
 - Public demand for rBST-free milk.

Environmental Impact

- rBST reduces the number of cows → lower greenhouse gases → reduced nitrogen & phosphorus waste → higher milk efficiency.
- Organic farming: requires more cows → larger footprint.



Factor	rBST (Recombinant Bovine Somatotropin)	IGF-1 (Insulin-like Growth Factor 1)
Safety (Human Health)	Considered safe by FDA, WHO, and NIH; no direct human hormone effects	Milk contains slightly higher levels, but no proven risk to humans
Animal Welfare	Mastitis, foot issues, increased need for antibiotics	Indirectly related to rBST use, as rBST increases IGF-1 production
Public Demand	Growing demand for rBST-free milk due to health concerns	Public concerns about potential cancer link, leading to demand for rBST-free milk
Environmental Impact	Increases milk yield per cow, reducing resource use	No direct environmental impact, but related to rBST-treated cows
Controversies	Animal welfare concerns, IGF-1 levels, consumer demand for hormone-free milk	Cancer risk concerns; debates on whether IGF-1 from milk has health implications

3. Biosafety & GMOs

Definition:

Protection of humans, animals, and environment from adverse effects of biotechnology & GMOs.

International Milestones

- 1960s: Environmental pressure groups
 - 1970: First Earth Day
 - 1972: UN Conference on Human Environment
 - 1987: Brundtland Report
 - 1992: Rio Earth Summit → CBD (Convention on Biological Diversity)
 - 1993: Cartagena Protocol on Biosafety (CPB)
-

CBD & Cartagena Protocol

- **CBD (1992):** Conserves biodiversity, acknowledges biotech benefits/risks.
Cartagena Protocol (1993): Regulates transboundary movement of Living Modified Organisms (LMOs).
-

Genetic Engineering vs Conventional Breeding

Feature	Conventional Breeding	Genetic Engineering
Method	Natural crossing, hybridization	Crosses species barrier through direct gene manipulation
Genes Involved	Thousands of genes (mix of traits)	One specific gene (targeted trait)
Speed	Slow process, takes many generations to achieve results	Faster process, often completed in a single step

- **Safety Debate:**

- USA/Canada: Product-based, substantial equivalence.
 - EU: Process-based, precautionary principle, case-by-case assessment.
-

Biosafety Issues in Transgenic Crops

Environmental: Horizontal gene transfer, gene flow, aggressive weeds, biodiversity loss, non-target harm, pest resistance, monoculture risks.

Human/Animal Health: Allergens, toxins, antibiotic resistance genes, unintended effects.

Biosafety Assessment

- **Stages:** Lab/Greenhouse → Confined Field Trials
Containment: Physical (PPE, airlocks, restricted labs), Biological (male sterility, chloroplast transformation, minimal gene flow).

Feature	USA/Canada (Product-Based Approach)	EU (Process-Based Approach)
Focus of Evaluation	Final product comparison with conventional counterpart	Focus on the process and methodology of genetic modification
Assessment Criteria	Substantial equivalence of GM product with non-GM	Detailed risk assessment, considering long-term, indirect effects
Approval Time	Faster approval if product deemed substantially equivalent	Slower approval, case-by-case approach with extensive testing
Regulatory Framework	FDA, EPA, and USDA evaluate product safety	EFSA assesses both process and product, focusing on precautionary principles
Outcome for Bt Corn	Approved for commercial use due to no significant risks	Slower approval with extensive environmental and health risk assessments
Outcome for Roundup Ready Soybeans	Approved for widespread use based on substantial equivalence	Restricted approval; many EU countries have opted for non-GMO imports

Key Takeaways:

- **USA/Canada (Product-Based Approach):** The focus is on comparing the final product (GM crop) with its conventional counterpart. If the GM crop shows no significant differences in terms of nutritional content or toxicity, it is generally considered safe for human consumption and environmental release. This approach leads to faster approvals.

EU (Process-Based Approach): The focus is on the process of genetic modification itself, evaluating how the gene was introduced into the organism, potential long-term risks, and the uncertainty of outcomes. This leads to more thorough testing, a precautionary approach, and often slower approvals.

Field Trials

- **Objectives:** Evaluate performance, prevent spread, gene flow, entry into food chain.
Risk Mitigation: Isolation distance, temporal separation, flower removal, post-harvest monitoring.

Health & Environmental Risks

- **Health:** Toxicogenicity, pathogenicity, allergenicity, antibiotic resistance.
Environment: Outcrossing, impact on non-target organisms, ecological imbalance.
-

GM Food Safety

- **Needs:** New proteins may cause allergenicity, toxicity, nutritional imbalance.
Assessment: Follows Codex guidelines (allergenicity, toxicity, composition, nutrition, processing effects).

Key Concerns:

- Allergenicity, toxicity, nutritional changes, unintended effects (insertional mutagenesis, new metabolites/enzymes, unknown long-term effects).
-

Implementation

- National & institutional biosafety committees, review committees, GEAC, monitoring, public consultation, international reporting (CBD/CPB).

GM Foods – Examples

- Golden Rice: Beta-carotene, prevents vitamin A deficiency
Tomato: Longer shelf life
Potato: Bt toxin for insect resistance
Yellow squash: Virus resistance
Canola: Herbicide resistance
Edible vaccines: Banana, potato, tomato

GENETIC ENGINEERING – BENEFITS, RISKS, BIOSAFETY & REGULATIONS

1. Benefits of Genetic Engineering / GMO Technology

A. Agricultural & Economic

1. **Higher Yielding Crops** – More productivity on the same land; helps meet global food demand.
2. **Cost Savings & Profits** – Reduced crop losses, less pesticide/herbicide use.
3. **Longer Shelf Life** – Less spoilage (e.g., GM tomatoes).
4. **Enhanced Taste & Quality** – Improved flavor, texture, ripening.
5. **Reduced Maturation Time** – Faster harvest cycles.

6. Improved Nutrition & Stress Tolerance

- Cauliflower: 100x beta-carotene
Soybean: Protein quality like milk
Corn: Increased lysine & tryptophan

7. **Resistance to Disease & Illness** – Phytochemicals reduce chronic disease risk.

8. **Better Pest & Herbicide Resistance** – Less chemical spraying.

9. **New Products & Techniques** – Lactose-free milk, decaffeinated coffee research.

10. **Societal Benefit** – Food security, adaptation to climate change, land shortages.

2. Risks of Genetic Modification

A. Safety Risks

- **Human Health:** Allergic reactions, anti-nutritional compounds.
- **Environment:** Ecosystem disruption, gene flow → superweeds, biodiversity loss.
- **Biological Warfare Concern:** Misuse to create harmful agents.

B. Access & Intellectual Property

- Control of global food supply by few companies; developing nations dependent on patented seeds.

C. Ethical Issues

- “Playing God,” mixing genes across species, tampering with nature.

D. Labeling Concerns

- Non-mandatory GM labeling (e.g., USA, Canada), mixed crops complicate labeling.

E. Societal Inequality

- Benefits may favor rich countries over developing nations.
-

3. Impact on Biodiversity (Bt Crops Example)

- **Bt Gene:** From *Bacillus thuringiensis*; engineered into cotton, corn, potato.
Effect: Produces insecticidal Bt toxin.
Case Study: Monarch butterfly larvae survival dropped to 56% with Bt pollen vs 100% with organic pollen.

Risk: Large-scale Bt cultivation may threaten butterfly populations.

4. Regulation of GMOs (Canada Example)

- **Regulator:** CFIA, with Environment Canada, Health Canada, Fisheries & Oceans.
Goal: Safety for humans, animals, and environment.
Assessment: Rigorous scientific testing, environmental risk, food safety evaluation.
-

5. GMOs – Definition

- **GMO:** Organism with intentional gene transfer for desirable trait.
Traditional vs Modern:
 - Traditional: Selective breeding.
 - Modern (Transgenic): Direct gene transfer → insect/herbicide-resistant crops.
-

6. National & International Biosafety Regulations

- Ensure safe GMO use, prevent environmental damage, protect biodiversity, part of EIA.
-

7. Field Trials of Transgenic Plants

- Since 1980s: 1,180+ trials in OECD countries.
Common traits: Herbicide resistance (40%), virus & insect resistance.
Herbicide Resistance: Marker genes, commercial interest.
-

8. Upscaling Risks

- Small trials ≠ Large farms
Problems: Rare harmful events, gene flow, pollen spread, interaction with wild relatives, extreme weather seed spread.
-

9. Harmonization of Global Regulations

- Compatible data requirements, shared results & guidelines.
Does NOT require identical biosafety policies.
Helps tech transfer, protects developing countries.
-

10. Developing Countries' Status

- Most lack strong biosafety regulations (exceptions: India, Philippines).
Challenges: Funding, institutional capacity, training & monitoring.
-

11. Biosafety – Risk vs Benefit Analysis

- Factors: Expected benefits, risk prevention, product type, country priorities.
Stakeholders:
 - Entrepreneurs → accept more risk
 - Consumers → safety
 - Biotechnologists → genes
 - Environmentalists → ecosystems
-

12. Hazardous Materials Handling & Disposal

A. Types of Waste

- **Chemical:** Corrosive, toxic, flammable → follow EPA/DEQ
Radioactive: Extreme caution, strict containment
Biohazardous: Infectious agents → autoclave/chemical sterilization
- **Sharps:** Needles, glass → rigid containers

B. Disposal Steps

1. Package in leak-proof containers
Fill hazard collection request (name, date, dept, contact, location)
Attach form to container, leave in specified room
Pickup within a week

C. Waste Reduction

- Purchase only needed quantity
Substitute safer chemicals
Label everything
Recycle high-quality unused chemicals
Segregate waste, proper storage, secondary containment

13. rDNA Guidelines (NIH)

A. Definition

- Joining DNA in vitro & introducing into host cells (cell fusion, microinjection, genetic engineering, virus/pathogen introduction).

B. Organisms Covered

- Intergeneric organisms, non-pathogenic → pathogenic after manipulation, pathogen DNA introduction.

C. Risk Levels

Level	Description
Low	BSL-1 agents
Moderate	Pathogenicity, concentration, genetic alteration
High	CDC Class 4/5 agents, oncogenic viruses

D. Risk Groups (WHO/NIH)

RG	Description
RG1	No known disease
RG2	Rarely serious; treatment available
RG3	Serious/lethal; treatment available
RG4	Serious/lethal; no treatment

E. Containment

- Standard practices, special procedures, facility design, biological barriers.

F. Classification of rDNA Experiments

- Approval varies: IBC + RAC + NIH, IBC only, notification, or exempt (depending on risk).

G. Institutional Responsibilities

- Ensure NIH compliance
- Establish IBC & Biosafety Officer
- Medical surveillance, accident reporting
- Expertise in reviewed research

H. Animal Experiments

- IBC/IACUC review: whole animal, transgenic, biohazardous agent introduction, proper disposal & transport.

I. Reporting & RAC Approval

- All rDNA accidents → NIH/OBA
- Gene transfer experiments → report adverse events
- RAC provides approval for experiments outside NIH guidelines

★ Conclusion

NIH Guidelines ensure:

- Safe rDNA handling
 - Researcher, public & environmental protection
 - Institutional oversight
 - Ethical, regulated biotechnology research
-



UNIT-3: IMPLICATIONS OF BIOSAFETY

1. Awareness & Education on GEOs/GMOs

- Awareness programs teach:
 - What GMOs are & how they are developed
 - Benefits, risks, and regulations
 - Safe handling in labs, industries, and agriculture
- Target groups: students, farmers, consumers, policymakers

2. Key Concerns Related to GMOs

A. Transgene Instability

- Foreign genes may lose function over generations
- Causes: mutations, epigenetic silencing, environmental influence
- Effect: reduced intended benefits (e.g., pest resistance)

B. Gene Flow

- Transfer of transgenes to wild relatives or non-GM crops via pollen, seeds, or hybridization
- Risks: biodiversity contamination, superweeds, legal disputes

C. Resistance in Target Organisms

- Pests/weeds develop resistance over generations
- Example: Bt cotton → pest resistance; herbicide-resistant crops → superweeds

D. Increased Weediness

- GM crops with herbicide tolerance, stress resistance, faster growth → may become weeds

E. Risks & Uncertainties

- Long-term health & ecological effects unpredictable
Ethical, cultural, and corporate control issues

- Case-by-case risk assessment required
-

3. Containment – Biosafety in Laboratories

Definition:

Methods to prevent escape of GMOs or infectious agents → protect workers, environment, prevent accidental release

Types

- **Physical Containment:** biosafety cabinets, HEPA filters, controlled access, autoclaves, PPE
- **Biological Containment:** kill-switch genes, auxotrophy, nutrient deficiency

Biosafety Levels (BSL)

Level	Organisms	Lab Requirements
BSL-1	Low-risk	Basic setup, minimal PPE
BSL-2	Moderate-risk	Biosafety cabinets, restricted access
BSL-3	High-risk airborne	Controlled airflow, sealed lab, special clothing
BSL-4	Highly dangerous	Full body suits, isolated lab

Lab & Animal Facility Checklist

- Wash areas, autoclaves, biosafety cabinets, eyewash, fire safety
Species-specific housing, quarantine, proper waste removal
Environmental protection: zero GM release, effluent treatment, air filtration
-

4. Legal & Socioeconomic Impacts

Agriculture & Food Systems

- Coexistence of organic, conventional & GM crops
Segregation in supply chains, export impact, regulatory costs

Market & Consumer Issues

- Consumer hesitation: culture, misinformation, media
Need: labeling, transparency, public education

Institutional & Business Issues

- Patents, monopolies, licensing, tech inequality

Social Issues

- Public participation, ethics, agro-terrorism risks, small farmer impact
-

5. Risks of Modern Biotechnology

Health Risks

- Allergenicity, toxicity, carcinogenicity, antibiotic resistance markers
Nutritional changes, long-term effect uncertainty
ILSI Allergen Safety Criteria: no history of allergenicity, no similarity to known allergens, rapid digestion, low expression

Environmental Risks

- Gene transfer to wild species, pest resistance, biodiversity loss, monoculture, soil impact

Biodiversity Risks

- Ecosystem disruption, decline of native species, spread of GM traits, threat to centers of origin (e.g., maize in Mexico)

Socioeconomic Risks

- Inequality, dependence on biotech corporations, seed pricing, ethical/cultural issues, limited access for poor farmers

★ UNIT-4: GLP, IPR, PATENT, WTO, TRIPS, GATT

1. Gene Technology Laboratory

- Activities: genetic engineering, DNA/RNA work, cloning, PCR, sequencing, GMOs
Requires GLP, biosafety, and ethical compliance
-

2. GOOD LABORATORY PRACTICES (GLP)

- **Purpose:** Ensure data quality, reliability, safety, reproducibility
Origin: USA 1978 → OECD guidelines 1981
Necessity: Avoid fraud, contamination, errors; international data acceptance

GLP Principles

1. Test Facility Organization & Personnel

- Qualified staff, SOPs, training, Study Director, archives, QA program

2. Quality Assurance (QA)

- Inspections, deviations reporting, QA statement, independent from study

3. Facilities

- Separate areas, sanitation, biohazard control

4. Apparatus, Materials & Reagents

- Proper design, calibration, labeling (name, conc, expiry, storage)

5. Test Systems

- Accurate instruments, quarantine, acclimatization, health records

6. Test & Reference Substances

- Purity, batch number, storage, stability

7. SOPs

- Sample handling, equipment, animal care, QA, safety, waste disposal

8. Study Performance

- Follow plan, immediate data recording, audit trails

9. Study Reporting

- Title, objectives, methods, results, QA statement, data storage

10. Storage & Retention

- Raw data, SOPs, study plans, final reports, QA audits

3. GOOD MANUFACTURING PRACTICES (GMP)

- Ensures safe, pure, effective products
 - Covers: cleanliness, personnel, equipment, validation, documentation
 - Non-compliance → recall, fines, shutdown, legal action
-

4. Intellectual Property Rights (IPR)

- Protects creations of the mind: inventions, brand, designs, art
- **Types:**
 - Patents: inventions
 - Trademarks: logos/brand
 - Designs: product appearance
 - Copyright: literary/artistic works
 - Trade secrets, plant breeders' rights, GI

Patent

- Exclusive right (20 yrs) to prevent others from making/selling
- Criteria: Novelty, Inventive step, Industrial application
- Procedure: Disclosure → Search → Provisional → Complete → Publication → Examination → Grant

Other IPR

- **Trademark:** brand identification
 - **Design Right:** visual features
 - **Copyright:** literature, music, software
 - **Trade Secrets:** confidential info
 - **Plant Breeders' Rights:** new plant varieties
-

5. Global Trade & IPR Agreements

Acronym	Description
WTO	World Trade Organization – global trade rules, dispute resolution
TRIPS	Trade-Related Aspects of IP – global IPR standards, patents compulsory for pharma, biotech, agro-chemicals
PCT	Patent Cooperation Treaty – one application for 150+ countries
GATT	General Agreement on Tariffs & Trade – predecessor to WTO, reduces trade barriers

IPR Problems

- High cost, long processing, biopiracy, patent disputes, ethical issues, limited access in developing countries
-

UNIT 5 – GCP & Ethics / Human Genome Editing

1 Clinical Trials & GCP

- **Clinical Trial:** Study on humans to test **safety, efficacy, dosage, side effects**, or compare treatments.
 - **GCP (Good Clinical Practice):** International standard for **design, conduct, monitoring, recording, analysis, and reporting** of trials. Ensures:
 - Rights, safety, well-being of participants
 - Credible and accurate data
 - **Established by ICH (1996)**, legally enforced in many countries.
-

2 Historical Milestones

Year	Event	Importance
460 BC	Hippocratic Oath	First medical ethics code
1947	Nuremberg Code	Voluntary consent for human research
1964	Declaration of Helsinki	Ethical foundation of GCP
1979	Belmont Report	Respect, Beneficence, Justice
1996	ICH-GCP	International harmonized standard

Why GCP? Prevent unethical research, tragedies (e.g., thalidomide), and ensure standardized, safe clinical trials.

3 ICH-GCP 13 Principles

1. Follow ethical principles (Helsinki Declaration)
2. Risk vs. benefit justified

3. Safety > science
 4. Adequate preclinical data
 5. Scientifically sound protocol
 6. Ethics committee approval required
 7. Qualified physician in charge
 8. Trained personnel
 9. Informed consent required
 10. Accurate recording/reporting
 11. Confidentiality of participants
 12. GMP compliance for investigational products
 13. Quality control/assurance
-

4 Key Participants in GCP

Participant	Role
Regulatory Authorities	Inspect, approve data
Sponsor	Initiates, finances, manages
Investigator	Conducts trial
Project Monitor	Ensures protocol compliance
Pharmacist	Stores, dispenses drugs
Patients/Subjects	Participants
Ethics Committee	Protects participants' rights
Data Monitoring Committee	Oversees safety

5 Clinical Trial Phases

Phase	Participants	Purpose
0	<15	Microdose, early PK
1	20–100	Safety, dosage
2	100–300	Efficacy, side effects

3	1,000–3,000	Compare with standard therapy
4	Post-marketing	Long-term safety

6 Ethics in Clinical Trials

- **Principles:** Respect, Autonomy, Informed consent, Beneficence, Justice
- **Protect vulnerable groups**
- **Avoid exploitation**

Special groups:

- Children: minimal risk; parent consent
 - Fetuses: only minimal or direct-benefit risk; parental consent as applicable
-

7 Role of IRBs (Institutional Review Boards)

- Review **risks vs. benefits, informed consent, recruitment**
 - Approve, reject, or modify protocols
 - Ensure **voluntary participation & fairness**
 - Special rules for **children, fetuses, incapacitated participants**
-

8 Informed Consent

Must include:

- Purpose, procedure
 - Risks & benefits
 - Alternatives
 - Confidentiality
 - Compensation for injury
 - Voluntary participation
-

9 Recombinant DNA Advisory Committee (RAC)

- Advisory body for high-risk **gene therapy protocols**

- **Public transparency**, discussions, guidance
 - **Does not approve trials**; FDA & IRB approve
-

◆ FDA Oversight of Genome Editing

- **GE products = biologics/drugs**
 - IND approval needed before human trials
 - Monitored by **CBER / OTAT**
 - **Long-term follow-up**: up to 15 years
 - **Off-label use** allowed post-approval
 - Accelerated approval for serious unmet needs
-

10 Laboratory Oversight

- **Institutional Biosafety Committees (IBC)**: oversee recombinant DNA work
IRBs: oversee human tissue use
Animal research: IACUC; special rules for chimeras
-

11 Human Genome Editing Principles

1. **Beneficence**: Do good, prevent harm
 2. **Transparency**: Share info openly
 3. **Due Care**: Proceed carefully, incremental research
 4. **Responsible Science**: High-quality experiments, correct errors
 5. **Respect for Persons**: Autonomy, prevent eugenics
 6. **Fairness**: Equitable risk-benefit distribution
 7. **Transnational Cooperation**: Harmonize global standards
-

12 U.S. Regulation of GE

- Lab work → IBCs & IRBs
 - Embryo/gamete → state laws + voluntary oversight; federal funding restricted
 - Clinical trials → FDA IND approval
 - Post-approval → monitoring & off-label use allowed
-

13 Global Regulatory Trends

- Risk-benefit focus: **premarket evaluation**
 - **Conditional approvals** speed innovation
 - Variation across countries for **embryo/gamete interventions**
 - **Global harmonization** needed for cross-border trials and ethical consistency
-

Positive Impact of Gene Editing: Transforming Medicine, Agriculture, and Conservation

Gene editing, particularly through technologies like **CRISPR-Cas9**, is making waves in multiple fields by offering solutions to some of the world's most pressing challenges. Here are some **positive examples** of how gene editing is already changing lives and industries:

<https://innovativegenomics.org/about-us/>

1. Curing Genetic Blood Disorders (Sickle Cell & Beta-Thalassemia)

Gene Editing for Blood Diseases:

- **CRISPR-Cas9** has been used to treat **sickle cell anemia** and **beta-thalassemia**, two genetic blood disorders.
 - **How It Works:** Scientists modify **stem cells** to boost the production of healthy hemoglobin.
 - **Outcome:** In clinical trials, patients no longer need blood transfusions and are living healthier lives, showing potential for **permanent cures**.
-

2. Preventing Hereditary Diseases (Editing Human Embryos)

Gene Editing to Prevent Genetic Disorders:

- **CRISPR** has been used to edit genes in **human embryos** to prevent diseases like **HIV**.
 - **How It Works:** A gene called **CCR5** is edited to make embryos resistant to HIV.
 - **Outcome:** The babies were born healthy, marking a controversial yet promising step toward preventing hereditary diseases.
-

3. Advancing Agriculture (Creating Disease-Resistant Crops)

Gene Editing for Smarter Crops:

- **CRISPR** has been used to create **disease-resistant rice** and **non-browning mushrooms**, improving crop yields and reducing waste.

- **How It Works:** Specific genes are edited to make plants resistant to pests and improve their shelf life.
 - **Outcome:** Farmers can grow more resilient crops that need fewer chemicals and last longer, helping with **food security** and sustainability.
-

4. Saving Endangered Species (Northern White Rhino)

Conservation Through Gene Editing:

- **CRISPR** is being explored to help save the **Northern White Rhino** from extinction.
 - **How It Works:** Scientists use gene editing to create **viable embryos** from the DNA of the last remaining rhinos.
 - **Outcome:** This innovative project could help bring back extinct species and preserve biodiversity.
-

5. Restoring Vision (Gene Editing for Blindness)

Gene Therapy for Genetic Blindness:

- **CRISPR** is being tested to treat **Leber Congenital Amaurosis (LCA)**, a rare genetic condition that causes blindness.
 - **How It Works:** Scientists directly edit the faulty gene in the retina to restore vision.
 - **Outcome:** Early trials have shown improved vision, offering hope for a cure for **genetic blindness**.
-

Conclusion:

Gene editing is rapidly advancing and holds incredible promise in **medicine**, **agriculture**, and **conservation**. From curing genetic diseases to saving endangered species, these breakthroughs demonstrate how **CRISPR-Cas9** could reshape our world for the better. While challenges remain, these **success stories** highlight the transformative power of gene editing in creating a healthier and more sustainable future.

<https://innovativegenomics.org/crisprpedia/>

<https://innovativegenomics.org/crispr-ai-machine-learning/>

