CARNET

System Architecture Document

How the system is put together, how it processes data, and what the database looks like — with the interface photographed from the running application.

Built on 16 September 2026, after Phase 46.

169 tables, 78 enumerations, 2710 columns; 80 migrations.

Regenerated with every change: npm run docs:all. Diagrams are read from the Prisma schema, screenshots from the running app, counts from the code. Nothing in this document is typed twice.

Contents

1. Purpose, and how to read this document
2. The system in one picture
3. Runtime architecture
4. How a request is processed
5. How data is written
6. The workflows, as data flows
7. Database architecture, domain by domain
8. Security in the data path
9. The user interface: wireframes and photographs
10. What verifies it
Appendix A. Every table, by domain
Appendix B. Migrations
Appendix C. Rebuilding this document


1. Purpose, and how to read this document

This is the one document that explains how Carnet works as a system: what runs where, what happens to a request from the moment a browser sends it to the moment a row is written, how the twelve domains of the database fit together, and what the person at the screen sees while all of that happens. It is written for an engineer joining the project, a reviewer deciding whether to trust it, and a buyer who wants to know what they are buying.

It is generated, not maintained by hand. The entity-relationship diagrams are drawn from packages/db/prisma/schema.prisma by infra/scripts/architecture-diagrams.ts; a model added to the schema appears in the next build, and one missing from the domain table fails the build rather than going quietly missing. The screenshots are taken from the running application by infra/scripts/design-shots.ts. The prose lives in infra/scripts/build_architecture_doc.py beside the code it describes and is revised with each phase.

Where this document says how something works, the source of truth is named so it can be checked: a file, a function, or a design document in docs/02-design. Where those documents go deeper — the security model, the accounting model, the state machines — this one summarises and points.

2. The system in one picture




Who uses Carnet, and what it depends on.

Five kinds of people reach the system, and each has a surface of their own rather than the same application with items greyed out (ADR-0009). Workshop staff use the workshop at /dashboard and its siblings. A technician uses /shop on a tablet, and it keeps working out of signal. A vehicle owner uses

/portal on a phone. A buyer opens a passport link at /p/<token> with no account at all. Another system reads /api/v1 with an organisation key.

Every external dependency is optional to the core workflow. If email, SMS or VIN decoding is down, a workshop can still book, inspect, estimate, repair, invoice and take payment. The only thing the system cannot run without is PostgreSQL.

3. Runtime architecture



The containers: one web application, three packages, a worker for development, one database.

Carnet is a monorepo with one deployable web application and three packages it is built from (ADR-0003). The rules live in packages/core, which imports nothing from the rest of the repository: no ORM, no React, no framework. That is what makes the domain testable without a database — 1,322 tests run in under a second — and portable if the framework changes. packages/db is the Prisma client with the tenant scope built in; packages/ui is the design system, plain React with no data access.

Layering

Layer	May import	Must not import
`packages/core`	nothing from this repository	Prisma, React, Next
`packages/db`	core	React, Next

`packages/ui`	core, React	Prisma, Next
`apps/web`	every package	—
`apps/worker`	core, db	React, ui

Technology


Concern	Choice	Why
`Web framework`	Next.js, app router, server components	The workshop UI ships almost no JavaScript, which is the difference between a list and a spinner on a tablet over patchy Wi-Fi.
`Writes`	Server actions, one per form	The form posts to the function that owns the rule; no API layer to keep in step with the page.
`Database`	PostgreSQL through Prisma	Row locks, transactions, check constraints and JSON where the shape varies.
`Rules`	TypeScript in packages/core, tested with Vitest	Pure functions over plain values; no test touches the database.
`Sessions`	First-party, a row per session	Revocable on the server; a stolen database yields no usable cookie (ADR-0006).
`Email`	Resend, with inbound webhooks	Delivery events and replies come back to the job they are about.
`Files`	Object storage behind signed URLs	Photographs and documents never pass through the application server twice.
`Scheduled work`	HTTP endpoints called by a scheduler	The application is hosted where a loop cannot be held open; the worker runs the same functions in development.
`Verification`	tsx scripts against a built server and a real database	Fifty scripts, one per capability, each cleaning up after itself.

Repository layout

```
apps/web/src/app/(workshop)/*      the workshop pages and their server actions
apps/web/src/app/shop, portal, p   the shop floor, the customer's side, the public passport
apps/web/src/app/api/*             sync, cron, v1, uploads, inbound webhooks, reports
apps/web/src/lib/*                 one module per capability: money.ts, jobs.ts, passport.ts,
billing.ts …
apps/web/src/lib/guard.ts          requireSession(permission): the one door every page goes
through
packages/core/src/*                the rules, by domain: accounting, billing, passport, region,
giftcards …
packages/db/prisma/schema.prisma   the database, and migrations/ beside it, hand-written SQL
packages/db/src/tenant.ts          forOrg(): the tenant scope
packages/ui/src/*                  the design system
infra/scripts/verify-*.ts          the verification scripts
docs/                              product, requirements, design, ADRs, engineering, project
```

4. How a request is processed

Every page and every server action in the workshop goes through one function, requireSession, and that function is where the system decides who is asking, what they may do, where their workshop stands, and which rows they may see. The diagram is the whole path; the text after it is each step in detail.



A request, from cookie to redirect. apps/web/src/lib/guard.ts and auth.ts.


Step by step

- The cookie. The browser sends carnet_session, a random 256-bit token. It is never stored: its SHA-256 digest is the key of the Session row. currentUser() hashes it, finds the session, checks it has not expired, and loads the user with their membership, the organisation, the organisation's region and its four subscription dates. This runs once per request and is cached for the rest of it with React's cache().
- The subscription. The organisation's state is read from its dates — trial, grace, on a plan, read-only, cancelled — and carried on the session. If the workshop is read-only and the permission asked for is a writing one (anything ending in write, complete, send, approve, request, transfer, share or manage), the request is sent to /settings/subscription with the reason before anything else is looked at.
- The permission. can(role, permission) is deny-by-default: a permission not explicitly granted to a role is refused. A refusal does not throw, because by then the page has started streaming and a thrown error would arrive as a 200 with a stack trace behind it; it redirects to the role's own surface with ?denied= and the permission, and the refusal is audited. A technician never reaches a workshop page at all: the workshop layout turns them back to /shop first.
- The scope. forOrg(orgId) returns a Prisma client where every tenant-scoped model has the organisation predicate added to reads and stamped on creates; findUnique is rewritten to findFirst with the predicate, so an id lookup cannot escape the tenant. The page receives this client as db and there is no convenient way to get an unscoped one, so the safe path is also the shortest. A row belonging to another organisation is not found, never refused, so its existence is not disclosed.
- The page. A server component queries through db, derives anything computed through packages/core (totals, statuses, balances are never stored, ADR-0011), formats money and dates from the organisation's region, and renders on the server. The browser receives HTML.
- The action. A form posts to a server action in the same file. The action calls requireSession with the permission the write needs, calls one function in apps/web/src/lib that owns the rule, and redirects back to the page with ?done=, ?saved= or ?problem= so the outcome is a sentence on the screen and the URL is bookmarkable. A rule that refuses throws a typed error with a sentence in it; the action catches that type and shows the sentence, and lets anything else surface.
- The plan. Inside the library function, not on the page, assertPlanAllows and assertWithinLimit refuse a feature the plan lacks or one more of a thing the plan counts, naming the plan that would allow it. The page's own wall is a courtesy; this is the lock.

The other surfaces

The customer portal goes through requireUser rather than requireSession: a portal user has no organisation, and what they may see is decided by ownership (VehicleOwnership) rather than membership. A customer may book at any workshop on Carnet: the directory lists every active organisation with a site, and a first booking creates their Customer record there, so the workshop sees a person in its diary. The public passport at /p/<token> has no session at all; the token is the PassportShare row and its scope and expiry decide what is rendered, and every opening is recorded. /api/v1 authenticates an organisation key (hashed at rest, shown once) and reuses the same library functions the pages use, so the API and the page cannot disagree about what a workshop may see. /api/cron requires a bearer secret compared in constant time, and refuses if no secret is configured, so a misconfigured deployment fails closed.

5. How data is written



A consequential write: strongly consistent inside the transaction, eventually consistent after it.

Completing a job is the most consequential write in the system, and its shape is the shape of every write that has side effects. Inside one transaction the status changes, the JobStatusEvent is appended, and an OutboxEvent is written saying what happened. The commit is the only thing that must succeed, because a workshop losing a completed job is unacceptable. Everything downstream — passport events, stock reservations consumed, ledger entries posted, the customer told — is done by dispatchOutbox, at-least-once, with an idempotency key on every effect so a retry cannot post twice (ADR-0007).

The conventions every write follows


- Money is Decimal(12,2) in the database and integer minor units in the rules. fromDecimal converts at the boundary, with the currency, and sum() refuses to combine two currencies. No arithmetic on money happens in floating point (ADR-0008).
- Totals, balances and statuses are derived, never stored, wherever a stored figure could drift from the rows beneath it: an invoice's total from its lines, a gift card's balance from its entries, money held from its movements, a subscription's state from its dates (ADR-0011).
- Every ledger posting is a balanced JournalEntry with lines, refused before it is written if the debits and credits differ, and refused if the period is closed. Reversals are new entries that point at what they reverse. The accounting model in docs/02-design/07-accounting-model.md lists every posting.
- Append-only tables are never updated or deleted: VehicleEvent, JobStatusEvent, AuditLog, GiftCardEntry, DepositMovement, DeliveryEvent, ConsentChange. A correction is a new row that supersedes an old one.

- Gapless numbers (invoices, credit notes, purchase orders) come from DocumentSequence under a row lock, one sequence per organisation and kind.
- Concurrency on the passport is a row lock on the vehicle, because two workshops completing jobs on the same car in the same second must not both claim the same sequence number.
- Every consequential action writes an AuditLog row with who, what, before and after. The audit write never throws: a failure to audit must not roll back the action it describes.
- Every message to a customer is a MessageLog row first, so what was said and when is a query, and the send itself is a side effect that can fail and be retried without saying it twice.

6. The workflows, as data flows

This section follows the data through the workshop's work: what is created, what it points at, and what it causes. Each subsection names the tables and the module that owns the rule.

6.1 From a booking to a paid bill




The core workflow. Booking → Job → Inspection → Estimate → Approval → Invoice → Payment → Ledger and Passport.

A Booking takes a diary slot against a bay after the capacity check in packages/core/src/scheduling agrees there is room. Converting it makes a Job with the vehicle, the customer and the job types, and a StockReservation for any part already on it. An Inspection runs the workshop's template against the job, each item rated and photographed. An Estimate is built from the results with the organisation's currency, sent to the customer as a link, and approved on their phone, line by line, into EstimateApproval. The work is done against the clock (TimeEntry) and signed off (QualityCheck). Completing the job goes through the outbox: passport events are appended for every part fitted and every service done, reservations are consumed into StockMovements, and the customer is told.

An Invoice is raised from the job's lines with the tax rate in force and a gapless number, posted to the ledger as revenue, tax and a receivable. A Payment settles it by one of the methods — cash and card to the bank; a card through the provider posts the same as a card at the counter; loyalty points, a gift card or money held go against their own liabilities — and each posting releases exactly what it should. recordPayment in apps/web/src/lib/money.ts also awards loyalty points, settles a referral if this was the referred customer's first paid bill, and sends a receipt. A CreditNote reverses; a Refund sends money back, or keeps it as credit on the customer's account.

6.2 Card payment through a provider




Pay now, from the portal: the attempt, the provider's checkout, one settlement, and reconciliation.

A payment provider sits behind a seam of four calls in packages/core (open a checkout, ask what became of it, refund, read a webhook), with a stub that takes pretend money at a checkout page of ours and Stripe written against its HTTP API behind the same seam; PAYMENT_PROVIDER chooses. "Pay now" on an outstanding invoice in the portal opens a PaymentAttempt and sends the customer to the checkout. The provider's answer arrives by webhook or when the customer returns and the page asks; settleAttempt claims the move from pending with a conditional update before recording anything, so two answers record one payment, posted exactly like a card at the counter. A declined card is a row with the provider's reason. A refund by card goes back through the provider, asked before the refund is recorded. Reconciliation asks the provider about every attempt of the last ninety days and names each difference between its record and the books without changing anything; the provider is a witness, never the record.

6.3 The counter, gift cards and money held

A counter sale is the same money path without a job: a CounterSale with lines and tenders in one transaction, stock moved as it is sold, the ledger posted per tender, inside a TillSession that is counted at close. A gift card is sold at the counter or on its own page, and the sale posts a liability, not revenue; spending it releases the liability and never touches cash. A refund by gift card goes back onto the card that paid. Money held — a deposit before the work, or a refund kept as credit — is the same idea for a customer rather than a card: a liability until an invoice takes it or it goes back, oldest first, refused rather than clamped. packages/core/src/giftcards and deposits hold the rules; apps/web/src/lib/giftcards.ts, deposits.ts and counter.ts do the work.


6.4 Purchasing and stock



Request → order → receipt → bill → payment, with stock rising at the receipt.

A part a job needs and the workshop does not have becomes a PurchaseRequest, approved by a role that may approve spending, gathered onto a PurchaseOrder to a supplier. The GoodsReceipt is the moment stock exists: StockLevel rises, a StockMovement records it with the order as its reason, and the price paid is kept on the line for the product's history. The SupplierBill posts a payable; SupplierPayment settles bills and is allocated across them. Transfers between sites are dispatched at one warehouse and received at another, and the stock is in transit between.

6.5 The passport




An event on a vehicle: chained, verified, shared, transferred, read by the network.

The passport is the product's reason to exist, and the mechanism is small. Every event on a vehicle is a VehicleEvent whose hash covers its own content and the hash of the event before it (packages/core/src/passport/chain.ts). Altering any event changes its hash and breaks every hash after it; verifyVehicleChain recomputes the chain and names the first divergence, and the passport page shows the verdict. It is deliberately not a blockchain (ADR-0005): the question is whether the operator of this database can silently rewrite the past, and a hash chain with periodic anchoring answers it.

A share is a PassportShare: a link with a scope (what kinds of events) and an expiry, every opening recorded. A transfer of ownership is an invitation to the new owner; the history stays, the previous owner's private notes do not. Another workshop reads what it is entitled to through VehicleAccessGrant, earned by working on the car or granted by the owner, and the same entitlement governs /api/v1.

6.6 The technician's device, out of signal




The queue empties through /api/sync when the device is back in signal.

The shop floor keeps working without a connection. Actions taken while away — a task ticked, time started, a note — are queued on the device by a service worker and sent to /api/sync when signal returns. The route is authenticated like every other (a queue that accepted work on the strength of an id

in the body would be a write API with no door on it), applies each action once by its client-side id (SyncedAction), and answers with everything the device needs to carry on: its jobs, tasks and parts.

6.7 Scheduled work



Two endpoints, called on a schedule, run the same functions the worker runs on a loop.

There is no queue server. A scheduler calls /api/cron/dispatch every minute to drain the outbox and /api/cron/hourly to queue service reminders, close abandoned time entries, run due automation actions and audit passport chains. In development apps/worker calls the same functions on a five-second loop. There are not two implementations of any job.


6.8 Communication, in and out

Every outbound message is a MessageLog row with a channel and a reason, written before it is sent, then sent through the provider, whose webhooks come back as DeliveryEvents. A reply arrives at /api/inbound as an InboundMessage and is matched to the job it is about, so the conversation is on the job. A bounce or an opt-out writes SuppressedAddress and the product stops sending to it. Automation rules and campaigns produce messages the same way; nothing bypasses the log.

6.9 Region and currency

The organisation carries one country, currency, locale and timezone, chosen at sign-up and editable by the owner. The session carries the region and every page formats money and dates from it; invoices and estimates are raised in the organisation's currency; a message to a customer is formatted the same way. A driver in the portal sees each amount in the currency of the workshop that raised it. Changing the currency converts nothing already recorded, and the page says so. The plan itself is priced in the workshop's currency from a price book in core that carries every plan in each currency a country can set, and the provider is asked to charge that currency and no other.

6.10 The subscription and the plan



The subscription's states, read from four dates on the organisation.

Sign-up records the terms accepted and opens the provider's subscription checkout: the card goes on file before the fourteen-day trial starts, and until it does the workshop is read-only. The trial's end date is the provider's, because it is the day the provider charges the card; three days before, the hourly job sends the owner one reminder with the amount and the date. A paid invoice event makes the workshop active, a failed one marks it past due and tells the owner, cancelling on a plan ends at the period's end and on a trial ends at once. The state is read from the dates and the provider's last word each time a session is made and is never stored. A lapsed or cancelled workshop keeps reading and exporting and loses writing; nothing is deleted in any state; choosing a plan reopens it. The plan's limits (sites, bays, vehicles) and features (the ledger, payroll, transfers, the API) are enforced inside the functions that make or do the thing, with the refusal naming the number and the plan.

6.11 Data in, data out

A CSV from another system is parsed in core (any delimiter, quoted fields, a byte-order mark) and kept as it came on an ImportBatch: headers, rows, the delimiter, and a mapping suggested from the headers and edited by a person. Validation runs every row through the dataset's rules before anything is written and names each problem by spreadsheet row and field. The import writes what passed one row at a time through the same library functions the pages use (createCustomer, registerVehicle or adoptVehicle, createProduct with an opening stock adjustment, createSupplier, postEntry for a balanced opening entry), so tenant scoping, duplicate refusal and plan limits apply as they would to typed rows, and a report of what did not go in is kept on the batch. Exports read each dataset whole through the scoped client and write CSV in the same shapes, the passports as JSON in the network's form, or everything as one file; they need only the read permission a read-only or cancelled workshop keeps.

6.12 The workflow, as one thing

Phase 34 joined the seams between the objects above so that the five workflows run without retyping. startJobFromBooking creates the job through createJob with everything the booking knew and marks the booking CONVERTED with the job's id in one transaction. completeInspection raises the estimate and calls retotalEstimate, which prices every line and the totals from the same calculateTotals the invoice uses. approveInPerson marks a draft sent and records the decision through the same recordDecision the customer's page and the share link call, with the staff member named on the approval row. recordDecision copies the approved lines onto the job and, for each part line that names a product, calls reserveForJobLine against the default warehouse after the transaction commits, so the reservation or the purchase request for the shortfall exists the moment the approval does. quoteExtraWork opens or extends a supplementary estimate as the job's next version; sendEstimate and recordDecision leave the job's status alone for a supplementary estimate, so the work already approved carries on and the approved extra lines are appended after the lines already there. The press count per hand-off is data in core (WORKFLOWS), held by a unit test and by the walkthrough script, and the table below is generated from it.

THE CUSTOMER ARRIVES

Hand-off	Screen	Before	Now
Booking to job, at the desk	booking	6	1
Car checked in	check-in	1	1
Job to the technician	job	1	1
Technician opens the inspection	tablet	1	1
Whole workflow		9	4

THE VEHICLE NEEDS WORK

Hand-off	Screen	Before	Now
Inspection to estimate	tablet	1	1
Estimate to the customer	job	1	1
Customer answers	customer phone	2	2
Customer answers at the counter	job	4	1
Approval to a job with the work on it	job	3	0
Extra work found mid-job	job	7	1
Customer answers the extra work	customer phone	2	2
Whole workflow		20	8

THE WORK IS COMPLETED

Hand-off	Screen	Before	Now
Technician to quality check or completed	job	1	1
Completed to invoice	job	1	1

Invoice to payment	invoice	2	2
Payment to pickup	invoice	0	0
Car handed back	check-out	1	1
Whole workflow		5	5

THE CUSTOMER RETURNS

Hand-off	Screen	Before	Now
Plate or VIN to the passport	today	2	2
Passport to a new job	passport	1	1
Whole workflow		3	3

THE OWNER RUNS THE BUSINESS

Hand-off	Screen	Before	Now
Today to the job that needs them	today	1	1
Today to cash and profit	today	1	1
Whole workflow		2	2

6.13 Arrival and departure

checkIn writes, in one transaction, the VehicleCheck (IN) with the mileage, fuel, marks, belongings and hook, the Signature it points at, a KeyEvent (HUNG) if a hook was given, the OdometerReading on the vehicle and the job's receivedAt; the rules (assertCheckInAllowed, assertSigned) run in core first, so a mileage that goes backwards or an empty pad is refused before anything is written. Photographs go to the store on a ticket scoped to the check and are recorded as JobAttachments with checkId once the store confirms them. checkOut reads what is outstanding across the job's live invoices, refuses a car that is not completed or that owes money with no reason given, then writes the VehicleCheck (OUT), its Signature, a KeyEvent (HANDED_TO_CUSTOMER), the final reading and Job.collectedAt. moveKeys appends a KeyEvent and the present whereabouts is keyState over the events, read by the job page, the technician's card and the portal. recordSignature writes a Signature for an approval given across the counter, which EstimateApproval.signatureId points at.

6.14 Conversations

A Conversation row is what the two message tables point at. When the product sends anything through pushNow, fileOutbound resolves the customer and job from what the message says it relates to (a job, an estimate, an invoice, a payment, a booking, or the address itself), finds or makes the thread (the job's when there is a job, else the customer's) and writes conversationId and lastMessageAt. When a reply arrives through /api/inbound or the mail provider's webhook, receiveInbound matches it as before and fileInbound threads it and sets lastInboundAt, which is what unread is derived from against readAt; a message nobody can match stays unthreaded in the inbox until a person files it. conversationsFor files any unthreaded rows a bounded batch at a time, then orders unread first. sendReply writes a MessageLog with the person who wrote it, stores any files through the same ticket the photographs use and records them as MessageAttachments, marks the thread read, and pushes the message; WHATSAPP

goes through the transport seam like SMS, to the console or to Twilio's WhatsApp sender. Templates are rendered in core from templateValues, which reads the customer, the job, the vehicle, the open invoice and the workshop.

6.15 Packages and templates

savePackage validates the package in core (assertPackageSound), checks that any product named is the workshop's own, and writes the package, its lines and its checks in one transaction, replacing the lines and checks on an edit. createJob with a packageId calls applyPackage inside the job's own transaction: the package's lines become labour, part and fee lines after any already there (a part with a product carries its part number and cost), its checks become tasks, its kind of work is set if the job has none, its duration is added to the time to allow, and Job.packageId records where the job came from. The job page calls the same applyPackage on an open job. createBooking with a packageId takes the package's time and name, and startJobFromBooking passes the package on to createJob; the portal's servicesFor lists bookable packages with their price and requestBooking records the package on the booking. When moveJob reaches COMPLETED it calls refreshScheduleFor, which computes the next due date and mileage in core (nextServiceFrom) and upserts the vehicle's ServiceSchedule named after the package, which the reminder job already reads.

6.16 Languages

The language of a request is decided once per request by pickLanguage in core: the carnet_lang cookie, else the browser's Accept-Language, else English; at sign-in applySavedLanguage copies the account's saved language to the cookie when the browser has none. The root layout reads htmlAttributes and stamps lang and dir on the html element. Pages call tFor() once and pass t down; t looks the English sentence up in the French or Arabic dictionary in core and falls back to the English. The switcher posts to /api/language, which sets the cookie for a year, updates User.language when somebody is signed in, and redirects to the page it was pressed on, refusing any destination off the site. The workshop navigation is a client component and receives the language as a prop, translating its labels with the same pure translate function.

6.17 Parts back, work out

sendReturn reads the order lines with what was received and already returned, locks each stock level with lockLevel, checks the return in core (assertReturnable), issues the quantity at the average cost, and writes the SupplierReturn, its lines and a RETURN StockMovement per line in one transaction; a core writes no movement. postReturnSent moves the cost held from Stock to Supplier credits due. creditReturn claims the return (SENT to CREDITED) so it is credited once, sets the gross against the supplier's open bills oldest first with applyCredit (raising amountPaid and writing SupplierCreditApplication rows), keeps the remainder as creditUnapplied, and posts postReturnCredited. bookBill and billSublet call applyHeldCredits so held credit comes off the next bill. addSublet writes a JobPartLine with no product (so completion consumes no stock and the invoice charges it like any line) and the JobSublet beside it; billSublet claims the sublet, writes a SupplierBill with no order, replaces the line's cost with the real cost, and posts postSubletBilled to Cost of sublet work.

6.18 Finding anything

The navigation's box is a GET form to /search. readQuery in core reads the text into its forms: letters and digits only for a plate or VIN, digits for a telephone number, a job number when it is one. searchEverything runs six scoped queries together: customers by name, email or telephone digits (a raw

query with regexp_replace), vehicles by compacted registration or VIN only where the workshop has a job or an unrevoked grant (a raw query with EXISTS), jobs by number or description, invoices by number, parts by number or name, suppliers by name; rankHits orders them and straightTo redirects when exactly one is an exact identifier. notifyStaff reads the workshop's active memberships, keeps those whose role holds the permission that would act on the event (NOTIFY_PERMISSION) less whoever caused it, and writes one StaffNotification each; it is called after recordDecision, receiveInbound, requestBooking, a card payment recorded by settleAttempt, and requestPart, and never throws. The workshop layout counts the person's unread rows for the bell; /notifications/[id] marks one read and redirects to its path.

6.19 The owner's day

A comeback is a column on the job pointing at the earlier job, written by markComeback after assertComebackLink in core has checked the vehicle, the order of the dates, the ninety-day limit and the reason; a check constraint holds the reason in the database. comebackPicture reads the jobs finished in the period with their site, technicians and a count of later jobs pointing at them, and comebackRates in core turns them into a rate per workshop, site and person, null below ten jobs. reputationTrend reads a year of answered review requests with the rated job's site and technicians and hands them to monthlyRatings, ratingTrend and reputationBy. ordersBySupplier reads a supplier's placed orders with their first receipt, line quantities and costs, and the value of returns for faulty or wrong parts; measureSupplier, performanceOverTime and describePerformance turn those into waits, promises kept, fill and returns per quarter, each null below three orders. supplierOptionsFor adds each supplier's last price for one part and compareSuppliers marks cheapest, quickest and most reliable only among two or more. ownerDay gathers what the dashboard's business and inventory blocks show: invoice balances and those past due, the ninety-day comeback rate and satisfaction trend, parts below their reorder point with nothing on order, orders past their expected date and the shelf at average cost. The dashboard is translated through the same translator as the public site.

6.20 Every word

Pages ask tFor() for a translator bound to the request's language; components that run in the browser read the language the root layout put in a context with useT(); labels defined outside a component are marked with msg() and translated where they are shown; the UI package's components take the page's translator as a prop. The dictionaries are one file per area of the product under packages/core/src/i18n/areas, merged into one per language at start. translate() looks for the sentence exactly, then against keys with slots, most fixed words first, trusting a key only when its fixed words are at least twenty characters or two fifths of the sentence; values read out of the slots are translated in turn, and English month and weekday names beside a number are replaced with the reader's from Intl. Refusals thrown by the libraries and core reach the page through ?problem= and are translated there by the same matching. infra/scripts/i18n-scan.ts parses the source with the TypeScript compiler to find text outside the translator and, with --messages, every thrown or returned refusal sentence and whether it has both translations; verify-languages fails on either.

6.21 Tax

A line's rate carries its components; linePricing in lib/tax.ts turns the rate and the context (whether the workshop prices with tax in, whether the customer paying is exempt) into the taxes, the inclusive flag and the exemption on the PriceableLine, and calculateTotals and saleTotals in core call taxOnLine for each line, which works each tax out and rounds it on its own, compounding where a tax says so, and with tax in takes the net out of the price and gives the rounding penny to the largest tax. defaultTaxRateId

chooses the site's rate over the workshop's default wherever a line is written. issueInvoice, the fleet's monthly invoice, raiseCreditNote and completeSale call recordTaxEntries inside their transactions with the document's bands (a credit note's through creditShares, negative); a trigger refuses any update to tax_entries. taxReportFor reads the entries for a period and hands them to taxReport in core, overall and per site, for /reports/tax and its CSV.

6.22 Paper

/print/[kind]/[id] is a server page outside the workshop layout. readerFor in lib/print.ts looks up the document's workshop and the logins of the customers it is addressed to, then admits a workshop member whose role holds PRINT_PERMISSION for the kind, a technician assigned to the job for a work order or key tag, or one of those customers for an invoice, quote or inspection report; the loaders (invoiceDocument, estimateDocument, inspectionDocument, workOrderDocument, counterSaleDocument, labelsDocument) read the document scoped to that workshop, and the components in components/print render it with tFor, the reader's locale from readingLocaleFor, watermarkFor, and QR codes drawn as SVG by the qrcode package. /api/print/[kind]/[id] runs the same check, then renderPdf in lib/pdf.ts launches Chromium through playwright-core (with @sparticuz/chromium's binary on the server, carried into the function by outputFileTracingIncludes), adds only the reader's session and language cookies, opens the print page with print media emulated and returns page.pdf() as an attachment named by pdfFilename; if the browser cannot start it redirects to the print page with ?print=1, which opens the print dialog. The print stylesheet in packages/ui sets A4, receipt and tag page sizes and hides the workshop's navigation and controls for every page.

6.23 Providers behind seams

Three ports, each chosen by one environment variable and each with an implementation that needs nobody else. VIN_DECODER picks the decoder: the built-in one reads the maker from the WMI table and the year from the tenth character only where vinEncodesYear says the VIN carries one, and 'nhtsa' asks the registry's DecodeVinValues for the model, engine, fuel and body, reads the record through readVpicDecoding and keeps a complete answer in vin_decodes for six months; decodeVin in lib/providers.ts is what the page calls, and the decode action on /vehicles/find only fills the form. FITMENT_FEED picks the feed; fetchFeedFitments reads the part, asks the feed, and hands what came back with what is already held to planFeedImport in core, which decides what to create, what to remove and what to leave alone before anything is written: a WORKSHOP row is never replaced, a held claim is never written twice, and only rows carrying this feed's feedName are removed. REVIEW_SITE picks the review site; googleReviewSite builds the write-review address from the organisation's googlePlaceId, /r/[token]/public stamps publicOpenedAt through followReviewInvitation and redirects only to an address isReviewSiteUrl recognises, and only for an answer routed PUBLIC_INVITE. Payroll gained the same kind of seam on the way out: PAYROLL_EXPORTS in core holds three named shapes of the same PayrollRow set, /api/reports/payroll?format= renders the one asked for and refuses any other name, and pay_adjustments rows are locked by a trigger once their timesheet has a run.

6.24 Ownership handed over, warranty at cost, prices per site

A handover is a HandoverInvitation row holding the buyer's name, the day of the sale, the reading and the digest of a link; inviteHandover in lib/handover.ts writes it after assertHandoverInvitable applies every rule a recorded transfer applies plus one more, that no other invitation is standing, which a partial unique index enforces as well. /handover/[token] reads it through handoverByToken, which returns the vehicle, the count of owners and entries and describeHandover's sentence, and no name. acceptHandover runs one transaction: a conditional update of the invitation to ACCEPTED, the seller's

ownership closed at the sale date, the buyer's opened against their user id; then the chain event is appended outside it, marked SELF_REPORTED. The portal reads vehicles through the open ownership row, so the seller's access ends with that same write. Warranty gained the cost side: settleClaim reads remedyCost from the remedy job's part lines at unitCost and time entries at costRate, assertSettlement in core refuses a recovery above the cost (and a check constraint refuses it again), and warrantyCostFor hands the settled claims and the period's invoiced total to warrantyCost and warrantyBy for /warranty and /api/reports/warranty. Prices per site are two small tables and one rule: LabourRate rows, each with or without a locationId, and ProductSitePrice rows per part and site; chooseLabourRate and chooseSitePrice in core pick the site's figure over the workshop's, labourRateAt and sellPriceAt in lib/pricing.ts read them, and quoteExtraWork uses them when a price is left blank.

6.25 The first day

setupSteps in core turns nine counts — letterhead, labour rates, tax rates, members, products, customers, jobs, issued invoices, service schedules — into a list with a reason against each, and setupFactsFor in lib/onboarding.ts reads those counts in one round of queries; nothing is stored except organizations.setupHiddenAt, which only decides whether the list is shown. /start renders it and the dashboard shows the next step until the list is finished. The help is twelve articles held as data in core with a title, a summary, two paragraphs, a screen and some keywords; searchHelp scores a query against titles, keywords, summaries and bodies, /help renders them and searchEverything adds up to three help hits, never exact, under the records. createDemonstration in lib/demonstration.ts builds a second organisation marked isDemonstration and drives the product's own createJob, issueInvoice, recordPayment and appendEvents to write a year of work, then suppresses every message it queued; sendMessageNow and the sweep refuse a demonstration's messages as well. switchWorkshop moves a session's orgId between the workshops a person belongs to. removeDemonstration deletes the organisation and then its vehicles and their events, which the append-only trigger permits only for vehicles marked as demonstration data.

6.26 Answers and the assistant

Ask takes a question in words and answers from the workshop's own data through the same scoped client the pages use, so it cannot see more than the person asking. Every exchange is an AssistantExchange row with the data it was allowed to see. Generated text inside the workflow (a summary for the customer, a reply drafted) is always a draft a person sends, never a decision (ADR-0013).

7. Database architecture, domain by domain

One PostgreSQL database, 169 tables in 12 domains, 78 enumerations, 2710 columns, defined in packages/db/prisma/schema.prisma and applied by 80 hand-written migrations. Every table that belongs to a workshop carries orgId, and the tenant scope in packages/db/src/tenant.ts adds it to every query. The tables that are deliberately global — the vehicle and its history, the user, recalls, part fitments — are the ones the network is built on.

Conventions

- Identifiers are cuids, generated by the application, never sequential, never guessable.
- Every row has createdAt; rows that change have updatedAt; rows that are retired have isActive or a dated column (revokedAt, disabledAt, cancelledAt) rather than being deleted.

- Foreign keys to the organisation cascade; foreign keys between records restrict, so a customer with invoices cannot be deleted by accident.
- Money is Decimal(12,2) with the currency beside it where it can differ; quantities are Decimal where parts are sold by measure.
- Enumerations are Postgres enums, so an invalid status cannot be written; state is read from facts where a stored status could drift.
- Check constraints guard what the application must never do even if it tried: a gift card entry whose sign disagrees with its kind, a passport event out of sequence.
- Unique constraints carry the business rule: one membership per user per organisation, one vehicle per VIN, one supplier name per organisation, one number per document sequence.

In the diagrams that follow, PK is the primary key, FK a foreign key, UK a unique column; a column marked optional is nullable. A box that reads "in another domain" is a table drawn in full in another section. Tables with more than fourteen columns show the first fourteen and the count of the rest.

7.1 Tenancy, identity and the audit trail


Everything hangs off the organisation. A workshop is an Organization with one or more Locations, each with Bays; a person is a User with a Membership that carries their role in one organisation. Sessions are rows, not signed tokens: the cookie holds a random token whose SHA-256 digest is the row's key, so a session can be ended on the server and a stolen database does not yield usable cookies (ADR-0006).

The organisation also carries its region (country, currency, locale, timezone) and the four dates its subscription state is read from. AuditLog is written by every consequential action and never rolls the action back if it fails; OutboxEvent is the transactional outbox that carries side effects out of the commit that caused them; SyncedAction is the idempotency record for what a technician's device did while it was out of signal. ImportBatch is a file brought from another system, kept as it arrived with its mapping and its report.

OnceRequest is how a request that arrives twice does its work once (Phase 46). Some writes cannot recognise a repeat from the inside — two cash payments of fifty pounds against one bill are two real payments — so the key is minted when the form is drawn and sent with every press of that form's button: the second press lands on the unique index and is absorbed, while a deliberate second payment comes from a freshly drawn form and goes through. The queues are claimed rather than read: outbox_events and message_logs are both taken in one statement that selects what is due FOR UPDATE SKIP LOCKED and leases it a few minutes into the future, so two workers over one queue step over each other rather than sending the same customer the same email twice, and work abandoned by a worker that died comes back when the lease expires.

Table	Columns	Tied to a workshop	Points at
`Organization`	41	global	—
`Location`	20	organisation	Organization, TaxRate
`Bay`	8	through Location	Location
`Equipment`	18	organisation	Organization, Location
`JobTypeEquipment`	4	through JobType	JobType, Equipment
`User`	13	global	—
`Membership`	9	organisation	User, Organization, Location
`Session`	9	organisation	User
`LoginAttempt`	5	global	—
`AuthToken`	8	global	User
`Invitation`	12	organisation	Organization, User

ApiKey	11	organisation	Organization, User
AuditLog	12	organisation	Organization, User
OutboxEvent	10	organisation	—
OnceRequest	7	organisation	Organization
SyncedAction	8	organisation	Organization, User
ImportBatch	14	organisation	Organization, User



Entity-relationship diagram: tenancy, identity and the audit trail. Read from schema.prisma.


7.2 The vehicle and its passport

The vehicle is global, not owned by a workshop (ADR-0004): one Vehicle row per VIN, whoever touches it. Its history is VehicleEvent, append-only and hash-chained: each event's hash covers its own content and the hash of its predecessor, so altering any event breaks every hash after it, and a correction is a new event that supersedes an old one rather than an edit. VehicleOwnership is the chain of custody; OdometerReading is kept separately so a reading can be checked against every other.

Who may see what is VehicleAccessGrant (a workshop's entitlement, earned by working on the car or granted by the owner) and PassportShare (a link with a scope and an expiry, every opening recorded in PassportShareAccess). VehicleDocument is the paperwork; VehicleClaim is a warranty or insurance claim against the record; Recall and VehicleRecall are manufacturer notices matched to vehicles; PartFitment is what fits what.

Table	Columns	Tied to a workshop	Points at
`Vehicle`	26	global	—
`VinDecode`	10	global	—
`HandoverInvitation`	21	organisation	Vehicle, Organization, VehicleOwnership, User
`VehicleEvent`	18	global	Vehicle, Organization, User, VehicleEvent
`VehicleEventAttachment`	9	global	VehicleEvent
`VehicleOwnership`	9	global	Vehicle, User
`OdometerReading`	9	global	Vehicle, Organization
`VehicleAccessGrant`	11	organisation	Vehicle, Organization, User
`PassportShare`	10	global	Vehicle, User
`PassportShareAccess`	5	global	PassportShare
`Recall`	8	global	—
`VehicleRecall`	7	global	Vehicle, Recall
`VehicleDocument`	17	global	Vehicle, Organization, User
`VehicleClaim`	10	organisation	User, Vehicle, Organization
`PartFitment`	15	organisation	Organization, Product, User

VehicleSpecification	28	organisation	Organization, Vehicle, User
ProductSitePrice	7	organisation	Organization, Product, Location




Entity-relationship diagram: the vehicle and its passport. Read from schema.prisma.

7.3 Customers, bookings and the diary

A Customer belongs to one organisation and may be an individual or a company; a fleet is a company Customer with a FleetAgreement that sets the terms for every car on it. Booking is a diary slot against a bay and a capacity check; JobType and ServiceItem are the workshop's own catalogue of what it does and what it charges; ServiceSchedule is the next service the reminder job will write to the customer about.

ConsentChange is the record of every change to what a customer has agreed to be sent, which is what lets the product answer a complaint with a date rather than an apology.

Table	Columns	Tied to a workshop	Points at
`Customer`	29	organisation	Organization, User
`Tag`	4	organisation	Organization
`Booking`	22	organisation	Organization, Location, Customer, Vehicle, Bay, User, Job, ServicePackage
`JobType`	8	organisation	Organization
`ServiceItem`	10	organisation	Organization
`ServiceSchedule`	14	organisation	Organization, Vehicle
`FleetAgreement`	11	organisation	Organization, Customer
`FleetNumber`	7	organisation	Organization, Customer, Vehicle
`ConsentChange`	8	through Customer	Customer



Entity-relationship diagram: customers, bookings and the diary. Read from schema.prisma.


7.4 The job

The Job is the central record of the workshop. It carries its own lines (labour, parts, fees) rather than pointing at an estimate's, because what was quoted and what was done are allowed to differ and both are kept. Every status change is a JobStatusEvent, so the job's timeline is a query, not a memory. TimeEntry is the technician's clock; QualityCheck is the sign-off before the customer is told; JobFollowUp is the call afterwards.

Totals are never stored on the job: they are derived from the lines each time they are read (ADR-0011), which is why a line changing cannot leave a stale figure behind.

Table	Columns	Tied to a workshop	Points at
Job	36	organisation	Organization, Location, Customer, Vehicle, Bay, User, ServicePackage, Job
JobTechnician	4	through Job	Job, User
JobJobType	2	through Job	Job, JobType
JobTag	2	through Job	Job, Tag
JobStatusEvent	7	through Job	Job, User
JobTask	9	through Job	Job, User
JobLabourLine	9	through Job	Job, TaxRate
JobPartLine	17	through Job	Job, Product, TaxRate, User
JobFeeLine	6	through Job	Job, TaxRate
JobNote	6	through Job	Job, User
JobAttachment	12	through Job	Job, User, VehicleCheck
TimeEntry	10	through Job	Job, User
QualityCheck	6	through Job	Job, User
JobFollowUp	8	through Job	Job, User
VehicleCheck	15	organisation	Organization, Job, Signature, User
Signature	13	organisation	Organization, Job, User
KeyEvent	7	organisation	Organization, Job, User

ServicePackage	15	organisation	Organization, JobType
ServicePackageLine	8	through ServicePackage	ServicePackage, Product
ServicePackageCheck	5	through ServicePackage	ServicePackage
JobSublet	13	organisation	Organization, Job, Supplier, JobPartLine, SupplierBill
CourtesyVehicle	9	organisation	Organization, Vehicle
CourtesyLoan	19	organisation	Organization, CourtesyVehicle, Vehicle, Customer, Job, Booking, User



Entity-relationship diagram: the job. Read from schema.prisma.


7.5 Inspections, diagnosis and estimates

An InspectionTemplate is the workshop's own checklist, in sections and items; an Inspection is one run of it against one job, each item answered in an InspectionResult with a rating and, where it matters, an InspectionPhoto. The photograph is the trust mechanism (ADR-0012): a customer approves brake work because they can see the disc, not because they are told about it.

An Estimate is built from the results, line by line, with the currency of the organisation on it. It goes to the customer as an EstimateShare, a link with a token, and comes back as an EstimateApproval that records who approved which lines, when, from which address. An approved estimate is what a job's work is authorised against.

Table	Columns	Tied to a workshop	Points at
SymptomCode	6	organisation	Organization
CauseCode	7	organisation	Organization, SymptomCode
JobDiagnosis	7	organisation	Organization, Job, SymptomCode
DiagnosisCause	8	through JobDiagnosis	JobDiagnosis, CauseCode, User
QualityCheckItem	7	organisation	Organization
QualityCheckAnswer	5	through QualityCheckItem	QualityCheck, QualityCheckItem
InspectionTemplate	7	organisation	Organization
InspectionTemplateSection	4	through InspectionTemplate	InspectionTemplate
InspectionTemplateItem	7	through InspectionTemplateSection	InspectionTemplateSection
InspectionTemplateVersion	8	through InspectionTemplate	InspectionTemplate, User
InspectionTemplateVersionItem	8	through InspectionTemplateVersion	InspectionTemplateVersion
Inspection	12	through Job	Job, InspectionTemplate, InspectionTemplateVersion, User
InspectionResult	14	through Inspection	Inspection, InspectionTemplateItem
InspectionPhoto	8	through InspectionResult	InspectionResult
Estimate	19	organisation	Organization, Job, User, Estimate
EstimateLine	16	through Estimate	Estimate, TaxRate, InspectionResult, Product

EstimateShare	10	through Estimate	Estimate
EstimateApproval	11	through Estimate	Estimate, Signature




Entity-relationship diagram: inspections, diagnosis and estimates. Read from schema.prisma.

7.6 Invoices, payments and refunds

An Invoice is raised from a job with its lines copied and its tax computed by the TaxRate in force; its number comes from DocumentSequence, which hands out gapless numbers per organisation and per document kind under a row lock. Totals are Decimal(12,2) in the database and integer minor units in the rules, converted at the boundary, so arithmetic never happens in floating point.

A Payment is one tender against one invoice, with a method that decides its ledger account: cash and card to the bank, points to the loyalty liability, a gift card to the gift card liability, money held to the deposit liability. A CreditNote reverses an invoice in whole or part; a Refund is money going back out, with a method of its own, and may instead be kept as credit. A PaymentAttempt is one try at paying through the provider, moving once from pending; a succeeded attempt produces exactly one Payment, and a Refund sent back through the provider names the attempt it went back to.

Table	Columns	Tied to a workshop	Points at
`TaxRate`	6	organisation	Organization
`LabourRate`	9	organisation	Organization, Location
`TaxComponent`	6	through TaxRate	TaxRate
`TaxEntry`	13	organisation	Organization, Location
`DocumentSequence`	5	organisation	Organization
`Invoice`	19	organisation	Organization, Job, Customer
`InvoiceLine`	13	through Invoice	Invoice, TaxRate, Job
`Payment`	11	organisation	Organization, Invoice, Customer, User
`PaymentAttempt`	20	organisation	Organization, Invoice, Customer, Payment, User
`CreditNote`	8	organisation	Organization, Invoice
`Refund`	15	organisation	Organization, Invoice, CreditNote, Customer, User, PaymentAttempt




Entity-relationship diagram: invoices, payments and refunds. Read from schema.prisma.

7.7 The counter, gift cards and money held

The counter is a sale without a job: a CounterSale with its lines and one or more CounterSaleTenders, inside a TillSession that is opened, counted and closed. A gift card is a liability the workshop sells: GiftCard is the card and GiftCardEntry every movement on it, typed as an issue, a redemption, a refund or an adjustment, with a database constraint that refuses a kind whose sign disagrees with it. The card's status is never stored; it is read from its entries and dates.

Money held ahead of a bill is a Deposit of kind deposit or credit, and DepositMovement is every amount that came in, went against a bill, or went back. What is held is the sum, never a stored figure.

Table	Columns	Tied to a workshop	Points at
`Deposit`	17	organisation	Organization, Customer, Job, User, Refund
`DepositMovement`	9	organisation	Organization, Deposit, Payment, Invoice, User
`GiftCard`	17	organisation	Organization, Customer, User, Location
`GiftCardEntry`	12	organisation	Organization, GiftCard, Payment, Invoice, CounterSale, Refund, User
`CounterSale`	20	organisation	Organization, Location, Customer, User, TillSession, CounterSale
`CounterSaleLine`	13	through CounterSale	CounterSale, Product, TaxRate
`CounterSaleTender`	6	through CounterSale	CounterSale
`TillSession`	10	organisation	Organization, Location, User




Entity-relationship diagram: the counter, gift cards and money held. Read from schema.prisma.

7.8 The ledger, expenses and banking

The ledger is double entry. Account is the chart, filled to a standard set for every organisation; JournalEntry is one balanced posting with a source type and id pointing back at the invoice, payment, expense or bill that caused it, and JournalLine is each debit or credit against an account. A posting that does not balance is refused before it is written. A reversal is a new entry that points at the one it reverses.

FiscalPeriod is what a bookkeeper closes; a closed period refuses postings. Expense is money spent outside a supplier bill, claimed and approved; BankAccount, BankStatement and BankStatementLine are the imported bank feed and its matching against ledger entries, line by line, with the reason recorded.

Table	Columns	Tied to a workshop	Points at
`Account`	7	organisation	Organization, Account
`FiscalPeriod`	7	organisation	Organization
`JournalEntry`	11	organisation	Organization, FiscalPeriod, JournalEntry
`JournalLine`	7	through JournalEntry	JournalEntry, Account
`Expense`	20	organisation	Organization, Location, Employee, User
`BankAccount`	9	organisation	Organization
`BankStatement`	7	through BankAccount	BankAccount
`BankStatementLine`	9	through BankStatement	BankStatement




Entity-relationship diagram: the ledger, expenses and banking. Read from schema.prisma.

7.9 Parts and stock

Product is a part or a stocked item with a category; Warehouse is where stock sits (a site or a van); StockLevel is the quantity on hand per product per warehouse, and StockMovement is every change to it with a reason. StockReservation holds parts for a job from the moment they are on it, and is consumed when the job completes, so two jobs cannot both count the same filter.

StockTransfer moves stock between warehouses, dispatched at one and received at the other. Warranty and WarrantyClaim are the cover on a part or a job and the claim against it when it fails.

Table	Columns	Tied to a workshop	Points at
`ProductCategory`	4	organisation	Organization, ProductCategory
`Product`	17	organisation	Organization, ProductCategory
`Warehouse`	6	organisation	Organization, Location
`StockLevel`	8	through Product	Product, Warehouse
`StockMovement`	12	organisation	Organization, Product, Warehouse
`StockReservation`	7	through Product	Product, Warehouse, JobPartLine
`StockTransfer`	13	organisation	Organization, Warehouse, User
`StockTransferLine`	7	through StockTransfer	StockTransfer, Product
`Warranty`	20	organisation	Organization, Job, Vehicle, Product, Supplier, User
`WarrantyClaim`	18	through Warranty	Warranty, User, Job




Entity-relationship diagram: parts and stock. Read from schema.prisma.

7.10 Suppliers and purchasing

A PurchaseRequest is raised from a job's part line by whoever needs it and approved by whoever may approve spending; approved requests become a PurchaseOrder to a Supplier, line by line. GoodsReceipt is what actually arrived, which raises stock levels and writes movements; SupplierBill is what the supplier then asks for, posted as a payable; SupplierPayment settles bills, allocated across them in SupplierPaymentAllocation.

Price history lives on the order lines, so the product page can say what this part cost last time and from whom.

Table	Columns	Tied to a workshop	Points at
`Supplier`	12	organisation	Organization
`SupplierPart`	16	organisation	Organization, Supplier, Product, User
`PurchaseRequest`	9	organisation	Organization, Job, User
`PurchaseOrder`	13	organisation	Organization, Supplier, PurchaseRequest
`PurchaseOrderLine`	8	through PurchaseOrder	PurchaseOrder, Product
`GoodsReceipt`	5	through PurchaseOrder	PurchaseOrder
`GoodsReceiptLine`	5	through GoodsReceipt	GoodsReceipt, PurchaseOrderLine
`SupplierBill`	13	organisation	Organization, Supplier, PurchaseOrder
`SupplierReturn`	19	organisation	Organization, Supplier, PurchaseOrder
`SupplierReturnLine`	8	through SupplierReturn	SupplierReturn, PurchaseOrderLine, Product, Warehouse
`SupplierCreditApplication`	4	through SupplierReturn	SupplierReturn, SupplierBill
`SupplierPayment`	10	organisation	Organization, Supplier, User
`SupplierPaymentAllocation`	4	through SupplierPayment	SupplierPayment, SupplierBill




Entity-relationship diagram: suppliers and purchasing. Read from schema.prisma.

7.11 People, skills and payroll

Employee is a person on the payroll, which is not the same as a User who can sign in: a technician may be both, an owner may be neither. PayRate is what they are paid and from when; AttendanceRecord, Timesheet and Absence are the hours; Skill, EmployeeSkill, JobTypeSkill and Certification are what they can do and what a job needs, which the planner uses to refuse a job to a bay that cannot take it. WorkingPattern is the week they work.

PayrollRun is one pay period, computed and approved by a role that is deliberately separate from operational reporting, because the manager who runs the productivity board must not see what the person beside them is paid. CommissionScheme, CommissionBand and CommissionAward are earnings on work sold.

Table	Columns	Tied to a workshop	Points at
`Employee`	17	organisation	Organization, User, Location
`PayRate`	9	organisation	Organization, Employee
`AttendanceRecord`	10	organisation	Organization, Employee, Location
`Timesheet`	20	organisation	Organization, Employee, User, PayrollRun
`Absence`	10	organisation	Organization, Employee
`Certification`	9	organisation	Organization, Employee
`Skill`	8	organisation	Organization
`EmployeeSkill`	9	through Employee	Employee, Skill, User
`JobTypeSkill`	5	through JobType	JobType, Skill
`WorkingPattern`	9	organisation	Organization, Employee
`PayrollRun`	11	organisation	Organization, User
`PayAdjustment`	8	organisation	Organization, Timesheet, User
`CommissionScheme`	9	organisation	Organization
`CommissionBand`	5	through CommissionScheme	CommissionScheme
`CommissionAward`	13	organisation	Organization, Employee, CommissionScheme



Entity-relationship diagram: people, skills and payroll. Read from schema.prisma.


7.12 Communication, retention and automation

Everything sent to a customer is a MessageLog row before it is a message: the channel, the body, the reason, and then a DeliveryEvent for every state the provider reports back. InboundMessage is the reply, matched to the job it is about; SuppressedAddress is where the product stops sending because something bounced or somebody asked.

Retention is ReviewRequest (a strong rating invited to a public review, a poor one into a private conversation), LoyaltyEntry (points earned and spent, mirrored in the ledger as a liability) and Referral (a code, the person it brought, and the reward settled when their first bill is paid). AutomationRule, AutomationRun and AutomationAction are the workshop's own rules and every time they fired; Campaign and CampaignRecipient are one-off sends to a segment. AssistantExchange is every question asked of the assistant and the answer given, with the data it was allowed to see.

Table	Columns	Tied to a workshop	Points at
MessageLog	19	organisation	Organization, Conversation, User
InboundMessage	16	organisation	Organization, Customer, Job, User, Conversation
Conversation	13	organisation	Organization, Customer, Job, User
MessageAttachment	10	organisation	Organization, Conversation, MessageLog, InboundMessage
MessageTemplate	9	organisation	Organization, User
StaffNotification	12	organisation	Organization, User
SuppressedAddress	9	organisation	Organization, User
DeliveryEvent	8	organisation	Organization, MessageLog
OperatorAlert	8	global	—
ReviewRequest	18	organisation	Organization, Job, Customer, User
LoyaltyEntry	10	organisation	Organization, Customer, Job, User
Referral	11	organisation	Organization, Customer, Job
Coupon	17	organisation	Organization, User
CouponRedemption	10	organisation	Organization, Coupon, Customer, Invoice, CounterSale, User
AutomationRule	10	organisation	Organization

AutomationRun	8	through AutomationRule	AutomationRule
AutomationAction	9	through AutomationRun	AutomationRun
Campaign	13	organisation	Organization
CampaignRecipient	7	through Campaign	Campaign, Customer
AssistantExchange	15	organisation	Organization, User



Entity-relationship diagram: communication, retention and automation. Read from schema.prisma.

8. Security in the data path

docs/02-design/05-security-model.md is the full model; this is where it touches the data path.

- Authentication is a row per session, found by the digest of the cookie, expiring, revocable. Passwords are hashed with a modern KDF; LoginAttempt rate-limits by address and by account; AuthToken carries the one-time links for sign-up confirmation, invitations and password resets.
- Authorisation is three layers, all of which must pass: the permission (deny by default), the scope (the row must be in the caller's tenant, or entitled by ownership or grant), and the plan (the feature or the room for one more). A cross-tenant request by id is not found.
- Tenant isolation is in the data layer (ADR-0010): the scoped client is the only one a page receives. Its known gap is stated: update and delete by id are not narrowed, so the convention is to load through the scoped client first, and row-level security in Postgres is the intended successor.
- Machine routes fail closed: /api/cron refuses when no secret is configured; /api/v1 keys are hashed at rest; /api/sync needs the same cookie as a page.
- Public links carry their own scope and expiry and record every opening; the passport exception (a workshop reading a car it did not own) is an explicit grant, never an absence of a check.
- The response carries a content security policy with a per-request nonce and the usual headers, checked by verify-headers.ts on every surface.
- Authorisation is tried, not trusted: verify-authz.ts opens every workshop page as every role and reads every server action for its permission before each phase ships.

9. The user interface: wireframes and photographs

The wireframes are the intent, drawn before the screens were built and kept in docs/02-design/09-wireframes.md. The photographs are the built screens, taken from the running application by infra/scripts/design-shots.ts on the day this document was built. The design book (docs/Carnet-Design-Book.pdf) explains each design; this section shows what the system looks like while it does what the sections above describe.

9.1 Wireframes

THE WORKSHOP SHELL: GROUPS NAMED FOR WHAT A PERSON IS DOING; ITEMS A ROLE CANNOT REACH ARE ABSENT.

```
+---------------+-------------------------------------------------------+
| Hillside      |  WEDNESDAY, 9 SEPTEMBER 2026                          |
| Carnet Workshop|  Good afternoon, Ahmed         [Open diary] [New job]     |
+---------------+-------------------------------------------------------+
| WORKSHOP      |                                                       |
|  Dashboard  * |                     MAIN CONTENT                      |
|  Diary        |                                                       |
|  Jobs      [1]|                                                       |
|  Customers    |                                                       |
|  Vehicles     |                                                       |
| MONEY         |                                                       |
|  Invoices     |                                                       |
|  Payments     |                                                       |
|  Reports      |                                                       |
| INVENTORY     |                                                       |
| FINANCE       |                                                       |
| ADMIN         |                                                       |
+---------------+                                                       |
| Ahmed Bakri   |                                                       |
| Owner         |                                                       |
| Sign out      |                                                       |
+---------------+-------------------------------------------------------+
```

THE JOB: THE CENTRAL SCREEN.

```
JOB #10482 - HILLSIDE ROAD
BMW X5  [MK20 XRT]  (*) Customer approval        [Vehicle passport]
Brake system repair

+-- WAITING ON THE CUSTOMER ------------------------------------------------+
| Work cannot proceed until the estimate is approved. Sent 9 Sept, 10:42.   |
+---------------------------------------------------------------------------+

+-------------------------------------------+  +-----------------------+
| VEHICLE AND CUSTOMER                      |  | PROGRESS              |
| Customer  Maria Okonkwo   Contact 07700...|  |  (v) Vehicle received |
| Vehicle   2020 BMW X5     VIN WBA JA9C50...|  |  (v) Inspection       |
| Technician John Adeyemi   Bay  Bay 1      |  |  (v) Diagnosis        |
| Promised  17:00           Clocked 0.8h    |  |  (v) Estimate created |
| DIAGNOSIS                                 |  |  (o) Customer approval|
| Front brake pads worn beyond the wear...  |  |  ( ) Approved         |
+-------------------------------------------+  |  ( ) Repair           |
                                               |  ( ) Quality control  |
+----------------------------[x2] [!3] [v5]-+  |  ( ) Completed        |
| INSPECTION            John Adeyemi        |  |  ( ) Invoice          |
| SECTION  ITEM         MEAS.  FINDING  EST.|  |  ( ) Payment          |
| Brakes   Front pads   1.5mm  Critical £420|  +-----------------------+
| Brakes   Front discs  25.4mm Critical £410|
| Tyres    Front left   2.8mm  Advisory £165|  +-----------------------+
| Bonnet   Battery      11.9V  Advisory £240|  | ESTIMATE v1     [sent]|
+-------------------------------------------+  | Subtotal    £1,257.50 |
                                               | Tax           £251.50 |
+-------------------------------------------+  | Total       £1,509.00 |
| LABOUR AND PARTS                          |  +-----------------------+
| Charged at book time; costed at clocked time|
| Brake inspection      1.00h  £95   £95.00 |  +-----------------------+
| Brake replacement     3.50h  £95  £332.50 |  | HISTORY               |
| BMW front pads    34116794300 1  £420.00  |  | Customer approval     |
| BMW front discs   34116864059 1  £410.00  |  | Sara Whitfield 10:42  |
|                          TOTAL  £1,509.00 |  | Estimate created 09:50|
+-------------------------------------------+  +-----------------------+
```

THE PASSPORT, AS THE WORKSHOP SEES IT.

```
VEHICLE PASSPORT
2020 BMW X5  [MK20 XRT]
xDrive30d M Sport                          [Share history]  [New job]

+-----------------------------------------+  +-------------------------+
| IDENTITY          (v) History intact    |  | OPEN RECALLS            |
|                       Chain E5A9-A764   |  | EGR cooler coolant leak |
| VIN         WBA JA9C50 9G000000         |  | BMW-0072340100          |
| Registration MK20 XRT   Engine B57D30A  |  +-------------------------+
| Odometer    82,430 km   Avg 889 km/month|  | NEXT SERVICE            |
| Current owner Maria Okonkwo             |  | Due at    94,150 km     |
| Owners on record 3   Events on record 7 |  | Remaining 11,720 km     |
+-----------------------------------------+  | Projected Mar 2026      |
                                             | (*) Overdue             |
+-----------------------------------------+  +-------------------------+
| HISTORY           7 entries             |  | JOBS AT THIS WORKSHOP   |
| 2025                                    |  | #10482  Customer appr.  |
|  o TIRES  19 Mar 2025  78,150 km        |  +-------------------------+
|    Two front tyres replaced             |  | OWNERSHIP               |
|    Michelin Pilot Sport 4 SUV 265/50 R19|  | Maria Okonkwo           |
|    [Workshop] Kirkstall Autocentre      |  | 02/07/2025 - present    |
|                                         |  | Peter Vasquez           |
|  o OWNERSHIP 2 Jul 2025  74,800 km      |  | 18/05/2023 - 02/07/2025 |
|    Ownership transferred                |  | Northgate Leasing Ltd   |
|    Changed hands. The 3rd keeper.       |  | 03/03/2020 - 18/05/2023 |
|    [Owner]                              |  +-------------------------+
| 2024                                    |
|  o RECALL 4 Oct 2024                    |
|    Safety recall issued: EGR cooler     |
|    [Official]                           |
+-----------------------------------------+
```


INSPECTION CAPTURE ON A TABLET.

```
< Back        BRAKES                                        3 of 4 sections
+---------------------------------------------------------------------------+
| Front pads                                  [ Mark all in section pass]|
|  [  PASS  ] [ ADVISORY ] [ CRITICAL ] [ NOT CHECKED ]                     |
|             ^ selected                                                    |
|  Measurement  [ 1.5 ] mm                                                  |
|  Note         [ Worn to the backing plate on the outer pad.          ]    |
|               [ 🎤 dictate ]                                               |
|  Photos       [ + ]  [img]  [img]                                         |
|  Recommend    [ Replace front brake pads              ]  Est [ 420 ]      |
+---------------------------------------------------------------------------+
```


```
| Front discs                                                                  |
|  [  PASS  ] [ ADVISORY ] [ CRITICAL ] [ NOT CHECKED ]                        |
+------------------------------------------------------------------------------+
                                                  [ Complete inspection ]
```

9.2 Photographs of the running application


Public



The public front door.



Sign-up, with the country that sets the currency, locale, timezone and first tax rate.


Carnet
The history should belong to the car.
Every job you complete writes a verified, tamper-evident entry to the vehicle's permanent record. When the car is sold, the history goes with it.
APPEND ONLY
Nothing is rewritten
OWNER CONSENT
Scoped and revocable
PORTABLE
Follows the vehicle
Sign in
Use the account your workshop set up for you.
Email *
you@workshop.co.uk
Password *
Sign in
Forgotten your password?
No account yet? Keep your car's history as a driver, or open a workshop.
DEMO ACCOUNTS
ahmed@hillsidemotors.test — owner
sara@hillsidemotors.test — service advisor
john@hillsidemotors.test — technician
maria@example.test — customer portal
Password for all: carnet-demo-2026

Sign in.

Workshop

TUESDAY, 29 SEPTEMBER 2026

Good afternoon, Ahmed

Open diary | New job

TODAY

JOBS TODAY	VEHICLES IN SHOP	AWAITING APPROVAL	TAKEN TODAY
2	3	2	£0.00
Created since midnight	Physically on site	Work is blocked	Payments received

PAST THE PROMISE	BOOKED TODAY	ON THE CLOCK
0	3	0
Due back and not finished	Appointments in the diary	Clocked on to a job now

Approvals needed

Nothing can proceed on these until the customer decides.

See all

BMW X5 `MK20 XRT` #10482
Maria Okonkwo · Brake system repair · waiting 5h
£1,509.00 Review

Vauxhall Vivaro `BX70 KHT` #10483
Pennine Plumbing Ltd · Clutch judder under load
Review

Today in the workshop

3 bookings scheduled

Diary

TIME	VEHICLE	CUSTOMER	WORK	TECHNICIAN	BAY	STATUS
08:00	BMW X5 `MK20 XRT`	Maria Okonkwo	Brake system repair	John Adeyemi	Bay 1 — Lift	• Customer appro
09:00	Honda Civic `LR21 KJD`	Maria Okonkwo	Interim service	Mike Sowande	Bay 2 — Lift	• Booked
13:00	Ford Transit Custom `BV19 FLM`	Pennine Plumbing Ltd	Diagnostics — intermittent EML	John Adeyemi	Bay 4 — Diagnostics	• Booked

THE BUSINESS

OWED TO YOU	OVERDUE	COMEBACKS	SATISFACTION
£2,401.20	£2,034.00	0	—
Issued and not yet paid	2 invoices past their due date	Back out of 1 finished in 90 days, too few for a rate	Too few answers to compare

This month

Arithmetic with a sentence around it, from the same figures as the reports.

Ask a question

£237 invoiced in September 2026 across 1 job, £237 a job.

Gross margin 48%.

INVENTORY

SHORT	ORDERS LATE	TO CHASE	WAITING FOR PARTS	STOCK VALUE
2	0	0	0	£1,697.70
Below reorder point, nothing on order	Past the day the supplier promised	Late, or due today	Approved, and nothing on the shelf	On the shelf at average cost

Short now

Each opens the part, with every supplier side by side.


Brake fluid DOT 4, 1L `BRK-FLUID-1L`	-2 available, reorder at 10
Oil filter `04152-YZZA1`	5 available, reorder at 12

What's happening


Everything the workshop has done, newest first.

John Adeyemi inspection completed	15:59
John Adeyemi inspection started	15:59
Ahmed Bakri estimate sent	15:58
Ahmed Bakri purchase order created	15:58
Ahmed Bakri product created	15:58
Ahmed Bakri product created	15:58
Ahmed Bakri customer created	15:58
Ahmed Bakri customer created	15:58
Ahmed Bakri referral issued	15:56
Maria Okonkwo referral issued	15:56
Ahmed Bakri diagnosis decided	15:55

The owner's dashboard: today's work, approvals waiting, money in and out.



The same, in the dark theme.



The diary: bookings against bays with the capacity check on the drop.

All jobs

JOB #10484 · HILLSIDE ROAD

Vauxhall Combo Cargo BJ21 OYD • Repair

Front discs and pads

How this came to be | Vehicle passport | Check the car in | **Send for quality check**

This vehicle has work still under warranty

Front brake overhaul, labour · Fitted on job #10484 on 19/10/2025. No supplier behind it, so any replacement falls on the workshop.

Vehicle and customer

CUSTOMER Pennine Plumbing Ltd	CONTACT 0161 496 5522	EMAIL accounts@pennineplumbing.test
VEHICLE 2021 Vauxhall Combo Cargo	VIN W0V F7ACB2 M8600002	ODOMETER IN 74,900 km
TECHNICIAN John Adeyemi	BAY Bay 3 — Tyres	PROMISED 29 Sept 2026, 16:00
CUSTOMER ORDER NUMBER Their PO numl Save	JOB TYPES Brake repair	CLOCKED TIME Not recorded

Progress

- ~~Vehicle received~~
- ~~Inspection~~
- ~~Diagnosis~~
- ~~Estimate created~~
- ~~Customer approval~~
- ~~Approved~~
- **Repair**
- Quality control
- Completed
- Invoice
- Payment

Print

Work order

Key tag

Courtesy car

A car to be going on with, while the workshop has theirs.

Nobody has been lent a car for this job.

This workshop lends no cars yet.

Ours to move 7h 40m Started, nobody on it.

Put somebody on it

Labour and parts

Charged at book time; costed at clocked time.

DESCRIPTION	QTY	UNIT	NET	TAX	TOTAL
Total			£0.00	£0.00	**£0.00**

Sublet work

Work bought from another business and sold on this job: an alignment, a regas, a machining job.

Who	The work, as the customer reads it	Cost	Charge	
Northern OE Su	Four-wheel al			Add sublet

Sign-off

The last look before the car goes back. A line left blank is a line not checked, and the sheet does not pass until every required one is answered.

- Every task on the job is done ☐ Checked
- The parts on the job are the parts fitted ☐ Checked
- Torque-critical fasteners checked ☐ Checked
- Fluid levels checked ☐ Checked
- No warning lights on ☐ Checked
- Road test done ☐ Checked
- What the road test showed
- Photographs attached optional ☐ Checked
- Inspection completed optional ☐ Checked
- What the customer asked about is answered ☐ Checked
- Mileage on handing back
- Signed off by
- Anything worth saying

Record the sign-off

Diagnosis

What the complaint was, what was ruled on, and what this workshop has found it to be before. Nothing here is a guess about this car.


Brake pedal vibration Settled

Rotor runout Confirmed

Confirmed · John Adeyemi

The job: the central record, with lines, time, photographs and the timeline.

Shop floor



Inspection capture, built for a tablet with gloves on.

Customer

HILLSIDE MOTORS

A quote for your 2020 BMW X5

Brake system repair · MK20 XRT

What we recommend


Tick what you would like done. Anything left unticked will not be carried out.

- [ ] Brake inspection — £95.00
- [ ] Front brake pad and disc replacement — £332.50
- [ ] BMW front brake pad set — £420.00
- [ ] BMW front brake discs (pair) — £410.00
- [ ] Front left tyre — Michelin 265/50 R19 — £165.00


  OPTIONAL

The estimate as the customer approves it, on their phone.


Workshop


All invoices
INVOICE · AHMED HASSAN
INV-1041
issued
£367.20 due by 21 October.
Customer
Print
PDF
What it was for
LINE
QTY
UNIT
TAX
TOTAL
LABOUR Labour
1
£210.00
£42.00
£252.00
PART Parts supplied
1
£96.00
£19.20
£115.20
Net
£306.00
Tax
£61.20
Total
£367.20
Where it stands
INVOICED
£367.20
PAID
£0.00
OUTSTANDING
£367.20
DUE
21 Oct 2026
Take a payment
£367.20 outstanding
Amount
367.20
How paid
Card
Reference
Optional
Terminal receipt, transfer reference, cheque number
Record the payment
Settle the bill and hold the rest
Use a coupon
The code off the postcard or the email. Spaces and dashes do not matter.
Code
THEIR CODE
Take the code off
Money in
Nothing received yet.
Redeem a gift card
Read the number off the card. Leave the amount blank to use as much as the bill needs.
Card number
XXXX-XXXX-XXXX
Amount
367.20
Optional
Take it off the bill
Raise a credit note
The invoice is never edited. This reduces what it was for.
Amount
0.00
Up to £367.20
Why
Part was under warranty
Goes on the credit note the customer receives
Raise the credit note


An invoice, with what is owed and every way to take it.




A receipt for one payment, as it prints.



The counter: one sale on one screen.



Gift cards sold and outstanding.



Every card payment tried through the provider, with the provider's record against the books.

‹ All customers

COMPANY

Pennine Plumbing Ltd

Source: Fleet contract

Correct their details | How this came to be | New job

Contact

MOBILE	LANDLINE	EMAIL
Not recorded	0161 496 5522	accounts@pennineplumbing.test

ADDRESS	TAX NUMBER	MARKETING CONSENT
Not recorded	GB338201774	EMAIL YES · SMS NO

Vehicles

3 vehicles

- 2019 Ford Transit Custom BV19 FLM — Not recorded · 0 history entries — Passport
- 2020 Vauxhall Vivaro BX70 KHT — 118,240 km · 0 history entries — Passport
- 2021 Vauxhall Combo Cargo BJ21 OYD — 74,900 km · 2 history entries — Passport

Recent jobs

#10484	Front discs and pads	Vauxhall Combo Cargo	29/09/2026	REPAIR
#10483	Clutch judder under load	Vauxhall Vivaro	27/09/2026	CUSTOMER APPROVAL
#10485	Battery and alternator belt	Ford Transit Custom	03/03/2026	PAYMENT
#10486	Rear coil springs	Vauxhall Vivaro	16/07/2025	PAYMENT

Preferences

Preselected on a new job; the diary has the last word

Asks for: Nobody in particular

Save preference

Account

Outstanding £1,284.00

Invoices 1

Tax

Charged tax as usual.

☐ Exempt from tax

Certificate or registration number

Required when exempt. It is printed on every invoice to them.

Save

Money held

A deposit before the work, or credit kept from a refund

Held £0.00

Deposit: 200.00 | How they paid: Card

For which job: Not a particular job

Optional

Reference

Optional

Take the deposit

Points

1 point a pound on every bill paid in full

Balance 0

Nothing earned yet. The first bill they pay in full starts it.

Points | Why: Sorry about the wait on Tu

Add points

Referrals

Both sides get 500 points once the person brought in has had £50 of work done

THEIR CODE TO HAND OUT

CJC8ZL

Nobody brought in yet.

Arrived with a code: XXXXXX


Somebody else's code, said at the counter

Use the code

Recent payments

Nothing recorded.

A customer, with their vehicles, bills, money held and points.



A vehicle as the workshop sees it.

PASSPORT

As the next owner will see it

The document a buyer receives through a share link, word for word. No owner is named on it.

CARNET

VEHICLE PASSPORT

YB18 TVC

PARTICULARS OF THE VEHICLE 01

Toyota
Corolla

YB18 TVC

HISTORY INTACT

DF76-22BD

2018 Toyota Corolla

TYPE P	CODE CNT
PASSPORT NUMBER DF76-22BD	REGISTRATION YB18 TVC
VEHICLE IDENTIFICATION NUMBER SB1KW56E70E000000	
MAKE Toyota	MODEL Corolla
YEAR 2018	FIRST REGISTERED 09 Apr 2018
ENTRIES ON RECORD 5	WORKSHOPS CONTRIBUTING 1
OWNERS ON RECORD 1	LATEST ODOMETER 96,318 km
MILEAGE ANOMALIES None	OPEN RECALLS None

This record is append-only. Each entry is linked to the one before it, so an entry cannot be altered or removed without breaking the chain. The seal recomputes it.

```
P<CNTTOYOTA<<COROLLA<<2018<<<<<<<<<<<<<<<<
SB1KW56E70E0000004YB18<TVC<01804098010005<0<
```

OBSERVATIONS 02

WHAT THIS RECORD AMOUNTS TO

Intact, but thin. Read what it does not cover as carefully as what it does.

WHAT IT DOES NOT COVER

The record starts in September 2026, and the vehicle was first registered in April 2018. About 8 years before that is not covered here at all.

Nothing here was inspected by a workshop, so the condition of the vehicle is not part of this record.

This covers what participating workshops recorded. Work done elsewhere, or by the owner, does not appear.

WHO HAS OWNED IT

Owner 1, kept it 6 years and still has it.

No owner is named on these pages, past or present. That is theirs, not the vehicle's.

MILEAGE 03

The mileage record

Checked across every workshop that has recorded a reading. 0 on file.

Too few readings to say much. 0 readings on record.

This checks the readings against each other. It cannot see mileage covered while nobody was writing anything down, and it is not a warranty.

ENTRIES · 2026 04

Newest first. Each stamp names who pressed it and how well evidenced the entry is.

HILLSIDE MOTORS — 23 SEPT 2026 — 96,318 km
MILEAGE
96,318 km recorded
Read at Hillside Motors during job 10479


HILLSIDE MOTORS — 23 SEPT 2026 — 96,318 km
PART
Cabin filter fitted
Part number 87139-0D070

HILLSIDE MOTORS — 23 SEPT 2026 — 96,318 km
PART
Oil filter fitted
Part number 04152-YZZA1

HILLSIDE MOTORS — 23 SEPT 2026 — 96,318 km
PART
Engine oil 0W-20, 4.2L fitted
Part number TOY-0W20-5L


HILLSIDE MOTORS — 23 SEPT 2026 — 96,318 km
SERVICE

The vehicle passport: the hash-chained history, verified on the page.




Every passport the workshop has touched, with its chain verdict.

Shop floor




The shop floor board.




The technician's own surface.


Workshop




People, skills and the week.




The planner: capacity against demand.




Business reporting.



Reviews and reputation.



Ask: a question in words, answered from the workshop's own data.



Organisation settings, where the region is changed.

Carnet

TERMS OF SERVICE

What you agree to when you open a workshop

Version 2026-09-14.

1. The trial, and the charge that follows it

Opening a workshop starts a free trial of 14 days. To start it you add a payment card. Nothing is charged during the trial.

When the trial ends, the card is charged automatically for the first month of the plan you chose, and then every month on the same day, unless you cancel before the trial ends. We tell you this here, on the sign-up form, in the welcome email, and again by email 3 days before the trial ends, with the date and the amount.

The plans and their prices are on the pricing page, per bay, per month, and exclude tax. You are billed in the currency of your country, the one your books are kept in, and in no other. Paid monthly, per bay per month, the plans cost:

CURRENCY	CORE	COMPLETE	GROUP
GBP	£47.00	£83.00	£119.00
EUR	€55.00	€95.00	€139.00
USD	$59.00	$105.00	$149.00
CAD	CA$79.00	CA$145.00	CA$199.00
AUD	A$89.00	A$159.00	A$225.00
NZD	NZ$95.00	NZ$169.00	NZ$239.00
AED	AED 219.00	AED 379.00	AED 549.00
SAR	SAR 225.00	SAR 389.00	SAR 559.00
ZAR	ZAR 1,079.00	ZAR 1,899.00	ZAR 2,749.00
INR	₹4,799.00	₹8,399.00	₹11,999.00
EGP	EGP 2,890.00	EGP 4,990.00	EGP 7,190.00

The amount you will be charged, the price times your bays, is shown on your billing page before the trial ends.

2. Cancelling

You can cancel at any time from Settings, Subscription, in two presses, with no call and no notice period. Cancelling during the trial means nothing is ever charged. Cancelling after that stops the next charge; the workshop stays open until the end of the month you have paid for, then becomes read-only.

We do not refund a month already started, except where the law where you are requires it or where the service was not available for a material part of that month.

3. If a payment fails

If a charge fails, we tell you by email and the provider tries again over the following days. The workshop keeps working while that happens. If no payment succeeds within 14 days, the workshop becomes read-only until a payment goes through. Nothing is deleted.

4. Your data

Everything you enter is yours. A read-only or cancelled workshop can still read all of it and export all of it. We do not delete a workshop's data when it stops paying; we delete it when you ask us to, subject to the retention the law requires for invoices and tax records.

The vehicle passport is different by design: an entry a workshop writes to a vehicle's history belongs to the vehicle's record and stays readable to the vehicle's owner after the workshop leaves Carnet. Nothing in it identifies a workshop's customers to anybody else.

5. Card payments from your customers

When your customers pay an invoice by card through Carnet, the payment is processed by our payment provider. Card details never reach Carnet or you. The provider's fees for those payments are shown on your billing page and on the provider's statement.

6. Changes

If we change a price or these terms in a way that matters, we tell you by email at least 30 days before it applies, and you can cancel before then. The version you accepted is recorded on your account.

7. Who we are

Carnet is operated by Carnet Software. Questions about these terms or a charge go to the support address on the pricing page, and we answer them.

The terms: the trial, the charge that follows it, cancelling, the data.

PRICING

Per bay, per month, published in full

Priced per bay, because bays are what a workshop earns from. Staff accounts are unlimited on every plan: charging per user would bill you for giving your own people access.

Annual Monthly

Prices in the currency of Canada · CAD Show

Core

A single workshop running the everyday work

$69.00 per bay, per month

Billed annually. Saves 13% against $79.00 monthly.

Start 14-day trial

- Diary, jobs, inspections and estimates
- Vehicle passport on every car you touch
- Invoicing, payments and parts
- Customer portal

Complete

MOST CHOSEN

A workshop that wants the books to be right, not reconciled later

$119.00 per bay, per month

Billed annually. Saves 18% against $145.00 monthly.

Start 14-day trial

- Everything in Core
- Double-entry ledger, posted from the work itself
- Profit and loss, balance sheet, VAT position
- Purchase orders and three-way bill matching
- Timesheets, pay history and commission

Group

More than one site, read as one business

$169.00 per bay, per month

Billed annually. Saves 15% against $199.00 monthly.

Start 14-day trial

- Everything in Complete, at every site
- Consolidated reporting that carries its spread
- Stock transfers, with what is on the road counted
- Per-site permissions and single sign-on

Prices are in CAD, per bay per month, and exclude GST 5%. You are billed in the currency of your country and no other. The trial creates a real workshop with your data in it. A card is added at sign-up and charged only when the trial ends, unless you cancel first.

COMPARE


What each plan actually includes

Limits are counted and enforced. When a workshop reaches one, the system says so before it stops rather than after.


LIMITS	Core	Complete	Group
Bays	6	24	No limit
Sites	1	1	No limit
Staff accounts	No limit	No limit	No limit
Vehicles on the books	5,000	40,000	No limit
FEATURES			
The vehicle passport	✓	✓	✓
Digital inspections	✓	✓	✓
Estimates and approvals	✓	✓	✓
The parts catalogue	✓	✓	✓
Purchase orders	–	✓	✓
The general ledger	–	✓	✓
Financial statements	–	✓	✓
Timesheets and payroll	–	✓	✓
Commission schemes	–	✓	✓
More than one site	–	–	✓
Stock transfers between sites	–	–	✓
The API	–	✓	✓

The pricing page in the currency of the country picked.

Workshop



The billing page: the card, the next charge as a date and an amount, the invoices.



Data in and out: import a CSV, export every dataset.

Customer

Carnet EN

Hello, Maria

3 things need your attention.

Add a car | Book a visit

NEEDS YOU

ESTIMATE TO APPROVE

BMW X5 · Brake system repair

Hillside Motors · estimated £1,509.00

Review and decide

INVOICE TO PAY

£750.00

INV-1039 from Hillside Motors


Pay by card

SAFETY RECALL

2020 BMW X5

The manufacturer has an open safety recall on this car. The fix is free; book it in.

The customer's home on a phone: what needs them first, then their cars.



The same home on a desktop, two columns under a persistent navigation.

Rewards

Points from the workshops you use, and a code that brings a friend.

Bring a friend

Give the code to somebody who has not been to that workshop. It pays once they have had work done, not for signing up.

Hillside Motors

After £50.00 of work, you both get 500 points.

DG3WP2

Rewards: points per workshop and the referral code.

Workshops

Every workshop on Carnet. Book at any of them; your car's history goes with you.

Search by name, town or postcode

Search

YOUR WORKSHOPS

Hillside Motors

YOU HAVE BEEN HERE

Hillside Road. 42 Hillside Road, Stockport, Greater Manchester, SK4 2NP

Bradford Lane. 8 Bradford Lane, Stockport, Greater Manchester, SK1 4AA

0161 496 0114

Book here

The directory of every workshop on Carnet, with Book here on each.

Carnet EN

Account

Your details, how you sign in, and what each workshop may send you.

Your details

Your email is how you sign in and where receipts and updates go.

Name

Maria Okonkwo

Email

maria@example.test

Confirmed. To change it, get in touch with a workshop you use.

Mobile

For text messages about your car, if you allow them below

Save details

The customer's account: details, password, consent per workshop, sign out.

Carnet EN

Invoices

1 still to pay.

Outstanding £750.00

INV-1039 UNPAID

Hillside Motors · issued 8 August 2026

Counter sale

Invoiced	£750.00
Still to pay	**£750.00**

Download the invoice as a PDF

Pay £750.00 by card

Secure checkout. Your card details never reach the workshop.

Due 7 September 2026. You can also pay the workshop directly.

The customer's invoices, with Pay now on what is owed.

Carnet EN

← Back to the vehicle Show this to somebody

CARNET

VEHICLE PASSPORT

MK20 XRT

PARTICULARS OF THE VEHICLE 01

BMW

A passport as its owner sees it.

Carnet EN

Your passports

2 cars, 7 entries, every record sound.

2020 BMW X5 MK20 XRT

7 entries from 1 garage, since April 2022.

- Record sound

This vehicle has an outstanding safety recall. Contact your workshop.

Open the passport

Show it to a buyer

2021 Honda Civic LR21 KJD


Nothing recorded yet.

Open the passport

Show it to a buyer

Every car the customer owns, listed.

Public



Not found, in the product's own voice.

Brand



The mark.

10. What verifies it

Every phase ships behind the same checks: the type checker, the linter, the formatter, the unit tests in packages/core, a production build, and then a built server crawled by three scripts and exercised by the phase's own verification script against a real database. The scripts are in infra/scripts and each removes what it made.

Script	What it exercises
`verify-access`	labels, names, alternatives, heading order, landmarks and skip links on every page
`verify-alerts`	the capability it is named for, end to end, against a real database

`verify-answers`	the capability it is named for, end to end, against a real database
`verify-arrival`	a car checked in with every refusal tried, the keys moved, a quote approved with a signature, the car refused unfinished and unpaid, handed back signed for, and a fleet car let go owing with the reason written down
`verify-assistant`	the capability it is named for, end to end, against a real database
`verify-authz`	every workshop page as every role, every server action read for its permission, another workshop's records by id, the machine routes with nothing in hand, a read-only workshop, the plan at the point of use
`verify-automation`	the capability it is named for, end to end, against a real database
`verify-awkward`	the capability it is named for, end to end, against a real database
`verify-backup`	a backup taken and restored, and the restored database answering
`verify-banking`	the capability it is named for, end to end, against a real database
`verify-belonging`	the capability it is named for, end to end, against a real database
`verify-billing`	a workshop opens, accepts the terms, adds a card, is reminded once, is charged through the signed webhook, fails and recovers, cancels on a plan and on a trial
`verify-books`	the capability it is named for, end to end, against a real database
`verify-claims`	the capability it is named for, end to end, against a real database
`verify-clock`	the capability it is named for, end to end, against a real database
`verify-comeback`	the capability it is named for, end to end, against a real database
`verify-condition`	the capability it is named for, end to end, against a real database
`verify-controls`	every control on every page does something and every link goes somewhere
`verify-conversations`	a quote filed onto the job's thread, a WhatsApp reply landing on it unread, an answer with a file through the seam, templates filled and refused, a payment link, assignment, closing and reopening, and a stranger's message left for a person
`verify-counter`	the capability it is named for, end to end, against a real database
`verify-coupons`	the capability it is named for, end to end, against a real database
`verify-courtesy`	the capability it is named for, end to end, against a real database
`verify-credentials`	the capability it is named for, end to end, against a real database
`verify-deliverability`	the capability it is named for, end to end, against a real database
`verify-deposits`	money held: taken, applied, returned, kept as credit, and every posting
`verify-diary`	the capability it is named for, end to end, against a real database
`verify-dictionary`	the capability it is named for, end to end, against a real database
`verify-documents`	the capability it is named for, end to end, against a real database
`verify-empty`	every page works with nothing in it, and says what to do next
`verify-engines`	the capability it is named for, end to end, against a real database
`verify-equipment`	the capability it is named for, end to end, against a real database
`verify-erasure`	the capability it is named for, end to end, against a real database
`verify-erp`	the capability it is named for, end to end, against a real database

`verify-first-day`	the capability it is named for, end to end, against a real database
`verify-fleet-numbers`	the capability it is named for, end to end, against a real database
`verify-followups`	the capability it is named for, end to end, against a real database
`verify-giftcards`	gift cards sold, spent at the counter, refunded onto the card, lapsed and cancelled
`verify-handover`	the capability it is named for, end to end, against a real database
`verify-hardening`	the capability it is named for, end to end, against a real database
`verify-headers`	the security headers and the content security policy on every surface
`verify-health`	the capability it is named for, end to end, against a real database
`verify-import`	five files in three delimiters uploaded, mapped from their headers, previewed with every problem named by row, imported through the pages' own rules, and every dataset exported and read back
`verify-inspection`	the capability it is named for, end to end, against a real database
`verify-integrity`	the passport chain: append, verify, tamper, detect
`verify-inventory`	the capability it is named for, end to end, against a real database
`verify-knowledge`	the capability it is named for, end to end, against a real database
`verify-languages`	every sentence passed to the translator checked for both translations, the scan for text outside the translator and for refusals without translations, thirteen pages read in each language for the direction, a known sentence and no English left, and the switcher's cookie, account and redirect
`verify-launch`	the capability it is named for, end to end, against a real database
`verify-ledger`	postings balance, the trial balance and the statements agree
`verify-loyalty`	points earned on payment, spent on a bill, mirrored in the ledger
`verify-messaging`	the capability it is named for, end to end, against a real database
`verify-money`	the invoice, payment, credit note and refund cycle against a real database
`verify-navigation`	the capability it is named for, end to end, against a real database
`verify-network`	what another workshop may read, and what it may not
`verify-offline`	the technician's queue applied through /api/sync, idempotently
`verify-owner`	a comeback offered, refused without a reason or on another car, recorded, counted against the technician and taken off; the reputation trend moved by an answer; two suppliers of a part compared and one read as slower; the pages, the dashboard in French
`verify-ownership`	the capability it is named for, end to end, against a real database
`verify-packages`	a package saved with every refusal tried, a job made from it in one press, added to a job under way, booked and arrived, completed with the vehicle's next one set, offered online with its price
`verify-paint`	the capability it is named for, end to end, against a real database
`verify-paper`	all seven documents as the owner with their words and QR codes, in French and Arabic; the invoice as a real PDF for the owner and the customer; technician, customer, another workshop and a signed-out visitor each reading only what they may; a run of labels refused past the cap
`verify-passports`	the capability it is named for, end to end, against a real database
`verify-payments`	a card payment from the portal: declined with a reason, paid once however often the provider says so, refunded through the provider, reconciled, and the webhook over HTTP
`verify-performance`	the capability it is named for, end to end, against a real database

`verify-pilot`	the capability it is named for, end to end, against a real database
`verify-planning`	the capability it is named for, end to end, against a real database
`verify-portal-account`	the capability it is named for, end to end, against a real database
`verify-provenance`	the capability it is named for, end to end, against a real database
`verify-providers`	the capability it is named for, end to end, against a real database
`verify-quality`	the capability it is named for, end to end, against a real database
`verify-records`	the capability it is named for, end to end, against a real database
`verify-recovery`	the capability it is named for, end to end, against a real database
`verify-referrals`	a code redeemed at sign-up and the reward settled on the first paid bill
`verify-region`	a workshop signed up in Canada and moved to France, every figure in the right currency
`verify-repeat`	the capability it is named for, end to end, against a real database
`verify-retention`	the capability it is named for, end to end, against a real database
`verify-returns`	an order delivered and billed, faulty parts sent back and credited off the bill, a refusal written off, a core credited with the leftover held for the next bill, sublet work billed and invoiced, and the trial balance
`verify-scoping`	the capability it is named for, end to end, against a real database
`verify-screens`	the capability it is named for, end to end, against a real database
`verify-search`	a car by its plate typed two ways and its VIN, a customer by their number, a job, an invoice and a part exactly, a name as a list; a decision and a part request notifying the right people, and the screens
`verify-settings`	the capability it is named for, end to end, against a real database
`verify-signoff`	the capability it is named for, end to end, against a real database
`verify-signup`	the capability it is named for, end to end, against a real database
`verify-sourcing`	the capability it is named for, end to end, against a real database
`verify-specification`	the capability it is named for, end to end, against a real database
`verify-standing`	the capability it is named for, end to end, against a real database
`verify-status`	the capability it is named for, end to end, against a real database
`verify-storage`	the capability it is named for, end to end, against a real database
`verify-survival`	the capability it is named for, end to end, against a real database
`verify-tax`	a rate of two taxes saved and refused three ways, a site's rate taken by a new line, an invoice declaring each tax and refusing a rewrite, a credit note giving each back, an exempt customer refused without a certificate and invoiced without tax, prices with tax in, a counter sale, the report moving by exactly what was declared, and the pages
`verify-team`	the capability it is named for, end to end, against a real database
`verify-tenancy`	the capability it is named for, end to end, against a real database
`verify-throughout`	the capability it is named for, end to end, against a real database
`verify-trace`	the capability it is named for, end to end, against a real database
`verify-traceability`	the capability it is named for, end to end, against a real database

`verify-triggers`	the capability it is named for, end to end, against a real database
`verify-versions`	the capability it is named for, end to end, against a real database
`verify-warranty`	the capability it is named for, end to end, against a real database
`verify-wiring`	the capability it is named for, end to end, against a real database
`verify-workflow`	a job walked from a booking to a paid bill the way a front desk would, every hand-off counted in presses against the table in core, the three screens read for the one button each needs, and stock put back as it was
`verify-writes`	the capability it is named for, end to end, against a real database

Appendix A. Every table, by domain

TENANCY, IDENTITY AND THE AUDIT TRAIL

Organization, Location, Bay, Equipment, JobTypeEquipment, User, Membership, Session, LoginAttempt, AuthToken, Invitation, ApiKey, AuditLog, OutboxEvent, OnceRequest, SyncedAction, ImportBatch

THE VEHICLE AND ITS PASSPORT

Vehicle, VinDecode, HandoverInvitation, VehicleEvent, VehicleEventAttachment, VehicleOwnership, OdometerReading, VehicleAccessGrant, PassportShare, PassportShareAccess, Recall, VehicleRecall, VehicleDocument, VehicleClaim, PartFitment, VehicleSpecification, ProductSitePrice

CUSTOMERS, BOOKINGS AND THE DIARY

Customer, Tag, Booking, JobType, ServiceItem, ServiceSchedule, FleetAgreement, FleetNumber, ConsentChange

THE JOB

Job, JobTechnician, JobJobType, JobTag, JobStatusEvent, JobTask, JobLabourLine, JobPartLine, JobFeeLine, JobNote, JobAttachment, TimeEntry, QualityCheck, JobFollowUp, VehicleCheck, Signature, KeyEvent, ServicePackage, ServicePackageLine, ServicePackageCheck, JobSublet, CourtesyVehicle, CourtesyLoan

INSPECTIONS, DIAGNOSIS AND ESTIMATES

SymptomCode, CauseCode, JobDiagnosis, DiagnosisCause, QualityCheckItem, QualityCheckAnswer, InspectionTemplate, InspectionTemplateSection, InspectionTemplateItem, InspectionTemplateVersion, InspectionTemplateVersionItem, Inspection, InspectionResult, InspectionPhoto, Estimate, EstimateLine, EstimateShare, EstimateApproval

INVOICES, PAYMENTS AND REFUNDS

TaxRate, LabourRate, TaxComponent, TaxEntry, DocumentSequence, Invoice, InvoiceLine, Payment, PaymentAttempt, CreditNote, Refund

THE COUNTER, GIFT CARDS AND MONEY HELD

Deposit, DepositMovement, GiftCard, GiftCardEntry, CounterSale, CounterSaleLine, CounterSaleTender, TillSession

THE LEDGER, EXPENSES AND BANKING

Account, FiscalPeriod, JournalEntry, JournalLine, Expense, BankAccount, BankStatement, BankStatementLine

PARTS AND STOCK

ProductCategory, Product, Warehouse, StockLevel, StockMovement, StockReservation, StockTransfer, StockTransferLine, Warranty, WarrantyClaim

SUPPLIERS AND PURCHASING

Supplier, SupplierPart, PurchaseRequest, PurchaseOrder, PurchaseOrderLine, GoodsReceipt, GoodsReceiptLine, SupplierBill, SupplierReturn, SupplierReturnLine, SupplierCreditApplication, SupplierPayment, SupplierPaymentAllocation

PEOPLE, SKILLS AND PAYROLL

Employee, PayRate, AttendanceRecord, Timesheet, Absence, Certification, Skill, EmployeeSkill, JobTypeSkill, WorkingPattern, PayrollRun, PayAdjustment, CommissionScheme, CommissionBand, CommissionAward

COMMUNICATION, RETENTION AND AUTOMATION

MessageLog, InboundMessage, Conversation, MessageAttachment, MessageTemplate, StaffNotification, SuppressedAddress, DeliveryEvent, OperatorAlert, ReviewRequest, LoyaltyEntry, Referral, Coupon, CouponRedemption, AutomationRule, AutomationRun, AutomationAction, Campaign, CampaignRecipient, AssistantExchange

Appendix B. Migrations

Hand-written SQL, applied in order by prisma migrate deploy. The name says what it did.

Migration	Applied as
init	2026-09-09
invariants	2026-09-09
people_and_multisite	2026-09-09
people_invariants	2026-09-09
audit_permits_erasure	2026-09-09
invitations	2026-09-10
counter_sales	2026-09-10
counter_sale_sequence	2026-09-10
expenses_and_banking	2026-09-10
automation_and_crm	2026-09-10
automation_invariants	2026-09-10
message_queue	2026-09-10
warranty	2026-09-11
warranty_invariants	2026-09-11
skills_and_patterns	2026-09-11
planning_invariants	2026-09-11
part_fitment	2026-09-11
fitment_invariants	2026-09-11
synced_actions	2026-09-11
retention	2026-09-11
auth_tokens	2026-09-11
deliverability	2026-09-12
vehicle_claims	2026-09-12
refunds	2026-09-12
payables_payroll_fleet	2026-09-12
api_keys	2026-09-12
opening_hours_and_plan	2026-09-13

vehicle_documents	2026-09-13
api_rate_limit	2026-09-13
assistant	2026-09-13
loyalty_payments	2026-09-13
gift_cards	2026-09-14
gift_cards_deepened	2026-09-14
organisation_country	2026-09-14
deposits	2026-09-14
subscription	2026-09-14
card_payments	2026-09-14
billing	2026-09-15
consent_source_from_session	2026-09-15
imports	2026-09-15
workflow	2026-09-15
arrival	2026-09-15
conversations	2026-09-15
packages	2026-09-15
languages	2026-09-15
returns_and_sublet	2026-09-15
search_and_notifications	2026-09-15
comebacks	2026-09-15
tax_configurable	2026-09-15
providers	2026-09-15
ownership_warranty_sites	2026-09-15
the_first_day	2026-09-15
coupons	2026-09-16
coupon_tender	2026-09-16
repeating_a_write	2026-09-16
once_requests	2026-09-16
one_posting_per_document	2026-09-16
one_credit_per_refund	2026-09-16
expense_numbering	2026-09-16
one_referral_code	2026-09-16
transfer_numbering	2026-09-16
line_totals_include_tax	2026-09-16

periods_closed_after_their_entries	2026-09-17
a_job_grants_access	2026-09-17
one_unused_referral_code	2026-09-19
operator_alerts	2026-09-19
a_trace_from_the_press	2026-09-20
one_permitted_redaction	2026-09-20
redaction_knows_about_trace	2026-09-20
follow_ups_that_work	2026-09-23
the_courtesy_car	2026-09-23
what_the_fleet_calls_it	2026-09-23
the_passport_outlives_the_workshop	2026-09-24
the_corpus_not_the_guess	2026-09-27
the_gate_gets_a_key	2026-09-28
why_it_came_back	2026-09-28
where_to_buy_it	2026-09-28
what_the_car_takes	2026-09-29
the_machine_the_job_needs	2026-09-29
the_sheet_it_was_taken_on	2026-09-29

Appendix C. Rebuilding this document

```
npm run build --workspace=@carnet/web && npm run start --workspace=@carnet/web   # a built server on
:3000
npm run docs:shots         # photographs of the running app  -> docs/assets/design/*.png
npm run docs:diagrams      # ER and flow diagrams from the schema -> docs/assets/architecture/*.png
npm run docs:architecture  # this document                     -> docs/Carnet-System-Architecture.docx /
.pdf
npm run docs:all           # the deck, the business case, the design book and this document
```

A model added to the schema must be placed in a domain in infra/scripts/architecture-diagrams.ts, or the diagram build fails and says which. A screen added to the app should be added to design-shots.ts and captioned here. The prose in build_architecture_doc.py is revised with each phase.