

Process Intensification in Practice: A Comprehensive Report on the Energy and Economic Advantages of Divided Wall Column Technology

Executive Summary

Distillation is the cornerstone of the chemical and refining industries, yet it is also one of the most energy-intensive unit operations. In an era of volatile energy prices and increasing pressure to decarbonize, optimizing this fundamental process is a strategic imperative. The Divided Wall Column (DWC) represents a paradigm shift in distillation technology, offering a proven and robust solution that addresses the core inefficiencies of conventional designs. This report provides a comprehensive analysis of DWC technology, intended for an audience of engineering managers, financial analysts, and sustainability officers who require a detailed understanding of its value proposition.

The foundational benefit of the DWC is its ability to correct a fundamental thermodynamic flaw inherent in traditional multi-column distillation sequences, known as the "remixing effect." By integrating the function of two or more distillation columns into a single, partitioned shell, the DWC eliminates this source of inefficiency. The results are transformative: DWCs consistently deliver energy savings and corresponding operating cost (OPEX) reductions of up to 40%.¹

Beyond energy efficiency, the DWC's integrated design yields substantial capital cost (CAPEX) savings of up to 30% by eliminating redundant equipment such as an entire column shell, a reboiler, and a condenser.² This consolidation also leads to a remarkable reduction in plant footprint, with plot space requirements often slashed by as much as 50%—a critical advantage in both grassroots projects and revamps of space-constrained facilities.³

Once considered a niche or overly complex technology, the DWC has matured into a mainstream industrial solution, with hundreds of units in operation globally.⁵ This

maturation has been driven by advancements in process simulation, specialized column internals, and robust control strategies that have made the design and operation of DWCs reliable and straightforward. As this report will detail through quantitative data, industrial case studies, and a thorough examination of engineering principles, the Divided Wall Column is no longer a fringe concept but a key enabling technology for creating smaller, cleaner, more efficient, and more profitable chemical processes.⁴

The Energy Dilemma of Industrial Distillation

To fully appreciate the significance of the Divided Wall Column, one must first grasp the colossal scale of energy consumption associated with conventional distillation. It is the most ubiquitous and critical separation technology in the modern world, employed in approximately 95% of all liquid separation processes across the chemical and petrochemical sectors.⁷ This widespread use comes at a staggering energy cost. Industrial distillation systems are responsible for an estimated 40% to 50% of the total energy consumed in a typical refinery or chemical plant, making them the single largest energy user in these facilities.⁵ On a global scale, the energy dedicated to distillation processes is estimated to be around 3% of the world's total energy consumption, a figure that underscores the immense impact of this single unit operation.⁹

This immense energy footprint creates a powerful dual imperative for innovation. Economically, energy is often the largest component of a plant's operating costs, meaning that the high energy demand of distillation directly impacts profitability.⁸ Environmentally, this energy consumption is inextricably linked to greenhouse gas emissions, placing distillation at the center of the industry's decarbonization challenge and the drive to meet ambitious Environmental, Social, and Governance (ESG) goals.³ This confluence of economic and environmental pressures has fueled a movement known as Process Intensification (PI), which seeks to develop radically new process and equipment designs that are substantially smaller, cleaner, safer, and more energy-efficient than their traditional counterparts.⁴ The Divided Wall Column is a flagship and highly successful example of this philosophy in action.⁴

The sheer scale of distillation's energy use creates a compounding effect for any efficiency improvements. A percentage-based saving that might seem modest in

another context becomes a strategic transformation when applied to such a massive baseline. For instance, if distillation accounts for 40% of a plant's energy budget, a technology that reduces distillation energy use by 30% effectively cuts the entire plant's energy consumption and associated costs by a remarkable 12% (0.40×0.30). This is not a minor optimization; it is a fundamental shift in the plant's economic and environmental profile. It directly attacks the largest operational cost driver while simultaneously delivering a significant reduction in Scope 1 and Scope 2 emissions, making technologies like the DWC a powerful lever for achieving high-level corporate objectives.

The Conventional Method and Its Hidden Inefficiency: The Remixing Effect

To understand how a DWC saves energy, it is essential to first deconstruct the standard method it replaces and identify its inherent flaw. For decades, the industry standard for separating a mixture containing three components with different boiling points—a light component (A), a middle-boiling component (B), and a heavy component (C)—has been a sequence of two separate distillation columns.⁸

In a typical "direct sequence," the process unfolds as follows:

1. **Column 1:** The feed mixture (A-B-C) is introduced into the first column. Heat is applied at the bottom (in the reboiler), and cooling is applied at the top (in the condenser). The primary goal of this column is to separate the most volatile, or lowest-boiling, component. Pure 'A' is drawn off as the top product. The bottom product is therefore a mixture of the remaining two components, 'B' and 'C'.
2. **Column 2:** The B-C mixture from the bottom of the first column is then fed into a second, separate distillation column. This column performs another separation, with the middle-boiling component 'B' being drawn off as the top product and the heaviest component 'C' leaving as the bottom product.

While this two-column sequence achieves the desired separation, it does so in a thermodynamically inefficient manner due to a phenomenon known as the **remixing effect**.⁵ This effect is the root cause of the excess energy consumption that DWCs are designed to eliminate.

The core of the problem lies within the first column. As the A-B-C mixture is distilled,

the components begin to separate according to their boiling points. Naturally, the middle-boiling component 'B' tends to accumulate and reach its highest concentration in the middle section of the column.¹² At this point, it has already been substantially separated from both the light component 'A' (which is moving towards the top) and the heavy component 'C' (which is moving towards the bottom). However, the conventional column design has no mechanism to take advantage of this partial separation. Because the sole purpose of the first column is to remove pure 'A' from the top, this concentrated stream of 'B' is not withdrawn. Instead, it continues its path down the column, where it is diluted and

remixed with the heavy component 'C' that is accumulating at the bottom.¹²

This remixing represents a significant thermodynamic inefficiency, an increase in entropy that translates directly to wasted energy.⁷ The energy that was expended in the reboiler of the first column to achieve the initial concentration of component 'B' is effectively thrown away.¹² The now-remixed B-C stream must then be sent to the second column, where a large, redundant amount of energy must be supplied to its reboiler to separate them all over again.¹² This is akin to sorting a deck of cards into red and black piles, then shuffling half the red cards back into the black pile, only to have to sort them out a second time.

This fundamental inefficiency has profound economic consequences that extend beyond just energy bills. The remixing effect is a "tax" on both operating expenditures (OPEX) and capital expenditures (CAPEX). The chain of consequences is direct and unavoidable in the conventional design:

1. The act of remixing necessitates a complete re-separation in the second column.¹²
2. This re-separation requires a substantial amount of additional energy, which manifests as a higher heat duty for the reboilers of the two-column system.¹² This directly increases OPEX.
3. A higher heat duty means that a larger volume of vapor must be generated and sent up the columns to effect the separation. This is known as the vapor flow or vapor load.¹⁹
4. According to fundamental hydraulic principles of column design, a higher vapor flow requires a larger column diameter to prevent operational problems like flooding.
5. Larger column diameters, in turn, necessitate larger and more expensive reboilers, condensers, trays or packing, and foundations. This directly increases the initial CAPEX.⁷

Therefore, the thermodynamic flaw of remixing is the direct cause of the economic inefficiency of the conventional approach, leading to higher long-term energy costs and greater upfront investment in oversized equipment.

The Flawed Alternative: Conventional Columns with a Side Draw

Beyond the two-column sequence, another conventional approach involves using a single column with a side draw (or side-cut) to remove the middle-boiling product. While this appears simpler, it suffers from its own critical thermodynamic inadequacies, primarily related to product purity and energy consumption.⁷⁴

The fundamental problem with a conventional side-draw column is **direct product contamination by the feed**. In this configuration, the feed enters the column and mixes with the internal liquid and vapor traffic. The side product, which should ideally be pure component 'B', is withdrawn from a tray where it has reached its maximum concentration. However, because the feed is introduced in the same separation zone, the side product is inevitably contaminated by the other components in the feed.⁵ This direct mixing makes achieving high purity for the side-draw product extremely difficult.⁷⁶

To counteract this contamination and improve the purity of the side product, operators must use a significantly higher reflux ratio (i.e., more energy) to "wash" the unwanted light and heavy components away from the side-draw tray. Even with increased energy input, there are practical limits to the purity that can be achieved.⁷⁶

This is precisely where the DWC demonstrates its superiority. The DWC is considered the ideal alternative for revamping conventional side-cut columns, especially when high purity is a primary objective.⁷⁸ The dividing wall physically segregates the feed introduction zone from the product withdrawal zone.⁵ The feed enters the "pre-fractionator" side, while the high-purity side product is drawn from the opposite, uncontaminated "product" side. This design completely prevents the feed from mixing with and contaminating the side-cut, which is the key to achieving better product quality with lower energy use.⁸¹ Thus, while a conventional side-draw column is a valid configuration, it cannot match the purity and efficiency of a DWC because it lacks the fundamental design element—the dividing wall—that eliminates the inherent inefficiency of feed-product mixing.²²

The Divided Wall Column: An Elegant Thermodynamic Solution

The Divided Wall Column (DWC) is a powerful example of process intensification that provides a direct and elegant solution to the remixing problem. In essence, a DWC is a single distillation column shell that incorporates a vertical, sealed partition in its middle section, effectively creating two parallel distillation zones within one piece of equipment.⁴ This ingenious design is the practical, physical realization of a thermodynamically ideal arrangement known as the "Petlyuk column," which was long known to be the most energy-efficient configuration for ternary separations but was considered too complex to build with two separate, thermally-linked shells.⁷ The DWC makes the Petlyuk concept a reality.

The operation of a DWC directly addresses the shortcomings of the conventional two-column sequence. The process can be understood in a step-by-step manner:

1. **The Setup:** A standard DWC consists of a single column shell with one reboiler at the bottom and one condenser at the top. A vertical dividing wall is installed in the middle section of the column, splitting it into two distinct sides.
2. **Feed and Pre-fractionation:** The multicomponent feed (A-B-C) is introduced onto one side of the dividing wall. This side functions as a **pre-fractionator**.¹ Here, a preliminary, rough separation occurs. The lightest component (A) preferentially moves up towards the top of the column, while the heaviest component (C) moves down towards the bottom. The middle-boiling component (B) is distributed between the vapor rising from the top of this section and the liquid falling from the bottom of this section.¹⁴
3. **Thermal Coupling and Flow Distribution:** The vapor leaving the top of the pre-fractionator section (a mixture rich in A and B) enters the undivided column section above the wall. Simultaneously, the liquid leaving the bottom of the pre-fractionator section (a mixture rich in B and C) enters the undivided column section below the wall. This two-way exchange of vapor and liquid between what are effectively two columns integrated into one shell is known as **thermal coupling**.²⁷ At the top of the column, condensed liquid (reflux) is split, with a controlled portion being sent down each side of the wall. At the bottom, vapor from the reboiler is split and flows up each side of the wall.
4. **Final Separation and Product Withdrawal:** On the side of the wall opposite the feed—the **product side**—the final, high-purity separations take place. In the

upper part of this section, the A-B mixture is separated, allowing pure 'A' to continue to the top of the column where it is withdrawn as the distillate product. In the lower part of this section, the B-C mixture is separated, with pure 'C' continuing to the bottom of the column to be withdrawn as the bottoms product. Crucially, the middle-boiling component 'B' is concentrated in the middle of this product side and is withdrawn as a high-purity liquid or vapor **side-stream**.¹

The key to the DWC's profound energy savings lies in this architecture. By physically isolating the pre-fractionation zone (feed side) from the final product purification zone (product side), the DWC **completely prevents the remixing effect**.⁵ The middle component 'B' is never allowed to mix with the heavy component 'C' after its initial separation from 'A'. The energy put into the system is used progressively and efficiently to sharpen the separation of all three components, bringing the real-world process much closer to the thermodynamic ideal.¹⁷

The brilliance of the DWC is not merely that it combines two columns into one; it is that it fundamentally optimizes the mass and heat transfer paths within the distillation process. A conventional column forces all components down a single vertical pathway, which inevitably leads to the wasteful remixing of the middle component. The dividing wall creates two parallel pathways in the most critical section of the column. This dual-path system allows the feed to be pre-processed on one side while the final products are simultaneously purified on the other. This intelligent routing of internal liquid and vapor flows eliminates the specific point of thermodynamic inefficiency that plagues the conventional design. The resulting energy savings are therefore not a consequence of some esoteric property, but a direct result of a smarter and more efficient process layout enabled by a simple physical barrier.

A Paradigm Shift in Efficiency: Quantifying the DWC Advantage

The theoretical benefits of the Divided Wall Column have been conclusively validated through decades of industrial implementation and academic study. The technology delivers a paradigm shift in efficiency, with quantifiable advantages across energy consumption, capital investment, and overall operational economics.

Energy and Operating Cost (OPEX) Savings

The most celebrated benefit of the DWC is its dramatic reduction in energy consumption. By eliminating the thermodynamic inefficiency of remixing, DWCs consistently demonstrate energy savings of **up to 40%** compared to conventional two-column sequences, with a typical reported range of 20-40%.¹ Some studies and applications have reported savings reaching as high as 50%.²³ Since energy is the primary driver of operating costs in distillation, these savings translate directly into a proportional reduction in OPEX.²

These figures are not merely theoretical. Industrial case studies provide powerful real-world validation:

- **ExxonMobil Fawley Refinery:** In a landmark revamp project, a conventional xylene recovery distillation column was retrofitted into a DWC. The project was a resounding success, achieving energy savings of **over 50%** under one set of operating conditions and over 25% in a higher-throughput case, all while improving the purity of the xylene product. This case demonstrates the DWC's immense potential for both grassroots designs and upgrading existing assets.¹³
- **BASF SE:** As a pioneer of the technology, chemical giant BASF operates more than 50 DWCs across its global facilities.¹³ This extensive and long-term adoption by a leading chemical manufacturer underscores the technology's maturity, reliability, and proven economic benefits.

Capital Cost (CAPEX) and Footprint Reduction

The DWC's integrated design delivers equally impressive capital savings. By performing the work of two columns in a single shell, the DWC configuration eliminates the need for:

- One entire column shell
- One reboiler
- One condenser
- The associated pumps, piping, instrumentation, and structural steel for the eliminated equipment.¹

This consolidation of hardware results in a significant reduction in upfront capital

investment. Numerous studies and industrial reports confirm that DWCs can lower CAPEX by **up to 30-40%** compared to conventional designs.³

Furthermore, the smaller equipment count leads to a drastically reduced physical footprint. Plant plot space can be reduced by **up to 50%**, a critical advantage in dense, existing industrial sites where space is at a premium, or for new projects where land costs are high. This is also a key enabler for offshore platforms and modular plant designs where compactness is paramount.¹

Total Annualized Cost (TAC) and Payback Period

The combined impact of lower OPEX and lower CAPEX results in a compelling improvement in the overall economic viability of a project, typically measured by the Total Annualized Cost (TAC). The TAC is a metric that combines annualized capital costs with annual operating costs to provide a holistic view of a project's lifetime expense. Studies consistently show that DWCs lead to substantial reductions in TAC, with figures ranging from 23% to over 41%.²⁰

This superior economic performance leads to highly attractive payback periods for the investment. In one detailed case study comparing the addition of an LPG recovery unit using either a conventional sequence or a DWC, the analysis showed a payback period of just **1.54 years for the DWC** versus 2.23 years for the conventional system, even with the DWC's lower initial capital cost.³⁶ This demonstrates that the DWC is not only cheaper to run but also provides a faster return on investment.

The comprehensive nature of the DWC's advantages can be summarized in a direct comparison, which provides a clear and compelling business case for its adoption.

Table 5.1: Conventional Two-Column Sequence vs. Divided Wall Column for a Typical Ternary Separation

Feature	Conventional Sequence (2-Column)	Divided Wall Column (DWC)	DWC Advantage
Column Shells	2	1	-1 Unit
Reboilers	2	1	-1 Unit

Condensers	2	1	-1 Unit
Associated Pumps & Piping	2 Sets	1 Set	~50% Reduction
Plant Footprint	Baseline (100%)	~50%	Up to 50% Reduction
Energy Consumption (OPEX)	Baseline (100%)	60% - 70%	30% - 40% Savings
Capital Cost (CAPEX)	Baseline (100%)	70% - 80%	20% - 30% Savings
Total Annualized Cost (TAC)	Baseline (100%)	60% - 70%	30% - 40% Savings

From Blueprint to Operation: Engineering a Divided Wall Column

While the thermodynamic and economic benefits of the DWC are clear, its successful implementation requires a sophisticated approach to design, mechanical engineering, and control. The perception of complexity has historically been a barrier to adoption, but decades of industrial experience and technological advancement have yielded robust and reliable solutions to these challenges, transforming the DWC from a specialist's tool into a standard engineering option.

Design Complexity and Degrees of Freedom

The design of a DWC is inherently more complex than that of a conventional column because of its integrated nature and additional **degrees of freedom**.⁷ In a simple column, key variables include feed tray location, reflux ratio, and reboiler duty. A DWC adds several crucial new parameters that must be optimized simultaneously to achieve the desired performance⁷:

- **Liquid Split Ratio:** The ratio of liquid reflux from the condenser that is directed to

the feed side versus the product side of the wall.

- **Vapor Split Ratio:** The ratio of vapor from the reboiler that flows up the feed side versus the product side of the wall.
- **Wall Geometry:** The height and vertical placement of the dividing wall within the column shell.

These interacting variables make manual design calculations impractical. Consequently, the use of modern process simulation software, such as Aspen Plus and HYSYS, is indispensable for the design, optimization, and performance prediction of DWCs.¹⁴ Interestingly, because most commercial simulators do not yet have a single, dedicated DWC model block, engineers typically simulate the DWC by linking multiple conventional column models together (e.g., a two-, three-, or four-column arrangement) to represent the different sections of the single DWC shell.⁷ This workaround itself highlights the underlying complexity of the internal flows but has become a standard and effective design methodology.

Mechanical and Hydraulic Design Imperatives

The physical construction and internal fluid dynamics of a DWC are critical to its success. Several key areas require specialized engineering attention.

The Dividing Wall

The wall itself is a critical piece of mechanical engineering. Its design must accommodate the harsh environment inside a distillation column. A primary concern is managing **thermal stress** caused by the potentially large temperature difference between the two sides of the wall.¹⁷ Early designs used walls that were fully welded to the column shell. This could lead to mechanical stress and deformation due to thermal expansion and contraction. A key innovation that spurred wider adoption of DWC technology was the development of

non-welded or bolted wall constructions.²⁵ These designs use specialized connections and slotted holes that allow for thermal expansion, reducing mechanical stress and simplifying installation, particularly in revamp projects.

Proper **sealing** of the wall against the column shell is paramount. Any significant leakage of liquid or vapor from one side of the wall to the other would compromise the separation, reintroducing the very remixing effect the DWC is designed to prevent.¹⁷

Column Internals: Trays vs. Packing

Like conventional columns, DWCs can use either trays or packing to facilitate mass transfer between the vapor and liquid phases. The choice depends on the specific application.⁴⁴

- **Packed Columns:** Often filled with structured packing, these are typically preferred for vacuum applications where minimizing pressure drop is critical. They are also well-suited for systems sensitive to heat, as they have a lower liquid holdup.¹⁷
- **Tray Columns:** Using sieve, valve, or bubble-cap trays, these columns can be more robust against fouling and are often perceived as easier to design for achieving a balanced pressure drop on both sides of the wall—a key hydraulic consideration.⁵

Liquid and Vapor Distribution

Achieving the correct split of liquid and vapor flows to each side of the dividing wall is the most critical hydraulic challenge in DWC operation.⁵

- **Liquid Split:** The liquid split at the top of the wall is actively controlled. This is typically accomplished using specialized liquid distributors or collectors with adjustable weirs or timed flow diversion. Companies like Montz have developed proprietary, magnetically coupled reflux splitters that provide precise and reliable control over a wide range of flow rates.¹
- **Vapor Split:** In contrast, the vapor split at the bottom of the wall is typically a passive parameter. It is not actively controlled during operation but is instead fixed by the hydraulic design of the column internals. The vapor naturally distributes itself between the two sides in a way that equalizes the pressure drop across both sections. Therefore, engineers must carefully design the

cross-sectional area and select the type of trays or packing on each side to ensure the desired vapor split is achieved at the design operating point.²³ While this is the standard approach, research and development into devices for active vapor distribution are ongoing, promising even greater operational flexibility in the future.⁴⁸

Control and Operability: Myth vs. Reality

One of the most significant historical barriers to the widespread adoption of DWC technology was the perception that the columns would be difficult, if not impossible, to control.¹³ The high degree of integration and strong interaction between variables—where a change in reboiler duty, for example, affects all three products simultaneously—led to concerns about operational stability.

However, decades of industrial experience have largely debunked this myth. The reality is that hundreds of DWCs are operated stably and reliably around the world.⁵ Many of these units are successfully managed using conventional control strategies, such as multi-loop

Proportional-Integral-Derivative (PID) controllers, which are the workhorse of the process control industry.¹³ In these schemes, key temperatures at sensitive locations in the column are often used as inferential measurements to control product compositions by manipulating variables like the reflux rate and product draw rates.⁵

For processes requiring tighter control, higher efficiency, or the ability to handle significant disturbances in feed flow or composition, **Advanced Process Control (APC)** strategies are employed. Techniques like **Model Predictive Control (MPC)** and **Real-Time Optimization (RTO)** use a dynamic model of the column to predict its future behavior and make optimal adjustments to manipulated variables in real-time. Case studies have shown that implementing MPC on a DWC can yield further energy reductions of 5-10% and increase throughput by as much as 15% over and above the baseline savings, all while maintaining stringent product purity specifications.¹³

The evolution of the DWC from a theoretical concept to an industrial reality is a compelling story of how progress in enabling technologies can unlock the potential of a core innovation. The DWC concept itself is not new, with patents dating back to the 1940s.²⁵ Its long period of dormancy was not due to a flaw in the thermodynamic

principle, but rather a lack of the necessary tools to implement it practically. The rise of powerful, accessible process simulators in the latter half of the 20th century made the complex, multi-variable design calculations feasible for the first time.²¹ Concurrently, innovations in mechanical design and manufacturing, such as the development of non-welded walls and high-performance structured packing, solved critical hardware challenges.²⁵ Finally, the advent of modern Digital Control Systems (DCS) and sophisticated control algorithms provided the means to manage the column's interactive dynamics robustly and reliably.⁵ It was the convergence of these three streams of progress—in computation, materials science, and control theory—that ultimately brought the DWC out of the laboratory and into the industrial mainstream.

The Future of Integrated Distillation

The Divided Wall Column is not a static technology but a dynamic and evolving platform for process intensification. Having proven its value in the standard three-product separation, the underlying principles of thermal coupling and internal partitioning are now being extended to tackle more complex separation challenges and integrated with other advanced processes, pointing toward a future of even more efficient and compact chemical production.

Beyond Three Products: The Evolution of DWC Configurations

The success of the standard DWC has inspired engineers to push the boundaries of integration further, leading to the development of columns capable of separating four or more products within a single shell. This represents the next frontier of process intensification, promising even greater savings at the cost of increased design complexity.⁶

- **The Kaibel Column:** The first and most widely adopted extension of the DWC is the Kaibel column. This configuration enhances the standard DWC by incorporating an additional packed bed section and a second side draw, enabling the separation of a single feed into four distinct product streams.⁶ The Kaibel column is a practical and industrially proven four-product design that offers

significant savings over a conventional three-column sequence.²⁹

- **Multipartition and Dual-Dividing-Wall Columns (MP-DWC / DDWC):** For separations involving five, six, or more components, even more complex configurations are being developed. These columns, known as Multipartition or Dual-Dividing-Wall Columns, employ multiple internal walls to create a series of interconnected separation zones within a single shell. These advanced designs, such as the Sargent column, offer the potential for energy and capital savings of up to 50% but come with a significant increase in design and control complexity due to the multiple liquid and vapor splits that must be managed.⁵ While still largely in the research and pilot stage, they represent the long-term trajectory of distillation technology.

Expanding Applications and Future Trends

The flexibility of the DWC platform allows it to be applied to a growing range of industrial processes, particularly those aligned with sustainability and resource efficiency goals.

- **Sustainable Processes and Biofuels:** DWC technology is proving to be a key enabler for the bio-based economy. It is actively being applied to the purification stages of biofuel production, such as the separation of methanol, water, and glycerol in biodiesel manufacturing. In one case study, a DWC design reduced energy requirements by 27% and total annual costs by 25% compared to an optimized conventional process, making the biofuel's production more economically viable and environmentally friendly.⁶³
- **Natural Gas Liquids (NGL) Fractionation:** In the oil and gas sector, DWCs are being deployed to streamline the fractionation of NGLs. A patented DWC application can condense a traditional four-tower fractionation train (used to produce ethane, propane, isobutane, normal butane, and natural gasoline) into a more efficient three-tower system. This reduction in equipment and energy is critical for improving the cost-effectiveness and operational flexibility of NGL processing facilities.³
- **Reactive Distillation (R-DWC):** Perhaps the most transformative future trend is the integration of chemical reaction and separation within a single DWC unit. This technology, known as a Reactive Dividing Wall Column (R-DWC), combines the benefits of reactive distillation (e.g., overcoming chemical equilibrium limitations, improving selectivity, and reducing byproduct formation) with the energy

efficiency of the DWC. An R-DWC can replace an entire process flowsheet of a reactor followed by multiple separation columns with a single, highly efficient piece of equipment, promising immense savings in both capital and energy.⁹

- **Carbon Capture:** The energy-intensive nature of solvent regeneration is a major cost and efficiency barrier in many leading carbon capture technologies, such as amine scrubbing. While the source material on "DWC" for carbon capture describes a different technology ("Direct Water Capture")⁶⁹, the fundamental principles of the distillation DWC are highly applicable. Using a DWC configuration for the solvent stripping column could significantly reduce the large amount of steam (energy) required to regenerate the amine solvent, thereby lowering the overall cost and energy penalty of the carbon capture process. This represents a logical and potentially high-impact future application for DWC technology.

The clear evolutionary path from the basic three-product DWC to the four-product Kaibel column, and onward to multi-partition and reactive DWC configurations, reveals a crucial truth: the Divided Wall Column is not a single, static product but a flexible and scalable **platform technology**. The core concept of achieving thermodynamic efficiency through internal thermal coupling via a physical partition is a robust design philosophy. Engineers are continuously finding new ways to adapt and extend this philosophy to solve increasingly complex separation and reaction problems. This pattern of modular evolution, where new functionalities are integrated onto a proven core platform, suggests a long-term technological trajectory with significant future potential, solidifying the DWC's place as a cornerstone of modern process intensification.

Conclusion and Strategic Recommendations

The Divided Wall Column has successfully transitioned from a theoretical concept to a mature, industrially proven technology. The evidence is conclusive: for a wide range of multicomponent separations, the DWC offers dramatic and verifiable reductions in energy consumption, capital cost, and plant footprint. These benefits are not marginal; they represent a step-change in process efficiency, with energy and operating cost savings of up to 40% and capital cost reductions of up to 30% being routinely cited and achieved in industrial practice.

The DWC's primary advantage stems from its elegant solution to a fundamental

thermodynamic flaw in conventional distillation—the wasteful remixing of partially separated components. By integrating the function of two columns into a single, intelligently partitioned shell, the DWC eliminates this inefficiency at its source. While historically perceived as complex, the challenges of DWC design, construction, and control have been effectively solved through decades of innovation in process simulation, specialized hardware, and modern control systems.

Strategic Recommendations for Adoption

Given the technology's maturity and profound benefits, the DWC should be a primary consideration in both new plant designs and the optimization of existing assets.

When to Consider a DWC: The DWC should be evaluated as a standard option during the process synthesis phase for any new multicomponent distillation unit.²³ It is particularly well-suited for applications with the following characteristics:

- **Feed Composition:** The feed contains a high concentration of the middle-boiling component, typically in the range of 60–70 mol%.¹⁴
- **Product Purity:** A high purity is required for the middle-boiling component, which is drawn as a side product.²³
- **Relative Volatility:** The components in the mixture have similar relative volatilities, making the separation more difficult and the energy savings from an efficient design more pronounced.³⁴

DWC for Revamps: DWC technology is an exceptionally powerful tool for revamping existing distillation systems. By retrofitting a conventional column with a dividing wall and new internals, operators can achieve multiple objectives, often simultaneously:

- Drastically cut energy costs and greenhouse gas emissions.
- Increase the processing capacity of the column.
- Improve the purity of existing products or enable the recovery of a new, valuable side-product.

All of these benefits can often be achieved within the footprint of the existing column, avoiding the need for new plot space and extensive infrastructure changes.⁴ The successful revamp of the ExxonMobil xylene column is a testament to this potential.³¹

A Call to Action

In the face of persistent economic pressures and the urgent global need for industrial decarbonization, the chemical and refining industries can no longer afford to overlook proven, high-impact efficiency technologies. The Divided Wall Column has demonstrated its value conclusively. The question for plant operators, engineers, and strategic planners should no longer be, "Is a DWC too complex to implement?" but rather, "Can we afford *not* to leverage the significant competitive and environmental advantages offered by the DWC?" For any organization with a substantial distillation footprint, a systematic review of existing and planned separation processes against DWC applicability criteria represents one of the most significant and readily available opportunities to reduce costs, enhance profitability, and make a meaningful contribution to a more sustainable industrial future.

Works cited

1. Sulzer Chemtech Dividing Wall Column, accessed July 10, 2025, https://www.sulzer.com/-/media/files/products/separation-technology/brochures/english/dividing_wall_column_e10935_en_web.pdf
2. www.chemicalprocessing.com, accessed July 10, 2025, <https://www.chemicalprocessing.com/voices/energy-saver/article/55260619/energy-saver-dividing-wall-columns-supercharge-distillation-efficiency#:~:text=Dividing%20wall%20columns%20can%20slash,and%20operating%20costs%20by%2040%25.>
3. Dividing Wall Columns Push the Boundaries for Midstream Efficiency - Subscribe, accessed July 10, 2025, <https://info.burnsmcd.com/benchmark/article/2022/issue-3/tech-brief/dividing-wall-columns-push-the-boundaries-for-midstream-efficiency>
4. Introduction to Dividing-Wall Columns - AIChE, accessed July 10, 2025, <https://www.aiche.org/resources/publications/cep/2019/march/introduction-dividing-wall-columns>
5. Distillation Improvement Opportunities Part 2: Improvements ..., accessed July 10, 2025, <https://www.thechemicalengineer.com/features/distillation-improvement-opportunities-part-2-improvements-through-the-use-of-dividing-wall-columns/>
6. Introduction to Dual-Dividing-Wall Columns - AIChE, accessed July 10, 2025, <https://www.aiche.org/resources/publications/cep/2020/april/introduction-dual-dividing-wall-columns>
7. Dividing-Wall Column Design: Analysis of Methodologies Tailored to Process Simulators, accessed July 10, 2025, <https://www.mdpi.com/2227-9717/9/7/1189>
8. Comparative Study of Conventional Distillation Column and Divided Wall Distillation Column By using Simulation - International Journal of Engineering

- Research & Technology, accessed July 10, 2025,
<https://www.ijert.org/research/comparative-study-of-conventional-distillation-column-and-divided-wall-distillation-column-by-using-simulation-IJERTV12IS120081.pdf>
9. Reactive DWC – Eldridge Research Group – UT Austin, accessed July 10, 2025,
<https://sites.utexas.edu/eldridge/reactive-dwc/>
 10. Process intensification by dividing wall column | Request PDF - ResearchGate, accessed July 10, 2025,
https://www.researchgate.net/publication/377513019_Process_intensification_by_dividing_wall_column
 11. Dividing wall columns in chemical process industry: A review on current activities, accessed July 10, 2025,
https://www.researchgate.net/publication/229291740_Dividing_wall_columns_in_chemical_process_industry_A_review_on_current_activities
 12. Dividing Wall Columns in Operation - Aidic, accessed July 10, 2025,
<https://www.aidic.it/cet/18/69/092.pdf>
 13. Optimal Operation of an Industrial Dividing Wall Column through Multiparametric Programming - ACS Publications, accessed July 10, 2025,
<https://pubs.acs.org/doi/10.1021/acs.iecr.3c00836>
 14. (PDF) Energy Reduction in a Divided Wall Distillation Column - ResearchGate, accessed July 10, 2025,
https://www.researchgate.net/publication/283815100_Energy_Reduction_in_a_Divided_Wall_Distillation_Column
 15. Remixing effect - Big Chemical Encyclopedia, accessed July 10, 2025,
https://chempedia.info/info/remixing_effect/
 16. 1: Remixing effect of one middle component in a conventional direct distillation sequence. - ResearchGate, accessed July 10, 2025,
https://www.researchgate.net/figure/Remixing-effect-of-one-middle-component-in-a-conventional-direct-distillation-sequence_fig9_33496458
 17. (PDF) An introduction to Dividing wall columns, design and modelling (DWC), accessed July 10, 2025,
https://www.researchgate.net/publication/358309098_An_introduction_to_Dividing_wall_columns_design_and_modelling_DWC
 18. Retrofit of Distillation Columns Using Thermodynamic Analysis - UNL Digital Commons, accessed July 10, 2025,
<https://digitalcommons.unl.edu/cgi/viewcontent.cgi?article=1001&context=chemicalengineering>
 19. Quantifying Potential Energy Savings of Divided Wall Columns Based on Degree of Remixing | Industrial & Engineering Chemistry Research - ACS Publications, accessed July 10, 2025, <https://pubs.acs.org/doi/10.1021/ie901907e>
 20. A New Shortcut Design Method and Economic Analysis of Divided Wall Columns | Request PDF - ResearchGate, accessed July 10, 2025,
https://www.researchgate.net/publication/231377122_A_New_Shortcut_Design_Method_and_Economic_Analysis_of_Divided_Wall_Columns
 21. Divided Wall Distillation Column | PPT - SlideShare, accessed July 10, 2025,

- <https://www.slideshare.net/slideshow/divided-wall-distillation-column/29704632>
22. Comparison of conventional and dividing-wall column. - ResearchGate, accessed July 10, 2025,
https://www.researchgate.net/figure/Comparison-of-conventional-and-dividing-wall-column_tbl1_315955063
 23. Divided Wall Columns: Usefulness and Challenges - Aidic, accessed July 10, 2025,
<https://www.aidic.it/cet/18/69/039.pdf>
 24. Divided Wall Column Modeling and Simulation in an Open-Source Environment - FKIT, accessed July 10, 2025,
<http://silverstripe.fkit.hr/cabecq/assets/Uploads/03-3-2020.pdf>
 25. Divided Wall Columns: Usefulness and Challenges, accessed July 10, 2025,
<https://skoge.folk.ntnu.no/prost/proceedings/Distillation&Absorption-2018/papers/79lorenz.pdf>
 26. What can go wrong in a dividing wall column and how to detect it - ResearchGate, accessed July 10, 2025,
https://www.researchgate.net/publication/383137541_What_can_go_wrong_in_a_dividing_wall_column_and_how_to_detect_it
 27. Classification and Comparison of Dividing Walls for Distillation Columns - MDPI, accessed July 10, 2025, <https://www.mdpi.com/2227-9717/8/6/699>
 28. (PDF) Analysing divided wall columns - ResearchGate, accessed July 10, 2025,
https://www.researchgate.net/publication/226479415_Analysing_divided_wall_columns
 29. Using Dividing Wall Columns (DWC) in LNG Production - NTNU Open, accessed July 10, 2025,
https://ntnuopen.ntnu.no/ntnu-xmlui/bitstream/handle/11250/235724/748598_FULLTEXT01.pdf?sequence=2&isAllowed=y
 30. Dividing Wall Column as Energy Saving Retrofit Technology | Request PDF - ResearchGate, accessed July 10, 2025,
https://www.researchgate.net/publication/286541942_Dividing_Wall_Column_as_Energy_Saving_Retrofit_Technology?_tp=eyJjb250ZXh0Ijp7InBhZ2UiOiJzY2llbnRpZmljQ29udHJpYnV0aW9ucylsInByZXZpb3VzUGFnZSI6bnVsbCwic3ViUGFnZSI6bnVsbH19
 31. DIVIDING WALL COLUMN REVAMP OPTIMISES MIXED XYLENES PRODUCTION, accessed July 10, 2025,
<https://skoge.folk.ntnu.no/prost/proceedings/distillation06/CD-proceedings/paper%20updates/Slade.pdf>
 32. (88a) Dividing Wall Column Revamp Optimizes Xylene Production - AIChE Proceedings, accessed July 10, 2025,
<https://proceedings.aiche.org/conferences/aiche-spring-meeting-and-global-congress-on-process-safety/2006/proceeding/paper/88a-dividing-wall-column-revamp-optimizes-xylene-production>
 33. Dividing Wall Column Technology - Recent Developments and Challenges, accessed July 10, 2025,
https://efce.info/efce_media/Downloads/wpfs/Dividing+Wall+Column+Technology+Recent+Developments+and+Challenges+Olujic-p-3050.pdf

34. Divided Wall Column Simulation and Optimization - YouTube, accessed July 10, 2025, <https://www.youtube.com/watch?v=dFibg2-wMfc>
35. Wikisheet Divided Wall Column - WUR eDepot, accessed July 10, 2025, <https://edepot.wur.nl/421409>
36. Upgrade a gas plant to produce LPG by DWC and conventional methods—Part 1, accessed July 10, 2025, https://www.researchgate.net/publication/333059271_Upgrade_a_gas_plant_to_produce_LPG_by_DWC_and_conventional_methods-Part_1
37. New Design Methods and Algorithms for Energy Efficient Multicomponent Distillation Column Trains, accessed July 10, 2025, https://www.energy.gov/sites/prod/files/2016/07/f33/R18%20-%20New%20Design%20Method%20for%20EE%20Multicomponent%20Distillation%20Trains%20016_compliant.pdf
38. ExxonMobil PxMax SM Process: Production of Paraxylene (Case Study) - ResearchGate, accessed July 10, 2025, https://www.researchgate.net/publication/369153498_ExxonMobil_PxMax_SM_Process_Production_of_Paraxylene_Case_Study
39. A comprehensive economic optimization methodology of divided wall columns for biopolyol separation | Royal Society Open Science - Journals, accessed July 10, 2025, <https://royalsocietypublishing.org/doi/10.1098/rsos.191748>
40. Dividing wall column: Improving thermal efficiency, energy savings and economic performance | Request PDF - ResearchGate, accessed July 10, 2025, https://www.researchgate.net/publication/304063918_Dividing_wall_column_Improving_thermal_efficiency_energy_savings_and_economic_performance
41. (PDF) Upgrade a Gas Plant to Produce LPG by DWC and Conventional Methods—Part 2, accessed July 10, 2025, https://www.researchgate.net/publication/333059265_Upgrade_a_Gas_Plant_to_Produce_LPG_by_DWC_and_Conventional_Methods-Part_2
42. Upgrade a gas plant to produce LPG by DWC and conventional methods—Part 2, accessed July 10, 2025, <http://www.gasprocessingnews.com/articles/2019/02/upgrade-a-gas-plant-to-produce-lpg-by-dwc-and-conventional-methods-part-2/>
43. DIVIDING WALL COLUMNS NOVEL APPLICATIONS WITH CASE STUDIES, accessed July 10, 2025, https://skoge.folk.ntnu.no/dwc-workshop-2023/schulz/AIChE2023Spring_Houston_Schulz.pdf
44. Optimizing Distillation: Tray Column vs. Packed Column Dynamics - Boardman LLC, accessed July 10, 2025, <https://www.boardmaninc.com/blog/tray-column-vs-packed-column-dynamics/>
45. Should You Use Packing or Trays for Distillation? - AMACS, accessed July 10, 2025, <https://amacs.com/trays/should-you-use-packing-or-trays-for-distillation/>
46. Packed column versus Tray column - Chemical Engineering World, accessed July 10, 2025, <https://chemicalengineeringworld.com/packed-column-versus-tray-column/>
47. unfixed dividing wall technology for packed and tray distillation columns,

- accessed July 10, 2025,
<https://skoge.folk.ntnu.no/prost/proceedings/distillation06/CD-proceedings/paper%20updates/Kaibel.pdf>
48. Optimal Operation of Dividing Wall Column using Enhanced Active Vapor Distributor - Aidic, accessed July 10, 2025, <https://www.aidic.it/cet/18/69/140.pdf>
 49. Simulation and Design of a Dividing Wall Column with an Analysis of a Vapour Splitting Device - Aidic, accessed July 10, 2025,
<https://www.aidic.it/cet/18/69/058.pdf>
 50. Dividing Wall Column - Active Vapor Distributor - YouTube, accessed July 10, 2025, <https://www.youtube.com/watch?v=vYunCyoT-Bw>
 51. Divided Wall Column for Industrial Multi Purpose Use | AIChE, accessed July 10, 2025,
<https://proceedings.aiche.org/conferences/aiche-spring-meeting-and-global-congress-on-process-safety/2012/proceeding/paper/divided-wall-column-industrial-multi-purpose-use-0>
 52. Divided Wall Columns: Usefulness and Challenges - Chemical Engineering Transactions, accessed July 10, 2025,
<https://www.cetjournal.it/index.php/cet/article/view/CET1869039>
 53. (PDF) Divided Wall Columns: Usefulness and Challenges - ResearchGate, accessed July 10, 2025,
https://www.researchgate.net/publication/327744066_Divided_Wall_Columns_Usefulness_and_Challenges
 54. Advanced Control Strategies for Dividing-Wall Columns - ResearchGate, accessed July 10, 2025,
https://www.researchgate.net/publication/232414457_Advanced_Control_Strategies_for_Dividing-Wall_Columns
 55. Comparison of stabilizing control structures for four-product Kaibel column - ResearchGate, accessed July 10, 2025,
https://www.researchgate.net/publication/299460864_Comparison_of_stabilizing_control_structures_for_four-product_Kaibel_column
 56. Optimizing Dividing Wall Columns - Number Analytics, accessed July 10, 2025,
<https://www.numberanalytics.com/blog/optimizing-dividing-wall-columns>
 57. Applying Advanced Process Control to Distillation Processes - Emerson Automation Experts, accessed July 10, 2025,
https://www.emersonautomationexperts.com/2009/services-consulting-training/applying_advanc_1/
 58. Model Predictive Control of a Kaibel Distillation Column | Request PDF - ResearchGate, accessed July 10, 2025,
https://www.researchgate.net/publication/228974793_Model_Predictive_Control_of_a_Kaibel_Distillation_Column
 59. Multiple Dividing-Wall Columns - Current Status and Future Prospects - ResearchGate, accessed July 10, 2025,
https://www.researchgate.net/publication/329849741_Multiple_Dividing-Wall_Columns_-_Current_Status_and_Future_Prospects
 60. Practical control of dividing-wall columns - SciSpace, accessed July 10, 2025,

- <https://scispace.com/pdf/practical-control-of-dividing-wall-columns-5gmo2xhlei.pdf>
61. Minimum Energy for the four-product Kaibel-column - Sigurd Skogestad - NTNU, accessed July 10, 2025, <https://skoge.folk.ntnu.no/prost/proceedings/npc07/NTNU/ntnu15.pdf>
 62. (PDF) Comparison of Temperature Control and Temperature Difference Control for a Kaibel Dividing Wall Column - ResearchGate, accessed July 10, 2025, https://www.researchgate.net/publication/336765445_Comparison_of_Temperature_Control_and_Temperature_Difference_Control_for_a_Kaibel_Dividing_Wall_Column
 63. Dividing Wall Column Design Guide - Number Analytics, accessed July 10, 2025, <https://www.numberanalytics.com/blog/ultimate-guide-dividing-wall-column-design>
 64. Dividing wall column—A breakthrough towards sustainable distilling | Request PDF, accessed July 10, 2025, https://www.researchgate.net/publication/223212266_Dividing_wall_column-A_breakthrough_towards_sustainable_distilling
 65. Modeling/Simulation of the Dividing Wall Column by Using the Rigorous Model - MDPI, accessed July 10, 2025, <https://www.mdpi.com/2227-9717/7/1/26>
 66. (PDF) Novel applications of divided-wall technology to biofuel ..., accessed July 10, 2025, https://www.researchgate.net/publication/264718803_Novel_applications_of_divided-wall_technology_to_biofuel_production_process
 67. A comprehensive economic optimization methodology of divided wall columns for biopolyol separation - PMC - PubMed Central, accessed July 10, 2025, <https://pmc.ncbi.nlm.nih.gov/articles/PMC7211852/>
 68. Reactive Dividing Wall Columns: A Comprehensive Review, accessed July 10, 2025, https://www.researchgate.net/publication/320801871_Reactive_Dividing_Wall_Columns_A_Comprehensive_Review
 69. Breakthrough in Carbon Capture Technology | Gigaton CO₂, accessed July 10, 2025, <https://www.gigatonco2.com/breakthrough-in-carbon-capture-technology>
 70. www.gigatonco2.com, accessed July 10, 2025, <https://www.gigatonco2.com/breakthrough-in-carbon-capture-technology#:~:text=DWC%20also%20offers%20the%20potential,P%2FA%20within%20a%20decade.>
 71. Environmental CO₂ Removal via Direct Water Capture (DWC) - Gigaton CO₂, accessed July 10, 2025, <https://www.gigatonco2.com/direct-water-capture>
 72. Divide Wall Columns Case Studies | PDF | Oil Refinery | Chemical Process Engineering, accessed July 10, 2025, <https://www.scribd.com/document/618693374/Divide-Wall-Columns-case-studies>
 73. Refinery Process Optimization - DWC Innovations, accessed July 10, 2025, <https://dwcinnovations.com/refinery-process-optimization/>
 74. INTERNALLY HEAT-INTEGRATED DISTILLATION COLUMNS: A REVIEW, accessed July 10, 2025,

- <https://skoge.folk.ntnu.no/prost/proceedings/distillation02/dokument/33-5.pdf>
75. Revive Your Columns with Cyclic Distillation - AIChE, accessed July 10, 2025, <https://www.aiche.org/resources/publications/cep/2015/december/revive-your-columns-cyclic-distillation>
 76. Side draw optimisation of a high-purity, multi-component distillation column - ResearchGate, accessed July 10, 2025, https://www.researchgate.net/publication/307857220_Side_draw_optimisation_of_a_high-purity_multi-component_distillation_column_Side_Draw_Optimisation_of_a_Multi-component_Distillation_Column
 77. Side draw control design for a high purity multi-component distillation column - PubMed, accessed July 10, 2025, <https://pubmed.ncbi.nlm.nih.gov/29563020/>
 78. Dividing Wall Columns for Natural Gas Liquefaction Plants - Aidic, accessed July 10, 2025, <https://www.aidic.it/cet/18/69/139.pdf>
 79. CH 4033 Comprehensive Design Project(Individual) Final Report Design of o-xylene Plate/Tray Distillation Column Para-Xylene Manu - ResearchGate, accessed July 10, 2025, https://www.researchgate.net/profile/Hashan-Eranda/publication/314232206_Design_of_o-xylene_PlateTray_Distillation_Column/links/58bc07afa6fdcc2d14e56849/Design-of-o-xylene-Plate-Tray-Distillation-Column.pdf
 80. Dividing Wall Column revamp optimises mixed Xylenes production, accessed July 10, 2025, https://www.researchgate.net/publication/287700952_Dividing_Wall_Column_revamp_optimises_mixed_Xylenes_production
 81. Retrofit of Side Stream Columns to Dividing Wall Columns, with Case Studies of Industrial Applications: Techniques and Applications | Request PDF - ResearchGate, accessed July 10, 2025, https://www.researchgate.net/publication/312501646_Retrofit_of_Side_Stream_Columns_to_Dividing_Wall_Columns_with_Case_Studies_of_Industrial_Applications_Techniques_and_Applications