

VISVESVARAYA TECHNOLOGICAL UNIVERSITY

“JnanaSangama”, Belgaum -590014, Karnataka.



LAB REPORT

on

Database Management Systems (22CS3PCDBM)

Submitted by

AMSHU G M (1BM21CS019)

in partial fulfillment for the award of the degree of

BACHELOR OF ENGINEERING

in

COMPUTER SCIENCE AND ENGINEERING



B.M.S. COLLEGE OF ENGINEERING

(Autonomous Institution under VTU)

BENGALURU-560019

October-2022 to Feb-2023

B. M. S. College of Engineering,
Bull Temple Road, Bangalore 560019
(Affiliated To Visvesvaraya Technological University, Belgaum)
Department of Computer Science and Engineering



CERTIFICATE

This is to certify that the Lab work entitled “Database Management Systems (22CS3PCDBM)” carried out by **AMSHU G M(1BM21CS019)**, who is bonafide student of **B. M. S. College of Engineering**. It is in partial fulfillment for the award of **Bachelor of Engineering in Computer Science and Engineering** of the Visvesvaraya Technological University, Belgaum during the year 2022. The Lab report has been approved as it satisfies the academic requirements in respect of a Database Management Systems (22CS3PCDBM) work prescribed for the said degree.

SHEETAL
ASSISTANT PROFESSOR
Department of CSE
BMSCE, Bengaluru

Dr. Jyothi S Nayak
Professor and Head
Department of CSE
BMSCE, Bengaluru

Index

Sl. No.	Date	Experiment Title	Page No.
1	8/11/22	Insurance Database	4
2	15/11/22	More Queries on Insurance Database	13
3	22/11/22	Bank Database	16
4	29/11/22	More Queries on Bank Database	23
5	06/12/22	Employee Database	26
6	13/12/22	More Queries on Employee Database	33
7	20/12/22	Supplier Database	37
8	27/12/22	Flight Database	43
9	20/1/23	NoSQL	51

1. Insurance Database

PERSON (driver_id: String, name: String, address: String)


CAR (reg_num: String, model: String, year: int)

ACCIDENT (report_num: int, accident_date: date, location: String)

OWNS (driver_id: String, reg_num: String)

PARTICIPATED (driver_id: String, reg_num: String, report_num: int, damage_amount: int)

- Create the above tables by properly specifying the primary keys and the foreign keys.
- Enter at least five tuples for each relation.
- Display the entire CAR relation in the ascending order of manufacturing year.
- Find the number of accidents in which cars belonging to a specific model (example 'Lancer') were involved.
- Find the total number of people who owned cars that were involved in accidents in 2008.



Creating Database

```
create database insurance;
use insurance;
```

Creating Tables

```
create table Person
(
  driver_id varchar(20),
  name varchar(20),
  address varchar(30),
  primary key(driver_id)
);
create table car
(
  reg_num int,
  model varchar(20),
```

```

year int,
primary key(reg_num)
);
create table owns
(
driver_id varchar(20),
reg_num int,
primary key(driver_id,reg_num),
foreign key(driver_id) references Person(driver_id),
foreign key(reg_num) references car(reg_num)
);




create table accident
(
report_num int,
accident_date date,

location varchar(30),
primary key(report_num)
);




desc accident;
create table participated
(
driver_id varchar(20),
reg_num int,
report_num int,
damage_amount int,
primary key(driver_id,reg_num,report_num),
foreign key(driver_id) references Person(driver_id),
foreign key(reg_num) references car(reg_num),
foreign key(report_num) references accident(report_num)
);

```




Structure of Tables

Result Grid  Filter Rows: | Export:  | Wrap Cell Content: 




	Field	Type	Null	Key	Default	Extra
▶	driver_id	varchar(20)	NO	PRI	NULL	
	reg_num	varchar(10)	NO	PRI	NULL	
	report_num	int	NO	PRI	NULL	
	damage_amount	int	YES		NULL	

Result Grid  Filter Rows: | Export:  | Wrap Cell Content: 




	Field	Type	Null	Key	Default	Extra
▶	report_num	int	NO	PRI	NULL	
	accident_date	date	YES		NULL	
	location	varchar(50)	YES		NULL	

Result Grid  Filter Rows: | Export:  | Wrap Cell Content: 

	Field	Type	Null	Key	Default	Extra
▶	reg_num	varchar(15)	NO	PRI	NULL	
	model	varchar(10)	YES		NULL	
	year	int	YES		NULL	

Result Grid  Filter Rows: | Export:  | Wrap Cell Content: 

	Field	Type	Null	Key	Default	Extra
▶	driver_id	varchar(20)	NO	PRI	NULL	
	name	varchar(30)	YES		NULL	
	address	varchar(50)	YES		NULL	

Result Grid  Filter Rows: | Export:  | Wrap Cell Content: 

	Field	Type	Null	Key	Default	Extra
▶	driver_id	varchar(20)	NO	PRI	NULL	
	reg_num	varchar(10)	NO	PRI	NULL	

Inserting Values

```
insert into Person values("A01","Richard","Srinivas nagar");
insert into Person values("A02","Pradeep","Rajaji nagar");
insert into Person values("A03","Smith","Ashok nagar");
insert into Person values("A04","Venu","N R Colony ");
```

```
insert into Person values("A05","Jhon","Hanumanth nagar");
```

```
insert into car values(052250,"Indica",1990);  
insert into car values(031181,"Lancer",1957);  
insert into car values(095477,"Toyota",1998);  
insert into car values(053408,"Honda",2008);  
insert into car values(041702,"Audi",2008);
```

```
insert into owns values("A01",052250);  
insert into owns values("A02",031181);  
insert into owns values("A03",095477);  
insert into owns values("A04",053408);  
insert into owns values("A05",041702);
```

```
insert into accident values(11,'2003-01-01','Mysore road');  
insert into accident values(12,'2004-02-02','South end circle');  
insert into accident values(13,'2003-01-21','Bull temple end');  
insert into accident values(14,'2008-02-17','Mysore road');  
insert into accident values(15,'2004-03-05','Kanakapura road');
```

```
insert into participated values('A01','052250',11,10000);  
insert into participated values('A02','053408',12,50000);  
insert into participated values('A03','095477',13,25000);  
insert into participated values('A04','031181',14,3000);  
insert into participated values('A05','041702',15,5000);
```

```
select * from Person;
```


	driver_id	name	address
▶	A01	Richard	Srinivas nagar
	A02	Pradeep	Rajaji nagar
	A03	Smith	Ashok nagar
	A04	Venu	N R Colony
	A05	Jhon	Hanumanth nagar
•	NULL	NULL	NULL

select * from car;

	reg_num	model	year
▶	31181	Lancer	1957
	41702	Audi	2008
	52250	Indica	1990
	53408	Honda	2008
	95477	Toyota	1998
•	NULL	NULL	NULL

select * from owns;

	driver_id	reg_num
▶	A02	31181
	A05	41702
	A01	52250
	A04	53408
	A03	95477
•	NULL	NULL

select * from accident;

	report_num	accident_date	location
▶	11	2003-01-01	Mysore road
	12	2004-02-02	South end circle
	13	2003-01-21	Bull temple end
	14	2008-02-17	Mysore road
	15	2004-03-05	Kanakapura road
	16	2008-03-08	Domlur
	17	2008-03-05	NR Colony road
•	NULL	NULL	NULL

select * from participated;

	driver_id	reg_num	report_num	damage_amount
▶	A01	52250	11	10000
	A02	53408	12	25000
	A03	95477	13	25000
	A04	31181	14	3000
	A05	41702	15	5000
•	NULL	NULL	NULL	NULL

Queries


1. Update the damage amount to 25000 for the car with a specific reg-num (example '053408') for which the accident report number was 12

```
update participated
set damage_amount=25000
where reg_num='053408' and report_num=12;
```

2.Find the total number of people who owned cars that were involved in accidents in 2008.

```
select count(distinct driver_id) COUNT
from participated a, accident b
```

where a.report_num=b.report_num and b.accident_date like '%08%';




COUNT
1

3.Add a new accident to the database.

```
insert into accident values(16,'2008-03-08',"Domlur");
```

```
select * from accident;
```



report_num	accident_date	location
11	2003-01-01	Mysore road
12	2004-02-02	South end circle
13	2003-01-21	Bull temple end
14	2008-02-17	Mysore road
15	2004-03-05	Kanakapura road
16	2008-03-08	Domlur
17	2008-03-05	NR Colony road
NULL	NULL	NULL

4.Display Accident date and location

```
select accident_date, location from accident;
```

	accident_date	location
▶	2003-01-01	Mysore road
	2004-02-02	South end circle
	2003-01-21	Bull temple end
	2008-02-17	Mysore road
	2004-03-05	Kanakapura road
	2008-03-08	Domlur
	2008-03-05	NR Colony road

5.Display driver id who did accident with
damage amount greater than or equal to
Rs.25000

select driver_id from participated where damage_amount>=25000;

	driver_id
▶	A02
	A03

2. More Queries on Insurance Database

1. Display the entire CAR relation in the ascending order of manufacturing year.

```
select * from car order by year asc;
```

	reg_num	model	year
▶	031181	Lancer	1957
	052250	Indica	1990
	095477	Toyota	1998
	041702	Audi	2005
	053408	Honda	2008
✱	NULL	NULL	NULL

2. Find the number of accidents in which cars belonging to a specific model (example 'Lancer') were involved.

```
select count(report_num) from car c, participated p where c.reg_num=p.reg_num  
and  
c.model='Lancer';
```

	count(report_num)
▶	1

3. LIST THE ENTIRE PARTICIPATED RELATION IN THE DESCENDING ORDER OF DAMAGE AMOUNT.

```
select * from participated order by damage_amount desc;
```

	driver_id	reg_num	report_num	damage_amount
▶	A02	031181	12	50000
	A03	095477	13	25000
*	NULL	NULL	NULL	NULL

4.FIND THE AVERAGE DAMAGE AMOUNT

select avg(damage_amount) from participated;

	avg(damage_amount)
▶	37500.0000


5.DELETE THE TUPLE WHOSE DAMAGE AMOUNT IS BELOW THE AVERAGE DAMAGE AMOUNT

```
delete from participated
where damage_amount < (select p.damage_amount from (select
avg(damage_amount) as
damage_amount from participated) p);
```

6.LIST THE NAME OF DRIVERS WHOSE DAMAGE IS GREATER THAN THE AVERAGE DAMAGE AMOUNT.

```
select name from person,participated where
person.driver_id=participated.driver_id and
```


damage_amount>(select avg(damage_amount) from participated);



	name
▶	Pradeep

7.FIND MAXIMUM DAMAGE AMOUNT.

select damage_amount from participated having max(damage_amount);



	damage_amount
▶	50000

3. Bank Database


Branch (branch-name: String, branch-city: String, assets: real)

BankAccount(accno: int, branch-name: String, balance: real)

BankCustomer (customer-name: String, customer-street: String,
customer-city: String)

Depositer(customer-name: String, accno: int)

LOAN (loan-number: int, branch-name: String, amount: real)



Creating Database

```
create database bank;  
use bank;
```

Creating Tables

```
create table branch  
( branchname varchar(50), branchcity varchar(50), assets int,  
primary key(branchname) );
```

```
create table bankaccount  
( accno int, branchname varchar(50), balance int,  
primary key(accno),  
foreign key(branchname) references branch(branchname));
```

```
create table bankcustomer  
( customername varchar(50), customerstreet varchar(50), city varchar(50),  
primary key(customername));
```

```
create table depositer  
( customername varchar(50), accno int,  
primary key(accno),  
foreign key(accno) references bankaccount(accno),  
foreign key(customername) references bankcustomer(customername));
```

```
create table loan  
( loannumber int, branchname varchar(50), amount int,  
foreign key(branchname) references branch(branchname));
```

Structure of Tables

	Field	Type	Null	Key	Default	Extra
►	branchname	varchar(50)	NO	PRI	NULL	
	branchcity	varchar(50)	YES		NULL	
	assets	int	YES		NULL	

Field	Type	Null	Key	Default	Extra
accno	int	NO	PRI	NULL	
branchname	varchar(50)	YES	MUL	NULL	
balance	int	YES		NULL	

Field	Type	Null	Key	Default	Extra
customername	varchar(50)	NO	PRI	NULL	
customerstreet	varchar(50)	YES		NULL	
city	varchar(50)	YES		NULL	

Field	Type	Null	Key	Default	Extra
customername	varchar(50)	YES	MUL	NULL	
accno	int	NO	PRI	NULL	

Field	Type	Null	Key	Default	Extra
loannumber	int	NO	PRI	NULL	
branchname	varchar(50)	YES	MUL	NULL	
amount	int	YES		NULL	

Inserting Values

```

insert into branch values("SBI_Chamrajpet","Banglore",50000);
insert into branch values("SBI_ResidencyRoad","Banglore",10000);
insert into branch values("SBI_ShivajiRoad","Bombay",20000);
insert into branch values("SBI_ParlimentRoad","Delhi",10000);
insert into branch values("SBI_Jantarmentar","Delhi",20000);

```

```

insert into bankaccount values(1,"SBI_Chamrajpet",2000);
insert into bankaccount values(2,"SBI_ResidencyRoad",5000);
insert into bankaccount values(3,"SBI_ShivajiRoad",6000);

```

```
insert into bankaccount values(4,"SBI_ParlimentRoad",9000);
insert into bankaccount values(5,"SBI_Jantarmantar",8000);
insert into bankaccount values(6,"SBI_ShivajiRoad",4000);
insert into bankaccount values(8,"SBI_ResidencyRoad",4000);
insert into bankaccount values(9,"SBI_ParlimentRoad",3000);
insert into bankaccount values(10,"SBI_ResidencyRoad",5000);
insert into bankaccount values(11,"SBI_Jantarmantar",2000);
```

```
insert into bankcustomer
values("Avinash","Bull_Temple_Road","Banglore");
insert into bankcustomer values("Dinesh","Bannerhatta_Road","Banglore");
insert into bankcustomer
values("Mohan","NationalCollege_Road","Banglore");
insert into bankcustomer values("Nikil","Akbar_Road","Delhi");
insert into bankcustomer values("Ravi","Prithviraj_Road","Delhi");
```

```
insert into depositer values("Avinash",1);
insert into depositer values("Dinesh",2);
insert into depositer values("Nikil",4);
insert into depositer values("Ravi",5);
insert into depositer values("Avinash",8);
insert into depositer values("Nikil",9);
insert into depositer values("Dinesh",10);
insert into depositer values("Nikil",11);
```

```
insert into loan values(1,"SBI_Chamrajpet",1000);
insert into loan values(2,"SBI_ResidencyRoad",2000);
```

```

insert into loan values(3,"SBI_ShivajiRoad",3000);
insert into loan values(4,"SBI_ParliamentRoad",4000);
insert into loan values(5,"SBI_Jantarmanatar",5000);

```

select * from branch;

	branchname	branchcity	assets
▶	SBI_Chamrajpet	Banglore	50000
	SBI_Jantarmanatar	Delhi	20000
	SBI_ParliamentRoad	Delhi	10000
	SBI_ResidencyRoad	Banglore	10000
	SBI_ShivajiRoad	Bombay	20000
*	NULL	NULL	NULL

select * from bankaccount;

	accno	branchname	balance
▶	1	SBI_Chamrajpet	2000
	2	SBI_ResidencyRoad	5000
	3	SBI_ShivajiRoad	6000
	4	SBI_ParliamentRoad	9000
	5	SBI_Jantarmanatar	8000
	6	SBI_ShivajiRoad	4000
	8	SBI_ResidencyRoad	4000
	9	SBI_ParliamentRoad	3000
	10	SBI_ResidencyRoad	5000
	11	SBI_Jantarmanatar	2000
*	NULL	NULL	NULL

select * from bankcustomer;

	customername	customerstreet	city
▶	Avinash	Bull_Temple_Road	Banglore
	Dinesh	Bannergatta_Road	Banglore
	Mohan	NationalCollege_Road	Banglore
	Nikil	Akbar_Road	Delhi
	Ravi	Prithviraj_Road	Delhi
*	NULL	NULL	NULL

select * from depositer;

	customername	accno
▶	Avinash	1
	Avinash	8
	Dinesh	2
	Dinesh	10
	Nikil	4
	Nikil	9
	Nikil	11
	Ravi	5
*	NULL	NULL

select * from loan;

	loannumber	branchname	amount
▶	1	SBI_Chamrajpet	1000
	2	SBI_ResidencyRoad	2000
	3	SBI_ShivajiRoad	3000
	4	SBI_ParliamentRoad	4000
	5	SBI_Jantarmantar	5000

Queries

1.Display the branch name and assets from all branches in lakhs of rupees and rename the assets column to 'assets in lakhs'.

select branchname,assets/100000 as assets_in_lakhs from branch;

	branchname	assets_in_lakhs
▶	SBI_Chamrajpet	0.5000
	SBI_Jantarmantar	0.2000
	SBI_ParliamentRoad	0.1000
	SBI_ResidencyRoad	0.1000
	SBI_ShivajiRoad	0.2000

2.Find all the customers who have at least two accounts at the same branch (ex. SBI_ResidencyRoad).

```
select d.customername from bankaccount b, depositer d
where b.branchname="SBI_ResidencyRoad" and b.accno=d.accno
group by d.customername having count(d.accno)>=2;
```

	customername
►	Dinesh

3.CREATE A VIEW WHICH GIVES EACH BRANCH THE SUM OF THE AMOUNT OF ALL THE LOANS AT THE BRANCH.

```
create view sum_of_loan
as select branchname,sum(balance)
from bankaccount
group by branchname;
```

```
select * from sum_of_loan;
```

	branchname	sum(balance)
►	SBI_Chamrajpet	2000
	SBI_Jantarmantar	10000
	SBI_ParlimentRoad	12000
	SBI_ResidencyRoad	14000
	SBI_ShivajiRoad	10000

4. More Queries on Bank Database

1. Find all the customers who have an account at all the branches located in a specific city (Ex. Delhi).

```
insert into bankaccount values(12,"SBI_MatriMarg",2000);
```

```
insert into branch values("SBI_MatriMarg","Delhi",200000);
```

```
insert into depositer values("Nikil",12);
```

```
create table borrower(customername varchar(50), loannumber int,
```

```
foreign key(customername) references
```

```
bankcustomer(customername), foreign key(loannumber) references
```

```
loan(loannumber));
```

```
insert into borrower values("Avinash",1),("Dinesh",2),("Mohan",3),("Nikil",4),("Ravi",5);
```

Queries

1. Find all the customers who have an account at all the branches located in a specific city (Ex. Delhi).

```
select d.customername from branch b, depositer d, bankaccount ba where  
b.branchcity='Delhi' and d.accno=ba.accno and  
b.branchname=ba.branchname group by d.customername having  
count(customername)>1;
```

	customername
▶	Nikil

2.Find all customers who have a loan at the bank but do not have an account.select distinct b.customername from borrower b, depositer d where b.Customername not in(

select d.customername from loan l,depositer d, borrower b
where l.loannumber=b.loannumber and
d.customername=b.customername);

	customername
▶	Mohan


3.Find all customers who have both an account and a loan at the Bangalore branch

select distinct d.customername from depositer d
where d.customername in(
 select d.customername from branch br,depositer d, bankaccount ba
 where br.branchcity="Banglore" and
 br.branchname=ba.branchname and ba.accno=d.accno and
 d.customername in(
select customername from borrower));

	customername
▶	Avinash
	Dinesh

4.Find the names of all branches that have greater assets than all branches located in Bangalore.


```
select b.branchname from branch b
where b.assets> all (
select sum(b.assets) from branch b
where b.branchcity='Banglore' );
```



branchname
SBI_MantriMarg
NULL

5.Update the Balance of all accounts by 5%

```
update bankaccount set balance=(balance+(balance*0.05));
select * from bankaccount
```




accno	branchname	balance
1	SBI_Chamrajpet	2100
2	SBI_ResidencyRoad	5250
3	SBI_ShivajiRoad	6300
4	SBI_ParliamentRoad	9450
5	SBI_Jantarmantra	8400
6	SBI_ShivajiRoad	4200
8	SBI_ResidencyRoad	4200
9	SBI_ParliamentRoad	3150
10	SBI_ResidencyRoad	5250
11	SBI_Jantarmantra	2100
12	SBI_MatriMarg	2100
NULL	NULL	NULL


bankaccount 15 x

5.Employee Database

ER Diagram



Schema Diagram



Creating Database

```
create database employee;  
use employee;
```

Creating Tables

```
create table dept  
( deptno int, dname varchar(50), dloc varchar(50),  
  primary key(deptno));
```

```
create table employee  
( empno int, ename varchar(50), mgrno int, hiredate date, sal int,  
  deptno int, primary key(empno), foreign key(deptno) references  
  dept(deptno) on update cascade on delete cascade);
```

```
create table incentive  
( empno int, incentivedate date, incentiveamount int,  
  primary key(incentivedate),  
  foreign key(empno) references employee(empno)  
  on update cascade on delete cascade);
```

```
create table project  
(pno int, ploc varchar(50), pname varchar(50),  
  primary key(pno));
```

create table assignedto
 (empno int,pno int, jobrole varchar(50),
 foreign key(empno) references employee(empno),
 foreign key(pno) references project(pno)
 on update cascade on delete cascade);

Structure of Tables

Result Grid		Filter Rows:		Export:		Wrap Cell Content:	
	Field	Type	Null	Key	Default	Extra	
▶	deptno	int	NO	PRI	NULL		
	dname	varchar(50)	YES		NULL		
	dloc	varchar(50)	YES		NULL		

Result Grid

Filter Rows:

Export:

Wrap Cell Content

	Field	Type	Null	Key	Default	Extra
▶	empno	int	NO	PRI	NULL	
	ename	varchar(50)	YES		NULL	
	mgrno	int	YES		NULL	
	hiredate	date	YES		NULL	
	sal	int	YES		NULL	
	deptno	int	YES	MUL	NULL	

Result Grid		Filter Rows:		Export:		wrap	
	Field	Type	Null	Key	Default	Extra	
▶	empno	int	YES	MUL	NULL		
	incentivedate	date	NO	PRI	NULL		
	incentiveamount	int	YES		NULL		

Result Grid						
	Field	Type	Null	Key	Default	Extra
▶	pno	int	NO	PRI	NULL	
	ploc	varchar(50)	YES		NULL	
	pname	varchar(50)	YES		NULL	

Result Grid						
	Field	Type	Null	Key	Default	Extra
▶	empno	int	YES	MUL	NULL	
	pno	int	YES	MUL	NULL	
	jobrole	varchar(50)	YES		NULL	

Inserting Values

```
insert into dept values(1,"Admin","Banglore"),
(2,"Sales","Banglore"),
```

```
(3,"Finance","Hyderabad"),
```

```
(4,"Marketing","Mysore"),
```

```
(5,"Shipping","Hyderabad");
```

```
insert into dept values(6,"Purchasing","Mysore");
```

```
insert into employee values(1,"Avinash",3,"2000-02-
```

```
14",25000,1), (2,"Balaji",3,"1999-05-11",31000,3),
```

```
(3,"Dinesh",NULL,"1992-01-26",46000,2),
```

```
(4,"Chandan",3,"2001-05-21",28000,4),
```

```
(5,"Aravind",2,"1998-09-22",17000,5);
```

```
insert into employee values(6,"Amal",3,"2003-02-14",25000,6);
```


```
insert into incentive values(1,"2005-03-  
23",5000), (3,"2001-08-23",50000),  
(5,"2011-04-02",1500);
```

```
insert into project  
values(11,"Banglore","Documentation"),  
(12,"Banglore","Selling"),  
(13,"Hyderbad","Accounting"),  
(14,"Mysore","Advertising"),  
(15,"Hyderbad","Transportation");  
insert into project  
values(16,"Mysore","Purchasing"); insert into  
project values(17,"Hubli","Presentatiom");
```

```
insert into assignedto  
values(1,11,"Administration"),  
(2,12,"Salesman"),  
(3,13,"Accounts"),  
(4,14,"Advertising"),  
(5,15,"Transporting");  
insert into assignedto values(6,16,"Purchasing");
```

- 1.Retrieve the employee numbers of all employees who work on project located in Bangalore, Hyderabad, or Mysore

```
select empno from assignedto e where e.pno=any(select p.pno from project p where ploc="Bangalore" or ploc="Hyderabad" or ploc="Mysore");
```




The screenshot shows a 'Result Grid' window with a table containing one column named 'empno'. The table has six rows with values 1, 2, 3, 4, 5, and 6. The first row is selected, indicated by a mouse cursor icon to its left.

empno
1
2
3
4
5
6

- 2.Get Employee ID's of those employees who didn't receive incentives

```
select e.empno from employee e  
where e.empno not in  
(select i.empno from incentive i);
```



The screenshot shows a 'Result Grid' window with a table containing one column named 'empno'. The table has four rows with values 2, 4, 6, and NULL. The first row is selected, indicated by a mouse cursor icon to its left.

empno
2
4
6
NULL

- 3.Write a SQL query to find the employees name, number, dept,

job_role, department location and project location who are working for a project location same as his/her department location.

```
select e.ename ename, e.empno empno, d.dname dname, a.jobrole jobrole,
d.dloc dloc, p.ploc ploc
from project p, dept d, employee e, assignedto a
where e.empno=a.empno and p.pno=a.pno and e.deptno=d.deptno and
p.ploc=d.dloc;
```

	ename	empno	dname	jobrole	dloc	ploc
▶	Avinash	1	Admin	Administration	Banglore	Banglore
	Chandan	4	Marketing	Advertising	Mysore	Mysore
	Aravind	5	Shipping	Transporting	Hyderbad	Hyderbad
	Amal	6	Purchasing	Purchasing	Mysore	Mysore


4. Find the employee name, dept name and job_role of an employee who received max incentive in year 2005

```
select e.ename, d.dname, a.jobrole, max(i.incentiveamount)
max_incentive from employee e, dept d, incentive i, assignedto a
where incentivedate between "2005-01-01" and "2005-12-31";
```

Result Grid		Filter Rows:	Export:	Wrap Cell Content:
	ename	dname	jobrole	max_incentive
▶	Avinash	Purchasing	Administration	55000

6. More Queries on Employee Database

1. List the name of the managers with the maximum employees select e.ename
from employee e, employee f
where e.empno=f.mgrno
group by e.empno
having count(*)=(select max(mycount)
from
(select count(*) mycount
from employee
group by mgrno) a);



	ename
▶	Dinesh

2. Display those managers name whose salary is more than average salary of his employee.

```
select *  
from employee m  
where m.empno in  
    (select mgrno  
     from employee)  
and m.sal > (select avg(n.sal)  
from employee n  
    where n.mgrno=m.empno);
```

	empno	ename	mgrno	hiredate	sal	deptno
▶	3	Dinesh	7	1992-01-26	46000	2
	7	Arun	NULL	2000-01-01	50000	2
	2	Balaji	3	1999-05-11	31000	3
*	NULL	NULL	NULL	NULL	NULL	NULL


3. Find the employee details who got second maximum incentive in 2005.

```
select * from employee where empno=
(select iii.empno from incentive iii
where iii.incentiveamount=
(select max(ii.incentiveamount) from incentive ii
where ii.incentiveamount<(select max(i.incentiveamount) from
incentive i where i.incentivedate between "2005-01-01" and "2005-12-
31")
and incentivedate between "2005-01-01" and "2005-12-31"));
```

	empno	ename	mgrno	hiredate	sal	deptno
▶	1	Avinash	3	2000-02-14	25000	1
*	NULL	NULL	NULL	NULL	NULL	NULL

4.Display those employees who are working in the same department where his manager is working.

```
select e.ename from employee e
where e.deptno=(select f.deptno from employee f
                where e.mgrno=f.empno);
```



The screenshot shows a 'Result Grid' window with a 'Filter Rows' button. The grid contains one column labeled 'ename' and one row with the value 'Dinesh'.

ename
Dinesh


5.Find the name of the second top level managers of each department.

```
select ename from employee where empno in(select distinct mgrno
from employee
where empno in (select distinct mgrno
from employee
where empno in(select distinct mgrno from employee)));
```

Result Grid		Filter Rows:
	ename	
▶	Arun	

7. Supplier Database

Schema Diagram



Creating Tables

```
create table supplier
(sid int, sname varchar(50), city
varchar(50), primary key(sid));
```

```
create table parts
(pid int, pname varchar(50), colour
varchar(50), primary key(pid));
```

```
create table
catalog (sid int,
pid int, cost int,
foreign key(sid) references
supplier(sid), foreign key(pid)
references parts(pid));
```

Structure of Tables

Result Grid						
	Field	Type	Null	Key	Default	Extra
▶	sid	int	NO	PRI	NULL	
	sname	varchar(50)	YES		NULL	
	city	varchar(50)	YES		NULL	

Result Grid						
	Field	Type	Null	Key	Default	Extra
▶	pid	int	NO	PRI	NULL	
	pname	varchar(50)	YES		NULL	
	colour	varchar(50)	YES		NULL	

Result Grid						
	Field	Type	Null	Key	Default	Extra
▶	sid	int	YES	MUL	NULL	
	pid	int	YES	MUL	NULL	
	cost	int	YES		NULL	

Inserting values

insert into supplier values(10001,'acme widget','bangalore'),(10002,'johns','kolkata'),(10003,'vimal','mumbai'),(10004,'reliance','delhi');

insert into parts

values(20001,'book','red'),(20002,'pen','red'),(20003,'pencil','green'),(20004,'mobile','green'),(20005,'charger','black');

insert into catalog

values(10001,20001,10),(10001,20002,10),(10001,20003,30),(10001,20004,10),
(10001,20005,10),(10002,20001,10),(10002,20002,20);

insert into catalog values(10003,20003,30),(10004,20003,40);

select * from supplier;

	sid	sname	city
▶	10001	acme widget	bangalore
	10002	johns	kolkata
	10003	vimal	mumbai
	10004	reliance	delhi
*	NULL	NULL	NULL

select * from parts;

	pid	pname	colour
▶	20001	book	red
	20002	pen	red
	20003	pencil	green
	20004	mobile	green
	20005	charger	black
*	NULL	NULL	NULL

select * from
catalog;

	sid	pid	cost
▶	10001	20001	10
	10001	20002	10
	10001	20003	30
	10001	20004	10
	10001	20005	10
	10002	20001	10
	10002	20002	20
	10003	20003	30
	10004	20003	40

supplier 7 parts 8 catalog 9 x

Queries

1. Find the pnames of parts for which there is some supplier.

select pname from parts where pid in (select pid from catalog);

	pname
▶	book
	pen
	pencil
	mobile
	charger

2. Find the snames of suppliers who supply every part.

select sname from (select c.sname, count(distinct a.pid) as cnt from catalog a
left join parts b on a.pid=b.pid left join supplier c on c.sid=a.sid group by 1) a
where cnt=(select count(distinct a.pid) from catalog a left join parts b on
a.pid=b.pid);

	sname
▶	acme widget

3. Find the snames of suppliers who supply every red part.

```
select sname from supplier where sid in( select sid from catalog where pid in(
select pid from parts where colour='red'));
```

	sname
▶	acme widget
	johns


4. Find the pnames of parts supplied by Acme Widget Suppliers and by no one else.

```
select pname from parts where pid in( select pid from catalog where sid in(
select sid from supplier where sname='acme widget')) and pid not in( select pid
from catalog where sid in( select sid from supplier where sname!='acme
widget'));
```

	pname
▶	mobile
	charger

5. Find the sids of suppliers who charge more for some part than the average cost of that part

```
select c.sid from catalog c where c.cost > (select avg(cc.cost) from catalog cc
where c.pid=cc.pid group by cc.pid);
```




The screenshot shows a 'Result Grid' window with a table containing two columns: 'sid' and an unnamed column. The first row has the value '10002' in the unnamed column. The second row has the value '10004' in the unnamed column and is highlighted in blue.

	sid
▶	10002
	10004

6. For each part, find the sname of the supplier who charges the most for that part.

```
select sname from supplier where sid in( select sid from catalog where cost in(
select max(cost) from catalog group by pid));
```



The screenshot shows a table with two columns: 'sname' and an unnamed column. The first row has the value 'acme widget' in the unnamed column. The second row has the value 'johns' in the unnamed column and is highlighted in blue. The third row has the value 'reliance' in the unnamed column.

	sname
▶	acme widget
	johns
	reliance

8:Flight Database

FLIGHTS(flno: integer, from: string, to: string, distance: integer, departs: time, arrives: time, price: integer)

AIRCRAFT(aid: integer, aname: string, cruising_range: integer)

CERTIFIED(eid: integer, aid: integer)

EMPLOYEES(eid: integer, ename: string, salary: integer)

Note that the Employees relation describes pilots and other kinds of employees as well; Every pilot is certified for some aircraft, and only pilots are certified to fly.

Create database table and insert appropriate data

FLIGHTS

<u>fno</u>	from	to	distance	departs	arrives	price
------------	------	----	----------	---------	---------	-------

AIRCRAFT

<u>aid</u>	aname	cruisingrange
------------	-------	---------------

EMPLOYEE

<u>eid</u>	ename	salay
------------	-------	-------

CERTIFIED

<u>aid</u>	<u>eid</u>
------------	------------



Creating Database

```
create database Airline;  
use Airline;
```

Creating Tables

```
create table flights( flno int, ffrom varchar(50), tto varchar(50), distance int,  
departs time, arrives time, price int, primary key(flno));
```

```
create table aircraft(  
aid int, aname varchar(50), cruisingrange  
int, primary key(aid));
```

```
create table  
certified( eid  
int, aid int,  
foreign key(aid) references  
aircraft(aid) on update cascade  
on delete cascade, foreign  
key(eid) references  
employee(eid) on update  
cascade on delete cascade);
```

```
create table employee(  
eid int, ename varchar(50), salary  
int, primary key(eid));
```

Structure of Tables

Result Grid						
		Filter Rows:			Export:	Wrap Cell Content:
	Field	Type	Null	Key	Default	Extra
▶	aid	int	NO	PRI	NULL	
	aname	varchar(50)	YES		NULL	
	cruisingrange	int	YES		NULL	

Result Grid						
		Filter Rows:			Export:	Wrap Cell Content:
	Field	Type	Null	Key	Default	Extra
▶	eid	int	NO	PRI	NULL	
	ename	varchar(50)	YES		NULL	
	salary	int	YES		NULL	

Result Grid						
Filter Rows:						
Export:						
Wrap Cell Contents:						
	Field	Type	Null	Key	Default	Extra
►	eid	int	YES	MUL	NULL	
	aid	int	YES	MUL	NULL	

Result Grid						
Filter Rows:						
Export:						
Wrap Cell Content:						
	Field	Type	Null	Key	Default	Extra
►	fno	int	NO	PRI	NULL	
	ffrom	varchar(50)	YES		NULL	
	tto	varchar(50)	YES		NULL	
	distance	int	YES		NULL	
	departs	time	YES		NULL	
	arrives	time	YES		NULL	
	price	int	YES		NULL	

Result 4 ×

Inserting Values

insert into employee

values(101,'Avinash',50000),(102,'Lokesh',60000),(103,'Rakesh',70000),(104,'S
anthosh',82000) , (105,'Tilak',5000);

insert into aircraft

values(1,'Airbus',2000),(2,'Boeing',700),(3,'JetAirways',550),(4,'Indigo',5000),
(5,'Boeing',4500),(6,'Airbus',2200);

insert into certified

values(101,2),(101,4),(101,5),(101,6),(102,1),(102,3),(102,5),(103,2),(103,3),(10
3,5),(103,6),(104,6),(104,1),(104,3), (105,3);

insert into flights values (1,'Banglore','New Delhi',500,'6:00','9:00',5000),
(2,'Banglore','Chennai',300,'7:00','8:30',3000), (3,'Trivandrum','New
Delhi',800,'8:00','11:30',6000),(4,'Banglore','Frankfurt',10000,'6:00','23:30',50000
) , (5,'Kolkata','New Delhi',2400,'11:00','3:30',9000),
(6,'Banglore','Frankfurt',8000,'9:00','23:00',40000);

Queries


1.Find the names of aircraft such that all pilots certified to operate them have salaries more than Rs.80,000.

select a.aname from aircraft a where a.aid in(select c.aid from certified c where
c.eid in(select e.eid from employee e where salary>80000));

	aname
▶	Airbus
	JetAirways
	Airbus

2.For each pilot who is certified for more than three aircrafts, find the eid and the maximum cruisingrange of the aircraft for which she or he is certified.

```
select c.eid,max(a.cruisingrange) from certified c,aircraft a where c.aid=a.aid
group by c.eid having count(*)>=3;
```




The screenshot shows a database interface with a 'Result Grid' tab. The grid contains the following data:

	eid	max(a.cruisingrange)
▶	102	4500
	104	2200
	101	5000
	103	4500

Below the grid, there is a tab labeled 'Result 17' with a close button (x).

3.Find the names of pilots whose salary is less than the price of the cheapest route from Bengaluru to Frankfurt.

```
select e.ename from employee e where e.salary<(select min(f.price) from flights
f where f.ffrom='Bangalore' and f.tto='Frankfurt');
```




The screenshot shows a database interface with a result grid containing the following data:

	ename
▶	Tilak

4. For all aircraft with cruising range over 1000 Kms, find the name of the aircraft and the Average salary of all pilots certified for this aircraft.

```
select a.aname, avg(e.salary) from aircraft a, employee e, certified c where  
a.aid=c.aid and e.eid=c.eid and a.cruisingrange>1000 group by c.aid;
```




The screenshot shows a 'Result Grid' with two columns: 'aname' and 'avg(e.salary)'. There are four rows of data. The first row is 'Airbus' with an average salary of 71000.0000. The second row is 'Indigo' with an average salary of 50000.0000. The third row is 'Boeing' with an average salary of 60000.0000. The fourth row is 'Airbus' with an average salary of 67333.3333. The interface includes a 'Filter Rows' button and an 'Export' button.

	aname	avg(e.salary)
▶	Airbus	71000.0000
	Indigo	50000.0000
	Boeing	60000.0000
	Airbus	67333.3333

5. Find the names of pilots certified for some Boeing aircraft.

```
select e.ename from employee e where e.eid in (select c.eid from certified c  
where c.aid in (select a.aid from aircraft a where a.aname='Boeing'));
```




The screenshot shows a result grid with one column: 'ename'. There are three rows of data. The first row is 'Avinash'. The second row is 'Lokesh'. The third row is 'Rakesh'. The interface includes a search bar and a 'Result Grid' label.

ename
Avinash
Lokesh
Rakesh

6.Find the aids of all aircraft that can be used on routes from Bengaluru to New Delhi.

```
select a.aid from aircraft a where a.cruisingrange>(select distance from flights  
where ffrom='Bangalore' and tto='New Delhi');
```



	aid
▶	1
	2
	3
	4
	5
	6
*	NULL

NOSQL

Question

1. Create a database “Student” with the following attributes

Rollno, Age, ContactNo, Email-Id.

```
>>db.createColletion(“Student”);
```

```
Atlas atlas-f5xs60-shard-0 [primary] myFirstDatabase> db.createCollection("student")
{ ok: 1 }
```

2. Insert appropriate values

```
db.Student.insert({RollNo:1,Age:21,Cont:9876,email:"antara.de9@gmail.com"});
```

```
db.Student.insert({RollNo:2,Age:22,Cont:9976,email:"anushka.de9@gmail.com"});
```

```
db.Student.insert({RollNo:3,Age:21,Cont:5576,email:"anubhav.de9@gmail.com"});
```

```
db.Student.insert({RollNo:4,Age:20,Cont:4476,email:"pani.de9@gmail.com"});
```

```
db.Student.insert({RollNo:10,Age:23,Cont:2276,email:"rekha.de9@gmail.com"});
```

```
db.Student.insert({RollNo:11,Age:22,Name:"ABC",Cont:2276,email:"rea.de9@gmail.com"});
```

Queries

3)Write query to update Email-Id of a student with roll no 10.

```
>>db.Student.update({RollNo:10},{ $set:{email:"Abhinav@gmail.com"}})
```

```
{
  acknowledged: true,
  insertedId: null,
  matchedCount: 1,
  modifiedCount: 1,
  upsertedCount: 0
}
```

4) Replace the student name from "ABC" to "FEM" of roll no 11

```
>>db.Student.update({RollNo:11,Name:"ABC"},{$set:{Name: "FEM"}})
```

```
{
  acknowledged: true,
  insertedId: null,
  matchedCount: 1,
  modifiedCount: 1,
  upsertedCount: 0
}
```

5) Export the created table into local file system

```
mongoexport
```

```
mongodb+srv://AmshuGM:amshusmongodb@cluster0.mfnfeys.mongodb.net/myFirstDatabase --collection=Student --out C:\Users\amshu\Desktop\Downloads\output.json
```

```
C:\Users\amshu\OneDrive\Desktop\Downloads\mongodb-database-tools-windows-x86_64-100.6.1\mongodb-database-tools-windows-x86_64-100.6.1\bin>mongoexport mongodb+srv://AmshuGM:amshusmongodb@cluster0.8zvy7r7.mongodb.net/myFirstDatabase --collection=Student --out C:\Users\amshu\OneDrive\Desktop\Downloads\output.json
2023-01-24T20:41:38.978+0530   connected to: mongodb+srv://[**REDACTED**]@cluster0.8zvy7r7.mongodb.net/myFirstDatabase
2023-01-24T20:41:39.264+0530   exported 6 records
```

6) Drop the table

```
>>db.Student.drop();
```

```
Atlas atlas-f5xs60-shard-0 [primary] myFirstDatabase> db.student.drop()
true
```

7) Import a given csv dataset from local file system into mongodb collection.

```
>>mongoimport
```

```
mongodb+srv://AmshuGM:amshusmongodb@cluster0.mfnfeys.mongodb.net/myFirstDatabase --collection=nStudent --type json --file C:\Users\amshu\Desktop\Downloads\output.json
```

```
C:\Users\amshu\OneDrive\Desktop\Downloads\mongodb-database-tools-windows-x86_64-100.6.1\mongodb-database-tools-windows-x86_64-100.6.1\bin>mongoimport mongodb+srv://AmshuGM:amshusmongodb@cluster0.8zvy7r7.mongodb.net/myFirstDatabase --collection=nStudent --type json --file C:\Users\amshu\OneDrive\Desktop\Downloads\output.json
2023-01-24T20:43:49.032+0530   connected to: mongodb+srv://[**REDACTED**]@cluster0.8zvy7r7.mongodb.net/myFirstDatabase
2023-01-24T20:43:49.428+0530   6 document(s) imported successfully. 0 document(s) failed to import.
```

WEEK 10

1. Create a collection by name Customers with the following attributes.

Cust_id, Acc_Bal, Acc_Type

```
>>db.createCollection("customer")
```

2. Insert at least 5 values into the table

```
>>db.customer.insert({cust_id:1,acc_bal=12000,acc_type="savings"})
```

```
>>db.customer.insert({cust_id:2,acc_bal=500,acc_type="z"})
```

```
>>db.customer.insert({cust_id:3,acc_bal=12000,acc_type="z"})
```

```
>>db.customer.insert({cust_id:1,acc_bal=12000,acc_type="current"})
```

```
>>db.customer.insert({cust_id:2,acc_bal=12000,acc_type="x"})
```

```
>>db.customer.insert({cust_id:3,acc_bal=12000,acc_type="savings"})
```

```
Atlas atlas-krromp-shard-0 [primary] myFirstDatabase> db.customer.insert({cust_id:1,acc_bal:25000,acc_type:"savings"})
DeprecationWarning: Collection.insert() is deprecated. Use insertOne, insertMany, or bulkWrite.
{
  acknowledged: true,
  insertedIds: { '0': ObjectId("63cf5addc454e13f7dc205f0") }
}
Atlas atlas-krromp-shard-0 [primary] myFirstDatabase> db.customer.insert({cust_id:2,acc_bal:45000,acc_type:"z"})
{
  acknowledged: true,
  insertedIds: { '0': ObjectId("63cf5afbc454e13f7dc205f1") }
}
Atlas atlas-krromp-shard-0 [primary] myFirstDatabase> db.customer.insert({cust_id:3,acc_bal:5000,acc_type:"x"})
{
  acknowledged: true,
  insertedIds: { '0': ObjectId("63cf5b0dc454e13f7dc205f2") }
}
Atlas atlas-krromp-shard-0 [primary] myFirstDatabase> db.customer.insert({cust_id:1,acc_bal:500,acc_type:"current"})
{
  acknowledged: true,
  insertedIds: { '0': ObjectId("63cf5b2ec454e13f7dc205f3") }
}
Atlas atlas-krromp-shard-0 [primary] myFirstDatabase> db.customer.insert({cust_id:2,acc_bal:500,acc_type:"current"})
{
  acknowledged: true,
  insertedIds: { '0': ObjectId("63cf5b62c454e13f7dc205f4") }
}
```

3. Write a query to display those records whose total account balance is greater than 1200 of account type 'Z' for each customer_id.

```
>>db.customer.find({acc_bal:{$gte:1200}})
```

```
Atlas atlas-krromp-shard-0 [primary] myFirstDatabase> db.customer.find({acc_bal:{$gte:1200}})
[
  {
    _id: ObjectId("63cf5addc454e13f7dc205f0"),
    cust_id: 1,
    acc_bal: 25000,
    acc_type: 'savings'
  },
  {
    _id: ObjectId("63cf5afbc454e13f7dc205f1"),
    cust_id: 2,
    acc_bal: 45000,
    acc_type: 'z'
  },
  {
    _id: ObjectId("63cf5b0dc454e13f7dc205f2"),
    cust_id: 3,
    acc_bal: 5000,
    acc_type: 'x'
  }
]
```

4. Determine Minimum and Maximum account balance for each customer_id.

```
Atlas atlas-krromp-shard-0 [primary] myFirstDatabase> db.customer.aggregate([{$group:{"_id": "$cust_id", "max":{"$max": "$acc_bal"}, "min":{"$min": "$acc_bal"}}}])
[
  { _id: 3, max: 5000, min: 5000 },
  { _id: 2, max: 45000, min: 500 },
  { _id: 1, max: 25000, min: 500 }
]
```

5. Export the created collection into local file system

```
>> mongoexport
```

```
mongodb+srv://AmshuGM:amshusmongodb@cluster0.mfnfeys.mongodb.net/myFirstDatabase --collection=customer --out C:\Users\amshu\Desktop\Downloads\output.json
```

```
C:\Users\Admin\Downloads\mongodb-database-tools-windows-x86_64-100.6.1\mongodb-database-tools-windows-x86_64-100.6.1\bin>mongoexport mongodb+srv://amshugm:iamatlas@cluster0.v2liuog.mongodb.net/myFirstDatabase --collection=customer --out C:\Users\admin\desktop\output10.json
2023-01-24T10:41:00.670+0530 connected to: mongodb+srv://[REDACTED]@cluster0.v2liuog.mongodb.net/myFirstDatabase
2023-01-24T10:41:01.064+0530 exported 5 records
```

6. Drop the table

```
>>db.customer.drop()
```

7. Import a given csv dataset from local file system into mongodb collection.

>> mongoimport

mongodb+srv://AmshuGM:amshusmongodb@cluster0.mfnfeys.mongodb.net/myFirstDatabase --collection=ncustomer --type json --file C:\Users\amshu\Desktop\Downloads\output.json

```
C:\Users\Admin\Downloads\mongodb-database-tools-windows-x86_64-100.6.1\mongodb-database-tools-windows-x86_64-100.6.1\bin>mongoimport mongodb+srv://amshugm:iamatatlas@cluster0.v2lzuog.mongodb.net/myFirstDatabase --collection=ncustomer --type json --file=C:\Users\admin\desktop\output10.json
2023-01-24T10:43:48.842+0530   connected to: mongodb+srv://[**REDACTED**]@cluster0.v2lzuog.mongodb.net/myFirstDatabase
2023-01-24T10:43:49.894+0530   5 document(s) imported successfully. 0 document(s) failed to import.
```