PHPDOCX

Contents

Package create Procedural Elements

CreateDocument.inc

Abstract class used for creating documents

- **Package** create
- **Version** 2.2
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** File available since Release 2.2
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

CreateDocx.inc

Generate a DOCX file

- **Package** create
- **Version** 05.26.2011
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** File available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

require_once **dirname(__FILE__).'/AutoLoader.inc'** *[line 18]*

Package create Classes

Class CreateDocument
[line 28]

Abstract class used for creating documents

- **Package** create
- **Version** 2.2
- **Copyright** Copyright (c) 2009-2011 Narcea ProduCiones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Abstract Element**
- **Since** Class available since Release 2.2
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

Class CreateDocx
[line 33]

Main class. Methods and vars to generate a DOCX file

- **Package** create
- **Version** 05.26.2011
- **Copyright** Copyright (c) 2009-2011 Narcea ProduCiones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com

- **Since** Class available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

CreateDocx::NAMESPACEWORD

= 'w' *[line 35]*

CreateDocx::SCHEMA_IMAGEDOCUMENT

= 'http://schemas.openxmlformats.org/officeDocument/2006/relationships/image' *[line 36]*

CreateDocx::SCHEMA_OFFICEDOCUMENT

= 'http://schemas.openxmlformats.org/officeDocument/2006/relationships/officeDocument' *[line 38]*

CreateDocx::$fileGraphicTemplate

array = [line 46]

- **Access** public

CreateDocx::$graphicTemplate

string = [line 52]

- **Access** public

CreateDocx::$intIdWord

int = [line 59]

- **Static**
- **Access** public

CreateDocx::$log

Logger = [line 66]

- **Static**
- **Access** public

Constructor *void* function CreateDocx::__construct([$extension = 'docx']) *[line 389]*
   Function Parameters:

- *string* **$extension** File extension. Optional, docx as default

Construct

- **Access** public

void function CreateDocx::addBreak([$type = '']) *[line 837]*

example

```php
1     <?php
2
3     /**
4      * Create a DOCX file. Report example
5      *
6      * @category   Phpdocx
7      * @package    examples
8      * @subpackage advanced
9      * @copyright  Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10     *             (http://www.2mdc.com)
11     * @license    http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12     * @version    2.2
13     * @link       http://www.phpdocx.com
14     * @since      File available since Release 2.2
15     */
16    require_once '../../classes/CreateDocx.inc';
17
18    $docx = new CreateDocx();
19
20    // browser stats
21    $statsFeb2009Feb2010 = '
22    <STATS>
23        <BROWSER>
24            <NAME>Internet Explorer</NAME>
25            <VALUE>58</VALUE>
26        </BROWSER>
27        <BROWSER>
28            <NAME>Firefox</NAME>
29            <VALUE>31</VALUE>
30        </BROWSER>
31        <BROWSER>
32            <NAME>Chrome</NAME>
```

```
33              <VALUE>4</VALUE>
34          </BROWSER>
35          <BROWSER>
36              <NAME>Safari</NAME>
37              <VALUE>3</VALUE>
38          </BROWSER>
39          <BROWSER>
40              <NAME>Opera</NAME>
41              <VALUE>2</VALUE>
42          </BROWSER>
43          <BROWSER>
44              <NAME>Other</NAME>
45              <VALUE>2</VALUE>
46          </BROWSER>
47      </STATS>
48      ';
49
50      $statsFeb2010Feb2011 = '
51      <STATS>
52          <BROWSER>
53              <NAME>Internet Explorer</NAME>
54              <VALUE>50</VALUE>
55          </BROWSER>
56          <BROWSER>
57              <NAME>Firefox</NAME>
58              <VALUE>31</VALUE>
59          </BROWSER>
60          <BROWSER>
61              <NAME>Chrome</NAME>
62              <VALUE>11</VALUE>
63          </BROWSER>
64          <BROWSER>
65              <NAME>Safari</NAME>
66              <VALUE>4</VALUE>
67          </BROWSER>
68          <BROWSER>
69              <NAME>Opera</NAME>
70              <VALUE>2</VALUE>
71          </BROWSER>
72          <BROWSER>
73              <NAME>Other</NAME>
74              <VALUE>2</VALUE>
75          </BROWSER>
76      </STATS>
77      ';
78
79      // add text and date in header
80      $header = 'Browsers stats';
81
82      $paramsHeader = array(
83          'jc' =>    'right',
84          'textWrap' =>    5,
85      );
86
87      $date = getdate();
88
89      $docx-> addHeader($header . ' ' . $date['mon'] . '/' . $date['mday'] . '/'
90          . $date['year'], $paramsHeader);
91
92      // add footer with pager
93      $footer = 'DOCX generated using PHPDOCX PRO.';
94
95      $paramsFooter = array(
96          'pager' =>    'true',
97          'pagerAlignment' =>    'center',
98      );
99
100     $docx-> addFooter($footer, $paramsFooter);
101
102     // add chart title
103     $title = 'Browsers stats chart';
104
105     $paramsTitle = array(
106         'val' =>    1,
107         'b' =>    'single',
108         'sz' =>    22
109     );
110
111     $docx-> addTitle($title, $paramsTitle);
112
```

```php
113    // add line break
114    $docx->   addBreak('line');
115    $docx->   addBreak('line');
116    $docx->   addBreak('line');
117
118    // read XML Feb209Feb2010
119    $xmlFeb2009Feb2010 = new DOMDocument();
120    $xmlFeb2009Feb2010->   loadXML($statsFeb2009Feb2010);
121
122    // read XML Feb2010Feb2011
123    $xmlFeb2010Feb2011 = new DOMDocument();
124    $xmlFeb2010Feb2011->   loadXML($statsFeb2010Feb2011);
125
126    // read stats and create charts
127    $legendsAndValues = array();
128
129    for ($i = 0; $i <    $xmlFeb2009Feb2010->   getElementsByTagName("NAME"          )->   length;
$i++) {
130        $legendsAndValues[$xmlFeb2009Feb2010->   getElementsByTagName("NAME"          )->   item($i)-
>  nodeValue] = array(
131            $xmlFeb2009Feb2010->   getElementsByTagName("VALUE"          )->   item($i)->   nodeValue
132        );
133    }
134
135    $chart = array(
136        'data' =>    $legendsAndValues,
137        'type' =>    'pie3DChart',
138        'title' =>    'Feb 2009 - Feb 2010',
139        'cornerX' =>    20, 'cornerY' =>    20, 'cornerP' =>    30,
140        'color' =>    2,
141        'textWrap' =>    0,
142        'sizeX' =>    14, 'sizeY' =>    8,
143        'jc' =>    'center',
144        'showPercent' =>    1,
145    );
146
147    $docx->   addGraphic($chart);
148
149    // add line break
150    $docx->   addBreak('line');
151    $docx->   addBreak('line');
152
153    $legendsAndValues = array();
154
155    for($i = 0; $i <    $xmlFeb2010Feb2011->   getElementsByTagName("NAME"          )->   length; $i++)
{
156        $legendsAndValues[$xmlFeb2010Feb2011->   getElementsByTagName("NAME"          )->   item($i)-
>  nodeValue] = array(
157            $xmlFeb2010Feb2011->   getElementsByTagName("VALUE"          )->   item($i)->   nodeValue
158        );
159    }
160
161    $chart['data'] = $legendsAndValues;
162    $chart['title'] = 'Feb 2010 - Feb 2011';
163
164    $docx->   addGraphic($chart);
165
166    // add page break
167    $docx->   addBreak('page');
168
169    // add table title
170    $title = 'Browsers stats table';
171
172    $paramsTitle = array(
173        'val' =>    1,
174        'b' =>    'single',
175        'sz' =>    22
176    );
177
178    $docx->   addTitle($title, $paramsTitle);
179
180    // add line break
181    $docx->   addBreak('line');
182    $docx->   addBreak('line');
183    $docx->   addBreak('line');
184
185    // read stats and create table
186    $table = array();
187
188    $table[] = array(
```

```
189         '',
190         'Feb 2009 - Feb 2010',
191         'Feb 2010 - Feb 2011',
192     );
193
194
195     for($i = 0; $i <     $xmlFeb2009Feb2010->  getElementsByTagName("NAME"          )->   length; $i++)
{
196         $paramsHeaderTextTable[0] = array(
197             'text' =>   $xmlFeb2009Feb2010->  getElementsByTagName("NAME"          )->   item($i)-
>   nodeValue,
198             'b' =>    'single',
199             'sz' =>    14
200         );
201
202         $table[] = array(
203             $docx->   addElement('addText', $paramsHeaderTextTable),
204             $xmlFeb2009Feb2010->  getElementsByTagName("VALUE"         )->   item($i)->   nodeValue,
205             $xmlFeb2010Feb2011->  getElementsByTagName("VALUE"         )->   item($i)->   nodeValue
206         );
207     }
208
209     $paramsTable = array(
210         'border' =>    'single',
211         'border_sz' =>    2,
212         'jc' =>    'center',
213         'size_col' =>    2800
214     );
215
216     $docx->   addTable($table, $paramsTable);
217
218     // add page break
219     $docx->   addBreak('page');
220
221     // add text
222     $textInfo = 'Stats are based on aggregate data collected by StatCounter on a'
223     . ' sample exceeding 15 billion pageviews per month collected from across'
224     . ' the StatCounter network of more than 3 million websites. Stats are '
225     . ' updated and made available every 4 hours, however are subject to '
226     . 'quality assurance testing and revision for 7 days from publication.';
227
228     $paramsTextInfo = array(
229         'val' =>    1,
230         'i' =>    'single',
231         'sz' =>    8
232     );
233
234     $docx->   addText($textInfo, $paramsTextInfo);
235
236     // add link
237     $docx->   addLink('Source: StatCounter', 'http://gs.statcounter.com');
238
239     // generate DOCX file
240     $docx->   createDocx('example_report');
```

example

```php
1    <?php
2
3    /**
4     * Create a DOCX file. User customized document
5     *
6     * @category   Phpdocx
7     * @package    examples
8     * @subpackage intermediate
9     * @copyright  Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10    *             (http://www.2mdc.com)
11    * @license    http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12    * @version    2.2
13    * @link       http://www.phpdocx.com
14    * @since      File available since Release 2.2
15    */
16   require_once '../../classes/CreateDocx.inc';
17
18   $users = array(
19                   0 => array(   'name' =>    'Don Mattingly',
20                                 'value1' =>   '0.2',
21                                 'value2' =>   '0.4',
22                                 'value3' =>   '0.6',
```

```
23                                   ),
24                 1 => array(    'name' =>    'Brian Sipe',
25                                'value1' =>   '0.3',
26                                'value2' =>   '0.3',
27                                'value3' =>   '0.4',
28                                   ),
29                 2 => array(    'name' =>    'Julius Erving',
30                                'value1' =>   '0.1',
31                                'value2' =>   '0.2',
32                                'value3' =>   '0.7',
33                                   )
34     );
35
36
37     foreach ($users as $user) {
38
39         $docx = new CreateDocx();
40
41         $paramsTitle = array(
42             'val' =>    1,
43             'u' =>     'single',
44         );
45
46         $docx->   addTitle($user['name'] . '\'s Document', $paramsTitle);
47
48         $docx->   addBreak('line');
49
50         $text = array();
51
52         $text[] =
53             array(
54                 'text' =>    'Hi, ',
55         );
56
57         $text[] =
58             array(
59                 'text' =>    $user['name'],
60                 'b' =>     'single',
61         );
62
63         $text[] =
64             array(
65                 'text' =>    ' lorem ipsum dolor sit amet, consectetur' .
66                     'adipiscing elit. Pellentesque egestas gravida tincidunt. ' .
67                     'Nunc ante enim, auctor at elementum porttitor, pharetra a' .
68                     ' erat. Vivamus semper orci nec neque faucibus a varius ' .
69                     'libero ultrices. Mauris viverra, nisl sed ullamcorper.',
70         );
71
72         $docx->   addText($text);
73
74         $docx->   addBreak('line');
75
76         $docx->   addText('Lorem ipsum dolor sit amet, consectetur: ');
77
78         $paramsList = array(
79             'val' =>    1,
80             'bullets' => array(   3, 1, 2)
81         );
82
83         $valuesList = array(
84             'Donec tellus justo',
85                 array(
86                     'faucibus nec commodo quis',
87                     'dignissim ut ipsum',
88                     'Aenean hendrerit interdum',
89                         array(
90                             'Morbi malesuada luctus libero',
91                             'sodales est placerat eget',
92                             'Aenean eget nulla vel'
93                         ),
94                 ),
95             'enim viverra iaculis',
96             'aliquet aliquam nisl',
97         );
98         $docx->   addList($valuesList, $paramsList);
99
100        $docx->   addBreak('page');
101
102        $legends = array(
```

```
103             '0' => array(    'sequence 1', 'sequence 2', 'sequence 3'),
104             'legend1' => array(   $user['value1']),
105             'legend2' => array(   $user['value2']),
106             'legend3' => array(   $user['value3'])
107         );
108     $args = array(
109             'data' =>   $legends,
110             'type' =>    'pie3DChart',
111             'title' =>    $user['name'] . '\'s chart',
112             'cornerX' =>    20, 'cornerY' =>    20, 'cornerP' =>    30,
113             'color' =>    2,
114             'textWrap' =>    0,
115             'sizeX' =>    10, 'sizeY' =>    10,
116             'jc' =>     'left',
117             'showPercent' =>    1,
118             'font' =>    'Times New Roman'
119         );
120     $docx->   addGraphic($args);
121
122     $docx->   createDocx('example_multidocument_' . $user['name']);
123
124  }
```

example

```
1    <?php
2
3    /**
4     * Create a DOCX file. Footer Paginator example
5     *
6     * @category    Phpdocx
7     * @package     examples
8     * @subpackage easy
9     * @copyright  Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10    *              (http://www.2mdc.com)
11    * @license    http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12    * @version    2.2
13    * @link       http://www.phpdocx.com
14    * @since      File available since Release 2.2
15    */
16   require_once('../../classes/CreateDocx.inc');
17
18   $docx = new CreateDocx();
19
20   $docx->   addText('Page 1 Content');
21   $docx->   addBreak('page');
22
23   $docx->   addText('Page 2 Content');
24   $docx->   addBreak('page');
25
26   $docx->   addText('Page 3 Content');
27
28   $paramsFooter = array(
29       'font' =>    'Arial',
30       'pager' =>     'true',
31       'pagerAlignment' =>    'right'
32   );
33
34   $docx->   addFooter('Footer. Arial font', $paramsFooter);
35
36   $docx->   createDocx('example_footer_pager');
```

example

```
1    <?php
2
3    /**
4     * Create a DOCX file. Footnotes in different objects
5     *
6     * @category    Phpdocx
7     * @package     examples
8     * @subpackage intermediate
9     * @copyright  Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10    *              (http://www.2mdc.com)
11    * @license    http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12    * @version    2.2
13    * @link       http://www.phpdocx.com
14    * @since      File available since Release 2.2
```

```php
15      */
16     require_once '../../classes/CreateDocx.inc';
17
18     $docx = new CreateDocx();
19
20     $text = 'Lorem ipsum dolor sit amet, consectetur adipisicing elit, ' .
21         'sed do eiusmod tempor incididunt ut labore et dolore magna aliqua:';
22
23     $paramsText = array(
24         'font' =>    'Arial'
25     );
26
27     $docx->    addText($text, $paramsText);
28
29     $legends = array(
30         'legend1' => array(   24),
31         'legend2' => array(   45),
32         'legend3' => array(   31)
33     );
34     $args = array(
35         'data' =>     $legends,
36         'type' =>     'pie3DChart',
37         'title' =>     'Title first chart',
38         'cornerX' =>    20, 'cornerY' =>    20, 'cornerP' =>    30,
39         'color' =>    2,
40         'textWrap' =>    0,
41         'sizeX' =>    10, 'sizeY' =>    10,
42         'jc' =>     'left',
43         'showPercent' =>    1,
44         'font' =>    'Times New Roman',
45         'border' =>    1
46     );
47     $docx->    addGraphic($args);
48
49     $docx->    addFootnote(
50         array(
51             'textDocument' =>    'Lorem ipsum dolor sit amet',
52             'textEndNote' =>    'Curabitur id dui purus, sit amet blandit lacus. ' .
53                             'Vivamus mollis magna et risus molestie blandit. ' .
54                             'Phasellus vel tortor quis metus consectetur.'
55         )
56     );
57
58     $docx->    addBreak('line');
59
60     $text = 'Cras eget porttitor sapien. Aenean tristique, nibh quis egestas ' .
61             'varius, erat neque sodales neque, quis bibendum sem lorem accumsan ' .
62             'mauris. Aliquam justo justo, vulputate sed condimentum non, pharetra:';
63
64     $paramsText = array(
65         'font' =>    'Arial'
66     );
67
68     $docx->    addText($text, $paramsText);
69
70     $paramsImg = array(
71         'name' =>    '../files/img/image.png',
72         'scaling' =>    75,
73         'textWrap' =>    0,
74         'border' =>    1,
75     );
76
77     $docx->    addImage($paramsImg);
78
79     $docx->    addFootnote(
80         array(
81             'textDocument' =>    'Aenean non gravida sapien',
82             'textEndNote' =>    'Nunc pretium bibendum dui id laoreet. Nunc ' .
83                             'venenatis. Duis quis lorem vel dui tincidunt ' .
84                             'pellentesque quis sed diam.'
85         )
86     );
87
88     $docx->    createDocx('example_chart_footnotes');
```

example

```php
1     <?php
2
```

```
3      /**
4       * Create a DOCX file. Page break example
5       *
6       * @category   Phpdocx
7       * @package    examples
8       * @subpackage easy
9       * @copyright  Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10      *            (http://www.2mdc.com)
11      * @license    http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12      * @version    1.8
13      * @link       http://www.phpdocx.com
14      * @since      File available since Release 1.8
15      */
16     require_once '../../classes/CreateDocx.inc';

17
18     $docx = new CreateDocx();

19
20     $text = 'Lorem ipsum dolor sit amet, consectetur adipisicing elit, ' .
21         'sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut ' .
22         'enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut' .
23         'aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit ' .
24         'in voluptate velit esse cillum dolore eu fugiat nulla pariatur. ' .
25         'Excepteur sint occaecat cupidatat non proident, sunt in culpa qui ' .
26         'officia deserunt mollit anim id est laborum.';

27
28     $docx->   addText($text);

29
30     $docx->   addBreak('line');

31
32     $docx->   addText($text);

33
34     $docx->   addBreak('line');

35
36     $docx->   addBreak('line');

37
38     $docx->   addText($text);

39
40     $docx->   addBreak('page');

41
42     $docx->   addText($text);

43
44     $docx->   createDocx('example_pagebreak');
```

Function Parameters:

- *string* **$type** Break type.   Values: 'line', 'page'

Add a break

- **Access** public
- **Example**
- **Example**
- **Example**
- **Example**
- **Example**

void function CreateDocx::addDOCX($pathDOCX) *[line 853]*

example

```
1    <?php
2
3    /**
4     * Create a DOCX file. Add HTML code in a DOCX file
5     *
6     * @category   Phpdocx
7     * @package    examples
8     * @subpackage easy
9     * @copyright  Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10   // *            (http://www.2mdc.com)
11    * @license    http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12    * @version    05.24.2011
13    * @link       http://www.phpdocx.com
14    * @since      File available since Release 2.3
15    */
16   require_once '../../classes/CreateDocx.inc';
17
18   $docx = new CreateDocx();
19
20   $docx->   addText('DOCX content');
21
22   $docx->   addDOCX('../files/Text.docx');
23
24   $docx->   addText('End DOCX content');
25
26   $docx->   createDocx('example_docx');
```

Function Parameters:

- *string* **$pathDOCX** Path to DOCX

Merge DOCX. Keep content and styles.

- **Access** public
- **Example** example not found
- **Example**

Element function CreateDocx::addElement($type, [$params = ''], $parrams) *[line 888]*

<div align="center">

example

</div>

```
1    <?php
2
3    /**
4     * Create a DOCX file. Table styled
5     *
6     * @category   Phpdocx
7     * @package    examples
8     * @subpackage intermediate
9     * @copyright  Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10    *            (http://www.2mdc.com)
11    * @license    http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12    * @version    2.2
13    * @link       http://www.phpdocx.com
14    * @since      File available since Release 2.2
15    */
16   require_once '../../classes/CreateDocx.inc';
17
18   $docx = new CreateDocx();
19
20   $frameworks = array(
```

```php
21                    array('name' =>    'Code Igniter',
22                        'ajax' =>    'Prototype/script.aculo.us, jQuery/jQuery UI',
23                        'mvc' =>    'Modified active record pattern',
24                        'orm' =>    'No',
25                        'security' =>    'Yes'
26                    ),
27                    array('name' =>    'Drupal',
28                        'ajax' =>    'jQuery/jQuery UI, more',
29                        'mvc' =>    'No',
30                        'orm' =>    'Optional module',
31                        'security' =>    'Yes'
32                    ),
33                    array('name' =>    'eZ Components',
34                        'ajax' =>    'No',
35                        'mvc' =>    'Yes',
36                        'orm' =>    'Yes',
37                        'security' =>    'Yes'
38                    ),
39                    array('name' =>    'Symfony',
40                        'ajax' =>    'Prototype, script.aculo.us, Unobtrusive Ajax ' .
41                            'with UJS and PJS plugins',
42                        'mvc' =>    'Push',
43                        'orm' =>    'Yes',
44                        'security' =>    'Plugin'
45                    ),
46                    array('name' =>    'Zend Framework',
47                        'ajax' =>    'Toolkit-independent',
48                        'mvc' =>    'Push and Pull',
49                        'orm' =>    'Yes',
50                        'security' =>    'ACL-based'
51                    )
52    );
53
54    $headerStyle[0] = array(
55        'b' =>    'single',
56        'font' =>    'Arial',
57    );
58
59    $table[] = array(
60        '',
61        'Ajax',
62        'MVC framework',
63        'ORM',
64        'Security Framework(s)'
65    );
66
67    foreach ($frameworks as $framework) {
68        $headerStyle[0]['text'] = $framework['name'];
69        $table[] = array(
70            $docx->    addElement('addText', $headerStyle),
71            $framework['ajax'],
72            $framework['mvc'],
73            $framework['orm'],
74            $framework['security']
75        );
76    }
77
78    $paramsTable = array(
79        'TBLLOOKval' =>    'ffff01E0',
80        'TBLSTYLEval' =>    'Tablanormal',
81        'TBLWtype' =>    'center',
82        'TBLWw' =>    '50',
83        'border' =>    'single',
84        'border_sz' =>    20,
85        'border_spacing' =>    0,
86        'border_color' =>    '000000',
87        'jc' =>    'center',
88        'size_col' =>    2800
89    );
90
91    $docx->    addTable($table, $paramsTable);
92
93    $docx->    createDocx('example_table_styled');
```

example

```php
1    <?php
2
3    /**
```

```php
 4      * Create a DOCX file. List with image, list, chart and textbox
 5      *
 6      * @category    Phpdocx
 7      * @package     examples
 8      * @subpackage  intermediate
 9      * @copyright   Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10      *              (http://www.2mdc.com)
11      * @license     http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12      * @version     1.8
13      * @link        http://www.phpdocx.com
14      * @since       File available since Release 1.8
15      */
16     require_once '../../classes/CreateDocx.inc';
17
18     $docx = new CreateDocx();
19
20     $paramsLink = array(
21         'title' =>    'Link to Google',
22         'link' =>     'http://www.google.es'
23     );
24
25     $link = $docx->   addElement('addLink', $paramsLink);
26
27
28     $paramsImage = array(
29         'name' =>    '../files/img/image.png'
30     );
31
32     $image = $docx->   addElement('addImage', $paramsImage);
33
34     $legends = array(
35         'legend1' => array(   10, 11, 12),
36         'legend2' => array(   0, 1, 2),
37         'legend3' => array(   40, 41, 42)
38     );
39
40     $paramsChart = array(
41         'data' =>    $legends,
42         'type' =>    'pie3DChart',
43         'title' =>   'Title'
44     );
45     $chart = $docx->   addElement('addGraphic', $paramsChart);
46
47     $paramsText = array(
48         'b' =>    'single'
49     );
50
51     $paramsBox = array(
52         'jc' =>    'square'
53     );
54
55     $paramsTextBox = array(
56         array(
57             'text' =>    'Lorem ipsum dolor sit amet, consectetur adipisicing ' .
58                          'elit, sed do eiusmod tempor incididunt ut labore et ' .
59                          'dolore magna aliqua. Ut enim ad minim veniam, quis ' .
60                          'nostrud exercitation ullamco laboris nisi ut aliquip ' .
61                          'ex ea commodo consequat. Duis aute irure dolor in ' .
62                          'reprehenderit in voluptate velit esse cillum dolore ' .
63                          'eu fugiat nulla pariatur. Excepteur sint occaecat ' .
64                          'cupidatat non proident, sunt in culpa qui officia ' .
65                          'deserunt mollit anim id est laborum.',
66             'args' =>    $paramsText
67         ),
68         $paramsBox
69     );
70
71     $textBox = $docx->   addElement('addTextBox', $paramsTextBox);
72
73     $valuesList = array(
74         'Line 1',
75         $link,
76         $image,
77         $chart,
78         'Line 2',
79         'Line 3',
80         $textBox,
81     );
82     $paramsList = array(
83         'val' =>    1
```

```
84        );
85        $docx->    addList($valuesList, $paramsList);
86
87        $docx->    createDocx('example_list');
```
Function Parameters:

- *string* **$type** Element type.   Values: 'addImage', 'addGraphic', 'addLink', 'addTextBox', 'addText'
- *array* **$parrams** Set of parameters.   Values: same as elements
- **$params**

Add an element to embedd in other elements

- **Access** public
- **Example**
- **Example**

void function CreateDocx::addEndnote([$paramsEndnote = '']) *[line 1035]*

example

```php
1     <?php
2
3     /**
4      * Create a DOCX file. Endnote and footnote example
5      *
6      * @category   Phpdocx
7      * @package    examples
8      * @subpackage intermediate
9      * @copyright  Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10     *              (http://www.2mdc.com)
11     * @license    http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12     * @version    1.8
13     * @link       http://www.phpdocx.com
14     * @since      File available since Release 1.8
15     */
16     require_once('../../classes/CreateDocx.inc');
17
18     $docx = new CreateDocx();
19
20     $docx->    addEndnote(
21         array(
22             'textDocument' =>    'Lorem ipsum dolor sit amet',
23             'textEndNote' =>    'endnote'
24         )
25     );
26
27     $docx->    addFootnote(
28         array(
29             'textDocument' =>    'Lorem ipsum dolor sit amet',
30             'textEndNote' =>    'footnote'
31         )
32     );
33
34     $docx->    createDocx('example_endnote_footnote');
```

example

```php
1     <?php
```

```
2
3      /**
4       * Create a DOCX file. Enodnote example
5       *
6       * @category    Phpdocx
7       * @package     examples
8       * @subpackage easy
9       * @copyright   Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10      *              (http://www.2mdc.com)
11      * @license     http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12      * @version     1.8
13      * @link        http://www.phpdocx.com
14      * @since       File available since Release 1.8
15      */
16     require_once '../../classes/CreateDocx.inc';
17
18     $docx = new CreateDocx();
19
20     $docx->  addEndnote(
21         array(
22             'textDocument' =>    'Lorem ipsum dolor sit amet',
23             'textEndNote' =>    'endnote',
24             'font' =>    'Arial'
25         )
26     );
27
28     $docx->  createDocx('example_endnote');
```
Function Parameters:

- *string* **$paramsEndnote** Parameters of endnote.   Optional, default empty.   Values: 'font', 'textDocument', 'textEndNote'

Add an endnote

- **Access** public
- **Example**
- **Example**

void function CreateDocx::addFont($fonts) *[line 1056]*
  Function Parameters:

- *array* **$fonts** Fonts to add

Add a new font

- **Access** public

void function CreateDocx::addFooter([$dat = ''], [$paramsFooter = '']) *[line 1077]*

example

```php
1     <?php
2
3     /**
4      * Create a DOCX file. Report example
5      *
6      * @category    Phpdocx
7      * @package     examples
8      * @subpackage  advanced
9      * @copyright   Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10     *              (http://www.2mdc.com)
11     * @license     http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12     * @version     2.2
13     * @link        http://www.phpdocx.com
14     * @since       File available since Release 2.2
15     */
16    require_once '../../classes/CreateDocx.inc';
17
18    $docx = new CreateDocx();
19
20    // browser stats
21    $statsFeb2009Feb2010 = '
22    <STATS>
23        <BROWSER>
24            <NAME>Internet Explorer</NAME>
25            <VALUE>58</VALUE>
26        </BROWSER>
27        <BROWSER>
28            <NAME>Firefox</NAME>
29            <VALUE>31</VALUE>
30        </BROWSER>
31        <BROWSER>
32            <NAME>Chrome</NAME>
33            <VALUE>4</VALUE>
34        </BROWSER>
35        <BROWSER>
36            <NAME>Safari</NAME>
37            <VALUE>3</VALUE>
38        </BROWSER>
39        <BROWSER>
40            <NAME>Opera</NAME>
41            <VALUE>2</VALUE>
42        </BROWSER>
43        <BROWSER>
44            <NAME>Other</NAME>
45            <VALUE>2</VALUE>
46        </BROWSER>
47    </STATS>
48    ';
49
50    $statsFeb2010Feb2011 = '
51    <STATS>
52        <BROWSER>
53            <NAME>Internet Explorer</NAME>
54            <VALUE>50</VALUE>
55        </BROWSER>
56        <BROWSER>
57            <NAME>Firefox</NAME>
58            <VALUE>31</VALUE>
59        </BROWSER>
60        <BROWSER>
61            <NAME>Chrome</NAME>
62            <VALUE>11</VALUE>
63        </BROWSER>
64        <BROWSER>
65            <NAME>Safari</NAME>
66            <VALUE>4</VALUE>
67        </BROWSER>
68        <BROWSER>
69            <NAME>Opera</NAME>
70            <VALUE>2</VALUE>
```

```php
71          </BROWSER>
72          <BROWSER>
73              <NAME>Other</NAME>
74              <VALUE>2</VALUE>
75          </BROWSER>
76      </STATS>
77      ';
78
79      // add text and date in header
80      $header = 'Browsers stats';
81
82      $paramsHeader = array(
83          'jc' =>     'right',
84          'textWrap' =>     5,
85      );
86
87      $date = getdate();
88
89      $docx->   addHeader($header . ' ' . $date['mon'] . '/' . $date['mday'] . '/'
90          . $date['year'], $paramsHeader);
91
92      // add footer with pager
93      $footer = 'DOCX generated using PHPDOCX PRO.';
94
95      $paramsFooter = array(
96          'pager' =>     'true',
97          'pagerAlignment' =>     'center',
98      );
99
100     $docx->   addFooter($footer, $paramsFooter);
101
102     // add chart title
103     $title = 'Browsers stats chart';
104
105     $paramsTitle = array(
106         'val' =>     1,
107         'b' =>     'single',
108         'sz' =>     22
109     );
110
111     $docx->   addTitle($title, $paramsTitle);
112
113     // add line break
114     $docx->   addBreak('line');
115     $docx->   addBreak('line');
116     $docx->   addBreak('line');
117
118     // read XML Feb209Feb2010
119     $xmlFeb2009Feb2010 = new DOMDocument();
120     $xmlFeb2009Feb2010->   loadXML($statsFeb2009Feb2010);
121
122     // read XML Feb2010Feb2011
123     $xmlFeb2010Feb2011 = new DOMDocument();
124     $xmlFeb2010Feb2011->   loadXML($statsFeb2010Feb2011);
125
126     // read stats and create charts
127     $legendsAndValues = array();
128
129     for ($i = 0; $i <    $xmlFeb2009Feb2010->   getElementsByTagName("NAME"          )->   length;
$i++) {
130         $legendsAndValues[$xmlFeb2009Feb2010->   getElementsByTagName("NAME"          )->   item($i)-
>   nodeValue] = array(
131             $xmlFeb2009Feb2010->   getElementsByTagName("VALUE"          )->   item($i)->   nodeValue
132         );
133     }
134
135     $chart = array(
136         'data' =>     $legendsAndValues,
137         'type' =>     'pie3DChart',
138         'title' =>     'Feb 2009 - Feb 2010',
139         'cornerX' =>     20, 'cornerY' =>     20, 'cornerP' =>     30,
140         'color' =>     2,
141         'textWrap' =>     0,
142         'sizeX' =>     14, 'sizeY' =>     8,
143         'jc' =>     'center',
144         'showPercent' =>     1,
145     );
146
147     $docx->   addGraphic($chart);
148
```

```php
149    // add line break
150    $docx->  addBreak('line');
151    $docx->  addBreak('line');
152
153    $legendsAndValues = array();
154
155    for($i = 0; $i <    $xmlFeb2010Feb2011->   getElementsByTagName("NAME"          )->   length; $i++)
{
156         $legendsAndValues[$xmlFeb2010Feb2011->   getElementsByTagName("NAME"          )->   item($i)-
>  nodeValue] = array(
157              $xmlFeb2010Feb2011->   getElementsByTagName("VALUE"          )->   item($i)->   nodeValue
158         );
159    }
160
161    $chart['data'] = $legendsAndValues;
162    $chart['title'] = 'Feb 2010 - Feb 2011';
163
164    $docx->  addGraphic($chart);
165
166    // add page break
167    $docx->  addBreak('page');
168
169    // add table title
170    $title = 'Browsers stats table';
171
172    $paramsTitle = array(
173         'val' =>    1,
174         'b' =>    'single',
175         'sz' =>    22
176    );
177
178    $docx->  addTitle($title, $paramsTitle);
179
180    // add line break
181    $docx->  addBreak('line');
182    $docx->  addBreak('line');
183    $docx->  addBreak('line');
184
185    // read stats and create table
186    $table = array();
187
188    $table[] = array(
189         '',
190         'Feb 2009 - Feb 2010',
191         'Feb 2010 - Feb 2011',
192    );
193
194
195    for($i = 0; $i <    $xmlFeb2009Feb2010->   getElementsByTagName("NAME"          )->   length; $i++)
{
196         $paramsHeaderTextTable[0] = array(
197              'text' =>    $xmlFeb2009Feb2010->   getElementsByTagName("NAME"          )->   item($i)-
>  nodeValue,
198              'b' =>    'single',
199              'sz' =>    14
200         );
201
202         $table[] = array(
203              $docx->   addElement('addText', $paramsHeaderTextTable),
204              $xmlFeb2009Feb2010->   getElementsByTagName("VALUE"          )->   item($i)->   nodeValue,
205              $xmlFeb2010Feb2011->   getElementsByTagName("VALUE"          )->   item($i)->   nodeValue
206         );
207    }
208
209    $paramsTable = array(
210         'border' =>    'single',
211         'border_sz' =>    2,
212         'jc' =>    'center',
213         'size_col' =>    2800
214    );
215
216    $docx->  addTable($table, $paramsTable);
217
218    // add page break
219    $docx->  addBreak('page');
220
221    // add text
222    $textInfo = 'Stats are based on aggregate data collected by StatCounter on a'
223    . ' sample exceeding 15 billion pageviews per month collected from across'
224    . ' the StatCounter network of more than 3 million websites. Stats are '
```

```
225    . ' updated and made available every 4 hours, however are subject to '
226    . 'quality assurance testing and revision for 7 days from publication.';
227
228    $paramsTextInfo = array(
229        'val' =>    1,
230        'i' =>     'single',
231        'sz' =>    8
232    );
233
234    $docx->   addText($textInfo, $paramsTextInfo);
235
236    // add link
237    $docx->   addLink('Source: StatCounter', 'http://gs.statcounter.com');
238
239    // generate DOCX file
240    $docx->   createDocx('example_report');
```

<p align="center" style="font-size:2em">example</p>

```
1     <?php
2
3     /**
4      * Create a DOCX file. Footer Paginator example
5      *
6      * @category    Phpdocx
7      * @package     examples
8      * @subpackage easy
9      * @copyright   Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10     *              (http://www.2mdc.com)
11     * @license     http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12     * @version     2.2
13     * @link        http://www.phpdocx.com
14     * @since       File available since Release 2.2
15     */
16    require_once('../../classes/CreateDocx.inc');
17
18    $docx = new CreateDocx();
19
20    $docx->   addText('Page 1 Content');
21    $docx->   addBreak('page');
22
23    $docx->   addText('Page 2 Content');
24    $docx->   addBreak('page');
25
26    $docx->   addText('Page 3 Content');
27
28    $paramsFooter = array(
29        'font' =>    'Arial',
30        'pager' =>    'true',
31        'pagerAlignment' =>    'right'
32    );
33
34    $docx->   addFooter('Footer. Arial font', $paramsFooter);
35
36    $docx->   createDocx('example_footer_pager');
```

<p align="center" style="font-size:2em">example</p>

```
1     <?php
2
3     /**
4      * Create a DOCX file. Header and footer with font styles
5      *
6      * @category    Phpdocx
7      * @package     examples
8      * @subpackage intermediate
9      * @copyright   Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10     *              (http://www.2mdc.com)
11     * @license     http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12     * @version     1.8
13     * @link        http://www.phpdocx.com
14     * @since       File available since Release 1.8
15     */
16    require_once '../../classes/CreateDocx.inc';
17
18    $docx = new CreateDocx();
19
20    $paramsHeader = array(
```

```
21          'name' =>    '../files/img/image.png',
22          'jc' =>      'right',
23          'textWrap' =>      5,
24          'font' =>    'Arial'
25      );
26
27      $docx->   addHeader('Header Arial', $paramsHeader);
28
29      $paramsHeader = array(
30          'font' =>    'Times New Roman'
31      );
32
33      $docx->   addHeader('Header Times New Roman', $paramsHeader);
34
35      $paramsFooter = array(
36          'pager' =>    'true',
37          'pagerAlignment' =>    'center',
38          'font' =>    'Arial'
39      );
40
41      $docx->   addFooter('Footer Arial', $paramsFooter);
42
43      $paramsFooter = array(
44          'font' =>    'Times New Roman'
45      );
46
47      $docx->   addFooter('Footer Times New Roman', $paramsFooter);
48      $docx->   createDocx('example_header_and_footer');
```

example

```
1     <?php
2
3     /**
4      * Create a DOCX file. Footer example
5      *
6      * @category    Phpdocx
7      * @package     examples
8      * @subpackage  easy
9      * @copyright   Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10     *              (http://www.2mdc.com)
11     * @license     http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12     * @version     1.8
13     * @link        http://www.phpdocx.com
14     * @since       File available since Release 1.8
15     */
16     require_once '../../classes/CreateDocx.inc';
17
18     $docx = new CreateDocx();
19
20     $paramsFooter = array(
21         'font' =>    'Times New Roman'
22     );
23
24     $docx->   addFooter('Footer. Times New Roman font', $paramsFooter);
25
26     $docx->   createDocx('example_footer');
```
Function Parameters:

- *string* **$dat** Text to add
- *array* **$paramsFooter** Parameters of footer   Values: 'name', 'pager' (true, false), 'pagerAlignment' (left, right, false)

Add a footer

- **Access** public
- **Example**
- **Example**
- **Example**
- **Example**

void function CreateDocx::addFootnote([$paramsFootnote = '']) *[line 1107]*

example

```php
1    <?php
2
3    /**
4     * Create a DOCX file. Endnote and footnote example
5     *
6     * @category   Phpdocx
7     * @package    examples
8     * @subpackage intermediate
9     * @copyright  Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10    *               (http://www.2mdc.com)
11    * @license    http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12    * @version    1.8
13    * @link       http://www.phpdocx.com
14    * @since      File available since Release 1.8
15    */
16   require_once('../../classes/CreateDocx.inc');
17
18   $docx = new CreateDocx();
19
20   $docx->    addEndnote(
21       array(
22           'textDocument' =>    'Lorem ipsum dolor sit amet',
23           'textEndNote' =>    'endnote'
24       )
25   );
26
27   $docx->    addFootnote(
28       array(
29           'textDocument' =>    'Lorem ipsum dolor sit amet',
30           'textEndNote' =>    'footnote'
31       )
32   );
33
34   $docx->    createDocx('example_endnote_footnote');
```

example

```php
1    <?php
2
3    /**
4     * Create a DOCX file. Footnotes in different objects
5     *
6     * @category   Phpdocx
7     * @package    examples
8     * @subpackage intermediate
9     * @copyright  Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10    *               (http://www.2mdc.com)
11    * @license    http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12    * @version    2.2
13    * @link       http://www.phpdocx.com
14    * @since      File available since Release 2.2
15    */
16   require_once '../../classes/CreateDocx.inc';
17
18   $docx = new CreateDocx();
19
20   $text = 'Lorem ipsum dolor sit amet, consectetur adipisicing elit, ' .
21       'sed do eiusmod tempor incididunt ut labore et dolore magna aliqua:';
22
23   $paramsText = array(
24       'font' =>    'Arial'
25   );
```

```
26
27    $docx->    addText($text, $paramsText);
28
29    $legends = array(
30        'legend1' => array(   24),
31        'legend2' => array(   45),
32        'legend3' => array(   31)
33    );
34    $args = array(
35        'data' =>      $legends,
36        'type' =>     'pie3DChart',
37        'title' =>     'Title first chart',
38        'cornerX' =>    20, 'cornerY' =>    20, 'cornerP' =>    30,
39        'color' =>     2,
40        'textWrap' =>    0,
41        'sizeX' =>     10, 'sizeY' =>    10,
42        'jc' =>      'left',
43        'showPercent' =>    1,
44        'font' =>     'Times New Roman',
45        'border' =>     1
46    );
47    $docx->    addGraphic($args);
48
49    $docx->    addFootnote(
50        array(
51            'textDocument' =>    'Lorem ipsum dolor sit amet',
52            'textEndNote' =>    'Curabitur id dui purus, sit amet blandit lacus. ' .
53                               'Vivamus mollis magna et risus molestie blandit. ' .
54                               'Phasellus vel tortor quis metus consectetur.'
55        )
56    );
57
58    $docx->    addBreak('line');
59
60    $text = 'Cras eget porttitor sapien. Aenean tristique, nibh quis egestas ' .
61            'varius, erat neque sodales neque, quis bibendum sem lorem accumsan ' .
62            'mauris. Aliquam justo justo, vulputate sed condimentum non, pharetra:';
63
64    $paramsText = array(
65        'font' =>     'Arial'
66    );
67
68    $docx->    addText($text, $paramsText);
69
70    $paramsImg = array(
71        'name' =>     '../files/img/image.png',
72        'scaling' =>    75,
73        'textWrap' =>    0,
74        'border' =>     1,
75    );
76
77    $docx->    addImage($paramsImg);
78
79    $docx->    addFootnote(
80        array(
81            'textDocument' =>    'Aenean non gravida sapien',
82            'textEndNote' =>    'Nunc pretium bibendum dui id laoreet. Nunc ' .
83                               'venenatis. Duis quis lorem vel dui tincidunt ' .
84                               'pellentesque quis sed diam.'
85        )
86    );
87
88    $docx->    createDocx('example_chart_footnotes');
```

example

```php
1     <?php
2
3     /**
4      * Create a DOCX file. Footnote example
5      *
6      * @category    Phpdocx
7      * @package     examples
8      * @subpackage easy
9      * @copyright   Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10     *              (http://www.2mdc.com)
11     * @license     http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12     * @version     1.8
13     * @link        http://www.phpdocx.com
```

```
14      * @since       File available since Release 1.8
15      */
16     require_once '../../classes/CreateDocx.inc';
17
18     $docx = new CreateDocx();
19
20     $docx->   addFootnote(
21         array(
22             'textDocument' =>     'Lorem ipsum dolor sit amet',
23             'textEndNote' =>    'footnote'
24         )
25     );
26
27     $docx->   createDocx('example_footnote');
```

Function Parameters:

- *array* **$paramsFootnote** Parameters of footnote   Values: 'font', 'textDocument', 'textEndNote'

Add a footnote

- **Access** public
- **Example**
- **Example**
- **Example**

void function CreateDocx::addGraphic($dats) *[line 1141]*

example

```
1      <?php
2
3      /**
4       * Create a DOCX file. Report example
5       *
6       * @category   Phpdocx
7       * @package    examples
8       * @subpackage advanced
9       * @copyright  Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10      *             (http://www.2mdc.com)
11      * @license    http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12      * @version    2.2
13      * @link       http://www.phpdocx.com
14      * @since      File available since Release 2.2
15      */
16     require_once '../../classes/CreateDocx.inc';
17
18     $docx = new CreateDocx();
19
20     // browser stats
21     $statsFeb2009Feb2010 = '
22     <STATS>
23         <BROWSER>
24             <NAME>Internet Explorer</NAME>
25             <VALUE>58</VALUE>
26         </BROWSER>
27         <BROWSER>
28             <NAME>Firefox</NAME>
29             <VALUE>31</VALUE>
30         </BROWSER>
```

```php
    <BROWSER>
        <NAME>Chrome</NAME>
        <VALUE>4</VALUE>
    </BROWSER>
    <BROWSER>
        <NAME>Safari</NAME>
        <VALUE>3</VALUE>
    </BROWSER>
    <BROWSER>
        <NAME>Opera</NAME>
        <VALUE>2</VALUE>
    </BROWSER>
    <BROWSER>
        <NAME>Other</NAME>
        <VALUE>2</VALUE>
    </BROWSER>
</STATS>
';

$statsFeb2010Feb2011 = '
<STATS>
    <BROWSER>
        <NAME>Internet Explorer</NAME>
        <VALUE>50</VALUE>
    </BROWSER>
    <BROWSER>
        <NAME>Firefox</NAME>
        <VALUE>31</VALUE>
    </BROWSER>
    <BROWSER>
        <NAME>Chrome</NAME>
        <VALUE>11</VALUE>
    </BROWSER>
    <BROWSER>
        <NAME>Safari</NAME>
        <VALUE>4</VALUE>
    </BROWSER>
    <BROWSER>
        <NAME>Opera</NAME>
        <VALUE>2</VALUE>
    </BROWSER>
    <BROWSER>
        <NAME>Other</NAME>
        <VALUE>2</VALUE>
    </BROWSER>
</STATS>
';

// add text and date in header
$header = 'Browsers stats';

$paramsHeader = array(
    'jc' =>     'right',
    'textWrap' =>    5,
);

$date = getdate();

$docx->  addHeader($header . ' ' . $date['mon'] . '/' . $date['mday'] . '/'
    . $date['year'], $paramsHeader);

// add footer with pager
$footer = 'DOCX generated using PHPDOCX PRO.';

$paramsFooter = array(
    'pager' =>     'true',
    'pagerAlignment' =>    'center',
);

$docx->  addFooter($footer, $paramsFooter);

// add chart title
$title = 'Browsers stats chart';

$paramsTitle = array(
    'val' =>     1,
    'b' =>     'single',
    'sz' =>     22
);
```

```php
111    $docx->   addTitle($title, $paramsTitle);
112
113    // add line break
114    $docx->   addBreak('line');
115    $docx->   addBreak('line');
116    $docx->   addBreak('line');
117
118    // read XML Feb209Feb2010
119    $xmlFeb2009Feb2010 = new DOMDocument();
120    $xmlFeb2009Feb2010->   loadXML($statsFeb2009Feb2010);
121
122    // read XML Feb2010Feb2011
123    $xmlFeb2010Feb2011 = new DOMDocument();
124    $xmlFeb2010Feb2011->   loadXML($statsFeb2010Feb2011);
125
126    // read stats and create charts
127    $legendsAndValues = array();
128
129    for ($i = 0; $i <    $xmlFeb2009Feb2010->   getElementsByTagName("NAME"        )->   length;
$i++) {
130        $legendsAndValues[$xmlFeb2009Feb2010->   getElementsByTagName("NAME"        )->   item($i)-
>   nodeValue] = array(
131            $xmlFeb2009Feb2010->   getElementsByTagName("VALUE"        )->   item($i)->   nodeValue
132        );
133    }
134
135    $chart = array(
136        'data' =>    $legendsAndValues,
137        'type' =>    'pie3DChart',
138        'title' =>    'Feb 2009 - Feb 2010',
139        'cornerX' =>    20, 'cornerY' =>    20, 'cornerP' =>    30,
140        'color' =>    2,
141        'textWrap' =>    0,
142        'sizeX' =>    14, 'sizeY' =>    8,
143        'jc' =>    'center',
144        'showPercent' =>    1,
145    );
146
147    $docx->   addGraphic($chart);
148
149    // add line break
150    $docx->   addBreak('line');
151    $docx->   addBreak('line');
152
153    $legendsAndValues = array();
154
155    for($i = 0; $i <    $xmlFeb2010Feb2011->   getElementsByTagName("NAME"        )->   length; $i++)
{
156        $legendsAndValues[$xmlFeb2010Feb2011->   getElementsByTagName("NAME"        )->   item($i)-
>   nodeValue] = array(
157            $xmlFeb2010Feb2011->   getElementsByTagName("VALUE"        )->   item($i)->   nodeValue
158        );
159    }
160
161    $chart['data'] = $legendsAndValues;
162    $chart['title'] = 'Feb 2010 - Feb 2011';
163
164    $docx->   addGraphic($chart);
165
166    // add page break
167    $docx->   addBreak('page');
168
169    // add table title
170    $title = 'Browsers stats table';
171
172    $paramsTitle = array(
173        'val' =>    1,
174        'b' =>    'single',
175        'sz' =>    22
176    );
177
178    $docx->   addTitle($title, $paramsTitle);
179
180    // add line break
181    $docx->   addBreak('line');
182    $docx->   addBreak('line');
183    $docx->   addBreak('line');
184
185    // read stats and create table
186    $table = array();
```

```php
187
188    $table[] = array(
189        '',
190        'Feb 2009 - Feb 2010',
191        'Feb 2010 - Feb 2011',
192    );
193
194
195    for($i = 0; $i <    $xmlFeb2009Feb2010->  getElementsByTagName("NAME"          )->  length; $i++)
{
196        $paramsHeaderTextTable[0] = array(
197            'text' =>   $xmlFeb2009Feb2010->  getElementsByTagName("NAME"          )->  item($i)-
>  nodeValue,
198            'b' =>    'single',
199            'sz' =>    14
200        );
201
202        $table[] = array(
203            $docx->   addElement('addText', $paramsHeaderTextTable),
204            $xmlFeb2009Feb2010->  getElementsByTagName("VALUE"        )->  item($i)->  nodeValue,
205            $xmlFeb2010Feb2011->  getElementsByTagName("VALUE"        )->  item($i)->  nodeValue
206        );
207    }
208
209    $paramsTable = array(
210        'border' =>    'single',
211        'border_sz' =>    2,
212        'jc' =>    'center',
213        'size_col' =>    2800
214    );
215
216    $docx->   addTable($table, $paramsTable);
217
218    // add page break
219    $docx->   addBreak('page');
220
221    // add text
222    $textInfo = 'Stats are based on aggregate data collected by StatCounter on a'
223    . ' sample exceeding 15 billion pageviews per month collected from across'
224    . ' the StatCounter network of more than 3 million websites. Stats are '
225    . ' updated and made available every 4 hours, however are subject to '
226    . 'quality assurance testing and revision for 7 days from publication.';
227
228    $paramsTextInfo = array(
229        'val' =>    1,
230        'i' =>    'single',
231        'sz' =>    8
232    );
233
234    $docx->   addText($textInfo, $paramsTextInfo);
235
236    // add link
237    $docx->   addLink('Source: StatCounter', 'http://gs.statcounter.com');
238
239    // generate DOCX file
240    $docx->   createDocx('example_report');
```

example

```php
1    <?php
2
3    /**
4     * Create a DOCX file. User customized document
5     *
6     * @category    Phpdocx
7     * @package    examples
8     * @subpackage intermediate
9     * @copyright  Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10    *             (http://www.2mdc.com)
11    * @license    http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12    * @version    2.2
13    * @link       http://www.phpdocx.com
14    * @since      File available since Release 2.2
15    */
16    require_once '../../classes/CreateDocx.inc';
17
18    $users = array(
19                0 => array(   'name' =>    'Don Mattingly',
20                              'value1' =>    '0.2',
```

```php
                                        'value2' =>     '0.4',
                                        'value3' =>     '0.6',
                                        ),
                    1 => array(     'name' =>     'Brian Sipe',
                                        'value1' =>     '0.3',
                                        'value2' =>     '0.3',
                                        'value3' =>     '0.4',
                                        ),
                    2 => array(     'name' =>     'Julius Erving',
                                        'value1' =>     '0.1',
                                        'value2' =>     '0.2',
                                        'value3' =>     '0.7',
                                        )
    );


    foreach ($users as $user) {

        $docx = new CreateDocx();

        $paramsTitle = array(
            'val' =>     1,
            'u' =>     'single',
        );

        $docx->  addTitle($user['name'] . '\'s Document', $paramsTitle);

        $docx->  addBreak('line');

        $text = array();

        $text[] =
            array(
                'text' =>     'Hi, ',
        );

        $text[] =
            array(
                'text' =>     $user['name'],
                'b' =>     'single',
        );

        $text[] =
            array(
                'text' =>     ' lorem ipsum dolor sit amet, consectetur' .
                    'adipiscing elit. Pellentesque egestas gravida tincidunt. ' .
                    'Nunc ante enim, auctor at elementum porttitor, pharetra a' .
                    ' erat. Vivamus semper orci nec neque faucibus a varius ' .
                    'libero ultrices. Mauris viverra, nisl sed ullamcorper.',
        );

        $docx->  addText($text);

        $docx->  addBreak('line');

        $docx->  addText('Lorem ipsum dolor sit amet, consectetur: ');

        $paramsList = array(
            'val' =>     1,
            'bullets' => array(   3, 1, 2)
        );

        $valuesList = array(
            'Donec tellus justo',
                array(
                    'faucibus nec commodo quis',
                    'dignissim ut ipsum',
                    'Aenean hendrerit interdum',
                        array(
                            'Morbi malesuada luctus libero',
                            'sodales est placerat eget',
                            'Aenean eget nulla vel'
                        ),
                ),
            'enim viverra iaculis',
            'aliquet aliquam nisl',
        );
        $docx->  addList($valuesList, $paramsList);

        $docx->  addBreak('page');
```

```
101
102      $legends = array(
103          '0' => array(   'sequence 1', 'sequence 2', 'sequence 3'),
104          'legend1' => array(   $user['value1']),
105          'legend2' => array(   $user['value2']),
106          'legend3' => array(   $user['value3'])
107      );
108      $args = array(
109          'data' =>     $legends,
110          'type' =>    'pie3DChart',
111          'title' =>    $user['name'] . '\'s chart',
112          'cornerX' =>    20, 'cornerY' =>    20, 'cornerP' =>    30,
113          'color' =>    2,
114          'textWrap' =>    0,
115          'sizeX' =>    10, 'sizeY' =>    10,
116          'jc' =>    'left',
117          'showPercent' =>    1,
118          'font' =>    'Times New Roman'
119      );
120      $docx->   addGraphic($args);
121
122      $docx->   createDocx('example_multidocument_' . $user['name']);
123
124  }
```

example

```php
1    <?php
2
3    /**
4     * Create a DOCX file. Footnotes in different objects
5     *
6     * @category    Phpdocx
7     * @package     examples
8     * @subpackage intermediate
9     * @copyright   Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10    *              (http://www.2mdc.com)
11    * @license     http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12    * @version     2.2
13    * @link        http://www.phpdocx.com
14    * @since       File available since Release 2.2
15    */
16   require_once '../../classes/CreateDocx.inc';
17
18   $docx = new CreateDocx();
19
20   $text = 'Lorem ipsum dolor sit amet, consectetur adipisicing elit, ' .
21       'sed do eiusmod tempor incididunt ut labore et dolore magna aliqua:';
22
23   $paramsText = array(
24       'font' =>    'Arial'
25   );
26
27   $docx->   addText($text, $paramsText);
28
29   $legends = array(
30       'legend1' => array(   24),
31       'legend2' => array(   45),
32       'legend3' => array(   31)
33   );
34   $args = array(
35       'data' =>     $legends,
36       'type' =>    'pie3DChart',
37       'title' =>    'Title first chart',
38       'cornerX' =>    20, 'cornerY' =>    20, 'cornerP' =>    30,
39       'color' =>    2,
40       'textWrap' =>    0,
41       'sizeX' =>    10, 'sizeY' =>    10,
42       'jc' =>    'left',
43       'showPercent' =>    1,
44       'font' =>    'Times New Roman',
45       'border' =>    1
46   );
47   $docx->   addGraphic($args);
48
49   $docx->   addFootnote(
50       array(
51           'textDocument' =>    'Lorem ipsum dolor sit amet',
52           'textEndNote' =>    'Curabitur id dui purus, sit amet blandit lacus. ' .
```

```
53                              'Vivamus mollis magna et risus molestie blandit. ' .
54                              'Phasellus vel tortor quis metus consectetur.'
55          )
56      );
57
58      $docx->   addBreak('line');
59
60      $text = 'Cras eget porttitor sapien. Aenean tristique, nibh quis egestas ' .
61              'varius, erat neque sodales neque, quis bibendum sem lorem accumsan ' .
62              'mauris. Aliquam justo justo, vulputate sed condimentum non, pharetra:';
63
64      $paramsText = array(
65          'font' =>    'Arial'
66      );
67
68      $docx->   addText($text, $paramsText);
69
70      $paramsImg = array(
71          'name' =>    '../files/img/image.png',
72          'scaling' =>    75,
73          'textWrap' =>    0,
74          'border' =>    1,
75      );
76
77      $docx->   addImage($paramsImg);
78
79      $docx->   addFootnote(
80          array(
81              'textDocument' =>    'Aenean non gravida sapien',
82              'textEndNote' =>    'Nunc pretium bibendum dui id laoreet. Nunc ' .
83                              'venenatis. Duis quis lorem vel dui tincidunt ' .
84                              'pellentesque quis sed diam.'
85          )
86      );
87
88      $docx->   createDocx('example_chart_footnotes');
```

example

```
1       <?php
2
3       /**
4        * Create a DOCX file. Bar Chart example
5        *
6        * @category    Phpdocx
7        * @package     examples
8        * @subpackage easy
9        * @copyright   Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10       *               (http://www.2mdc.com)
11       * @license     http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12       * @version     2.2
13       * @link        http://www.phpdocx.com
14       * @since       File available since Release 2.2
15       */
16      require_once '../../classes/CreateDocx.inc';
17
18      $docx = new CreateDocx();
19
20      $colChartValues = array(
21          'legend' => array(   'Internet Explorer', 'Firefox', 'Chrome', 'Safari', 'Opera'),
22          'November 2010' => array(   '28.6', '44.0', '20.5', '4.0', '2.3'),
23          'December 2010' => array(   '27.5', '43.5', '22.4', '3.8', '2.2'),
24          'January 2011' => array(   '26.6', '42.8', '23.8', '4.0', '2.5')
25      );
26
27      $paramsChart = array(
28          'data' =>    $colChartValues,
29          'type' =>    'colChart',
30          'title' =>   'W3C Browser Statistics',
31          'color' =>    2,
32          'sizeX' =>    15,
33          'sizeY' =>    15,
34          'jc' =>    'center',
35          'groupBar' =>    'clustered',
36          'font' =>    'Lucida Console'
37      );
38      $docx->   addGraphic($paramsChart);
39
40      $docx->   createDocx('example_bar_chart');
```

```php
1    <?php
2
3    /**
4     * Create a DOCX file. Two charts in the same DOCX
5     *
6     * @category   Phpdocx
7     * @package    examples
8     * @subpackage intermediate
9     * @copyright  Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10    *             (http://www.2mdc.com)
11    * @license    http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12    * @version    1.8
13    * @link       http://www.phpdocx.com
14    * @since      File available since Release 1.8
15    */
16   require_once '../../classes/CreateDocx.inc';
17
18   $docx = new CreateDocx();
19
20   $legends = array(
21       'legend1' => array(   10),
22       'legend2' => array(    0),
23       'legend3' => array(   40)
24   );
25   $args = array(
26       'data' =>      $legends,
27       'type' =>     'pie3DChart',
28       'title' =>     'Title first chart',
29       'cornerX' =>    20, 'cornerY' =>    20, 'cornerP' =>    30,
30       'color' =>     2,
31       'textWrap' =>     0,
32       'sizeX' =>     10, 'sizeY' =>    10,
33       'jc' =>     'left',
34       'showPercent' =>     1,
35       'font' =>     'Times New Roman'
36   );
37   $docx->    addGraphic($args);
38
39   $legends = array(
40       'legend' => array(    'sequence 1', 'sequence 2', 'sequence 3'),
41       'Category 1' => array(   9.3, 2.4, 2),
42       'Category 2' => array(   2.5, 4.4, 1),
43       'Category 3' => array(   3.5, 1.8, 0.5),
44       'Category 4' => array(   1.5, 8, 1)
45   );
46   $args = array(
47       'data' =>      $legends,
48       'type' =>     'colChart',
49       'title' =>     'Title second chart',
50       'color' =>     2,
51       'textWrap' =>     0,
52       'sizeX' =>     17, 'sizeY' =>     7,
53       'jc' =>     'center',
54       'font' =>     'Arial'
55   );
56   $docx->    addGraphic($args);
57
58   $docx->    createDocx('example_chart');
```

```php
1    <?php
2
3    /**
4     * Create a DOCX file. Chart example
5     *
6     * @category   Phpdocx
7     * @package    examples
8     * @subpackage easy
9     * @copyright  Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10    *             (http://www.2mdc.com)
11    * @license    http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12    * @version    1.8
13    * @link       http://www.phpdocx.com
14    * @since      File available since Release 1.8
15    */
```

```
16      require_once '../../classes/CreateDocx.inc';

17
18      $docx = new CreateDocx();

19
20      $legends = array(
21          'legend1' => array(   10),
22          'legend2' => array(    0),
23          'legend3' => array(   40)
24      );

25
26      $paramsChart = array(
27          'data' =>      $legends,
28          'type' =>     'pie3DChart',
29          'title' =>     'Title',
30          'cornerX' =>    20,
31          'cornerY' =>    20,
32          'cornerP' =>    30,
33          'color' =>     2,
34          'textWrap' =>    0,
35          'sizeX' =>     10,
36          'sizeY' =>     10,
37          'jc' =>      'right',
38          'showPercent' =>    1,
39          'font' =>    'Times New Roman'
40      );
41      $docx->   addGraphic($paramsChart);

42
43      $docx->   createDocx('example_chart');
```

Function Parameters:

- *array* **$dats** Parameters of graphic   Values: 'color' (1, 2, 3...), 'cornerP' (20, 30...), 'cornerX' (20, 30...), 'cornerY' (20, 30...), 'data' (array of values), 'font' (Arial, Times New Roman...), 'groupBar' (clustered, stacked),   'jc' (center, left, right), 'showPercent' (0, 1), 'sizeX' (10, 11, 12...), 'sizeY' (10, 11, 12...), 'textWrap' (0 (inline), 1 (square),   2 (front), 3 (back), 4 (up and bottom), 5 (clear)), 'title', 'type'   (barChart, bar3DChart, colChart, col3DChart, pieChart, pie3DChart)

Add a graphic

- **Access** public
- **Example**
- **Example**
- **Example**
- **Example**
- **Example**
- **Example**

void function CreateDocx::addGraphicImg($dats) *[line 1219]*
Function Parameters:

- *array* **$dats** Parameters of graphic Values: 'color' (1, 2, 3, 4, 5), 'cornerX' (20, 30...), 'data' (array of values), sizeX' (10, 11, 12...), 'sizeY' (10, 11, 12...), 'title', 'type' (barChart, bar3DChart, colChart, col3DChart, pieChart, pie3DChart)

Add a graphic image

- **Access** public

void function CreateDocx::addGraphicTemplate($dats) *[line 1252]*
Function Parameters:

- *array* **$dats** Parameters of graphic   Values: same as charts

Add a graphic template. Replace placeholder with a graphic

- **Access** public

void function CreateDocx::addHeader([$text = 'Header'], [$paramsHeader = '']) *[line 1329]*

example

```php
1    <?php
2
3    /**
4     * Create a DOCX file. Report example
5     *
6     * @category   Phpdocx
7     * @package    examples
8     * @subpackage advanced
9     * @copyright  Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10    *             (http://www.2mdc.com)
11    * @license    http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12    * @version    2.2
13    * @link       http://www.phpdocx.com
14    * @since      File available since Release 2.2
15    */
16   require_once '../../classes/CreateDocx.inc';
17
18   $docx = new CreateDocx();
19
20   // browser stats
21   $statsFeb2009Feb2010 = '
22   <STATS>
23       <BROWSER>
24           <NAME>Internet Explorer</NAME>
25           <VALUE>58</VALUE>
26       </BROWSER>
27       <BROWSER>
```

```
28            <NAME>Firefox</NAME>
29            <VALUE>31</VALUE>
30        </BROWSER>
31        <BROWSER>
32            <NAME>Chrome</NAME>
33            <VALUE>4</VALUE>
34        </BROWSER>
35        <BROWSER>
36            <NAME>Safari</NAME>
37            <VALUE>3</VALUE>
38        </BROWSER>
39        <BROWSER>
40            <NAME>Opera</NAME>
41            <VALUE>2</VALUE>
42        </BROWSER>
43        <BROWSER>
44            <NAME>Other</NAME>
45            <VALUE>2</VALUE>
46        </BROWSER>
47    </STATS>
48    ';
49
50    $statsFeb2010Feb2011 = '
51    <STATS>
52        <BROWSER>
53            <NAME>Internet Explorer</NAME>
54            <VALUE>50</VALUE>
55        </BROWSER>
56        <BROWSER>
57            <NAME>Firefox</NAME>
58            <VALUE>31</VALUE>
59        </BROWSER>
60        <BROWSER>
61            <NAME>Chrome</NAME>
62            <VALUE>11</VALUE>
63        </BROWSER>
64        <BROWSER>
65            <NAME>Safari</NAME>
66            <VALUE>4</VALUE>
67        </BROWSER>
68        <BROWSER>
69            <NAME>Opera</NAME>
70            <VALUE>2</VALUE>
71        </BROWSER>
72        <BROWSER>
73            <NAME>Other</NAME>
74            <VALUE>2</VALUE>
75        </BROWSER>
76    </STATS>
77    ';
78
79    // add text and date in header
80    $header = 'Browsers stats';
81
82    $paramsHeader = array(
83        'jc' =>     'right',
84        'textWrap' =>    5,
85    );
86
87    $date = getdate();
88
89    $docx->   addHeader($header . ' ' . $date['mon'] . '/' . $date['mday'] . '/'
90        . $date['year'], $paramsHeader);
91
92    // add footer with pager
93    $footer = 'DOCX generated using PHPDOCX PRO.';
94
95    $paramsFooter = array(
96        'pager' =>     'true',
97        'pagerAlignment' =>     'center',
98    );
99
100    $docx->   addFooter($footer, $paramsFooter);
101
102    // add chart title
103    $title = 'Browsers stats chart';
104
105    $paramsTitle = array(
106        'val' =>    1,
107        'b' =>    'single',
```

```php
108        'sz' =>    22
109    );
110
111    $docx->   addTitle($title, $paramsTitle);
112
113    // add line break
114    $docx->   addBreak('line');
115    $docx->   addBreak('line');
116    $docx->   addBreak('line');
117
118    // read XML Feb209Feb2010
119    $xmlFeb2009Feb2010 = new DOMDocument();
120    $xmlFeb2009Feb2010->   loadXML($statsFeb2009Feb2010);
121
122    // read XML Feb2010Feb2011
123    $xmlFeb2010Feb2011 = new DOMDocument();
124    $xmlFeb2010Feb2011->   loadXML($statsFeb2010Feb2011);
125
126    // read stats and create charts
127    $legendsAndValues = array();
128
129    for ($i = 0; $i <    $xmlFeb2009Feb2010->   getElementsByTagName("NAME"        )->   length;
$i++) {
130        $legendsAndValues[$xmlFeb2009Feb2010->   getElementsByTagName("NAME"        )->   item($i)-
>  nodeValue] = array(
131            $xmlFeb2009Feb2010->   getElementsByTagName("VALUE"        )->   item($i)->   nodeValue
132        );
133    }
134
135    $chart = array(
136        'data' =>    $legendsAndValues,
137        'type' =>    'pie3DChart',
138        'title' =>    'Feb 2009 - Feb 2010',
139        'cornerX' =>    20, 'cornerY' =>    20, 'cornerP' =>    30,
140        'color' =>    2,
141        'textWrap' =>    0,
142        'sizeX' =>    14, 'sizeY' =>    8,
143        'jc' =>    'center',
144        'showPercent' =>    1,
145    );
146
147    $docx->   addGraphic($chart);
148
149    // add line break
150    $docx->   addBreak('line');
151    $docx->   addBreak('line');
152
153    $legendsAndValues = array();
154
155    for($i = 0; $i <    $xmlFeb2010Feb2011->   getElementsByTagName("NAME"        )->   length; $i++)
{
156        $legendsAndValues[$xmlFeb2010Feb2011->   getElementsByTagName("NAME"        )->   item($i)-
>  nodeValue] = array(
157            $xmlFeb2010Feb2011->   getElementsByTagName("VALUE"        )->   item($i)->   nodeValue
158        );
159    }
160
161    $chart['data'] = $legendsAndValues;
162    $chart['title'] = 'Feb 2010 - Feb 2011';
163
164    $docx->   addGraphic($chart);
165
166    // add page break
167    $docx->   addBreak('page');
168
169    // add table title
170    $title = 'Browsers stats table';
171
172    $paramsTitle = array(
173        'val' =>    1,
174        'b' =>    'single',
175        'sz' =>    22
176    );
177
178    $docx->   addTitle($title, $paramsTitle);
179
180    // add line break
181    $docx->   addBreak('line');
182    $docx->   addBreak('line');
183    $docx->   addBreak('line');
```

```php
184
185    // read stats and create table
186    $table = array();
187
188    $table[] = array(
189        '',
190        'Feb 2009 - Feb 2010',
191        'Feb 2010 - Feb 2011',
192    );
193
194
195    for($i = 0; $i <    $xmlFeb2009Feb2010->   getElementsByTagName("NAME"           )->   length; $i++)
{
196        $paramsHeaderTextTable[0] = array(
197            'text' =>    $xmlFeb2009Feb2010->   getElementsByTagName("NAME"           )->   item($i)-
>  nodeValue,
198            'b' =>    'single',
199            'sz' =>    14
200        );
201
202        $table[] = array(
203            $docx->   addElement('addText', $paramsHeaderTextTable),
204            $xmlFeb2009Feb2010->   getElementsByTagName("VALUE"          )->   item($i)->   nodeValue,
205            $xmlFeb2010Feb2011->   getElementsByTagName("VALUE"          )->   item($i)->   nodeValue
206        );
207    }
208
209    $paramsTable = array(
210        'border' =>    'single',
211        'border_sz' =>    2,
212        'jc' =>    'center',
213        'size_col' =>    2800
214    );
215
216    $docx->   addTable($table, $paramsTable);
217
218    // add page break
219    $docx->   addBreak('page');
220
221    // add text
222    $textInfo = 'Stats are based on aggregate data collected by StatCounter on a'
223    . ' sample exceeding 15 billion pageviews per month collected from across'
224    . ' the StatCounter network of more than 3 million websites. Stats are '
225    . ' updated and made available every 4 hours, however are subject to '
226    . 'quality assurance testing and revision for 7 days from publication.';
227
228    $paramsTextInfo = array(
229        'val' =>    1,
230        'i' =>    'single',
231        'sz' =>    8
232    );
233
234    $docx->   addText($textInfo, $paramsTextInfo);
235
236    // add link
237    $docx->   addLink('Source: StatCounter', 'http://gs.statcounter.com');
238
239    // generate DOCX file
240    $docx->   createDocx('example_report');
```

example

```php
1    <?php
2
3    /**
4     * Create a DOCX file. Header and footer with font styles
5     *
6     * @category   Phpdocx
7     * @package    examples
8     * @subpackage intermediate
9     * @copyright  Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10    *             (http://www.2mdc.com)
11    * @license    http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12    * @version    1.8
13    * @link       http://www.phpdocx.com
14    * @since      File available since Release 1.8
15    */
16    require_once '../../classes/CreateDocx.inc';
17
```

```php
18    $docx = new CreateDocx();
19
20    $paramsHeader = array(
21        'name' =>     '../files/img/image.png',
22        'jc' =>     'right',
23        'textWrap' =>     5,
24        'font' =>     'Arial'
25    );
26
27    $docx->    addHeader('Header Arial', $paramsHeader);
28
29    $paramsHeader = array(
30        'font' =>     'Times New Roman'
31    );
32
33    $docx->    addHeader('Header Times New Roman', $paramsHeader);
34
35    $paramsFooter = array(
36        'pager' =>     'true',
37        'pagerAlignment' =>     'center',
38        'font' =>     'Arial'
39    );
40
41    $docx->    addFooter('Footer Arial', $paramsFooter);
42
43    $paramsFooter = array(
44        'font' =>     'Times New Roman'
45    );
46
47    $docx->    addFooter('Footer Times New Roman', $paramsFooter);
48    $docx->    createDocx('example_header_and_footer');
```

example

```php
1    <?php
2
3    /**
4     * Create a DOCX file. Header
5     *
6     * @category    Phpdocx
7     * @package     examples
8     * @subpackage  intermediate
9     * @copyright   Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10    *               (http://www.2mdc.com)
11    * @license     http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12    * @version     1.8
13    * @link        http://www.phpdocx.com
14    * @since       File available since Release 1.8
15    */
16    require_once '../../classes/CreateDocx.inc';
17
18    $docx = new CreateDocx();
19
20    $paramsHeader = array(
21        'font' =>     'Times New Roman',
22        'jc' =>     'right',
23        'textWrap' =>     5,
24    );
25
26    $docx->    addHeader('Header text', $paramsHeader);
27
28    $docx->    createDocx('example_header');
```

Function Parameters:

- *string* **$text** Text to add
- *array* **$paramsHeader** Parameters of header   Values: 'border'(1, 2, 3...), 'borderDiscontinuous' (0, 1),   'font' (Arial, Times New Roman...), 'jc' (center, left, right),   'name', 'scaling' (50, 100), 'sizeX' (10, 11, 12...), 'sizeY'   (10, 11, 12...), spacingTop (10, 11...), spacingBottom (10, 11...), spacingLeft (10, 11...), spacingRight (10, 11...), 'textWrap'   (0 (inline), 1 (square), 2 (front), 3 (back), 4 (up and bottom),   5 (clear))

Add a header.

- **Access** public
- **Example**
- **Example**
- **Example**

void function CreateDocx::addHTML([$html = '']) *[line 1357]*

example

```php
1    <?php
2
3    /**
4     * Create a DOCX file. Add HTML code in a DOCX file
5     *
6     * @category    Phpdocx
7     * @package     examples
8     * @subpackage  intermediate
9     * @copyright   Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10    *                  (http://www.2mdc.com)
11    * @license     http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12    * @version     05.24.2001
13    * @link        http://www.phpdocx.com
14    * @since       File available since Release 2.2
15    */
16    require_once('../../classes/CreateDocx.inc');
17
18    $docx = new CreateDocx();
19
20    $html = '
21    <span>
22    <h3>Dynamic DOCX generation. <span style="font-size: 17px; padding: 0pt; color:
rgb(0, 0, 0); margin: 9px 0pt 0pt;"><img src="http://www.phpdocx.com/wp-
content/themes/lightword/images/new.gif" style="vertical-align: middle;"> New 2.2
version<br>
23        <strong style="color: rgb(4, 133, 232); font-weight: normal;">with support for
OpenOffice Documents, rewritten and faster API<br>
24          and  <a href="features" style="color: rgb(4, 133, 232);">new
features</a>!</strong></span></h3>
25        <p>Do you need to dynamically generate Word documents?.</p>
26        <p> <strong>PHPDOCX</strong> do this and much more. You may create highly
customized reports in Word extracting data directly from any database or spreadsheet. These reports may
include editable graphs, images, tables, headers, footers, etcetera.
<strong>PHPDOCX</strong>  can create Word documents from scratch or use predefined
templates to simplify your work. With a few lines of code you may integrate
<strong>PHPDOCX</strong> in your website or intranet and offer a valuable service to your
customers and employees..</p>
27
28        <div style="clear: both;"></div>
29
30        <a href="wordpress/download" class="download_home">DOWNLOAD NOW</a>
31        <p>Do you need this functionality with Java ?  <a href="http://www.javadocx.com"
class="link_destacado">Try JavadocX!</a></p>
32        <div class="compatible">
33        <h3>100% compatibility</h3><h3>
34          <img src="http://www.phpdocx.com/wp-
content/themes/lightword/images/100_compatibility.gif" alt="100%
compatibility"></h3></div>
35        </span>'        ;
36
37    $docx->   addHTML($html);
38
39    $html = '
40    <div class="index_caja">
```

```
41    <h2>What is PHPDOCX ?</h2>
42    <p><strong>PHPDOCX</strong> is a PHP library designed to generate completely
dynamic and fully customizable Word documents. </p>
43    <p><strong>PHPDOCX</strong> is hosted in your server providing a very and
complete flexible solution for your document and<strong> report generation
needs</strong>.</p>
44    <h2>What can I do with PHPDOCX ?</h2>
45
46    <p>With a few lines of code you can generate a complete report that includes: </p>
47    <ul>
48      <li> Editable Text</li>
49      <li>Images and Graphic     elements</li>
50      <li>Standard paragraphs</li>
51      <li>Bulleted or      numbered lists</li>
52      <li>Customized tables</li>
53
54      <li>Dynamic      tables</li>
55      <li>All kind of     customizable and editable charts or graphs to display numerical
data</li>
56      <li>Tables of content      to simplify readability within long documents</li>
57      <li>Headers that will     reflect your corporate branding</li>
58      <li>Footers with     automatic page numbering </li>
59      </ul>
60
61    <p>You could also create and use your own templates for Mailmerge or to generate really
sophisticated reports and documents. </p>
62    <h2><a href="blog-news"><img src="http://www.phpdocx.com/wp-
content/themes/lightword/images/index_blog.gif" alt="blog news"> Latest Blog
entries</a></h2>
63    </div>'        ;
64
65    $docx->   addHTML($html);
66
67    $docx->   createDocx('example_html');
```

example

```
1     <?php
2
3     /**
4      * Create a DOCX file. Add HTML code in a DOCX file
5      *
6      * @category   Phpdocx
7      * @package    examples
8      * @subpackage easy
9      * @copyright  Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10    // *          (http://www.2mdc.com)
11     * @license    http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12     * @version    05.24.2011
13     * @link       http://www.phpdocx.com
14     * @since      File available since Release 2.3
15     */
16    require_once '../../classes/CreateDocx.inc';
17
18    $docx = new CreateDocx();
19
20    $docx->   addText('HTML content');
21
22    $html= '<p><strong>PHPDOCX</strong> is a PHP library designed to generate
completely dynamic and fully customizable Word documents.</p>'        ;
23
24    $docx->   addHTML($html);
25
26    $docx->   addText('End HTML content');
27
28    $docx->   createDocx('example_html');
```
Function Parameters:

- *string* **$html** HTML to add

Add HTML to the document. Transform HTML to DOCX.

- **Access** public
- **Example**
- **Example**

void function CreateDocx::addImage([$dats = '']) *[line 1385]*

example

```php
1    <?php
2
3    /**
4     * Create a DOCX file. Footnotes in different objects
5     *
6     * @category    Phpdocx
7     * @package     examples
8     * @subpackage intermediate
9     * @copyright   Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10    *              (http://www.2mdc.com)
11    * @license     http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12    * @version     2.2
13    * @link        http://www.phpdocx.com
14    * @since       File available since Release 2.2
15    */
16   require_once '../../classes/CreateDocx.inc';
17
18   $docx = new CreateDocx();
19
20   $text = 'Lorem ipsum dolor sit amet, consectetur adipisicing elit, ' .
21       'sed do eiusmod tempor incididunt ut labore et dolore magna aliqua:';
22
23   $paramsText = array(
24       'font' =>    'Arial'
25   );
26
27   $docx->   addText($text, $paramsText);
28
29   $legends = array(
30       'legend1' => array(   24),
31       'legend2' => array(   45),
32       'legend3' => array(   31)
33   );
34   $args = array(
35       'data' =>     $legends,
36       'type' =>    'pie3DChart',
37       'title' =>    'Title first chart',
38       'cornerX' =>    20, 'cornerY' =>    20, 'cornerP' =>    30,
39       'color' =>    2,
40       'textWrap' =>    0,
41       'sizeX' =>    10, 'sizeY' =>    10,
42       'jc' =>    'left',
43       'showPercent' =>    1,
44       'font' =>    'Times New Roman',
45       'border' =>    1
46   );
47   $docx->   addGraphic($args);
48
49   $docx->   addFootnote(
50       array(
51           'textDocument' =>    'Lorem ipsum dolor sit amet',
52           'textEndNote' =>    'Curabitur id dui purus, sit amet blandit lacus. ' .
53                               'Vivamus mollis magna et risus molestie blandit. ' .
54                               'Phasellus vel tortor quis metus consectetur.'
55       )
56   );
57
58   $docx->   addBreak('line');
```

```
59
60    $text = 'Cras eget porttitor sapien. Aenean tristique, nibh quis egestas ' .
61            'varius, erat neque sodales neque, quis bibendum sem lorem accumsan ' .
62            'mauris. Aliquam justo justo, vulputate sed condimentum non, pharetra:';
63
64    $paramsText = array(
65        'font' =>    'Arial'
66    );
67
68    $docx->   addText($text, $paramsText);
69
70    $paramsImg = array(
71        'name' =>    '../files/img/image.png',
72        'scaling' =>     75,
73        'textWrap' =>     0,
74        'border' =>     1,
75    );
76
77    $docx->   addImage($paramsImg);
78
79    $docx->   addFootnote(
80        array(
81            'textDocument' =>    'Aenean non gravida sapien',
82            'textEndNote' =>    'Nunc pretium bibendum dui id laoreet. Nunc ' .
83                               'venenatis. Duis quis lorem vel dui tincidunt ' .
84                               'pellentesque quis sed diam.'
85        )
86    );
87
88    $docx->   createDocx('example_chart_footnotes');
```

example

```php
1    <?php
2
3    /**
4     * Create a DOCX file. Image example
5     *
6     * @category    Phpdocx
7     * @package     examples
8     * @subpackage easy
9     * @copyright   Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10    *              (http://www.2mdc.com)
11    * @license     http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12    * @version     1.8
13    * @link        http://www.phpdocx.com
14    * @since       File available since Release 1.8
15    */
16   require_once '../../classes/CreateDocx.inc';
17
18   $docx = new CreateDocx();
19
20   $paramsImg = array(
21        'name' =>    '../files/img/image.png',
22        'scaling' =>     50,
23        'spacingTop' =>    100,
24        'spacingBottom' =>    0,
25        'spacingLeft' =>    100,
26        'spacingRight' =>    0,
27        'textWrap' =>     1,
28        'border' =>     1,
29        'borderDiscontinuous' =>     1
30   );
31
32   $docx->   addImage($paramsImg);
33
34   $docx->   createDocx('example_image');
```

Function Parameters:

- *array* **$dats** Image to add and paramaters to use   Values: 'border'(1, 2, 3...), 'borderDiscontinuous' (0, 1),   'font' (Arial, Times New Roman...), 'jc' (center, left, right),   'name', 'scaling' (50, 100), 'sizeX' (10, 11, 12...), 'sizeY'   (10, 11, 12...), spacingTop (10, 11...), spacingBottom (10, 11...),   spacingLeft (10, 11...), spacingRight (10, 11...), 'textWrap'   (0 (inline), 1 (square), 2 (front), 3 (back), 4 (up and bottom),   5 (clear))

Add an image

- **Access** public
- **Example**
- **Example**

void function CreateDocx::addLink([$text = ''], [$textLink = ''], [$font = ''], $link) *[line 1456]*

example

```
1    <?php
2
3    /**
4     * Create a DOCX file. Report example
5     *
6     * @category   Phpdocx
7     * @package    examples
8     * @subpackage advanced
9     * @copyright  Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10    *             (http://www.2mdc.com)
11    * @license    http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12    * @version    2.2
13    * @link       http://www.phpdocx.com
14    * @since      File available since Release 2.2
15    */
16   require_once '../../classes/CreateDocx.inc';
17
18   $docx = new CreateDocx();
19
20   // browser stats
21   $statsFeb2009Feb2010 = '
22   <STATS>
23       <BROWSER>
24           <NAME>Internet Explorer</NAME>
25           <VALUE>58</VALUE>
26       </BROWSER>
27       <BROWSER>
28           <NAME>Firefox</NAME>
29           <VALUE>31</VALUE>
30       </BROWSER>
31       <BROWSER>
32           <NAME>Chrome</NAME>
33           <VALUE>4</VALUE>
34       </BROWSER>
35       <BROWSER>
36           <NAME>Safari</NAME>
37           <VALUE>3</VALUE>
38       </BROWSER>
39       <BROWSER>
40           <NAME>Opera</NAME>
41           <VALUE>2</VALUE>
42       </BROWSER>
43       <BROWSER>
44           <NAME>Other</NAME>
45           <VALUE>2</VALUE>
46       </BROWSER>
47   </STATS>
48   ';
49
50   $statsFeb2010Feb2011 = '
51   <STATS>
52       <BROWSER>
```

Generated by phpDocumentor v1.4.3 http://www.phpdoc.org - http://pear.php.net/package/PhpDocumentor - http://www.sourceforge.net/projects/phpdocu

Page 44 of 382

```
53            <NAME>Internet Explorer</NAME>
54            <VALUE>50</VALUE>
55        </BROWSER>
56        <BROWSER>
57            <NAME>Firefox</NAME>
58            <VALUE>31</VALUE>
59        </BROWSER>
60        <BROWSER>
61            <NAME>Chrome</NAME>
62            <VALUE>11</VALUE>
63        </BROWSER>
64        <BROWSER>
65            <NAME>Safari</NAME>
66            <VALUE>4</VALUE>
67        </BROWSER>
68        <BROWSER>
69            <NAME>Opera</NAME>
70            <VALUE>2</VALUE>
71        </BROWSER>
72        <BROWSER>
73            <NAME>Other</NAME>
74            <VALUE>2</VALUE>
75        </BROWSER>
76    </STATS>
77    ';
78
79    // add text and date in header
80    $header = 'Browsers stats';
81
82    $paramsHeader = array(
83        'jc' =>     'right',
84        'textWrap' =>     5,
85    );
86
87    $date = getdate();
88
89    $docx->    addHeader($header . ' ' . $date['mon'] . '/' . $date['mday'] . '/'
90        . $date['year'], $paramsHeader);
91
92    // add footer with pager
93    $footer = 'DOCX generated using PHPDOCX PRO.';
94
95    $paramsFooter = array(
96        'pager' =>     'true',
97        'pagerAlignment' =>     'center',
98    );
99
100   $docx->    addFooter($footer, $paramsFooter);
101
102   // add chart title
103   $title = 'Browsers stats chart';
104
105   $paramsTitle = array(
106       'val' =>     1,
107       'b' =>     'single',
108       'sz' =>     22
109   );
110
111   $docx->    addTitle($title, $paramsTitle);
112
113   // add line break
114   $docx->    addBreak('line');
115   $docx->    addBreak('line');
116   $docx->    addBreak('line');
117
118   // read XML Feb209Feb2010
119   $xmlFeb2009Feb2010 = new DOMDocument();
120   $xmlFeb2009Feb2010->    loadXML($statsFeb2009Feb2010);
121
122   // read XML Feb2010Feb2011
123   $xmlFeb2010Feb2011 = new DOMDocument();
124   $xmlFeb2010Feb2011->    loadXML($statsFeb2010Feb2011);
125
126   // read stats and create charts
127   $legendsAndValues = array();
128
129   for ($i = 0; $i <     $xmlFeb2009Feb2010->    getElementsByTagName("NAME"          )->    length;
$i++) {
130       $legendsAndValues[$xmlFeb2009Feb2010->    getElementsByTagName("NAME"          )->    item($i)-
>    nodeValue] = array(
```

```php
131            $xmlFeb2009Feb2010->    getElementsByTagName("VALUE"              )->    item($i)->    nodeValue
132        );
133    }
134
135    $chart = array(
136        'data' =>      $legendsAndValues,
137        'type' =>      'pie3DChart',
138        'title' =>     'Feb 2009 - Feb 2010',
139        'cornerX' =>     20, 'cornerY' =>    20, 'cornerP' =>     30,
140        'color' =>      2,
141        'textWrap' =>    0,
142        'sizeX' =>     14, 'sizeY' =>     8,
143        'jc' =>      'center',
144        'showPercent' =>     1,
145    );
146
147    $docx->    addGraphic($chart);
148
149    // add line break
150    $docx->    addBreak('line');
151    $docx->    addBreak('line');
152
153    $legendsAndValues = array();
154
155    for($i = 0; $i <     $xmlFeb2010Feb2011->    getElementsByTagName("NAME"           )->   length; $i++)
{
156        $legendsAndValues[$xmlFeb2010Feb2011->    getElementsByTagName("NAME"           )->    item($i)-
> nodeValue] = array(
157            $xmlFeb2010Feb2011->    getElementsByTagName("VALUE"           )->    item($i)->    nodeValue
158        );
159    }
160
161    $chart['data'] = $legendsAndValues;
162    $chart['title'] = 'Feb 2010 - Feb 2011';
163
164    $docx->    addGraphic($chart);
165
166    // add page break
167    $docx->    addBreak('page');
168
169    // add table title
170    $title = 'Browsers stats table';
171
172    $paramsTitle = array(
173        'val' =>    1,
174        'b' =>     'single',
175        'sz' =>    22
176    );
177
178    $docx->    addTitle($title, $paramsTitle);
179
180    // add line break
181    $docx->    addBreak('line');
182    $docx->    addBreak('line');
183    $docx->    addBreak('line');
184
185    // read stats and create table
186    $table = array();
187
188    $table[] = array(
189        '',
190        'Feb 2009 - Feb 2010',
191        'Feb 2010 - Feb 2011',
192    );
193
194
195    for($i = 0; $i <     $xmlFeb2009Feb2010->    getElementsByTagName("NAME"           )->    length; $i++)
{
196        $paramsHeaderTextTable[0] = array(
197            'text' =>    $xmlFeb2009Feb2010->    getElementsByTagName("NAME"           )->    item($i)-
> nodeValue,
198            'b' =>     'single',
199            'sz' =>     14
200        );
201
202        $table[] = array(
203            $docx->    addElement('addText', $paramsHeaderTextTable),
204            $xmlFeb2009Feb2010->    getElementsByTagName("VALUE"           )->    item($i)->    nodeValue,
205            $xmlFeb2010Feb2011->    getElementsByTagName("VALUE"           )->    item($i)->    nodeValue
206        );
```

```
207    }
208
209    $paramsTable = array(
210        'border' =>    'single',
211        'border_sz' =>    2,
212        'jc' =>    'center',
213        'size_col' =>    2800
214    );
215
216    $docx->    addTable($table, $paramsTable);
217
218    // add page break
219    $docx->    addBreak('page');
220
221    // add text
222    $textInfo = 'Stats are based on aggregate data collected by StatCounter on a'
223    . ' sample exceeding 15 billion pageviews per month collected from across'
224    . ' the StatCounter network of more than 3 million websites. Stats are '
225    . ' updated and made available every 4 hours, however are subject to '
226    . 'quality assurance testing and revision for 7 days from publication.';
227
228    $paramsTextInfo = array(
229        'val' =>    1,
230        'i' =>    'single',
231        'sz' =>    8
232    );
233
234    $docx->    addText($textInfo, $paramsTextInfo);
235
236    // add link
237    $docx->    addLink('Source: StatCounter', 'http://gs.statcounter.com');
238
239    // generate DOCX file
240    $docx->    createDocx('example_report');
```

example

```
1     <?php
2
3     /**
4      * Create a DOCX file. Link example
5      *
6      * @category    Phpdocx
7      * @package     examples
8      * @subpackage  easy
9      * @copyright   Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10     *              (http://www.2mdc.com)
11     * @license     http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12     * @version     1.8
13     * @link        http://www.phpdocx.com
14     * @since       File available since Release 1.8
15     */
16    require_once '../../classes/CreateDocx.inc';
17
18    $docx = new CreateDocx();
19
20    $docx->    addLink('Link to Google', 'http://www.google.es', 'Arial');
21
22    $docx->    createDocx('example_link');
```
Function Parameters:

- *string* **$text** Text to use as link
- *string* **$link** URL link
- *string* **$font** Type of font   Values: 'Arial', 'Times New Roman'...
- **$textLink**

Add a link

- **Access** public
- **Example**
- **Example**

void function CreateDocx::addList($dats, [$paramsList = '']) *[line 1480]*

example

```php
1    <?php
2
3    /**
4     * Create a DOCX file. User customized document
5     *
6     * @category   Phpdocx
7     * @package    examples
8     * @subpackage intermediate
9     * @copyright  Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10    *             (http://www.2mdc.com)
11    * @license    http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12    * @version    2.2
13    * @link       http://www.phpdocx.com
14    * @since      File available since Release 2.2
15    */
16   require_once '../../classes/CreateDocx.inc';
17
18   $users = array(
19               0 => array(   'name' =>    'Don Mattingly',
20                             'value1' =>    '0.2',
21                             'value2' =>    '0.4',
22                             'value3' =>    '0.6',
23                         ),
24               1 => array(   'name' =>    'Brian Sipe',
25                             'value1' =>    '0.3',
26                             'value2' =>    '0.3',
27                             'value3' =>    '0.4',
28                         ),
29               2 => array(   'name' =>    'Julius Erving',
30                             'value1' =>    '0.1',
31                             'value2' =>    '0.2',
32                             'value3' =>    '0.7',
33                         )
34   );
35
36
37   foreach ($users as $user) {
38
39       $docx = new CreateDocx();
40
41       $paramsTitle = array(
42           'val' =>    1,
43           'u' =>     'single',
44       );
45
46       $docx->   addTitle($user['name'] . '\'s Document', $paramsTitle);
47
48       $docx->   addBreak('line');
49
50       $text = array();
51
52       $text[] =
53           array(
54               'text' =>    'Hi, ',
55       );
56
57       $text[] =
58           array(
59               'text' =>    $user['name'],
60               'b' =>     'single',
61       );
```

```php
62
63          $text[] =
64              array(
65                  'text' =>    ' lorem ipsum dolor sit amet, consectetur' .
66                      'adipiscing elit. Pellentesque egestas gravida tincidunt. ' .
67                      'Nunc ante enim, auctor at elementum porttitor, pharetra a' .
68                      ' erat. Vivamus semper orci nec neque faucibus a varius ' .
69                      'libero ultrices. Mauris viverra, nisl sed ullamcorper.',
70              );
71
72          $docx->    addText($text);
73
74          $docx->    addBreak('line');
75
76          $docx->    addText('Lorem ipsum dolor sit amet, consectetur: ');
77
78          $paramsList = array(
79              'val' =>    1,
80              'bullets' => array(   3, 1, 2)
81          );
82
83          $valuesList = array(
84              'Donec tellus justo',
85                  array(
86                      'faucibus nec commodo quis',
87                      'dignissim ut ipsum',
88                      'Aenean hendrerit interdum',
89                          array(
90                              'Morbi malesuada luctus libero',
91                              'sodales est placerat eget',
92                              'Aenean eget nulla vel'
93                          ),
94                  ),
95              'enim viverra iaculis',
96              'aliquet aliquam nisl',
97          );
98          $docx->    addList($valuesList, $paramsList);
99
100         $docx->    addBreak('page');
101
102         $legends = array(
103             '0' => array(   'sequence 1', 'sequence 2', 'sequence 3'),
104             'legend1' => array(   $user['value1']),
105             'legend2' => array(   $user['value2']),
106             'legend3' => array(   $user['value3'])
107         );
108         $args = array(
109             'data' =>    $legends,
110             'type' =>    'pie3DChart',
111             'title' =>    $user['name'] . '\'s chart',
112             'cornerX' =>    20, 'cornerY' =>    20, 'cornerP' =>    30,
113             'color' =>    2,
114             'textWrap' =>    0,
115             'sizeX' =>    10, 'sizeY' =>    10,
116             'jc' =>    'left',
117             'showPercent' =>    1,
118             'font' =>    'Times New Roman'
119         );
120         $docx->    addGraphic($args);
121
122         $docx->    createDocx('example_multidocument_' . $user['name']);
123
124  }
```

example

```php
1     <?php
2
3     /**
4      * Create a DOCX file. List nested
5      *
6      * @category    Phpdocx
7      * @package     examples
8      * @subpackage  intermediate
9      * @copyright   Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10     *                 (http://www.2mdc.com)
11     * @license     http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12     * @version     1.8
13     * @link        http://www.phpdocx.com
```

```php
14    * @since      File available since Release 1.8
15    */
16   require_once '../../classes/CreateDocx.inc';
17
18   $docx = new CreateDocx();
19
20   $paramsList = array(
21       'val' =>    1
22   );
23   $valuesList = array(
24       'Line 1',
25       array(
26           'Line A',
27           'Line B',
28           'Line C'
29       ),
30       'Line 2',
31       'Line 3',
32   );
33
34   $docx->   addList($valuesList, $paramsList);
35
36   $docx->   createDocx('example_list_nested');
```

example

```php
1    <?php
2
3    /**
4     * Create a DOCX file. List with image, list, chart and textbox
5     *
6     * @category   Phpdocx
7     * @package    examples
8     * @subpackage intermediate
9     * @copyright  Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10    *             (http://www.2mdc.com)
11    * @license    http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12    * @version    1.8
13    * @link       http://www.phpdocx.com
14    * @since      File available since Release 1.8
15    */
16   require_once '../../classes/CreateDocx.inc';
17
18   $docx = new CreateDocx();
19
20   $paramsLink = array(
21       'title' =>    'Link to Google',
22       'link' =>     'http://www.google.es'
23   );
24
25   $link = $docx->   addElement('addLink', $paramsLink);
26
27
28   $paramsImage = array(
29       'name' =>    '../files/img/image.png'
30   );
31
32   $image = $docx->   addElement('addImage', $paramsImage);
33
34   $legends = array(
35       'legend1' => array(   10, 11, 12),
36       'legend2' => array(   0, 1, 2),
37       'legend3' => array(   40, 41, 42)
38   );
39
40   $paramsChart = array(
41       'data' =>     $legends,
42       'type' =>    'pie3DChart',
43       'title' =>    'Title'
44   );
45   $chart = $docx->   addElement('addGraphic', $paramsChart);
46
47   $paramsText = array(
48       'b' =>    'single'
49   );
50
51   $paramsBox = array(
52       'jc' =>    'square'
53   );
```

```
54
55      $paramsTextBox = array(
56          array(
57              'text' =>    'Lorem ipsum dolor sit amet, consectetur adipisicing ' .
58                           'elit, sed do eiusmod tempor incididunt ut labore et ' .
59                           'dolore magna aliqua. Ut enim ad minim veniam, quis ' .
60                           'nostrud exercitation ullamco laboris nisi ut aliquip ' .
61                           'ex ea commodo consequat. Duis aute irure dolor in ' .
62                           'reprehenderit in voluptate velit esse cillum dolore ' .
63                           'eu fugiat nulla pariatur. Excepteur sint occaecat ' .
64                           'cupidatat non proident, sunt in culpa qui officia ' .
65                           'deserunt mollit anim id est laborum.',
66              'args' =>    $paramsText
67          ),
68          $paramsBox
69      );
70
71      $textBox = $docx->    addElement('addTextBox', $paramsTextBox);
72
73      $valuesList = array(
74          'Line 1',
75          $link,
76          $image,
77          $chart,
78          'Line 2',
79          'Line 3',
80          $textBox,
81      );
82      $paramsList = array(
83          'val' =>    1
84      );
85      $docx->    addList($valuesList, $paramsList);
86
87      $docx->    createDocx('example_list');
```

example

```
1       <?php
2
3       /**
4        * Create a DOCX file. Custom Bullets List example
5        *
6        * @category    Phpdocx
7        * @package     examples
8        * @subpackage easy
9        * @copyright   Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10       *             (http://www.2mdc.com)
11       * @license     http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12       * @version     2.2
13       * @link        http://www.phpdocx.com
14       * @since       File available since Release 2.2
15       */
16      require_once '../../classes/CreateDocx.inc';
17
18      $docx = new CreateDocx();
19
20      $valuesList = array(
21          'Line 1',
22          'Line 2',
23          'Line 3',
24          'Line 4',
25          'Line 5'
26      );
27
28      $paramsList = array(
29          'val' =>    1,
30          'bullets' => array(    3)
31      );
32
33      $docx->    addList($valuesList, $paramsList);
34
35      $docx->    createDocx('example_list_bullets');
```

example

```
1       <?php
2
3       /**
```

```
4        * Create a DOCX file. List example
5        *
6        * @category   Phpdocx
7        * @package    examples
8        * @subpackage easy
9        * @copyright  Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10       *            (http://www.2mdc.com)
11       * @license    http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12       * @version    1.8
13       * @link       http://www.phpdocx.com
14       * @since      File available since Release 1.8
15       */
16   require_once '../../classes/CreateDocx.inc';
17
18   $docx = new CreateDocx();
19
20   $valuesList = array(
21       'Line 1',
22       'Line 2',
23       'Line 3',
24       'Line 4',
25       'Line 5'
26   );
27
28   $paramsList = array(
29       'val' =>    1
30   );
31
32   $docx->   addList($valuesList, $paramsList);
33
34   $docx->   createDocx('example_list');
```
Function Parameters:

- *array* **$dats** Values of the list
- *array* **$paramsList** Parameters to use   Values: 'font' (Arial, Times New Roman...),   'val' (0 (clear), 1 (inordinate), 2(numerical)),   array 'bullets' (1 (ï,·), 2 (o), 3 (ï,§))

Add a list

- **Access** public
- **Example**
- **Example**
- **Example**
- **Example**
- **Example**

void function CreateDocx::addMacroFromDoc($path) *[line 1507]*
Function Parameters:

- *string* **$path** Path to a file with macro

Add a macro from a DOC

- **Access** public

---

void function CreateDocx::addMathDocx($path) *[line 1553]*

example

```php
1    <?php
2
3    /**
4     * Create a DOCX file. List example
5     *
6     * @category   Phpdocx
7     * @package    examples
8     * @subpackage easy
9     * @copyright  Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10    *             (http://www.2mdc.com)
11    * @license    http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12    * @version    2.0
13    * @link       http://www.phpdocx.com
14    * @since      File available since Release 2.0
15    */
16   require_once '../../classes/CreateDocx.inc';
17
18   $docx = new CreateDocx();
19
20   $docx->   addMathEq(
21       '<m:oMathPara>
22           <m:oMath><m:r><m:t>â^ªÂ±â^ž=~Ã—</m:t></m:r></m:oMath>
23       </m:oMathPara>'
24   );
25
26   $docx->   addMathDocx('../files/math.docx');
27
28   $docx->   createDocx('example_math');
```

Function Parameters:

- *string* **$path** Path to a file with math eq

Convert a math eq to DOCX

- **Access** public
- **Example**

---

void function CreateDocx::addMathEq($eq) *[line 1572]*

example

```php
1    <?php
2
3    /**
4     * Create a DOCX file. List example
5     *
6     * @category   Phpdocx
7     * @package    examples
8     * @subpackage easy
9     * @copyright  Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10    *             (http://www.2mdc.com)
11    * @license    http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12    * @version    2.0
13    * @link       http://www.phpdocx.com
14    * @since      File available since Release 2.0
15    */
16   require_once '../../classes/CreateDocx.inc';
17
18   $docx = new CreateDocx();
19
20   $docx->   addMathEq(
21       '<m:oMathPara>
22           <m:oMath><m:r><m:t>âˆªÂ±âˆž=~Ã—</m:t></m:r></m:oMath>
23       </m:oMathPara>'
24   );
25
26   $docx->   addMathDocx('../files/math.docx');
27
28   $docx->   createDocx('example_math');
```
Function Parameters:

- *string* **$eq** Math eq

Add an existing math eq to DOCX

- **Access** public
- **Example**

void function CreateDocx::addMathMML($eq) *[line 1585]*
Function Parameters:

- *string* **$eq** Math eq

Convert a math MML eq to DOCX

- **Access** public

void function CreateDocx::addObject($path, $type) *[line 1603]*
    Function Parameters:

- *string* **$path** Object path
- *string* **$type** Object type   Values: xlsx, pptx

Add an existing object (XLS or PPTX)

- **Access** public
- **Example** example not found

void function CreateDocx::addProperties($values) *[line 1661]*

example

```php
1    <?php
2
3    /**
4     * Create a DOCX file. Properties example
5     *
6     * @category   Phpdocx
7     * @package    examples
8     * @subpackage easy
9     * @copyright  Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10    *             (http://www.2mdc.com)
11    * @license    http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12    * @version    2.2
13    * @link       http://www.phpdocx.com
14    * @since      File available since Release 2.2
15    */
16   require_once '../../classes/CreateDocx.inc';
17
18   $docx = new CreateDocx();
19
20   $paramsProperties = array(
21       'title' =>     'my title',
22       'subject' =>    'my subject',
23       'creator' =>    'the creator',
24       'keywords' =>    'my keywords',
25       'description' =>    'my description',
26       'category' =>    'my category',
27       'custom' => array(
28           array(
29               'title' =>    'my title 1',
30               'value' =>    'my content 1'),
31           array(
32               'title' =>    'my title 2',
33               'value' =>    'my content 2'),
34           array(
35               'title' =>    'my title 3',
36               'value' =>    'my content 3')
37       )
38   );
39   $docx->  addProperties($paramsProperties);
40
41   $docx->   createDocx('example_properties');
```

Function Parameters:

- *array* **$values** Parameters to use   Values: 'title', 'subject', 'creator', 'keywords', 'description', 'category', 'manager', 'custom' ('title', 'value')

Add properties to document

- **Access** public
- **Example**

void function CreateDocx::addRawWordML($wml) *[line 1685]*
  Function Parameters:

- *string* **$wml** WordML to add

Add a raw WordML

- **Access** public

void function CreateDocx::addRTF($pathRTF) *[line 1699]*

example

```php
1    <?php
2
3    /**
4     * Create a DOCX file. Add RTF file in a DOCX file
5     *
6     * @category   Phpdocx
7     * @package    examples
8     * @subpackage easy
9     * @copyright  Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10   // *            (http://www.2mdc.com)
11    * @license    http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12    * @version    05.24.2011
13    * @link       http://www.phpdocx.com
14    * @since      File available since Release 2.3
15    */
16   require_once '../../classes/CreateDocx.inc';
17
18   $docx = new CreateDocx();
```

```
19
20      $docx->    addText('RTF content');
21
22      $docx->    addRTF('../files/Text.rtf');
23
24      $docx->    addText('End RTF content');
25
26      $docx->    createDocx('example_rtf');
```
Function Parameters:

- *string* **$pathRTF** Path to RTF

Add a RTF file. Keep content and styles.

- **Access** public
- **Example** example not found
- **Example**

void function CreateDocx::addSection([$dats = '']) *[line 1732]*

example


```
1       <?php
2
3       /**
4        * Create a DOCX file. Section example
5        *
6        * @category   Phpdocx
7        * @package    examples
8        * @subpackage easy
9        * @copyright  Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10       *               (http://www.2mdc.com)
11       * @license    http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12       * @version    1.8
13       * @link       http://www.phpdocx.com
14       * @since      File available since Release 1.8
15       */
16      require_once '../../classes/CreateDocx.inc';
17
18      $docx = new CreateDocx();
19
20      $text = 'Lorem ipsum dolor sit amet, consectetur adipisicing elit, ' .
21          'sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut ' .
22          'enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut' .
23          'aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit ' .
24          'in voluptate velit esse cillum dolore eu fugiat nulla pariatur. ' .
25          'Excepteur sint occaecat cupidatat non proident, sunt in culpa qui ' .
26          'officia deserunt mollit anim id est laborum.';
27
28      $docx->    addText($text);
29
30      $paramsText = array(
31          'b' =>    'single'
32      );
33
34      $docx->    addText($text, $paramsText);
35
36      $paramsSection = array(
37          'orient' =>    'landscape',
38          'top' =>    4000,
```

```
39          'bottom' =>    4000,
40          'right' =>    4000,
41          'left' =>    4000
42     );
43     $docx->    addSection($paramsSection);
44
45     $docx->    addText($text);
46
47     $docx->    addText($text, $paramsText);
48
49     $docx->    createDocx('example_section');
```
Function Parameters:

- *array* **$dats** Parameters to use   Values: 'bottom' (4000, 4001...), 'columns' (1, 2, 3),   'left' (4000, 4001...), 'orient' (landscape), 'right' (4000, 4001),   'titlePage' (1), 'top' (4000, 4001)

Add a section

- **Access** public
- **Example**

void function CreateDocx::addShape($type, [$style = '']) *[line 1750]*

example

```
1     <?php
2
3     /**
4      * Create a DOCX file. Shape example
5      *
6      * @category   Phpdocx
7      * @package    examples
8      * @subpackage easy
9      * @copyright  Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10     *             (http://www.2mdc.com)
11     * @license    http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12     * @version    2.2
13     * @link       http://www.phpdocx.com
14     * @since      File available since Release 2.2
15     */
16    require_once '../../classes/CreateDocx.inc';
17
18    $docx = new CreateDocx();
19
20    $type = 'line';
21
22    $paramsShape = array(
23        'width'     =>    300,
24        'height'    =>    500
25    );
26
27    $docx->    addShape($type, $paramsShape);
28
29    $docx->    createDocx('example_shape');
```
Function Parameters:

- *string* **$type** Type of shape to draw   Values: line

- *array* **$style** Style of text   Values: 'width' (300, 400...), 'height' (300, 400...)

Add a shape

- **Access** public
- **Example**

void function CreateDocx::addTable($dats, [$parameters = '']) *[line 1775]*

example

```php
1    <?php
2
3    /**
4     * Create a DOCX file. Report example
5     *
6     * @category   Phpdocx
7     * @package    examples
8     * @subpackage advanced
9     * @copyright  Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10    *             (http://www.2mdc.com)
11    * @license    http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12    * @version    2.2
13    * @link       http://www.phpdocx.com
14    * @since      File available since Release 2.2
15    */
16   require_once '../../classes/CreateDocx.inc';
17
18   $docx = new CreateDocx();
19
20   // browser stats
21   $statsFeb2009Feb2010 = '
22   <STATS>
23       <BROWSER>
24           <NAME>Internet Explorer</NAME>
25           <VALUE>58</VALUE>
26       </BROWSER>
27       <BROWSER>
28           <NAME>Firefox</NAME>
29           <VALUE>31</VALUE>
30       </BROWSER>
31       <BROWSER>
32           <NAME>Chrome</NAME>
33           <VALUE>4</VALUE>
34       </BROWSER>
35       <BROWSER>
36           <NAME>Safari</NAME>
37           <VALUE>3</VALUE>
38       </BROWSER>
39       <BROWSER>
40           <NAME>Opera</NAME>
41           <VALUE>2</VALUE>
42       </BROWSER>
43       <BROWSER>
44           <NAME>Other</NAME>
45           <VALUE>2</VALUE>
46       </BROWSER>
47   </STATS>
48   ';
49
50   $statsFeb2010Feb2011 = '
51   <STATS>
52       <BROWSER>
```

```
53            <NAME>Internet Explorer</NAME>
54            <VALUE>50</VALUE>
55        </BROWSER>
56        <BROWSER>
57            <NAME>Firefox</NAME>
58            <VALUE>31</VALUE>
59        </BROWSER>
60        <BROWSER>
61            <NAME>Chrome</NAME>
62            <VALUE>11</VALUE>
63        </BROWSER>
64        <BROWSER>
65            <NAME>Safari</NAME>
66            <VALUE>4</VALUE>
67        </BROWSER>
68        <BROWSER>
69            <NAME>Opera</NAME>
70            <VALUE>2</VALUE>
71        </BROWSER>
72        <BROWSER>
73            <NAME>Other</NAME>
74            <VALUE>2</VALUE>
75        </BROWSER>
76    </STATS>
77    ';
78
79    // add text and date in header
80    $header = 'Browsers stats';
81
82    $paramsHeader = array(
83        'jc' =>    'right',
84        'textWrap' =>    5,
85    );
86
87    $date = getdate();
88
89    $docx->   addHeader($header . ' ' . $date['mon'] . '/' . $date['mday'] . '/'
90        . $date['year'], $paramsHeader);
91
92    // add footer with pager
93    $footer = 'DOCX generated using PHPDOCX PRO.';
94
95    $paramsFooter = array(
96        'pager' =>    'true',
97        'pagerAlignment' =>    'center',
98    );
99
100   $docx->   addFooter($footer, $paramsFooter);
101
102   // add chart title
103   $title = 'Browsers stats chart';
104
105   $paramsTitle = array(
106       'val' =>    1,
107       'b' =>    'single',
108       'sz' =>    22
109   );
110
111   $docx->   addTitle($title, $paramsTitle);
112
113   // add line break
114   $docx->   addBreak('line');
115   $docx->   addBreak('line');
116   $docx->   addBreak('line');
117
118   // read XML Feb209Feb2010
119   $xmlFeb2009Feb2010 = new DOMDocument();
120   $xmlFeb2009Feb2010->   loadXML($statsFeb2009Feb2010);
121
122   // read XML Feb2010Feb2011
123   $xmlFeb2010Feb2011 = new DOMDocument();
124   $xmlFeb2010Feb2011->   loadXML($statsFeb2010Feb2011);
125
126   // read stats and create charts
127   $legendsAndValues = array();
128
129   for ($i = 0; $i <    $xmlFeb2009Feb2010->   getElementsByTagName("NAME"           )->   length;
$i++) {
130       $legendsAndValues[$xmlFeb2009Feb2010->   getElementsByTagName("NAME"          )->   item($i)-
>   nodeValue] = array(
```

```php
131          $xmlFeb2009Feb2010->  getElementsByTagName("VALUE"           )->  item($i)->  nodeValue
132      );
133  }
134
135  $chart = array(
136      'data' =>    $legendsAndValues,
137      'type' =>    'pie3DChart',
138      'title' =>    'Feb 2009 - Feb 2010',
139      'cornerX' =>    20, 'cornerY' =>    20, 'cornerP' =>    30,
140      'color' =>    2,
141      'textWrap' =>    0,
142      'sizeX' =>    14, 'sizeY' =>    8,
143      'jc' =>    'center',
144      'showPercent' =>    1,
145  );
146
147  $docx->  addGraphic($chart);
148
149  // add line break
150  $docx->  addBreak('line');
151  $docx->  addBreak('line');
152
153  $legendsAndValues = array();
154
155  for($i = 0; $i <    $xmlFeb2010Feb2011->  getElementsByTagName("NAME"           )->  length; $i++)
{
156      $legendsAndValues[$xmlFeb2010Feb2011->  getElementsByTagName("NAME"           )->  item($i)-
>  nodeValue] = array(
157          $xmlFeb2010Feb2011->  getElementsByTagName("VALUE"           )->  item($i)->  nodeValue
158      );
159  }
160
161  $chart['data'] = $legendsAndValues;
162  $chart['title'] = 'Feb 2010 - Feb 2011';
163
164  $docx->  addGraphic($chart);
165
166  // add page break
167  $docx->  addBreak('page');
168
169  // add table title
170  $title = 'Browsers stats table';
171
172  $paramsTitle = array(
173      'val' =>    1,
174      'b' =>    'single',
175      'sz' =>    22
176  );
177
178  $docx->  addTitle($title, $paramsTitle);
179
180  // add line break
181  $docx->  addBreak('line');
182  $docx->  addBreak('line');
183  $docx->  addBreak('line');
184
185  // read stats and create table
186  $table = array();
187
188  $table[] = array(
189      '',
190      'Feb 2009 - Feb 2010',
191      'Feb 2010 - Feb 2011',
192  );
193
194
195  for($i = 0; $i <    $xmlFeb2009Feb2010->  getElementsByTagName("NAME"           )->  length; $i++)
{
196      $paramsHeaderTextTable[0] = array(
197          'text' =>    $xmlFeb2009Feb2010->  getElementsByTagName("NAME"           )->  item($i)-
>  nodeValue,
198          'b' =>    'single',
199          'sz' =>    14
200      );
201
202      $table[] = array(
203          $docx->  addElement('addText', $paramsHeaderTextTable),
204          $xmlFeb2009Feb2010->  getElementsByTagName("VALUE"           )->  item($i)->  nodeValue,
205          $xmlFeb2010Feb2011->  getElementsByTagName("VALUE"           )->  item($i)->  nodeValue
206      );
```

```php
207    }
208
209    $paramsTable = array(
210        'border' =>     'single',
211        'border_sz' =>    2,
212        'jc' =>     'center',
213        'size_col' =>    2800
214    );
215
216    $docx->   addTable($table, $paramsTable);
217
218    // add page break
219    $docx->   addBreak('page');
220
221    // add text
222    $textInfo = 'Stats are based on aggregate data collected by StatCounter on a'
223    . ' sample exceeding 15 billion pageviews per month collected from across'
224    . ' the StatCounter network of more than 3 million websites. Stats are '
225    . ' updated and made available every 4 hours, however are subject to '
226    . 'quality assurance testing and revision for 7 days from publication.';
227
228    $paramsTextInfo = array(
229        'val' =>    1,
230        'i' =>    'single',
231        'sz' =>    8
232    );
233
234    $docx->   addText($textInfo, $paramsTextInfo);
235
236    // add link
237    $docx->   addLink('Source: StatCounter', 'http://gs.statcounter.com');
238
239    // generate DOCX file
240    $docx->   createDocx('example_report');
```

example

```php
1     <?php
2
3     /**
4      * Create a DOCX file. Table styled
5      *
6      * @category   Phpdocx
7      * @package    examples
8      * @subpackage intermediate
9      * @copyright  Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10     *             (http://www.2mdc.com)
11     * @license    http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12     * @version    2.2
13     * @link       http://www.phpdocx.com
14     * @since      File available since Release 2.2
15     */
16    require_once '../../classes/CreateDocx.inc';
17
18    $docx = new CreateDocx();
19
20    $frameworks = array(
21                array('name' =>    'Code Igniter',
22                    'ajax' =>    'Prototype/script.aculo.us, jQuery/jQuery UI',
23                    'mvc' =>    'Modified active record pattern',
24                    'orm' =>    'No',
25                    'security' =>    'Yes'
26                ),
27                array('name' =>    'Drupal',
28                    'ajax' =>    'jQuery/jQuery UI, more',
29                    'mvc' =>    'No',
30                    'orm' =>    'Optional module',
31                    'security' =>    'Yes'
32                ),
33                array('name' =>    'eZ Components',
34                    'ajax' =>    'No',
35                    'mvc' =>    'Yes',
36                    'orm' =>    'Yes',
37                    'security' =>    'Yes'
38                ),
39                array('name' =>    'Symfony',
40                    'ajax' =>    'Prototype, script.aculo.us, Unobtrusive Ajax ' .
41                        'with UJS and PJS plugins',
42                    'mvc' =>    'Push',
```

```
43                         'orm' =>      'Yes',
44                         'security' =>     'Plugin'
45                     ),
46                 array('name' =>      'Zend Framework',
47                     'ajax' =>     'Toolkit-independent',
48                     'mvc' =>      'Push and Pull',
49                     'orm' =>      'Yes',
50                     'security' =>     'ACL-based'
51                 )
52     );
53
54     $headerStyle[0] = array(
55         'b' =>     'single',
56         'font' =>     'Arial',
57     );
58
59     $table[] = array(
60         '',
61         'Ajax',
62         'MVC framework',
63         'ORM',
64         'Security Framework(s)'
65     );
66
67     foreach ($frameworks as $framework) {
68         $headerStyle[0]['text'] = $framework['name'];
69         $table[] = array(
70             $docx->  addElement('addText', $headerStyle),
71             $framework['ajax'],
72             $framework['mvc'],
73             $framework['orm'],
74             $framework['security']
75         );
76     }
77
78     $paramsTable = array(
79         'TBLLOOKval' =>     'ffff01E0',
80         'TBLSTYLEval' =>     'Tablanormal',
81         'TBLWtype' =>     'center',
82         'TBLWw' =>     '50',
83         'border' =>     'single',
84         'border_sz' =>    20,
85         'border_spacing' =>     0,
86         'border_color' =>     '000000',
87         'jc' =>     'center',
88         'size_col' =>    2800
89     );
90
91     $docx->  addTable($table, $paramsTable);
92
93     $docx->  createDocx('example_table_styled');
```

example

```
1     <?php
2
3     /**
4      * Create a DOCX file. Table with text, link and image
5      *
6      * @category    Phpdocx
7      * @package     examples
8      * @subpackage  intermediate
9      * @copyright   Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10     *               (http://www.2mdc.com)
11     * @license     http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12     * @version     1.8
13     * @link        http://www.phpdocx.com
14     * @since       File available since Release 1.8
15     */
16    require_once '../../classes/CreateDocx.inc';
17
18    $docx = new CreateDocx();
19
20    $paramsLink = array(
21        'title' =>     'Link to Google',
22        'link' =>    'http://www.google.es'
23    );
24
25    $link = $docx->  addElement('addLink', $paramsLink);
```

```
26
27      $paramsImg = array(
28          'name' =>    '../files/img/image.png'
29      );
30
31      $image = $docx->    addElement('addImage', $paramsImg);
32
33      $valuesTable = array(
34          array(
35              'Title A',
36              'Title B',
37              'Title C',
38          ),
39          array(
40              'Line A',
41              $link,
42              $image,
43          )
44      );
45
46      $paramsTable = array(
47          'TBLLOOKval' =>     'ffff01E0',
48          'TBLSTYLEval' =>    'Tablanormal',
49          'TBLWtype' =>     'center',
50          'TBLWw' =>     '50',
51          'border' =>     'single',
52          'border_sz' =>    20,
53          'border_spacing' =>    0,
54          'border_color' =>    'ff0000',
55          'jc' =>     'center',
56          'size_col' =>    1200
57      );
58
59      $docx->    addTable($valuesTable, $paramsTable);
60      $docx->    createDocx('example_table');
```

example

```
1     <?php
2
3     /**
4      * Create a DOCX file. Table example
5      *
6      * @category    Phpdocx
7      * @package     examples
8      * @subpackage easy
9      * @copyright   Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10     *              (http://www.2mdc.com)
11     * @license     http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12     * @version     1.8
13     * @link        http://www.phpdocx.com
14     * @since       File available since Release 1.8
15     */
16    require_once '../../classes/CreateDocx.inc';
17
18    $docx = new CreateDocx();
19
20    $valuesTable = array(
21        array(
22            11,
23            12
24        ),
25        array(
26            21,
27            22
28        ),
29    );
30
31    $paramsTable = array(
32        'border' =>     'single',
33        'border_sz' =>    20
34    );
35
36
37    $docx->    addTable($valuesTable, $paramsTable);
38
39    $docx->    createDocx('example_table');
```

Function Parameters:

- *array* **$dats** Values to add
- *array* **$parameters** Parameters to use   Values: 'border' (none, single, double),   'border_color' (ffffff, ff0000), 'border_spacing' (0, 1, 2...),   'border_sz' (10, 11...), 'font' (Arial, Times New Roman...),   'jc' (center, left, right), 'size_col' (1200, 1300...),   'TBLSTYLEval' (Cuadrculamedia3-nfasis1, Sombreadomedio1,   Tablaconcuadrcula, TableGrid)

Add a table.

- **Access** public
- **Example**
- **Example**
- **Example**
- **Example**

void function CreateDocx::addTableContents([$font = '']) *[line 1791]*

example

```
1    <?php
2
3    /**
4     * Create a DOCX file. Table of contents example
5     *
6     * @category    Phpdocx
7     * @package     examples
8     * @subpackage easy
9     * @copyright  Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10    *                 (http://www.2mdc.com)
11    * @license     http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12    * @version     1.8
13    * @link        http://www.phpdocx.com
14    * @since       File available since Release 1.8
15    */
16   require_once '../../classes/CreateDocx.inc';
17
18   $objDocx = new CreateDocx();
19
20   $objDocx->  addTableContents('Arial');
21
22   $objDocx->  createDocx('example_tablecontents');
```
Function Parameters:

- *string* **$font** Set font type   Values: 'Arial', 'Times New Roman'...

Add a table of contents (TOC)

- **Access** public
- **Example**

void function CreateDocx::addTemplate($path) *[line 1806]*

example

```php
1    <?php
2
3    /**
4     * Create a DOCX file. Template example
5     *
6     * @category    Phpdocx
7     * @package     examples
8     * @subpackage  easy
9     * @copyright   Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10    *                 (http://www.2mdc.com)
11    * @license     http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12    * @version     1.8
13    * @link        http://www.phpdocx.com
14    * @since       File available since Release 1.8
15    */
16   require_once '../../classes/CreateDocx.inc';
17
18   $docx = new CreateDocx();
19
20   $docx->    addTemplate('../files/TemplateText.docx');
21
22   $docx->    addTemplateVariable('WEIGHT1', '10');
23   $docx->    addTemplateVariable('WEIGHT2', '20');
24   $docx->    addTemplateVariable('WEIGHT3', '25');
25
26   $docx->    addTemplateVariable('PRICE1', '5');
27   $docx->    addTemplateVariable('PRICE2', '30');
28   $docx->    addTemplateVariable('PRICE3', '7');
29
30   $docx->    addTemplateVariable('TOTALWEIGHT', '55');
31
32   $docx->    addTemplateVariable('TOTALPRICE', '42');
33
34   $docx->    addTemplateVariable('NAME', 'David Hume');
35
36   $docx->    createDocx('template_text');
```

Function Parameters:

- *string* **$path** Path to the file

Add a DOCX file as a template

- **Access** public
- **Example**

void function CreateDocx::addTemplateChart($var, $chart) *[line 1832]*

example

```php
1      <?php
2
3      /**
4       * Create a DOCX file. Template chart example
5       *
6       * @category    Phpdocx
7       * @package     examples
8       * @subpackage  easy
9       * @copyright   Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10      *              (http://www.2mdc.com)
11      * @license     http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12      * @version     1.8
13      * @link        http://www.phpdocx.com
14      * @since       File available since Release 1.8
15      */
16     require_once '../../classes/CreateDocx.inc';
17
18     $docx = new CreateDocx();
19
20     $docx->   addTemplate('../files/TemplateChart.docx');
21
22     $legends = array(
23         'legend1' => array(   10, 11, 12),
24         'legend2' => array(   30, 21, 12),
25         'legend3' => array(   40, 41, 42)
26     );
27
28     $paramsChart =
29         array(
30             'data' =>    $legends,
31             'type' =>    'pie3DChart',
32             'title' =>    'Title',
33             'cornerX' =>    20,
34             'cornerY' =>    20,
35             'cornerP' =>    30,
36             'color' =>    2,
37             'textWrap' =>    0,
38             'sizeX' =>    10,
39             'sizeY' =>    10,
40             'jc' =>    'right',
41             'showPercent' =>    1,
42             'font' =>    'Times New Roman'
43         );
44
45     $docx->   addTemplateChart('PIECHART', $paramsChart);
46
47     $docx->   createDocx('template_chart');
```

Function Parameters:

- *string* **$var** Value of the variable
- *string* **$chart** Chart to add   Values: same as charts.

Replace a variable with a chart.

- **Access** public
- **Example**

void function CreateDocx::addTemplateCheckBox($var, [$value = false]) *[line 1848]*
   Function Parameters:

- *string* **$var** Value of the variable. String
- *string* **$value**

Replace a variable with a checkbox.

- **Access** public

void function CreateDocx::addTemplateImage($var, $pathImage) *[line 1865]*

example

```php
1    <?php
2
3    /**
4     * Create a DOCX file. Template image example
5     *
6     * @category    Phpdocx
7     * @package     examples
8     * @subpackage  easy
9     * @copyright   Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10    *               (http://www.2mdc.com)
11    * @license     http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12    * @version     1.8
13    * @link        http://www.phpdocx.com
14    * @since       File available since Release 1.8
15    */
16   require_once '../../classes/CreateDocx.inc';
17
18   $objDocx = new CreateDocx();
19
20   $objDocx->  addTemplate('../files/TemplateImage.docx');
21
22   $objDocx->  addTemplateImage('IMAGE', '../files/img/logo_phpdocx.gif');
23
24   $objDocx->  createDocx('template_image');
```
   Function Parameters:

- *string* **$var** Value of the variable
- *string* **$pathImage** Path of the new image

Replace a variable image template with a new image.

- **Access** public
- **Example**

void function CreateDocx::addTemplateVariable($var, [$value = ''], [$settings = '']) *[line 1885]*

example

```php
1    <?php
2
3    /**
4     * Create a DOCX file. Template example
5     *
6     * @category    Phpdocx
7     * @package     examples
8     * @subpackage  easy
9     * @copyright   Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10    *              (http://www.2mdc.com)
11    * @license     http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12    * @version     1.8
13    * @link        http://www.phpdocx.com
14    * @since       File available since Release 1.8
15    */
16    require_once '../../classes/CreateDocx.inc';
17
18    $docx = new CreateDocx();
19
20    $docx->    addTemplate('../files/TemplateText.docx');
21
22    $docx->    addTemplateVariable('WEIGHT1', '10');
23    $docx->    addTemplateVariable('WEIGHT2', '20');
24    $docx->    addTemplateVariable('WEIGHT3', '25');
25
26    $docx->    addTemplateVariable('PRICE1', '5');
27    $docx->    addTemplateVariable('PRICE2', '30');
28    $docx->    addTemplateVariable('PRICE3', '7');
29
30    $docx->    addTemplateVariable('TOTALWEIGHT', '55');
31
32    $docx->    addTemplateVariable('TOTALPRICE', '42');
33
34    $docx->    addTemplateVariable('NAME', 'David Hume');
35
36    $docx->    createDocx('template_text');
```

Function Parameters:

- *mixed* **$var** Value of the variable. String or array of values
- *string* **$value** Text value, type of value or text array   Values type of template: list, table, html, rtf, docx
- *array* **$settings** Template settings

Replace a variable with a text, HTML, DOCX, RTF.

- **Access** public
- **Example** example not found
- **Example**

void function CreateDocx::addText($value, [$style = '']) *[line 1922]*

example

```php
1    <?php
2
3    /**
4     * Create a DOCX file. Text with different styles in the same paragraph
5     *
6     * @category   Phpdocx
7     * @package    examples
8     * @subpackage intermediate
9     * @copyright  Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10    *             (http://www.2mdc.com)
11    * @license    http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12    * @version    1.8
13    * @link       http://www.phpdocx.com
14    * @since      File available since Release 1.8
15    */
16   require_once('../../classes/CreateDocx.inc');
17
18   $docx = new CreateDocx();
19
20   $text = array();
21
22   $text[] =
23       array(
24           'text' =>    'Lorem ipsum',
25           'u' =>    'single',
26   );
27
28   $text[] =
29       array(
30           'text' =>    ' sed do eiusmod tempor incididunt',
31           'b' =>    'single',
32   );
33
34   $docx->   addText($text);
35
36   $docx->   createDocx('example_text');
```

example

```php
1    <?php
2
3    /**
4     * Create a DOCX file. Report example
5     *
6     * @category   Phpdocx
7     * @package    examples
8     * @subpackage advanced
9     * @copyright  Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10    *             (http://www.2mdc.com)
11    * @license    http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12    * @version    2.2
13    * @link       http://www.phpdocx.com
14    * @since      File available since Release 2.2
15    */
16   require_once '../../classes/CreateDocx.inc';
17
18   $docx = new CreateDocx();
19
20   // browser stats
21   $statsFeb2009Feb2010 = '
22   <STATS>
23       <BROWSER>
24           <NAME>Internet Explorer</NAME>
25           <VALUE>58</VALUE>
26       </BROWSER>
27       <BROWSER>
28           <NAME>Firefox</NAME>
29           <VALUE>31</VALUE>
30       </BROWSER>
31       <BROWSER>
32           <NAME>Chrome</NAME>
```

```
33              <VALUE>4</VALUE>
34          </BROWSER>
35          <BROWSER>
36              <NAME>Safari</NAME>
37              <VALUE>3</VALUE>
38          </BROWSER>
39          <BROWSER>
40              <NAME>Opera</NAME>
41              <VALUE>2</VALUE>
42          </BROWSER>
43          <BROWSER>
44              <NAME>Other</NAME>
45              <VALUE>2</VALUE>
46          </BROWSER>
47      </STATS>
48      ';
49
50      $statsFeb2010Feb2011 = '
51      <STATS>
52          <BROWSER>
53              <NAME>Internet Explorer</NAME>
54              <VALUE>50</VALUE>
55          </BROWSER>
56          <BROWSER>
57              <NAME>Firefox</NAME>
58              <VALUE>31</VALUE>
59          </BROWSER>
60          <BROWSER>
61              <NAME>Chrome</NAME>
62              <VALUE>11</VALUE>
63          </BROWSER>
64          <BROWSER>
65              <NAME>Safari</NAME>
66              <VALUE>4</VALUE>
67          </BROWSER>
68          <BROWSER>
69              <NAME>Opera</NAME>
70              <VALUE>2</VALUE>
71          </BROWSER>
72          <BROWSER>
73              <NAME>Other</NAME>
74              <VALUE>2</VALUE>
75          </BROWSER>
76      </STATS>
77      ';
78
79      // add text and date in header
80      $header = 'Browsers stats';
81
82      $paramsHeader = array(
83          'jc' =>    'right',
84          'textWrap' =>    5,
85      );
86
87      $date = getdate();
88
89      $docx->   addHeader($header . ' ' . $date['mon'] . '/' . $date['mday'] . '/'
90          . $date['year'], $paramsHeader);
91
92      // add footer with pager
93      $footer = 'DOCX generated using PHPDOCX PRO.';
94
95      $paramsFooter = array(
96          'pager' =>     'true',
97          'pagerAlignment' =>     'center',
98      );
99
100     $docx->   addFooter($footer, $paramsFooter);
101
102     // add chart title
103     $title = 'Browsers stats chart';
104
105     $paramsTitle = array(
106         'val' =>    1,
107         'b' =>     'single',
108         'sz' =>    22
109     );
110
111     $docx->   addTitle($title, $paramsTitle);
112
```

```php
113    // add line break
114    $docx->  addBreak('line');
115    $docx->  addBreak('line');
116    $docx->  addBreak('line');
117
118    // read XML Feb209Feb2010
119    $xmlFeb2009Feb2010 = new DOMDocument();
120    $xmlFeb2009Feb2010->  loadXML($statsFeb2009Feb2010);
121
122    // read XML Feb2010Feb2011
123    $xmlFeb2010Feb2011 = new DOMDocument();
124    $xmlFeb2010Feb2011->  loadXML($statsFeb2010Feb2011);
125
126    // read stats and create charts
127    $legendsAndValues = array();
128
129    for ($i = 0; $i <    $xmlFeb2009Feb2010->  getElementsByTagName("NAME"          )->  length;
$i++) {
130        $legendsAndValues[$xmlFeb2009Feb2010->  getElementsByTagName("NAME"          )->  item($i)-
>  nodeValue] = array(
131            $xmlFeb2009Feb2010->  getElementsByTagName("VALUE"          )->  item($i)->  nodeValue
132        );
133    }
134
135    $chart = array(
136        'data' =>    $legendsAndValues,
137        'type' =>    'pie3DChart',
138        'title' =>    'Feb 2009 - Feb 2010',
139        'cornerX' =>    20, 'cornerY' =>    20, 'cornerP' =>    30,
140        'color' =>    2,
141        'textWrap' =>    0,
142        'sizeX' =>    14, 'sizeY' =>    8,
143        'jc' =>    'center',
144        'showPercent' =>    1,
145    );
146
147    $docx->  addGraphic($chart);
148
149    // add line break
150    $docx->  addBreak('line');
151    $docx->  addBreak('line');
152
153    $legendsAndValues = array();
154
155    for($i = 0; $i <    $xmlFeb2010Feb2011->  getElementsByTagName("NAME"          )->  length; $i++)
{
156        $legendsAndValues[$xmlFeb2010Feb2011->  getElementsByTagName("NAME"          )->  item($i)-
>  nodeValue] = array(
157            $xmlFeb2010Feb2011->  getElementsByTagName("VALUE"          )->  item($i)->  nodeValue
158        );
159    }
160
161    $chart['data'] = $legendsAndValues;
162    $chart['title'] = 'Feb 2010 - Feb 2011';
163
164    $docx->  addGraphic($chart);
165
166    // add page break
167    $docx->  addBreak('page');
168
169    // add table title
170    $title = 'Browsers stats table';
171
172    $paramsTitle = array(
173        'val' =>    1,
174        'b' =>    'single',
175        'sz' =>    22
176    );
177
178    $docx->  addTitle($title, $paramsTitle);
179
180    // add line break
181    $docx->  addBreak('line');
182    $docx->  addBreak('line');
183    $docx->  addBreak('line');
184
185    // read stats and create table
186    $table = array();
187
188    $table[] = array(
```

```php
189        '',
190        'Feb 2009 - Feb 2010',
191        'Feb 2010 - Feb 2011',
192    );
193
194
195    for($i = 0; $i <    $xmlFeb2009Feb2010->  getElementsByTagName("NAME"         )->  length; $i++)
{
196        $paramsHeaderTextTable[0] = array(
197            'text' =>     $xmlFeb2009Feb2010->  getElementsByTagName("NAME"         )->  item($i)-
>  nodeValue,
198            'b' =>    'single',
199            'sz' =>    14
200        );
201
202        $table[] = array(
203            $docx->  addElement('addText', $paramsHeaderTextTable),
204            $xmlFeb2009Feb2010->  getElementsByTagName("VALUE"         )->  item($i)->  nodeValue,
205            $xmlFeb2010Feb2011->  getElementsByTagName("VALUE"         )->  item($i)->  nodeValue
206        );
207    }
208
209    $paramsTable = array(
210        'border' =>    'single',
211        'border_sz' =>    2,
212        'jc' =>    'center',
213        'size_col' =>    2800
214    );
215
216    $docx->   addTable($table, $paramsTable);
217
218    // add page break
219    $docx->   addBreak('page');
220
221    // add text
222    $textInfo = 'Stats are based on aggregate data collected by StatCounter on a'
223    . ' sample exceeding 15 billion pageviews per month collected from across'
224    . ' the StatCounter network of more than 3 million websites. Stats are '
225    . ' updated and made available every 4 hours, however are subject to '
226    . 'quality assurance testing and revision for 7 days from publication.';
227
228    $paramsTextInfo = array(
229        'val' =>    1,
230        'i' =>    'single',
231        'sz' =>    8
232    );
233
234    $docx->   addText($textInfo, $paramsTextInfo);
235
236    // add link
237    $docx->   addLink('Source: StatCounter', 'http://gs.statcounter.com');
238
239    // generate DOCX file
240    $docx->   createDocx('example_report');
```

example

```php
1    <?php
2
3    /**
4     * Create a DOCX file. User customized document
5     *
6     * @category   Phpdocx
7     * @package    examples
8     * @subpackage intermediate
9     * @copyright  Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10     *              (http://www.2mdc.com)
11     * @license    http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12     * @version    2.2
13     * @link       http://www.phpdocx.com
14     * @since      File available since Release 2.2
15     */
16    require_once '../../classes/CreateDocx.inc';
17
18    $users = array(
19                0 => array(   'name' =>    'Don Mattingly',
20                            'value1' =>    '0.2',
21                            'value2' =>    '0.4',
22                            'value3' =>    '0.6',
```

Generated by phpDocumentor v1.4.3 http://www.phpdoc.org - http://pear.php.net/package/PhpDocumentor - http://www.sourceforge.net/projects/phpdocu Page 73 of 382


```php
189        '',
190        'Feb 2009 - Feb 2010',
191        'Feb 2010 - Feb 2011',
192    );
```

```
23                                ),
24                   1 => array(   'name' =>    'Brian Sipe',
25                                'value1' =>    '0.3',
26                                'value2' =>    '0.3',
27                                'value3' =>    '0.4',
28                                ),
29                   2 => array(   'name' =>    'Julius Erving',
30                                'value1' =>    '0.1',
31                                'value2' =>    '0.2',
32                                'value3' =>    '0.7',
33                                )
34    );
35

36
37    foreach ($users as $user) {
38
39        $docx = new CreateDocx();
40
41        $paramsTitle = array(
42            'val' =>    1,
43            'u' =>      'single',
44        );
45
46        $docx->   addTitle($user['name'] . '\'s Document', $paramsTitle);
47
48        $docx->   addBreak('line');
49
50        $text = array();
51
52        $text[] =
53            array(
54                'text' =>     'Hi, ',
55        );
56
57        $text[] =
58            array(
59                'text' =>     $user['name'],
60                'b' =>      'single',
61        );
62
63        $text[] =
64            array(
65                'text' =>     ' lorem ipsum dolor sit amet, consectetur' .
66                        'adipiscing elit. Pellentesque egestas gravida tincidunt. ' .
67                        'Nunc ante enim, auctor at elementum porttitor, pharetra a' .
68                        ' erat. Vivamus semper orci nec neque faucibus a varius ' .
69                        'libero ultrices. Mauris viverra, nisl sed ullamcorper.',
70        );
71
72        $docx->   addText($text);
73
74        $docx->   addBreak('line');
75
76        $docx->   addText('Lorem ipsum dolor sit amet, consectetur: ');
77
78        $paramsList = array(
79            'val' =>    1,
80            'bullets' => array(   3, 1, 2)
81        );
82
83        $valuesList = array(
84            'Donec tellus justo',
85                array(
86                    'faucibus nec commodo quis',
87                    'dignissim ut ipsum',
88                    'Aenean hendrerit interdum',
89                        array(
90                            'Morbi malesuada luctus libero',
91                            'sodales est placerat eget',
92                            'Aenean eget nulla vel'
93                        ),
94                ),
95            'enim viverra iaculis',
96            'aliquet aliquam nisl',
97        );
98        $docx->   addList($valuesList, $paramsList);
99
100       $docx->   addBreak('page');
101
102       $legends = array(
```

```
103          '0' => array(    'sequence 1', 'sequence 2', 'sequence 3'),
104          'legend1' => array(    $user['value1']),
105          'legend2' => array(    $user['value2']),
106          'legend3' => array(    $user['value3'])
107      );
108      $args = array(
109          'data' =>    $legends,
110          'type' =>    'pie3DChart',
111          'title' =>    $user['name'] . '\'s chart',
112          'cornerX' =>    20, 'cornerY' =>    20, 'cornerP' =>    30,
113          'color' =>    2,
114          'textWrap' =>    0,
115          'sizeX' =>    10, 'sizeY' =>    10,
116          'jc' =>    'left',
117          'showPercent' =>    1,
118          'font' =>    'Times New Roman'
119      );
120      $docx->    addGraphic($args);
121
122      $docx->    createDocx('example_multidocument_' . $user['name']);
123
124  }
```

example

```
1    <?php
2
3    /**
4     * Create a DOCX file. Footer Paginator example
5     *
6     * @category    Phpdocx
7     * @package     examples
8     * @subpackage easy
9     * @copyright   Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10    *               (http://www.2mdc.com)
11    * @license     http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12    * @version     2.2
13    * @link        http://www.phpdocx.com
14    * @since       File available since Release 2.2
15    */
16   require_once('../../classes/CreateDocx.inc');
17
18   $docx = new CreateDocx();
19
20   $docx->    addText('Page 1 Content');
21   $docx->    addBreak('page');
22
23   $docx->    addText('Page 2 Content');
24   $docx->    addBreak('page');
25
26   $docx->    addText('Page 3 Content');
27
28   $paramsFooter = array(
29       'font' =>    'Arial',
30       'pager' =>    'true',
31       'pagerAlignment' =>    'right'
32   );
33
34   $docx->    addFooter('Footer. Arial font', $paramsFooter);
35
36   $docx->    createDocx('example_footer_pager');
```

example

```
1    <?php
2
3    /**
4     * Create a DOCX file. Text cursive example
5     *
6     * @category    Phpdocx
7     * @package     examples
8     * @subpackage easy
9     * @copyright   Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10    *               (http://www.2mdc.com)
11    * @license     http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12    * @version     2.2
13    * @link        http://www.phpdocx.com
14    * @since       File available since Release 2.2
```

```
15      */
16      require_once '../../classes/CreateDocx.inc';
17
18      $docx = new CreateDocx();
19
20      $text = 'Lorem ipsum dolor sit amet, consectetur adipisicing elit, ' .
21          'sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut ' .
22          'enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut' .
23          'aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit ' .
24          'in voluptate velit esse cillum dolore eu fugiat nulla pariatur. ' .
25          'Excepteur sint occaecat cupidatat non proident, sunt in culpa qui.';
26
27      $paramsText = array(
28          'i' =>      'single',
29          'jc' =>     'distribute',
30          'sz' =>     14,
31          'color' =>     '76923C'
32      );
33      $docx->   addText($text, $paramsText);
34
35      $docx->   createDocx('example_text_cursive');
```

example

```
1       <?php
2
3       /**
4        * Create a DOCX file. Footnotes in different objects
5        *
6        * @category    Phpdocx
7        * @package     examples
8        * @subpackage intermediate
9        * @copyright   Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10       *              (http://www.2mdc.com)
11       * @license     http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12       * @version     2.2
13       * @link        http://www.phpdocx.com
14       * @since       File available since Release 2.2
15       */
16      require_once '../../classes/CreateDocx.inc';
17
18      $docx = new CreateDocx();
19
20      $text = 'Lorem ipsum dolor sit amet, consectetur adipisicing elit, ' .
21          'sed do eiusmod tempor incididunt ut labore et dolore magna aliqua:';
22
23      $paramsText = array(
24          'font' =>    'Arial'
25      );
26
27      $docx->   addText($text, $paramsText);
28
29      $legends = array(
30          'legend1' => array(   24),
31          'legend2' => array(   45),
32          'legend3' => array(   31)
33      );
34      $args = array(
35          'data' =>      $legends,
36          'type' =>     'pie3DChart',
37          'title' =>     'Title first chart',
38          'cornerX' =>    20, 'cornerY' =>    20, 'cornerP' =>    30,
39          'color' =>     2,
40          'textWrap' =>    0,
41          'sizeX' =>    10, 'sizeY' =>    10,
42          'jc' =>     'left',
43          'showPercent' =>    1,
44          'font' =>    'Times New Roman',
45          'border' =>    1
46      );
47      $docx->   addGraphic($args);
48
49      $docx->   addFootnote(
50          array(
51              'textDocument' =>    'Lorem ipsum dolor sit amet',
52              'textEndNote' =>    'Curabitur id dui purus, sit amet blandit lacus. ' .
53                                  'Vivamus mollis magna et risus molestie blandit. ' .
54                                  'Phasellus vel tortor quis metus consectetur.'
55          )
```

```
56        );
57
58        $docx->    addBreak('line');
59
60        $text = 'Cras eget porttitor sapien. Aenean tristique, nibh quis egestas ' .
61               'varius, erat neque sodales neque, quis bibendum sem lorem accumsan ' .
62               'mauris. Aliquam justo justo, vulputate sed condimentum non, pharetra:';
63
64        $paramsText = array(
65            'font' =>    'Arial'
66        );
67
68        $docx->    addText($text, $paramsText);
69
70        $paramsImg = array(
71            'name' =>     '../files/img/image.png',
72            'scaling' =>    75,
73            'textWrap' =>    0,
74            'border' =>     1,
75        );
76
77        $docx->    addImage($paramsImg);
78
79        $docx->    addFootnote(
80            array(
81                'textDocument' =>    'Aenean non gravida sapien',
82                'textEndNote' =>    'Nunc pretium bibendum dui id laoreet. Nunc ' .
83                                'venenatis. Duis quis lorem vel dui tincidunt ' .
84                                'pellentesque quis sed diam.'
85            )
86        );
87
88        $docx->    createDocx('example_chart_footnotes');
```

example

```
1     <?php
2
3     /**
4      * Create a DOCX file. Text example
5      *
6      * @category   Phpdocx
7      * @package    examples
8      * @subpackage easy
9      * @copyright  Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10     *             (http://www.2mdc.com)
11     * @license    http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12     * @version    1.8
13     * @link       http://www.phpdocx.com
14     * @since      File available since Release 1.8
15     */
16    require_once '../../classes/CreateDocx.inc';
17
18    $docx = new CreateDocx();
19
20    $text = 'Lorem ipsum dolor sit amet, consectetur adipisicing elit, ' .
21        'sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut ' .
22        'enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut' .
23        'aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit ' .
24        'in voluptate velit esse cillum dolore eu fugiat nulla pariatur. ' .
25        'Excepteur sint occaecat cupidatat non proident, sunt in culpa qui ' .
26        'officia deserunt mollit anim id est laborum.';
27
28    $paramsText = array(
29        'b' =>    'single',
30        'font' =>    'Arial'
31    );
32
33    $docx->    addText($text, $paramsText);
34
35    $docx->    createDocx('example_text');
```

Function Parameters:

- *mixed* **$value** Text string or array of texts to add   Values array: 'b' (single), 'cell_color' (ffffff, ff0000...), 'color' (ffffff, ff0000...), 'font' (Arial, Times New Roman...), 'i' (single), 'jc' (both,

center, distribute, left, right), 'pageBreakBefore' (on, off), 'sz' (1, 2, 3...), 'text' 'u' (dash, dotted, double, single, wave, words), 'widowControl' (on, off), 'wordWrap' (on, off)

- *array* **$style** Style of text   Values: 'b' (single), 'color' (ffffff, ff0000...), 'font' (Arial, Times New Roman...), 'i' (single), 'jc' (both, center, distribute, left, right), 'pageBreakBefore' (on, off), 'sz' (1, 2, 3...), 'u' (dash, dotted, double, single, wave, words), 'widowControl' (on, off), 'wordWrap' (on, off), 'lineSpacing' 120, 240 (standard), 480...

Add a text

- **Access** public
- **Example**
- **Example**
- **Example**
- **Example**
- **Example**
- **Example**
- **Example**

void function CreateDocx::addTextBox($text, [$style = '']) *[line 1943]*

example

```php
1    <?php
2
3    /**
4     * Create a DOCX file. TextBox example
5     *
6     * @category   Phpdocx
7     * @package    examples
8     * @subpackage easy
9     * @copyright  Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10    *             (http://www.2mdc.com)
11    * @license    http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12    * @version    1.8
13    * @link       http://www.phpdocx.com
14    * @since      File available since Release 1.8
15    */
16   require_once '../../classes/CreateDocx.inc';
17
18   $docx = new CreateDocx();
19
20   $paramsText = array(
21       'b' =>     'single',
22       'font' =>    'Arial'
23   );
24
25   $text = 'Lorem ipsum dolor sit amet, consectetur adipisicing elit, ' .
26       'sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut ' .
27       'enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut' .
28       'aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit ' .
29       'in voluptate velit esse cillum dolore eu fugiat nulla pariatur. ' .
30       'Excepteur sint occaecat cupidatat non proident, sunt in culpa qui ' .
31       'officia deserunt mollit anim id est laborum.';
32
33   $paramsTextBox = array(
34       'jc' =>    'through'
35   );
36
```

```
37    $docx->   addTextBox(
38       array(
39          'text' =>      $text,
40          'args' =>      $paramsText
41       ),
42       $paramsTextBox
43    );
44
45
46    $docx->   createDocx('example_textbox');
```
Function Parameters:

- *mixed* **$text** Text string to add using params or not
- *array* **$style** Style of text   Values: 'align' (center, left, right), 'fillcolor' (black, red...),   'font' (Arial, Times New Roman...), 'height' (300, 400...),   'jc' (square, through), 'margin_bottom' (100, 110...),   'margin_left' (100, 110...), 'margin_right' (100, 110...),   'margin_top' (100, 110...)

Add a textbox

- **Access** public
- **Example**

void function CreateDocx::addTitle($text, [$style = '']) *[line 1967]*

example

```
1     <?php
2
3     /**
4      * Create a DOCX file. Report example
5      *
6      * @category    Phpdocx
7      * @package     examples
8      * @subpackage advanced
9      * @copyright   Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10     *                 (http://www.2mdc.com)
11     * @license     http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12     * @version     2.2
13     * @link        http://www.phpdocx.com
14     * @since       File available since Release 2.2
15     */
16    require_once '../../classes/CreateDocx.inc';
17
18    $docx = new CreateDocx();
19
20    // browser stats
21    $statsFeb2009Feb2010 = '
22    <STATS>
23        <BROWSER>
24            <NAME>Internet Explorer</NAME>
25            <VALUE>58</VALUE>
26        </BROWSER>
27        <BROWSER>
28            <NAME>Firefox</NAME>
29            <VALUE>31</VALUE>
30        </BROWSER>
31        <BROWSER>
32            <NAME>Chrome</NAME>
33            <VALUE>4</VALUE>
```

```php
34            </BROWSER>
35            <BROWSER>
36                <NAME>Safari</NAME>
37                <VALUE>3</VALUE>
38            </BROWSER>
39            <BROWSER>
40                <NAME>Opera</NAME>
41                <VALUE>2</VALUE>
42            </BROWSER>
43            <BROWSER>
44                <NAME>Other</NAME>
45                <VALUE>2</VALUE>
46            </BROWSER>
47    </STATS>
48    ';
49
50    $statsFeb2010Feb2011 = '
51    <STATS>
52            <BROWSER>
53                <NAME>Internet Explorer</NAME>
54                <VALUE>50</VALUE>
55            </BROWSER>
56            <BROWSER>
57                <NAME>Firefox</NAME>
58                <VALUE>31</VALUE>
59            </BROWSER>
60            <BROWSER>
61                <NAME>Chrome</NAME>
62                <VALUE>11</VALUE>
63            </BROWSER>
64            <BROWSER>
65                <NAME>Safari</NAME>
66                <VALUE>4</VALUE>
67            </BROWSER>
68            <BROWSER>
69                <NAME>Opera</NAME>
70                <VALUE>2</VALUE>
71            </BROWSER>
72            <BROWSER>
73                <NAME>Other</NAME>
74                <VALUE>2</VALUE>
75            </BROWSER>
76    </STATS>
77    ';
78
79    // add text and date in header
80    $header = 'Browsers stats';
81
82    $paramsHeader = array(
83        'jc' =>    'right',
84        'textWrap' =>    5,
85    );
86
87    $date = getdate();
88
89    $docx->    addHeader($header . ' ' . $date['mon'] . '/' . $date['mday'] . '/'
90        . $date['year'], $paramsHeader);
91
92    // add footer with pager
93    $footer = 'DOCX generated using PHPDOCX PRO.';
94
95    $paramsFooter = array(
96        'pager' =>    'true',
97        'pagerAlignment' =>    'center',
98    );
99
100   $docx->    addFooter($footer, $paramsFooter);
101
102   // add chart title
103   $title = 'Browsers stats chart';
104
105   $paramsTitle = array(
106       'val' =>    1,
107       'b' =>    'single',
108       'sz' =>    22
109   );
110
111   $docx->    addTitle($title, $paramsTitle);
112
113   // add line break
```

```php
114    $docx->    addBreak('line');
115    $docx->    addBreak('line');
116    $docx->    addBreak('line');
117
118    // read XML Feb209Feb2010
119    $xmlFeb2009Feb2010 = new DOMDocument();
120    $xmlFeb2009Feb2010->    loadXML($statsFeb2009Feb2010);
121
122    // read XML Feb2010Feb2011
123    $xmlFeb2010Feb2011 = new DOMDocument();
124    $xmlFeb2010Feb2011->    loadXML($statsFeb2010Feb2011);
125
126    // read stats and create charts
127    $legendsAndValues = array();
128
129    for ($i = 0; $i <    $xmlFeb2009Feb2010->    getElementsByTagName("NAME"           )->    length;
$i++) {
130        $legendsAndValues[$xmlFeb2009Feb2010->    getElementsByTagName("NAME"           )->    item($i)-
>    nodeValue] = array(
131            $xmlFeb2009Feb2010->    getElementsByTagName("VALUE"           )->    item($i)->    nodeValue
132        );
133    }
134
135    $chart = array(
136        'data' =>    $legendsAndValues,
137        'type' =>    'pie3DChart',
138        'title' =>    'Feb 2009 - Feb 2010',
139        'cornerX' =>    20, 'cornerY' =>    20, 'cornerP' =>    30,
140        'color' =>    2,
141        'textWrap' =>    0,
142        'sizeX' =>    14, 'sizeY' =>    8,
143        'jc' =>    'center',
144        'showPercent' =>    1,
145    );
146
147    $docx->    addGraphic($chart);
148
149    // add line break
150    $docx->    addBreak('line');
151    $docx->    addBreak('line');
152
153    $legendsAndValues = array();
154
155    for($i = 0; $i <    $xmlFeb2010Feb2011->    getElementsByTagName("NAME"           )->    length; $i++)
{
156        $legendsAndValues[$xmlFeb2010Feb2011->    getElementsByTagName("NAME"           )->    item($i)-
>    nodeValue] = array(
157            $xmlFeb2010Feb2011->    getElementsByTagName("VALUE"           )->    item($i)->    nodeValue
158        );
159    }
160
161    $chart['data'] = $legendsAndValues;
162    $chart['title'] = 'Feb 2010 - Feb 2011';
163
164    $docx->    addGraphic($chart);
165
166    // add page break
167    $docx->    addBreak('page');
168
169    // add table title
170    $title = 'Browsers stats table';
171
172    $paramsTitle = array(
173        'val' =>    1,
174        'b' =>    'single',
175        'sz' =>    22
176    );
177
178    $docx->    addTitle($title, $paramsTitle);
179
180    // add line break
181    $docx->    addBreak('line');
182    $docx->    addBreak('line');
183    $docx->    addBreak('line');
184
185    // read stats and create table
186    $table = array();
187
188    $table[] = array(
189        '',
```

```
190        'Feb 2009 - Feb 2010',
191        'Feb 2010 - Feb 2011',
192    );
193
194
195    for($i = 0; $i <     $xmlFeb2009Feb2010->   getElementsByTagName("NAME"          )->   length; $i++)
{
196        $paramsHeaderTextTable[0] = array(
197            'text' =>    $xmlFeb2009Feb2010->   getElementsByTagName("NAME"          )->   item($i)-
>  nodeValue,
198            'b' =>     'single',
199            'sz' =>    14
200        );
201
202        $table[] = array(
203            $docx->   addElement('addText', $paramsHeaderTextTable),
204            $xmlFeb2009Feb2010->   getElementsByTagName("VALUE"          )->   item($i)->   nodeValue,
205            $xmlFeb2010Feb2011->   getElementsByTagName("VALUE"          )->   item($i)->   nodeValue
206        );
207    }
208
209    $paramsTable = array(
210        'border' =>      'single',
211        'border_sz' =>     2,
212        'jc' =>     'center',
213        'size_col' =>    2800
214    );
215
216    $docx->   addTable($table, $paramsTable);
217
218    // add page break
219    $docx->   addBreak('page');
220
221    // add text
222    $textInfo = 'Stats are based on aggregate data collected by StatCounter on a'
223    . ' sample exceeding 15 billion pageviews per month collected from across'
224    . ' the StatCounter network of more than 3 million websites. Stats are '
225    . ' updated and made available every 4 hours, however are subject to '
226    . 'quality assurance testing and revision for 7 days from publication.';
227
228    $paramsTextInfo = array(
229        'val' =>     1,
230        'i' =>     'single',
231        'sz' =>     8
232    );
233
234    $docx->   addText($textInfo, $paramsTextInfo);
235
236    // add link
237    $docx->   addLink('Source: StatCounter', 'http://gs.statcounter.com');
238
239    // generate DOCX file
240    $docx->   createDocx('example_report');
```

example

```
1     <?php
2
3     /**
4      * Create a DOCX file. User customized document
5      *
6      * @category    Phpdocx
7      * @package     examples
8      * @subpackage  intermediate
9      * @copyright   Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10     *              (http://www.2mdc.com)
11     * @license     http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12     * @version     2.2
13     * @link        http://www.phpdocx.com
14     * @since       File available since Release 2.2
15     */
16    require_once '../../classes/CreateDocx.inc';
17
18    $users = array(
19            0 => array(   'name' =>    'Don Mattingly',
20                          'value1' =>    '0.2',
21                          'value2' =>    '0.4',
22                          'value3' =>    '0.6',
23                          ),
```

```php
24                    1 => array(   'name' =>    'Brian Sipe',
25                                  'value1' =>    '0.3',
26                                  'value2' =>    '0.3',
27                                  'value3' =>    '0.4',
28                                    ),
29                    2 => array(   'name' =>    'Julius Erving',
30                                  'value1' =>    '0.1',
31                                  'value2' =>    '0.2',
32                                  'value3' =>    '0.7',
33                                    )
34    );
35
36
37    foreach ($users as $user) {
38
39        $docx = new CreateDocx();
40
41        $paramsTitle = array(
42            'val' =>    1,
43            'u' =>    'single',
44        );
45
46        $docx->    addTitle($user['name'] . '\'s Document', $paramsTitle);
47
48        $docx->    addBreak('line');
49
50        $text = array();
51
52        $text[] =
53            array(
54                'text' =>    'Hi, ',
55        );
56
57        $text[] =
58            array(
59                'text' =>    $user['name'],
60                'b' =>    'single',
61        );
62
63        $text[] =
64            array(
65                'text' =>    ' lorem ipsum dolor sit amet, consectetur' .
66                    'adipiscing elit. Pellentesque egestas gravida tincidunt. ' .
67                    'Nunc ante enim, auctor at elementum porttitor, pharetra a' .
68                    ' erat. Vivamus semper orci nec neque faucibus a varius ' .
69                    'libero ultrices. Mauris viverra, nisl sed ullamcorper.',
70        );
71
72        $docx->    addText($text);
73
74        $docx->    addBreak('line');
75
76        $docx->    addText('Lorem ipsum dolor sit amet, consectetur: ');
77
78        $paramsList = array(
79            'val' =>    1,
80            'bullets' => array(   3, 1, 2)
81        );
82
83        $valuesList = array(
84            'Donec tellus justo',
85                array(
86                    'faucibus nec commodo quis',
87                    'dignissim ut ipsum',
88                    'Aenean hendrerit interdum',
89                        array(
90                            'Morbi malesuada luctus libero',
91                            'sodales est placerat eget',
92                            'Aenean eget nulla vel'
93                        ),
94                ),
95            'enim viverra iaculis',
96            'aliquet aliquam nisl',
97        );
98        $docx->    addList($valuesList, $paramsList);
99
100       $docx->    addBreak('page');
101
102       $legends = array(
103           '0' => array(   'sequence 1', 'sequence 2', 'sequence 3'),
```

```
104              'legend1' => array(    $user['value1']),
105              'legend2' => array(    $user['value2']),
106              'legend3' => array(    $user['value3'])
107         );
108         $args = array(
109              'data' =>     $legends,
110              'type' =>     'pie3DChart',
111              'title' =>    $user['name'] . '\'s chart',
112              'cornerX' =>    20, 'cornerY' =>    20, 'cornerP' =>    30,
113              'color' =>     2,
114              'textWrap' =>    0,
115              'sizeX' =>     10, 'sizeY' =>    10,
116              'jc' =>      'left',
117              'showPercent' =>    1,
118              'font' =>    'Times New Roman'
119         );
120         $docx->   addGraphic($args);
121
122         $docx->   createDocx('example_multidocument_' . $user['name']);
123
124    }
```

example

```
1     <?php
2
3     /**
4      * Create a DOCX file. Title example
5      *
6      * @category   Phpdocx
7      * @package    examples
8      * @subpackage easy
9      * @copyright  Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10     *             (http://www.2mdc.com)
11     * @license    http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12     * @version    1.8
13     * @link       http://www.phpdocx.com
14     * @since      File available since Release 1.8
15     */
16    require_once '../../classes/CreateDocx.inc';
17
18    $docx = new CreateDocx();
19
20    $paramsTitle = array(
21         'val' =>    1,
22         'u' =>     'single',
23         'font' =>    'Blackadder ITC',
24         'sz' =>    22
25    );
26
27    $docx->   addTitle('Lorem ipsum dolor sit amet.', $paramsTitle);
28
29    $docx->   createDocx('example_title');
```
Function Parameters:

- *string* **$text** Text to add
- *array* **$style** Style of title   Values: 'b' (single), 'color' (ffffff, ff0000...), 'font' (Arial, Times New Roman...), 'i' (single), 'jc' (both, center, distribute, left, right), 'pageBreakBefore' (on, off), 'sz' (1, 2, 3...), 'u' (dash, dotted, double, single, wave, words), 'widowControl' (on, off), 'wordWrap' (on, off)

Add a title

- **Access** public
- **Example**
- **Example**
- **Example**

void function CreateDocx::clearBlocks() *[line 2439]*
Clear all blocks

- **Access** public

void function CreateDocx::createDocx($args[0], $args[1]) *[line 1987]*

example

```php
1     <?php
2
3     /**
4      * Create a DOCX file. Report example
5      *
6      * @category   Phpdocx
7      * @package    examples
8      * @subpackage advanced
9      * @copyright  Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10     *             (http://www.2mdc.com)
11     * @license    http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12     * @version    2.2
13     * @link       http://www.phpdocx.com
14     * @since      File available since Release 2.2
15     */
16    require_once '../../classes/CreateDocx.inc';
17
18    $docx = new CreateDocx();
19
20    // browser stats
21    $statsFeb2009Feb2010 = '
22    <STATS>
23        <BROWSER>
24            <NAME>Internet Explorer</NAME>
25            <VALUE>58</VALUE>
26        </BROWSER>
27        <BROWSER>
28            <NAME>Firefox</NAME>
29            <VALUE>31</VALUE>
30        </BROWSER>
31        <BROWSER>
32            <NAME>Chrome</NAME>
33            <VALUE>4</VALUE>
34        </BROWSER>
35        <BROWSER>
36            <NAME>Safari</NAME>
37            <VALUE>3</VALUE>
38        </BROWSER>
39        <BROWSER>
40            <NAME>Opera</NAME>
41            <VALUE>2</VALUE>
42        </BROWSER>
43        <BROWSER>
44            <NAME>Other</NAME>
45            <VALUE>2</VALUE>
46        </BROWSER>
47    </STATS>
```

```
48        ';
49
50        $statsFeb2010Feb2011 = '
51        <STATS>
52            <BROWSER>
53                <NAME>Internet Explorer</NAME>
54                <VALUE>50</VALUE>
55            </BROWSER>
56            <BROWSER>
57                <NAME>Firefox</NAME>
58                <VALUE>31</VALUE>
59            </BROWSER>
60            <BROWSER>
61                <NAME>Chrome</NAME>
62                <VALUE>11</VALUE>
63            </BROWSER>
64            <BROWSER>
65                <NAME>Safari</NAME>
66                <VALUE>4</VALUE>
67            </BROWSER>
68            <BROWSER>
69                <NAME>Opera</NAME>
70                <VALUE>2</VALUE>
71            </BROWSER>
72            <BROWSER>
73                <NAME>Other</NAME>
74                <VALUE>2</VALUE>
75            </BROWSER>
76        </STATS>
77        ';
78
79        // add text and date in header
80        $header = 'Browsers stats';
81
82        $paramsHeader = array(
83            'jc' =>      'right',
84            'textWrap' =>     5,
85        );
86
87        $date = getdate();
88
89        $docx->   addHeader($header . ' ' . $date['mon'] . '/' . $date['mday'] . '/'
90            . $date['year'], $paramsHeader);
91
92        // add footer with pager
93        $footer = 'DOCX generated using PHPDOCX PRO.';
94
95        $paramsFooter = array(
96            'pager' =>      'true',
97            'pagerAlignment' =>     'center',
98        );
99
100       $docx->   addFooter($footer, $paramsFooter);
101
102       // add chart title
103       $title = 'Browsers stats chart';
104
105       $paramsTitle = array(
106           'val' =>     1,
107           'b' =>     'single',
108           'sz' =>     22
109       );
110
111       $docx->   addTitle($title, $paramsTitle);
112
113       // add line break
114       $docx->   addBreak('line');
115       $docx->   addBreak('line');
116       $docx->   addBreak('line');
117
118       // read XML Feb209Feb2010
119       $xmlFeb2009Feb2010 = new DOMDocument();
120       $xmlFeb2009Feb2010->   loadXML($statsFeb2009Feb2010);
121
122       // read XML Feb2010Feb2011
123       $xmlFeb2010Feb2011 = new DOMDocument();
124       $xmlFeb2010Feb2011->   loadXML($statsFeb2010Feb2011);
125
126       // read stats and create charts
127       $legendsAndValues = array();
```

```
128
129    for ($i = 0; $i <      $xmlFeb2009Feb2010->   getElementsByTagName("NAME"          )->    length;
$i++) {
130        $legendsAndValues[$xmlFeb2009Feb2010->   getElementsByTagName("NAME"          )->    item($i)-
>  nodeValue] = array(
131            $xmlFeb2009Feb2010->   getElementsByTagName("VALUE"         )->   item($i)->   nodeValue
132        );
133    }
134
135    $chart = array(
136        'data' =>      $legendsAndValues,
137        'type' =>     'pie3DChart',
138        'title' =>     'Feb 2009 - Feb 2010',
139        'cornerX' =>    20, 'cornerY' =>    20, 'cornerP' =>    30,
140        'color' =>     2,
141        'textWrap' =>     0,
142        'sizeX' =>     14, 'sizeY' =>     8,
143        'jc' =>      'center',
144        'showPercent' =>     1,
145    );
146
147    $docx->   addGraphic($chart);
148
149    // add line break
150    $docx->   addBreak('line');
151    $docx->   addBreak('line');
152
153    $legendsAndValues = array();
154
155    for($i = 0; $i <      $xmlFeb2010Feb2011->   getElementsByTagName("NAME"          )->   length; $i++)
{
156        $legendsAndValues[$xmlFeb2010Feb2011->   getElementsByTagName("NAME"          )->    item($i)-
>  nodeValue] = array(
157            $xmlFeb2010Feb2011->   getElementsByTagName("VALUE"         )->   item($i)->   nodeValue
158        );
159    }
160
161    $chart['data'] = $legendsAndValues;
162    $chart['title'] = 'Feb 2010 - Feb 2011';
163
164    $docx->   addGraphic($chart);
165
166    // add page break
167    $docx->   addBreak('page');
168
169    // add table title
170    $title = 'Browsers stats table';
171
172    $paramsTitle = array(
173        'val' =>     1,
174        'b' =>     'single',
175        'sz' =>    22
176    );
177
178    $docx->   addTitle($title, $paramsTitle);
179
180    // add line break
181    $docx->   addBreak('line');
182    $docx->   addBreak('line');
183    $docx->   addBreak('line');
184
185    // read stats and create table
186    $table = array();
187
188    $table[] = array(
189        '',
190        'Feb 2009 - Feb 2010',
191        'Feb 2010 - Feb 2011',
192    );
193
194
195    for($i = 0; $i <      $xmlFeb2009Feb2010->   getElementsByTagName("NAME"          )->    length; $i++)
{
196        $paramsHeaderTextTable[0] = array(
197            'text' =>    $xmlFeb2009Feb2010->   getElementsByTagName("NAME"          )->    item($i)-
>  nodeValue,
198            'b' =>     'single',
199            'sz' =>    14
200        );
201
```

```php
202         $table[] = array(
203             $docx->   addElement('addText', $paramsHeaderTextTable),
204             $xmlFeb2009Feb2010->   getElementsByTagName("VALUE"        )->   item($i)->   nodeValue,
205             $xmlFeb2010Feb2011->   getElementsByTagName("VALUE"        )->   item($i)->   nodeValue
206         );
207     }
208
209     $paramsTable = array(
210         'border' =>     'single',
211         'border_sz' =>     2,
212         'jc' =>     'center',
213         'size_col' =>     2800
214     );
215
216     $docx->   addTable($table, $paramsTable);
217
218     // add page break
219     $docx->   addBreak('page');
220
221     // add text
222     $textInfo = 'Stats are based on aggregate data collected by StatCounter on a'
223     . ' sample exceeding 15 billion pageviews per month collected from across'
224     . ' the StatCounter network of more than 3 million websites. Stats are '
225     . ' updated and made available every 4 hours, however are subject to '
226     . 'quality assurance testing and revision for 7 days from publication.';
227
228     $paramsTextInfo = array(
229         'val' =>     1,
230         'i' =>     'single',
231         'sz' =>     8
232     );
233
234     $docx->   addText($textInfo, $paramsTextInfo);
235
236     // add link
237     $docx->   addLink('Source: StatCounter', 'http://gs.statcounter.com');
238
239     // generate DOCX file
240     $docx->   createDocx('example_report');
```

example

```php
1     <?php
2
3     /**
4      * Create a DOCX file. Text example
5      *
6      * @category    Phpdocx
7      * @package     examples
8      * @subpackage easy
9      * @copyright   Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
10     *              (http://www.2mdc.com)
11     * @license     http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php
12     * @version     1.8
13     * @link        http://www.phpdocx.com
14     * @since       File available since Release 1.8
15     */
16    require_once '../../classes/CreateDocx.inc';
17
18    $docx = new CreateDocx();
19
20    $text = 'Lorem ipsum dolor sit amet, consectetur adipisicing elit, ' .
21        'sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut ' .
22        'enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut' .
23        'aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit ' .
24        'in voluptate velit esse cillum dolore eu fugiat nulla pariatur. ' .
25        'Excepteur sint occaecat cupidatat non proident, sunt in culpa qui ' .
26        'officia deserunt mollit anim id est laborum.';
27
28    $paramsText = array(
29        'b' =>     'single',
30        'font' =>    'Arial'
31    );
32
33    $docx->   addText($text, $paramsText);
34
35    $docx->   createDocx('example_text');
```

Function Parameters:

- *string* **$args[0]** File name
- *string* **$args[1]** Page style   Values: 'bottom' (4000, 4001...), 'columns' (1, 2, 3), 'left' (4000, 4001...),   'orient' (landscape), 'right' (4000, 4001), 'titlePage' (1),   'top' (4000, 4001)

Generate a new DOCX file

- **Access** public
- **Example**
- **Example**

void function CreateDocx::createDocxAndDownload($args[0], $args[1]) *[line 2401]*
  Function Parameters:

- *string* **$args[0]** Name of file
- *string* **$args[1]** Page style   Values: 'bottom' (4000, 4001...), 'left' (4000, 4001...),   'orient' (landscape), 'right' (4000, 4001), 'titlePage' (1),   'top' (4000, 4001)

Generate and download a new DOCX file

- **Access** public

void function CreateDocx::deleteTemplateBlock($blockName) *[line 2451]*
  Function Parameters:

- *string* **$blockName** Block to remove

Delete a block

- **Access** public

void function CreateDocx::disableDebug() *[line 2463]*
Disable debug mode

- **Deprecated**
- **Access** public

void function CreateDocx::enableDebug() *[line 2475]*
Enable debug mode

- **Deprecated**
- **Access** public

array function CreateDocx::getTemplateVariables() *[line 2582]*
Return template variables (placeholders)

- **Access** public

void function CreateDocx::getTemporaryDirectory() *[line 500]*
Getter

- **Access** public

void function CreateDocx::getXmlContentTypes() *[line 520]*
   Getter

- **Access** public

void function CreateDocx::getXmlDocPropsApp() *[line 560]*
   Getter

- **Access** public

void function CreateDocx::getXmlDocPropsCore() *[line 580]*
   Getter

- **Access** public

void function CreateDocx::getXmlDocPropsCustom() *[line 600]*
   Getter

- **Access** public

void function CreateDocx::getXmlRelsRels() *[line 540]*
   Getter

- **Access** public

void function CreateDocx::getXmlWordDocumentContent() *[line 620]*
Getter

- **Access** public

void function CreateDocx::getXmlWordDocumentStyles() *[line 640]*
Getter

- **Access** public

void function CreateDocx::getXmlWordEndnotes() *[line 660]*
Getter

- **Access** public

void function CreateDocx::getXmlWordFontTable() *[line 680]*
Getter

- **Access** public

void function CreateDocx::getXmlWordFooter1() *[line 700]*
Getter

- **Access** public

void function CreateDocx::getXmlWordHeader1() *[line 720]*
  Getter

- **Access** public

void function CreateDocx::getXmlWordRelsDocumentRels() *[line 740]*
  Getter

- **Access** public

void function CreateDocx::getXmlWordSettings() *[line 760]*
  Getter

- **Access** public

void function CreateDocx::getXmlWordStyles() *[line 780]*
  Getter

- **Access** public

void function CreateDocx::getXmlWordThemeTheme1() *[line 800]*
Getter

- **Access** public

void function CreateDocx::getXml_Word_WebSettings() *[line 820]*
Setter

- **Access** public

void function CreateDocx::mergeDOCX($path, $newXML) *[line 2488]*
Function Parameters:

- *string* **$path** Path to DOCX file
- *string* **$newXML** WordML to add

Merge WordML into a DOCX. WordML is added at the end of the document

- **Access** public

Document.xml function CreateDocx::readDOCX($path) *[line 2502]*
Function Parameters:

- *string* **$path** Path to DOCX file

Read DOCX file and extract WordML content

- **Access** public

void function CreateDocx::setDefaultFont($font) *[line 2523]*
   Function Parameters:

- *string* **$font** The new font   Values: 'Arial', 'Times New Roman'...

Change the default font

- **Access** public

void function CreateDocx::setEncodeUTF8() *[line 2534]*
Transform to UTF-8 charset

- **Access** public

void function CreateDocx::setLanguage([$lang = 'en-US']) *[line 2544]*
   Function Parameters:

- *$lang* **$lang** Locale: en-US, es-ES...

Change default language.

- **Access** public

void function CreateDocx::setMarkAsFinal() *[line 2554]*

Mark the document as final

- **Access** public

void function CreateDocx::setTemplateSymbol([$symbol = '$']) *[line 2570]*
Function Parameters:

- *string* **$symbol** The new symbol. Optional, $ as default

Set the symbol surrounding varibles (placeholders)

- **Access** public

void function CreateDocx::setTemporaryDirectory($tempDir) *[line 490]*
Function Parameters:

- **$tempDir**

Setter

- **Access** public

void function CreateDocx::setXmlContentTypes($xmlContentTypes) *[line 510]*
Function Parameters:

- **$xmlContentTypes**

Setter

- **Access** public

void function CreateDocx::setXmlDocPropsApp($xmlDocPropsApp) *[line 550]*
Function Parameters:

- **$xmlDocPropsApp**

Setter

- **Access** public

void function CreateDocx::setXmlDocPropsCore($xmlDocPropsCore) *[line 570]*
Function Parameters:

- **$xmlDocPropsCore**

Setter

- **Access** public

void function CreateDocx::setXmlDocPropsCustom($xmlDocPropsCustom) *[line 590]*
Function Parameters:

- **$xmlDocPropsCustom**

Setter

- **Access** public

void function CreateDocx::setXmlRelsRels($xmlRelsRels) *[line 530]*
Function Parameters:

- **$xmlRelsRels**

Setter

- **Access** public

void function CreateDocx::setXmlWordDocument($xmlWordDocument) *[line 610]*
Function Parameters:

- **$xmlWordDocument**

Setter

- **Access** public

void function CreateDocx::setXmlWordDocumentStyles($xmlWordDocumentStyles) *[line 630]*

Function Parameters:

- **$xmlWordDocumentStyles**

Setter

- **Access** public

void function CreateDocx::setXmlWordEndnotes($xmlWordEndnotes) *[line 650]*
Function Parameters:

- **$xmlWordEndnotes**

Setter

- **Access** public

void function CreateDocx::setXmlWordFontTable($xmlWordFontTable) *[line 670]*
Function Parameters:

- **$xmlWordFontTable**

Setter

- **Access** public

void function CreateDocx::setXmlWordFooter1($xmlWordFooter) *[line 690]*
   Function Parameters:

- **$xmlWordFooter**

Setter

- **Access** public

void function CreateDocx::setXmlWordHeader1($xmlWordHeader) *[line 710]*
   Function Parameters:

- **$xmlWordHeader**

Setter

- **Access** public

void function CreateDocx::setXmlWordRelsDocumentRels($xmlWordRelsDocumentRels) *[line 730]*
   Function Parameters:

- **$xmlWordRelsDocumentRels**

Setter

- **Access** public

void function CreateDocx::setXmlWordSettings($xmlWordSettings) *[line 750]*
  Function Parameters:

- **$xmlWordSettings**

Setter

- **Access** public

void function CreateDocx::setXmlWordStyles($xmlWordStyles) *[line 770]*
  Function Parameters:

- **$xmlWordStyles**

Setter

- **Access** public

void function CreateDocx::setXmlWordThemeTheme1($xmlWordThemeTheme) *[line 790]*
  Function Parameters:

- **$xmlWordThemeTheme**

Setter

void function CreateDocx::setXmlWordWebSettings($xmlWordWebSettings) *[line 810]*
    Function Parameters:

- **$xmlWordWebSettings**

  Setter

    - **Access** public

void function CreateDocx::__destruct() *[line 467]*
  Destruct

    - **Access** public

string function CreateDocx::__toString() *[line 478]*
  Magic method, returns current word XML

    - **Access** public

Package debug Procedural Elements

Debug.inc

Debug generated XML

- **Package** debug
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** File available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

Package debug Classes

Class Debug

Debug generated XML

- **Package** debug
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Deprecated** Use log4php included within phpdocx pro
- **Since** Class available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

Constructor *void* function Debug::__construct() *[line 63]*
Construct

- **Access** public

void function Debug::addMessage($message) *[line 156]*
Function Parameters:

- *mixed* **$message**

Add a new mesagge to the pool of _messages

- **Access** public

void function Debug::enableDebug() *[line 167]*
   Enable debug

- **Deprecated** deprecated since version 2.0
- **Access** public

void function Debug::fDisableDebug() *[line 179]*
   Disable debug

- **Deprecated** deprecated since version 2.0
- **Access** public

void function Debug::generateTemplate() *[line 190]*
   Assign template to use

- **Deprecated** deprecated since version 2.0
- **Access** protected

int function Debug::getActive() *[line 145]*
   Getter. Return debug status

Debug function Debug::getInstance() *[line 98]*

Singleton, return instance of class

- **Static**
- **Access** public

array function Debug::getMessages() *[line 123]*

Getter. Access to messages var

- **Access** public

void function Debug::setActive($active) *[line 134]*
Function Parameters:

- *int* **$active**

Setter. Enable debug

- **Access** public

void function Debug::setMessages($messages) *[line 112]*
Function Parameters:

- *array* **$messages**

Setter. Access to messages var

- **Access** public

void function Debug::__destruct() *[line 73]*
Destruct

- **Access** public

string function Debug::__toString() *[line 84]*
Magic method, returns error messages

- **Access** public

Package elements Procedural Elements

CreateChartRels.inc
Create relationships used by images, charts...

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** File available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

include_once **dirname(__FILE__).'/CreateElement.inc'** *[line 15]*

Create tag elements

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** File available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

CreateEmbeddedElement.inc
Create embedded elements

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** File available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

include_once **dirname(__FILE__).'/CreateElement.inc'** *[line 15]*

CreateEndnote.inc

Create endnotes

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** File available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

include_once **dirname(__FILE__).'/CreateElement.inc'** *[line 16]*

CreateExcelSharedStrings.inc

Generate excel shared strings

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** File available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

include_once **dirname(__FILE__).'/CreateElement.inc'** *[line 15]*

Create excel sheet

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** File available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

include_once **dirname(__FILE__).'/CreateElement.inc'** *[line 15]*

Create excel table

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** File available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

include_once **dirname(__FILE__).'/CreateElement.inc'** *[line 15]*

Create font table

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** File available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

include_once **dirname(__FILE__).'/CreateElement.inc'** *[line 15]*

Create footer

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** File available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

include_once **dirname(__FILE__).'/CreateElement.inc'** *[line 15]*

Create footnote

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** File available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

include_once **dirname(__FILE__).'/CreateElement.inc'** *[line 15]*

Create graphics (charts)

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** File available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

include_once **dirname(__FILE__).'/CreateElement.inc'** *[line 15]*

Create header

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** File available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

include_once **dirname(__FILE__).'/CreateElement.inc'** *[line 15]*

CreateImage.inc

Create images

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** File available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

include_once **dirname(__FILE__).'/CreateElement.inc'** *[line 15]*

CreateLink.inc

Create links using text strings

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** File available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

include_once **dirname(__FILE__).'/CreateElement.inc'** *[line 15]*

Create lists

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** File available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

include_once **dirname(__FILE__).'/CreateElement.inc'** *[line 15]*

Add a macro

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** File available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

include_once **dirname(__FILE__).'/CreateElement.inc'** *[line 15]*

Add a math eq

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** File available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

include_once **dirname(__FILE__).'/CreateElement.inc'** *[line 15]*

Create pages

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** File available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

include_once **dirname(__FILE__).'/CreateElement.inc'** *[line 15]*

CreateProperties.inc

Create properties

- **Package** elements
- **Version** 2.2
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** File available since Release 2.2
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

include_once **dirname(__FILE__).'/CreateElement.inc'** *[line 15]*

CreateSettings.inc

Create default settings

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** File available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

include_once **dirname(__FILE__).'/CreateElement.inc'** *[line 15]*

Create shape

- **Package** elements
- **Version** 2.2
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** File available since Release 2.2
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

include_once **dirname(__FILE__).'/CreateElement.inc'** *[line 15]*

Create styles

- **Package** elements
- **Version** 2.1
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** File available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

include_once **dirname(__FILE__).'/CreateElement.inc'** *[line 16]*

Create style table

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** File available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

include_once **dirname(__FILE__).'/CreateElement.inc'** *[line 15]*

CreateTable.inc

Create tables

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** File available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

include_once **dirname(__FILE__).'/CreateElement.inc'** *[line 15]*

CreateTableContents.inc

Create table of contents

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** File available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

include_once **dirname(__FILE__).'/CreateElement.inc'** *[line 15]*

- **Package** elements
- **Version** 05.26.2011
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** File available since Release 1.7
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

Create text

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** File available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

include_once **dirname(__FILE__).'/CreateElement.inc'** *[line 15]*

Create text box

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** File available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

include_once **dirname(__FILE__).'/CreateElement.inc'** *[line 15]*

CreateTheme1.inc

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** File available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

include_once **dirname(__FILE__).'/CreateElement.inc'** *[line 15]*

CreateWebSettings.inc

Create default websettings XML

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** File available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

include_once **dirname(__FILE__).'/CreateElement.inc'** *[line 15]*

rto# CreateXlsx.inc

Create XLSX

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** File available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

CreateXlsx.inc

Create XLSX

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** File available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

EmbedDocument.inc

Embed documents in DOCX.

- **Package** elements
- **Version** 23.05.2011
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** File available since Release 2.3
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

Create DOCX from DOCX file

- **Package** elements
- **Version** 05.24.2011
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** File available since Release 2.3
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

Create DOCX from HTML

- **Package** elements
- **Version** 05.24.2011
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** File available since Release 2.3
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

Create DOCX from RTF file

- **Package** elements
- **Version** 05.24.2011
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** File available since Release 2.3
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

Transform DOCX to PDF or XHTML

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** File available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

require_once **dirname(__FILE__).'/AutoLoader.inc'** *[line 18]*

Package elements Classes

Class CreateChartRels
[line 29]

Create relationships used by images, charts...

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** Class available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

CreateChartRels::$_xml

mixed = [line 36]

- **Access** protected

Constructor *void* function CreateChartRels::__construct() *[line 49]*
Construct

- **Access** public

void function CreateChartRels::createRelationship($idChart) *[line 95]*
   Function Parameters:

- *int* **$idChart**

Create relationship document to use in DOCX file

- **Access** public

void function CreateChartRels::generateRELATIONSHIP($idChart, [$id = 1], $id.) *[line 109]*
   Function Parameters:

- *int* **$idChart**
- *int* **$id.** Optional, use 1 as default
- **$id**

New relationship, added to relationships XML

- **Access** protected

void function CreateChartRels::generateRELATIONSHIPS() *[line 126]*
Main tags of relationships XML

- **Access** protected

CreateChartRels function CreateChartRels::getInstance() *[line 81]*
Singleton, return instance of class

- **Static**
- **Access** public

void function CreateChartRels::__destruct() *[line 59]*
Destruct

- **Access** public

string function CreateChartRels::__toString() *[line 70]*
Magic method, returns current XML

- **Access** public

Class CreateElement
[line 28]

Main class, create tag elements

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com

CreateElement::MATHNAMESPACEWORD

= 'm' *[line 30]*

CreateElement::NAMESPACEWORD

= 'w' *[line 31]*

CreateElement::$_xml

string = *[line 38]*

- **Access** protected

Constructor *void* function CreateElement::__construct() *[line 45]*
Construct

- **Access** public

void function CreateElement::cleanTemplate() *[line 75]*
Delete pending tags

- **Access** protected

void function CreateElement::cleanTemplateFirstRPR() *[line 85]*
Delete first w:rpr

- **Access** protected

void function CreateElement::generateANCHOR([$behindDoc = 0], [$distT = '0'], [$distB = '0'], [$distL = '114300'], [$distR = '114300'], [$simplePos = 0], [$relativeHeight = '251658240'], [$locked = 0], [$layoutInCell = 1], [$allowOverlap = 1]) *[line 105]*
Function Parameters:

- *string* **$behindDoc**
- *string* **$distT**
- *string* **$distB**
- *string* **$distL**
- *string* **$distR**
- *int* **$simplePos**
- *string* **$relativeHeight**
- *string* **$locked**
- *string* **$layoutInCell**
- *string* **$allowOverlap**

Generate w:anchor

- **Access** protected

void function CreateElement::generateAVLST() *[line 131]*
Generate w:avlst

- **Access** protected

void function CreateElement::generateB([$val = 'single']) *[line 146]*
Function Parameters:

- *string* **$val**

Generate w:b

- **Access** protected

void function CreateElement::generateBCS() *[line 161]*

Generate w:bcs

- **Access** protected

void function CreateElement::generateBLIP([$cstate = 'print']) *[line 176]*

Function Parameters:

- *string* **$cstate**

Generate w:blip

- **Access** protected

void function CreateElement::generateBLIPFILL() *[line 192]*

Generate w:blipfill

- **Access** protected

void function CreateElement::generateCNVGRAPHICFRAMEPR() *[line 206]*

Generate w:cnvgraphicframepr

void function CreateElement::generateCNVPICPR() *[line 221]*
Generate w:cnvpicpr

- **Access** protected

void function CreateElement::generateCNVPR([$id = '0']) *[line 236]*
Function Parameters:

- *string* **$id**

Generate w:cnvpr

- **Access** protected

void function CreateElement::generateDOCPR([$id = "1"], [$name = "0 Imagen"]) *[line 253]*
Function Parameters:

- *string* **$id**
- *string* **$name**

Generate w:docpr

- **Access** protected

void function CreateElement::generateDRAWING() *[line 268]*
Generate w:drawing

- **Access** protected

void function CreateElement::generateEFFECTEXTENT([$l = "19050"], [$t = "0"], [$r = "4307"], [$b = "0"]) *[line 287]*
Function Parameters:

- *string* **$l**
- *string* **$t**
- *string* **$r**
- *string* **$b**

Generate w:effectextent

- **Access** protected

void function CreateElement::generateEXT([$cx = '2997226'], [$cy = '2247918']) *[line 305]*
Function Parameters:

- *string* **$cx**
- *string* **$cy**

Generate w:ext

- **Access** protected

void function CreateElement::generateEXTENT([$cx = '2986543'], [$cy = '2239906']) *[line 322]*
   Function Parameters:

- *string* **$cx**
- *string* **$cy**

Generate w:extent

- **Access** protected

void function CreateElement::generateFILLRECT() *[line 336]*
Generate w:fillrect

- **Access** protected

void function CreateElement::generateGRAPHIC([$xmlns = 'http://schemas.openxmlformats.org/drawingml/2006/main']) *[line 351]*
   Function Parameters:

- *string* **$xmlns**

Generate w:graphic

- **Access** protected

void function CreateElement::generateGRAPHICDATA([$uri = 'http://schemas.openxmlformats.org/drawingml/2006/picture']) *[line 389]*
　　Function Parameters:

- *string* **$uri**

Generate w:graphicdata

- **Access** protected

void function CreateElement::generateGRAPHICPRAMELOCKS([$noChangeAspect = '']) *[line 368]*
　　Function Parameters:

- *string* **$noChangeAspect**

Generate w:graphicpframelocks

- **Access** protected

void function CreateElement::generateINLINE([$distT = '0'], [$distB = '0'], [$distL = '0'], [$distR = '0']) *[line 409]*
　　Function Parameters:

- *string* **$distT**
- *string* **$distB**
- *string* **$distL**
- *string* **$distR**

Generate w:inline

- **Access** protected

void function CreateElement::generateJC([$val = '']) *[line 427]*
   Function Parameters:

- *string* **$val**

Generate w:jc

- **Access** protected

void function CreateElement::generateLINETO([$x = '-198'], [$y = '21342']) *[line 443]*
   Function Parameters:

- *string* **$x**
- *string* **$y**

Generate w:lineto

- **Access** protected

void function CreateElement::generateLN([$w = '12700']) *[line 459]*
   Function Parameters:

- *string* **$w**

Generate w:ln

- **Access** protected

void function CreateElement::generateNOPROOF() *[line 474]*
Generate w:noproof

- **Access** protected

void function CreateElement::generateNVPICPR() *[line 488]*
Generate w:nvpicpr

- **Access** protected

void function CreateElement::generateOFF([$x = '0'], [$y = '0']) *[line 504]*
Function Parameters:

- *string* **$x**
- *string* **$y**

Generate w:off

- **Access** protected

void function CreateElement::generateP() *[line 519]*
Generate w:p

- **Access** protected

void function CreateElement::generatePIC([$pic = 'http://schemas.openxmlformats.org/drawingml/2006/picture']) *[line 532]*

    Function Parameters:

- *string* **$pic**

Generate w:pic

- **Access** protected

void function CreateElement::generatePICT() *[line 548]*

Generate w:pict

- **Access** protected

void function CreateElement::generatePOSITIONH([$relativeFrom = 'column']) *[line 563]*

    Function Parameters:

- *string* **$relativeFrom**

Generate w:positionh

- **Access** protected

void function CreateElement::generatePOSITIONV([$relativeFrom = 'paragraph']) *[line 579]*
   Function Parameters:

- *string* **$relativeFrom**

Generate w:positionv

- **Access** protected

void function CreateElement::generatePOSOFFSET($num) *[line 595]*
   Function Parameters:

- *int* **$num**

Generate w:posoffset

- **Access** protected

void function CreateElement::generatePPR() *[line 608]*
Generate w:ppr

- **Access** protected

void function CreateElement::generatePRSTDASH([$val = 'sysDash']) *[line 622]*

Function Parameters:

- *string* **$val**

Generate w:prstdash

- **Access** protected

void function CreateElement::generatePRSTGEOM([$prst = 'rect']) *[line 637]*
   Function Parameters:

- *string* **$prst**

Generate w:prstgeom

- **Access** protected

void function CreateElement::generatePSTYLE([$val = 'Textonotaalfinal']) *[line 653]*
   Function Parameters:

- *string* **$val**

Generate w:pstyle

- **Access** protected

void function CreateElement::generateQUITAR() *[line 668]*
Generate w:r

- **Access** protected

void function CreateElement::generateR() *[line 680]*
Generate w:r

- **Access** protected

void function CreateElement::generateRFONTS($font) *[line 717]*
Function Parameters:

- *string* **$font**

Generate w:rfonts

- **Access** protected

void function CreateElement::generateRPR() *[line 734]*
Generate w:rpr

- **Access** protected

void function CreateElement::generateRSTYLE([$val = 'Refdenotaalfinal']) *[line 749]*
  Function Parameters:

- *string* **$val**

Generate w:rstyle

- **Access** protected

void function CreateElement::generateSCHEMECLR([$val = 'tx1']) *[line 766]*
  Function Parameters:

- *string* **$val**

Generate w:schemeclr

- **Access** protected

void function CreateElement::generateSIMPLEPOS([$x = '0'], [$y = '0']) *[line 781]*
  Function Parameters:

- *string* **$x**
- *string* **$y**

Generate w:simplepos

- **Access** protected

void function CreateElement::generateSOLIDFILL() *[line 796]*
Generate w:solidfill

- **Access** protected

void function CreateElement::generateSPPR() *[line 810]*
Generate w:sppr

- **Access** protected

void function CreateElement::generateSTART([$x = '-198'], [$y = '0']) *[line 826]*
Function Parameters:

- *string* **$x**
- *string* **$y**

Generate w:start

- **Access** protected

void function CreateElement::generateSTRETCH() *[line 842]*
Generate w:stretch

- **Access** protected

void function CreateElement::generateT($dat) *[line 857]*
   Function Parameters:

- *string* **$dat**

Generate w:t

- **Access** protected

void function CreateElement::generateWRAPNONE() *[line 870]*
   ### Generate w:wrapnone

- **Access** protected

void function CreateElement::generateWRAPPOLYGON([$edited = '0']) *[line 885]*
   Function Parameters:

- *string* **$edited**

Generate w:wrappolygon

- **Access** protected

void function CreateElement::generateWRAPSQUARE([$wrapText = "bothSides"]) *[line 901]*
   Function Parameters:

- *string* **$wrapText**

Generate w:wrapsquare

- **Access** protected

void function CreateElement::generateWRAPTHROUGH([$wrapText = 'bothSides']) *[line 917]*
   Function Parameters:

- *string* **$wrapText**

Generate w:wrapthrough

- **Access** protected

void function CreateElement::generateWRAPTOPANDBOTTOM() *[line 932]*
Generate w:wraptopandbottom

- **Access** protected

void function CreateElement::generateXFRM() *[line 946]*
Generate w:xfrm

- **Access** protected

void function CreateElement::__destruct() *[line 55]*

Destruct

- **Access** public

string function CreateElement::__toString() *[line 65]*

- **Access** public

Class CreateEmbeddedElement
[line 29]

Create embedded elements

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** Class available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

Constructor *void* function CreateEmbeddedElement::__construct() *[line 51]*

Construct

- **Access** public

Constructor *string* function CreateEmbeddedElement::CreateEmbeddedElement() *[line 96]*
Create embedded element

- **Access** public

CreateEmbeddedElement function CreateEmbeddedElement::getInstance() *[line 82]*

- **Static**
- **Access** public

string function CreateEmbeddedElement::__toString() *[line 71]*

- **Access** public

Class CreateEndnote
[line 30]

Create endnotes

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** Class available since Release 1.0

CreateEndnote::$init

bool = 0 *[line 38]*

- **Static**
- **Access** public

Constructor *void* function CreateEndnote::__construct() *[line 61]*
Construct

- **Access** public

void function CreateEndnote::createDocumentEndnote() *[line 105]*
Create document endnote

- **Access** public

void function CreateEndnote::createEndnote() *[line 129]*
Create endnote

- **Access** public

void function CreateEndnote::createInitEndnote() *[line 155]*
Create init endnote

- **Access** public

void function CreateEndnote::generateENDNOTE($type) *[line 174]*
   Function Parameters:

- *string* **$type**

Generate w:endnote

- **Access** protected

void function CreateEndnote::generateENDNOTEREF() *[line 199]*
Generate w:endnoteref

- **Access** protected

void function CreateEndnote::generateENDNOTEREFERENCE([$id = '']) *[line 214]*
   Function Parameters:

- *<type>* **$id**

Generate w:endnotereference

- **Access** protected

void function CreateEndnote::generateP([$rsidR = '005F02E5'], [$rsidRDefault = '005F02E5'], [$rsidP = '005F02E5']) *[line 232]*
    Function Parameters:

- *string* **$rsidR**
- *string* **$rsidRDefault**
- *string* **$rsidP**

Generate w:p

- **Access** protected

void function CreateEndnote::generatePPR() *[line 247]*
Generate w:ppr

- **Access** protected

void function CreateEndnote::generateR() *[line 261]*
Generate w:r

- **Access** protected

void function CreateEndnote::generateSEPARATOR([$type = 'separator']) *[line 276]*
    Function Parameters:

- *string* **$type** Optional, 'separator' as default.

Generate w:separator

- **Access** protected

void function CreateEndnote::generateSPACING([$after = '0'], [$line = '240'], [$lineRule = 'auto']) *[line 293]*
   Function Parameters:

- *int* **$after**
- *int* **$line**
- *string* **$lineRule**

Generate w:spacing

- **Access** protected

CreateEndnote function CreateEndnote::getInstance() *[line 92]*

- **Static**
- **Access** public

void function CreateEndnote::__destruct() *[line 71]*
   ### Destruct

- **Access** public

string function CreateEndnote::__toString() *[line 81]*

- **Access** public

Class CreateExcelSharedStrings
[line 29]

Generate excel shared strings

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** Class available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

Constructor *void* function CreateExcelSharedStrings::__construct() *[line 44]*

Construct

- **Access** public

void function CreateExcelSharedStrings::createExcelSharedStrings($args[0], $args[1]) *[line 89]*

Function Parameters:

- *string* **$args[0]**
- *string* **$args[1]**

Create excel shared strings

- **Access** public

void function CreateExcelSharedStrings::generateSI() *[line 154]*

Generate si

- **Access** protected

void function CreateExcelSharedStrings::generateSST($num) *[line 141]*

Function Parameters:

- *string* **$num**

Generate sst

- **Access** protected

void function CreateExcelSharedStrings::generateT($name, [$space = '']) *[line 167]*

Function Parameters:

- *string* **$name**
- *string* **$space**

Generate t

- **Access** protected

CreateExcelSharedStrings function CreateExcelSharedStrings::getInstance() *[line 74]*

- **Static**
- **Access** public

void function CreateExcelSharedStrings::__destruct() *[line 54]*

Destruct

- **Access** public

string function CreateExcelSharedStrings::__toString() *[line 64]*

- **Access** public

Class CreateExcelSheet
[line 29]

Create excel sheet

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** Class available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

Constructor *void* function CreateExcelSheet::__construct() *[line 44]*
Construct

- **Access** public

void function CreateExcelSheet::createExcelSheet($args[0], $args[1]) *[line 90]*
Function Parameters:

- *string* **$args[0]**
- *array* **$args[1]**

Create excel sheet

- **Access** public

void function CreateExcelSheet::generateC($r, $s, [$t = '']) *[line 173]*
Function Parameters:

- *string* **$r**
- *string* **$s**
- *string* **$t**

Generate c

- **Access** protected

void function CreateExcelSheet::generateCOL([$min = '1'], [$max = '1'], [$width = '11.85546875'], [$customWidth = '1']) *[line 195]*

    Function Parameters:

- *string* **$min**
- *string* **$max**
- *string* **$width**
- *string* **$customWidth**

Generate col

- **Access** protected

void function CreateExcelSheet::generateCOLS() *[line 209]*

Generate cols

- **Access** protected

void function CreateExcelSheet::generateDIMENSION($sizeX, $sizeY) *[line 222]*

    Function Parameters:

- *int* **$sizeX**
- *int* **$sizeY**

Generate dimension

- **Access** protected

void function CreateExcelSheet::generatePAGEMARGINS([$left = '0.7'], [$rigth = '0.7'], [$bottom = '0.75'], [$top = '0.75'], [$header = '0.3'], [$footer = '0.3']) *[line 245]*
  Function Parameters:

- *string* **$left**
- *string* **$rigth**
- *string* **$bottom**
- *string* **$top**
- *string* **$header**
- *string* **$footer**

Generate pagemargins

- **Access** protected

void function CreateExcelSheet::generatePAGESETUP([$paperSize = '9'], [$orientation = 'portrait'], [$id = '1']) *[line 265]*
  Function Parameters:

- *string* **$paperSize**
- *string* **$orientation**
- *string* **$id**

Generate pagesetup

- **Access** protected

void function CreateExcelSheet::generateROW($r, $spans) *[line 282]*
  Function Parameters:

- *string* **$r**
- *string* **$spans**

Generate row

- **Access** protected

void function CreateExcelSheet::generateSELECTION($num) *[line 297]*
  Function Parameters:

- *string* **$num**

Generate selection

- **Access** protected

void function CreateExcelSheet::generateSHEETDATA() *[line 310]*
  Generate sheetdata

- **Access** protected

void function CreateExcelSheet::generateSHEETFORMATPR([$baseColWidth = '10'], [$defaultRowHeight = '15'])
[line 324]
  Function Parameters:

- *string* **$baseColWidth**
- *string* **$defaultRowHeight**

Generate sheetformatpr

- **Access** protected

void function CreateExcelSheet::generateSHEETVIEW([$tabSelected = '1'], [$workbookViewId = '0']) *[line 341]*
   Function Parameters:

- *string* **$tabSelected**
- *string* **$workbookViewId**

Generate sheetview

- **Access** protected

void function CreateExcelSheet::generateSHEETVIEWS() *[line 356]*
Generate sheetviews

- **Access** protected

void function CreateExcelSheet::generateTABLEPART([$id = '1']) *[line 369]*
   Function Parameters:

- *string* **$id**

Generate tablepart

void function CreateExcelSheet::generateTABLEPARTS([$count = '1']) *[line 381]*
   Function Parameters:

- *string* **$count**

Generate tableparts

- **Access** protected

void function CreateExcelSheet::generateV($num) *[line 395]*
   Function Parameters:

- *string* **$num**

Generate v

- **Access** protected

void function CreateExcelSheet::generateWORKSHEET() *[line 407]*
Generate worksheet

- **Access** protected

CreateExcelSheet function CreateExcelSheet::getInstance() *[line 75]*

- **Static**
- **Access** public

void function CreateExcelSheet::__destruct() *[line 54]*

Destruct

- **Access** public

string function CreateExcelSheet::__toString() *[line 64]*

- **Access** public

Class CreateExcelTable
[line 29]

Create excel table

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** File available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

Constructor *void* function CreateExcelTable::__construct() *[line 44]*

Construct

- **Access** public

void function CreateExcelTable::createExcelTable(0, 1) *[line 89]*
   Function Parameters:

- *string* **0** args[0]
- *string* **1** args[1]

Create excel table

- **Access** public

void function CreateExcelTable::generateTABLE($rows, $cols) *[line 128]*
   Function Parameters:

- *int* **$rows**
- *int* **$cols**

Generate table

- **Access** protected

void function CreateExcelTable::generateTABLECOLUMN([$id = '2'], [$name = '']) *[line 149]*
   Function Parameters:

- *string* **$id**
- *string* **$name**

Generate tablecolumn

- **Access** protected

void function CreateExcelTable::generateTABLECOLUMNS([$count = '2']) *[line 165]*
  Function Parameters:

- *string* **$count**

Generate tablecolumns

- **Access** protected

void function CreateExcelTable::generateTABLESTYLEINFO([$showFirstColumn = '0'], [$showLastColumn = "0"], [$showRowStripes = "1"], [$showColumnStripes = "0"]) *[line 182]*
  Function Parameters:

- *string* **$showFirstColumn**
- *string* **$showLastColumn**
- *string* **$showRowStripes**
- *string* **$showColumnStripes**

Generate tablestyleinfo

- **Access** protected

CreateExcelTable function CreateExcelTable::getInstance() *[line 74]*

- **Static**
- **Access** public

void function CreateExcelTable::__destruct() *[line 54]*

Destruct

- **Access** public

string function CreateExcelTable::__toString() *[line 64]*

- **Access** public

Class CreateFontTable
[line 29]

Create font table

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** Class available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

CreateFontTable::$_xml

string = *[line 36]*

- **Access** protected

Constructor *void* function CreateFontTable::__construct() *[line 51]*
Construct

- **Access** public

void function CreateFontTable::createFont(0) *[line 96]*
Function Parameters:

- *array* **0** args[0]

Create font

- **Access** public

void function CreateFontTable::generateCHARSET([$val = '00']) *[line 127]*
Function Parameters:

- *string* **$val**

Generate w:charset

- **Access** protected

void function CreateFontTable::generateFAMILY([$val = 'swiss']) *[line 143]*
  Function Parameters:

- *string* **$val**

Generate w:family

- **Access** protected

void function CreateFontTable::generateFONT([$name = 'Calibri']) *[line 160]*
  Function Parameters:

- *string* **$name**

Generate w:font

- **Access** protected

void function CreateFontTable::generatePANOSE1([$val = '020F0502020204030204']) *[line 175]*
  Function Parameters:

- *string* **$val**

Generate w:panose1

- **Access** protected

void function CreateFontTable::generatePITCH([$val = '00']) *[line 192]*
   Function Parameters:

- *string* **$val**

Generate w:pitch

- **Access** protected

void function CreateFontTable::generateSIG([$usbA = 'A00002EF'], [$usbB = '4000207B'], [$usbC = '00000000'], [$usbD = '00000000'], [$csbA = '0000009F'], [$csbB = '00000000']) *[line 214]*
   Function Parameters:

- *string* **$usbA**
- *string* **$usbB**
- *string* **$usbC**
- *string* **$usbD**
- *string* **$csbA**
- *string* **$csbB**

Generate w:sig

- **Access** protected

CreateFontTable function CreateFontTable::getInstance() *[line 82]*

- **Static**
- **Access** public

void function CreateFontTable::__destruct() *[line 61]*
Destruct

- **Access** public

string function CreateFontTable::__toString() *[line 71]*

- **Access** public

Class CreateFooter
[line 29]

Create footer

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** Class available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

Constructor *void* function CreateFooter::__construct() *[line 52]*
Construct

- **Access** public

void function CreateFooter::createFooter(0, 1) *[line 98]*
  Function Parameters:

- *string* **0** args[0]
- *array* **1** args[1]

Create footer

- **Access** public

void function CreateFooter::generateFLDSIMPLE() *[line 121]*
  ## Generate w:fldsimple

- **Access** protected

void function CreateFooter::generateFTR() *[line 136]*
  ## Generate ftr token

- **Access** protected

void function CreateFooter::generateP() *[line 146]*
  ## Generate w:p

- **Access** protected

void function CreateFooter::generatePTAB([$relativeTo = 'margin'], [$alignment = 'right'], [$leader = 'none']) *[line 162]*

Function Parameters:

- *string* **$relativeTo**
- *string* **$alignment**
- *string* **$leader**

Generate w:ptab

- **Access** protected

void function CreateFooter::generateR() *[line 183]*

Generate w:r

- **Access** protected

CreateFooter function CreateFooter::getInstance() *[line 83]*

- **Static**
- **Access** public

void function CreateFooter::__destruct() *[line 62]*

Destruct

- **Access** public

string function CreateFooter::__toString() *[line 72]*

- **Access** public

Class CreateFootnote
[line 29]

Create footnote

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** Class available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

CreateFootnote::$init

bool = 0 *[line 37]*

- **Static**
- **Access** public

Constructor *void* function CreateFootnote::__construct() *[line 61]*

Construct

- **Access** public

void function CreateFootnote::createDocumentFootnote($args[0]) *[line 135]*
  Function Parameters:

- *array* **$args[0]**

Create document footnote

- **Access** public

void function CreateFootnote::createFootnote($args[0]) *[line 107]*
  Function Parameters:

- *array* **$args[0]**

Create footnote

- **Access** public

void function CreateFootnote::createInitFootnote($args[0]) *[line 162]*
  Function Parameters:

- *array* **$args[0]**

Create init footnote

- **Access** public

void function CreateFootnote::generateFOOTNOTE($type) *[line 181]*
   Function Parameters:

- *string* **$type**

Generate w:footnote

- **Access** protected

void function CreateFootnote::generateFOOTNOTEREF() *[line 207]*
   Generate w:footnoteref

- **Access** protected

void function CreateFootnote::generateFOOTNOTEREFERENCE([$id = '']) *[line 222]*
   Function Parameters:

- *string* **$id**

Generate w:footnotereference

- **Access** protected

void function CreateFootnote::generateP([$rsidR = '005F02E5'], [$rsidRDefault = '005F02E5'], [$rsidP = '005F02E5']) *[line 240]*
   Function Parameters:

- *string* **$rsidR**
- *string* **$rsidRDefault**
- *string* **$rsidP**

Generate w:p

- **Access** protected

void function CreateFootnote::generatePPR() *[line 255]*
Generate w:ppr

- **Access** protected

void function CreateFootnote::generateR() *[line 269]*
Generate w:r

- **Access** protected

void function CreateFootnote::generateSEPARATOR([$type = 'separator']) *[line 284]*
   Function Parameters:

- *string* **$type**

Generate w:separator

- **Access** protected

void function CreateFootnote::generateSPACING([$after = '0'], [$line = '240'], [$lineRule = 'auto']) *[line 298]*
Function Parameters:

- *string* **$after**
- *string* **$line**
- *string* **$lineRule**

Generate w:spacing

- **Access** protected

CreateFootnote function CreateFootnote::getInstance() *[line 92]*

- **Static**
- **Access** public

void function CreateFootnote::__destruct() *[line 71]*
Destruct

- **Access** public

string function CreateFootnote::__toString() *[line 81]*

- **Access** public

Class CreateGraphic
[line 29]

Create graphics (charts)

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** Class available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

CreateGraphic::NAMESPACEWORD

= 'c' *[line 31]*

CreateGraphic::$_xmlChart

<type> = *[line 38]*

- **Access** protected

Constructor *void* function CreateGraphic::__construct() *[line 163]*
Construct

- **Access** public

void function CreateGraphic::createCHARTXML($args[0]) *[line 1883]*
   Function Parameters:

- *array* **$args[0]**

Create chart xml

- **Access** protected

void function CreateGraphic::createDOCUEMNTXML($args[0]) *[line 2109]*
   Function Parameters:

- *array* **$args[0]**

Create document xml

- **Access** protected

array function CreateGraphic::createEmbeddedDocumentXml() *[line 2209]*
Create embedded document xml

- **Access** protected

boolean function CreateGraphic::createEmbeddedGraphic($args[0], $args[1]) *[line 292]*
   Function Parameters:

- *array* **$args[0]**
- *array* **$args[1]**

Create embedded graphic

- **Access** public

void function CreateGraphic::createEmbeddedXmlChart() *[line 309]*
Create embedded xml chart

- **Access** public

boolean function CreateGraphic::createGraphic($args[0], $args[1]) *[line 545]*
   Function Parameters:

- *array* **$args[0]**
- *array* **$args[1]**

Create graphic

- **Access** public

void function CreateGraphic::generateAUTO([$val = '1']) *[line 1766]*
   Function Parameters:

- *string* **$val**

Generate w:auto

- **Access** protected

void function CreateGraphic::generateAUTOTITLEDELETED([$val = '1']) *[line 593]*
   Function Parameters:

- *string* **$val**

Generate w:autotitledeleted

- **Access** protected

void function CreateGraphic::generateAXAXID([$val = '59034624']) *[line 1657]*
   Function Parameters:

- *<type>* **$val**

Generate w:axId

- **Access** protected

void function CreateGraphic::generateAXID([$val = '59034624']) *[line 1544]*

Function Parameters:

- *string* **$val**

Generate w:axid

- **Access** protected

void function CreateGraphic::generateAXPOS([$val = 'b']) *[line 1703]*
Function Parameters:

- *string* **$val**

Generate w:axPos

- **Access** protected

void function CreateGraphic::generateBAR3DCHART() *[line 609]*
Generate w:bar3DChart

- **Access** protected

void function CreateGraphic::generateBARCHART() *[line 624]*
Generate w:barChart

- **Access** protected

void function CreateGraphic::generateBARDIR([$val = 'bar']) *[line 641]*
   Function Parameters:

- *string* **$val**

Generate w:barDir

- **Access** protected

void function CreateGraphic::generateBODYPR() *[line 656]*
Generate w:bodypr

- **Access** protected

void function CreateGraphic::generateCAT() *[line 1308]*
Generate w:cat

- **Access** protected

void function CreateGraphic::generateCATAX() *[line 1625]*
Generate w:catAx

- **Access** protected

void function CreateGraphic::generateCHART() *[line 670]*
Generate w:chart

- **Access** protected

void function CreateGraphic::generateCHARTSPACE() *[line 685]*
Generate chartspace XML

- **Access** protected

void function CreateGraphic::generateCROSSAX([$val = '59040512']) *[line 1734]*
   Function Parameters:

- *string* **$val**

Generate w:crossAx

- **Access** protected

void function CreateGraphic::generateCROSSBETWEEN([$val = 'between']) *[line 1866]*
   Function Parameters:

- *string* **$val**

Generate w:crossBetween

- **Access** protected

void function CreateGraphic::generateCROSSES([$val = 'autoZero']) *[line 1750]*
   Function Parameters:

- *string* **$val**

Generate w:crosses

- **Access** protected

void function CreateGraphic::generateDATE1904([$val = '1']) *[line 703]*
   Function Parameters:

- *string* **$val**

Generate w:date1904

- **Access** protected

void function CreateGraphic::generateDEFRPR() *[line 720]*
Generate w:defrpr

- **Access** protected

void function CreateGraphic::generateDLBLS() *[line 1575]*
Generate w:dLbls

- **Access** protected

void function CreateGraphic::generateDOCUMENTCHART() *[line 1606]*
Generate w:chart

- **Access** protected

void function CreateGraphic::generateEXTERNALDATA([$val = 'rId1']) *[line 1453]*
  Function Parameters:

- *string* **$val**

Generate w:externalData

- **Access** protected

void function CreateGraphic::generateF([$val = 'Hoja1!$B$1']) *[line 1231]*
  Function Parameters:

- *string* **$val**

Generate w:f

- **Access** protected

void function CreateGraphic::generateFIRSTSLICEANG([$val = '0']) *[line 1560]*
   Function Parameters:

- *string* **$val**

Generate w:firstSliceAng

- **Access** protected

void function CreateGraphic::generateFORMATCODE([$val = 'General']) *[line 1369]*
   Function Parameters:

- *string* **$val**

Generate w:formatCode

- **Access** protected

void function CreateGraphic::generateGROUPING([$val = 'stacked']) *[line 1138]*
   Function Parameters:

- *string* **$val**

Generate w:grouping

- **Access** protected

void function CreateGraphic::generateIDX([$val = '0']) *[line 1169]*
   Function Parameters:

- *string* **$val**

Generate w:idx

- **Access** protected

void function CreateGraphic::generateLANG([$val = 'es-ES']) *[line 736]*
   Function Parameters:

- *string* **$val**

Generate w:lang

- **Access** protected

void function CreateGraphic::generateLAYOUT() *[line 753]*
Generate w:layout

void function CreateGraphic::generateLBLALGN([$val = 'ctr']) *[line 1782]*
   Function Parameters:

- *string* **$val**

Generate w:lblAlgn

- **Access** protected

void function CreateGraphic::generateLBLOFFSET([$val = '100']) *[line 1798]*
   Function Parameters:

- *string* **$val**

Generate w:lblOffset

- **Access** protected

void function CreateGraphic::generateLEGEND() *[line 1385]*
Generate w:legend

- **Access** protected

void function CreateGraphic::generateLEGENDFONT([$font = '']) *[line 1419]*
Function Parameters:

- *string* **$font**

Generate c:layout

- **Access** protected

void function CreateGraphic::generateLEGENDPOS([$val = 'r']) *[line 1403]*
Function Parameters:

- *string* **$val**

Generate w:legendPos

- **Access** protected

void function CreateGraphic::generateLINE3DCHART() *[line 768]*
Generate w:line3DChart

- **Access** protected

void function CreateGraphic::generateLINECHART() *[line 784]*
Generate w:lineChart

- **Access** protected

void function CreateGraphic::generateLN() *[line 1483]*
Generate w:ln

- **Access** protected

void function CreateGraphic::generateLSTSTYLE() *[line 800]*
Generate w:lststyle

- **Access** protected

void function CreateGraphic::generateMAJORGRIDLINES() *[line 1812]*
Generate w:majorGridlines

- **Access** protected

void function CreateGraphic::generateNOFILL() *[line 1497]*
Generate w:noFill

- **Access** protected

void function CreateGraphic::generateNUMCACHE() *[line 1338]*
Generate w:numcache

- **Access** protected

void function CreateGraphic::generateNUMFMT([$formatCode = 'General'], [$sourceLinked = '1']) *[line 1828]*
   Function Parameters:

- *string* **$formatCode**
- *string* **$sourceLinked**

Generate w:numFmt

- **Access** protected

void function CreateGraphic::generateNUMREF() *[line 1353]*
Generate w:numRef

- **Access** protected

void function CreateGraphic::generateORDER([$val = '0']) *[line 1185]*
   Function Parameters:

- *string* **$val**

Generate w:order

- **Access** protected

void function CreateGraphic::generateORIENTATION([$val = 'minMax']) *[line 1688]*
   Function Parameters:

- *string* **$val**

Generate w:orientation

- **Access** protected

void function CreateGraphic::generateOVERLAP([$val = '100']) *[line 1512]*
   Function Parameters:

- *string* **$val**

Generate w:overlap

- **Access** protected

void function CreateGraphic::generatePERSPECTIVE([$val = '30']) *[line 816]*
   Function Parameters:

- *string* **$val**

Generate w:perspective

- **Access** protected

void function CreateGraphic::generatePIE3DCHART() *[line 831]*
Generate w:pie3DChart

- **Access** protected

void function CreateGraphic::generatePIECHART() *[line 847]*
Generate w:piechart

- **Access** protected

void function CreateGraphic::generatePLOTAREA() *[line 863]*
Generate w:plotarea

- **Access** protected

void function CreateGraphic::generatePLOTVISONLY([$val = '1']) *[line 1437]*
  Function Parameters:

- *string* **$val**

Generate w:poltVisOnly

- **Access** protected

void function CreateGraphic::generatePT([$idx = '0']) *[line 1278]*
   Function Parameters:

- *string* **$idx**

Generate w:pt

- **Access** protected

void function CreateGraphic::generatePTCOUNT([$val = '1']) *[line 1262]*
   Function Parameters:

- *string* **$val**

Generate w:ptcount

- **Access** protected

void function CreateGraphic::generateRFONTS($font) *[line 1847]*
   Function Parameters:

- *string* **$font**

Generate w:latin

- **Access** protected

void function CreateGraphic::generateRICH() *[line 878]*
Generate w:rich

- **Access** protected

void function CreateGraphic::generateROTX([$val = '30']) *[line 894]*
Function Parameters:

- *string* **$val**

Generate w:rotx

- **Access** protected

void function CreateGraphic::generateROTY([$val = '30']) *[line 910]*
Function Parameters:

- *string* **$val**

Generate w:roty

- **Access** protected

void function CreateGraphic::generateSCALING() *[line 1672]*

Generate w:scaling

- **Access** protected

void function CreateGraphic::generateSER() *[line 1153]*

Generate w:ser

- **Access** protected

void function CreateGraphic::generateSHAPE([$val = 'box']) *[line 1528]*

Function Parameters:

- *string* **$val**

Generate w:shape

- **Access** protected

void function CreateGraphic::generateSHOWPERCENT([$val = '0']) *[line 1591]*

Function Parameters:

- *string* **$val**

Generate w:showPercent

- **Access** protected

void function CreateGraphic::generateSPPR() *[line 1468]*
Generate w:spPr

- **Access** protected

void function CreateGraphic::generateSTRCACHE() *[line 1246]*
Generate w:strcache

- **Access** protected

void function CreateGraphic::generateSTRREF() *[line 1215]*
Generate w:strref

- **Access** protected

void function CreateGraphic::generateSTYLE([$val = '2']) *[line 926]*
  Function Parameters:

- *string* **$val**

Generate w:style

- **Access** protected

void function CreateGraphic::generateTICKLBLPOS([$val = 'nextTo']) *[line 1718]*
  Function Parameters:

- *string* **$val**

Generate w:tickLblPos

- **Access** protected

void function CreateGraphic::generateTITLE() *[line 943]*
  ### Generate w:title

- **Access** protected

void function CreateGraphic::generateTITLELAYOUT([$nombre = '']) *[line 959]*
  Function Parameters:

- *string* **$nombre**

Generate w:titlelayout

- **Access** protected

void function CreateGraphic::generateTITLEP() *[line 974]*
Generate w:titlep

- **Access** protected

void function CreateGraphic::generateTITLEPPR() *[line 989]*
Generate w:titleppr

- **Access** protected

void function CreateGraphic::generateTITLER() *[line 1004]*
Generate w:titler

- **Access** protected

void function CreateGraphic::generateTITLERFONTS([$font = '']) *[line 1020]*
Function Parameters:

- *string* **$font**

Generate w:titlerfonts

- **Access** protected

void function CreateGraphic::generateTITLERPR([$lang = 'es-ES']) *[line 1038]*
Function Parameters:

- **$lang**

Generate w:titlerpr

- **Access** protected

void function CreateGraphic::generateTITLET([$nombre = '']) *[line 1054]*
Function Parameters:

- *string* **$nombre**

Generate w:titlet

- **Access** protected

void function CreateGraphic::generateTITLETX() *[line 1069]*
Generate w:titletx

- **Access** protected

void function CreateGraphic::generateTX() *[line 1200]*
Generate w:tx

- **Access** protected

void function CreateGraphic::generateV([$idx = 'Ventas']) *[line 1294]*
  Function Parameters:

- *string* **$idx**

Generate w:v

- **Access** protected

void function CreateGraphic::generateVAL() *[line 1323]*
  ## Generate w:val

- **Access** protected

void function CreateGraphic::generateVALAX() *[line 1640]*
  ## Generate w:valAx

- **Access** protected

void function CreateGraphic::generateVARYCOLORS([$val = '1']) *[line 1085]*
  Function Parameters:

- *string* **$val**

Generate w:varyColors

- **Access** protected

void function CreateGraphic::generateVIEW3D() *[line 1100]*
Generate w:view3D

- **Access** protected

CreateGraphic function CreateGraphic::getInstance() *[line 210]*

- **Static**
- **Access** public

string function CreateGraphic::getName() *[line 257]*
Getter. Name

- **Access** public

string function CreateGraphic::getRId() *[line 235]*
Getter. Rid

- **Access** public

string function CreateGraphic::getXmlChart() *[line 279]*

Getter. Xml chart

- **Access** public

void function CreateGraphic::initGraphic($args[0]) *[line 568]*

Function Parameters:

- *array* **$args[0]**

Init graphic

- **Access** public

void function CreateGraphic::setName($name) *[line 246]*

Function Parameters:

- *string* **$name**

Setter. Name

- **Access** public

void function CreateGraphic::setRId($rId) *[line 224]*

Function Parameters:

- *string* **$rId**

Setter. Rid

- **Access** public

void function CreateGraphic::setXmlChart($xmlChart) *[line 268]*
Function Parameters:

- *string* **$xmlChart**

Setter. Xml chart

- **Access** public

void function CreateGraphic::__destruct() *[line 189]*
Destruct

- **Access** public

string function CreateGraphic::__toString() *[line 199]*

- **Access** public

Class CreateHeader
[line 29]

Create header

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** Class available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

Constructor *void* function CreateHeader::__construct() *[line 44]*
Construct

- **Access** public

void function CreateHeader::createHeader(0, 1) *[line 90]*
Function Parameters:

- *string* **0** args[0]
- *array* **1** args[1]

Create header

- **Access** public

void function CreateHeader::generateHDR() *[line 109]*
Generate hdr token

- **Access** protected

void function CreateHeader::generateP() *[line 119]*
Generate w:p

- **Access** protected

CreateHeader function CreateHeader::getInstance() *[line 75]*

- **Static**
- **Access** public

void function CreateHeader::__destruct() *[line 54]*
Destruct

- **Access** public

string function CreateHeader::__toString() *[line 64]*

- **Access** public

Class CreateImage
[line 29]

Create images

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** Class available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

CreateImage::CONSTWORD

= 360000 *[line 34]*

CreateImage::NAMESPACEWORD

= 'wp' *[line 31]*

CreateImage::NAMESPACEWORD1

= 'a' *[line 32]*

CreateImage::NAMESPACEWORD2

= 'pic' *[line 33]*

CreateImage::TAMBORDER

= 12700 *[line 35]*

Constructor *void* function CreateImage::__construct() *[line 127]*

Construct

- **Access** public

void function CreateImage::createEmbeddedImage($comeFrom) *[line 477]*
   Function Parameters:

- *string* **$comeFrom**

Create embedded image

- **Access** public

void function CreateImage::createImage($args[0]) *[line 228]*
   Function Parameters:

- *array* **$args[0]**

Create image

- **Access** public

CreateImage function CreateImage::getInstance() *[line 170]*

- **Static**
- **Access** public

<type> function CreateImage::getName() *[line 195]*
Getter. Name

- **Access** public

<type> function CreateImage::getRId() *[line 217]*
  Getter. Rid

- **Access** public

void function CreateImage::initImage($args[0]) *[line 709]*
  Function Parameters:

- *array* **$args[0]**

  Init image

- **Access** public

void function CreateImage::setName($name) *[line 184]*
  Function Parameters:

- *string* **$name**

  Setter. Name

- **Access** public

void function CreateImage::setRId($rId) *[line 206]*

Function Parameters:

- *string* **$rId**

Setter. Rid

- **Access** public

void function CreateImage::__destruct() *[line 149]*

Destruct

- **Access** public

string function CreateImage::__toString() *[line 159]*

- **Access** public

Class CreateLink
[line 29]

Create links using text strings

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.

(http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** Class available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

Constructor *void* function CreateLink::__construct() *[line 62]*
Construct

- **Access** public

void function CreateLink::createEmbeddedLink() *[line 141]*
Create an embedded link to add in others elements like lists, tables...

- **Access** public

void function CreateLink::createLink($arrArgs[0], $arrArgs[1], $arrArgs[2]) *[line 170]*
Function Parameters:

- *string* **$arrArgs[0]** Text to add
- *string* **$arrArgs[1]** URL to add
- *string* **$arrArgs[2]** RFONTS

Create a link

- **Access** public

void function CreateLink::generateFLDCHAR($fldCharType) *[line 216]*
Function Parameters:

- *string* **$fldCharType**

Generate w:fldChar

- **Access** protected

void function CreateLink::generateHYPERLINK($type) *[line 231]*
  Function Parameters:

- *string* **$type**

Generate w:hyperlink

- **Access** protected

void function CreateLink::generateINSTRTEXT([$link = 'http://localhost'], $link.) *[line 244]*
  Function Parameters:

- *string* **$link.** Optional, use http://localhost as default
- **$link**

Generate w:instrText

- **Access** protected

void function CreateLink::generatePROOFERR($type) *[line 259]*
    Function Parameters:

- *string* **$type**

Generate w:proofErr

- **Access** protected

void function CreateLink::generateR() *[line 273]*
Generate w:r

- **Access** protected

void function CreateLink::generateRSTYLE($val) *[line 298]*
    Function Parameters:

- *string* **$val**

Generate w:rStyle

- **Access** protected

string function CreateLink::getFont() *[line 131]*
Getter. Access to font var

CreateLink function CreateLink::getInstance() *[line 95]*
Singleton, return instance of class

- **Static**
- **Access** public

string function CreateLink::getLink() *[line 109]*
Getter. Access to link var

- **Access** public

string function CreateLink::getTitle() *[line 120]*
Getter. Access to title var

- **Access** public

void function CreateLink::initLink($arrArgs[0]['title'], $arrArgs[0]['link'], $arrArgs[0]['font']) *[line 201]*
Function Parameters:

- *string* **$arrArgs[0]['title']** Text to add
- *string* **$arrArgs[0]['link']** URL to add
- *string* **$arrArgs[0]['font']** RFONTS

Init a link to assign values to variables

- **Access** public

void function CreateLink::__destruct() *[line 72]*
Destruct

- **Access** public

string function CreateLink::__toString() *[line 83]*
Magic method, returns current XML

- **Access** public

Class CreateList
[line 29]

Create lists

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** Class available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

CreateList::MAXDEPTH

= 8 *[line 31]*

CreateList::$data

array = *[line 56]*

- **Access** public

CreateList::$font

string = *[line 50]*

- **Access** public

CreateList::$list

mixed = *[line 38]*

- **Access** public

CreateList::$val

array = *[line 44]*

- **Access** public

Constructor *void* function CreateList::__construct() *[line 76]*
Construct

- **Access** public

void function CreateList::addList($list) *[line 217]*
   Function Parameters:

- *string* **$list**

Add list

- **Access** protected

void function CreateList::createEmbeddedList() *[line 149]*
Create embedded list

- **Access** public

void function CreateList::createList(0, 1) *[line 123]*
   Function Parameters:

- *array* **0** args[0]
- *array* **1** args[1]

Create list

- **Access** public

void function CreateList::createListStyles(0) *[line 174]*
   Function Parameters:

- *array* **0** args[1] Values: array 'bullets' (1 (ï,·), 2 (o), 3 (ï,§))

Recursive generation of lists styles

- **Access** public

void function CreateList::generateILFO([$val = 0]) *[line 228]*
   Function Parameters:

- *int* **$val**

Generate w:ilfo

- **Access** protected

void function CreateList::generateILVL([$val = '']) *[line 244]*
   Function Parameters:

- *string* **$val**

Generate w:ilvl

- **Access** protected

void function CreateList::generateIND([$left = '720']) *[line 258]*
   Function Parameters:

- **$left**

Generate w:ind

- **Access** protected

void function CreateList::generateLISTPR() *[line 271]*
Generate w:listpr

- **Access** protected

void function CreateList::generateLVL($current) *[line 284]*
   Function Parameters:

- **$current**

Generate w:lvl

- **Access** protected

void function CreateList::generateLVLJC() *[line 296]*

Generate w:lvlJc

- **Access** protected

void function CreateList::generateLVLTEXT([$bullet = 'ï,·']) *[line 309]*
   Function Parameters:

- **$bullet**

Generate w:lvlText

- **Access** protected

void function CreateList::generateNUMFMT() *[line 322]*
Generate w:numFmt

- **Access** protected

void function CreateList::generateNUMID($val) *[line 337]*
   Function Parameters:

- *int* **$val**

Generate w:numid

- **Access** protected

void function CreateList::generateNUMPR() *[line 351]*
Generate w:numpr

- **Access** protected

void function CreateList::generatePPRS() *[line 364]*
Generate w:ppr

- **Access** protected

void function CreateList::generatePSTYLE($val) *[line 378]*
Function Parameters:

- *string* **$val**

Generate w:pstyle

- **Access** protected

void function CreateList::generateRFONTSTYLE([$font = 'Symbol']) *[line 393]*
Function Parameters:

- *string* **$font**

Generate w:rfonts

- **Access** protected

void function CreateList::generateRPRS() *[line 409]*
   Generate w:rpr

- **Access** protected

void function CreateList::generateSTART() *[line 537]*
   Generate w:start

- **Access** protected

CreateList function CreateList::getInstance() *[line 108]*

- **Static**
- **Access** public

void function CreateList::initList($args[0]) *[line 203]*
   Function Parameters:

- *array* **$args[0]**

Init list

void function CreateList::runArray($dat, $val, $depth, [$font = '']) *[line 426]*
  Function Parameters:

- *array* **$dat**
- *string* **$val**
- *int* **$depth**
- *string* **$font**

Recursive generation of lists

● **Access** protected

void function CreateList::runArrayEmbedded($dat, $val, $depth) *[line 484]*
  Function Parameters:

- *array* **$dat**
- *string* **$val**
- *int* **$depth**

Recursive generation of embedded lists

● **Access** protected

void function CreateList::__destruct() *[line 86]*
Destruct

- **Access** public

string function CreateList::__toString() *[line 96]*

- **Access** public

Class CreateMacro
[line 30]

Add a macro

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Deprecated** Don't use it, included in CreateDocx.inc
- **Since** File available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

Constructor *void* function CreateMacro::__construct() *[line 45]*
Construct

- **Access** public

CreateLink function CreateMacro::getInstance() *[line 77]*

Singleton, return instance of class

- **Static**
- **Access** public

void function CreateMacro::__destruct() *[line 55]*
Destruct

- **Access** public

string function CreateMacro::__toString() *[line 66]*
Magic method, returns current XML

- **Access** public

Class CreateMath
[line 29]
Add a math eq. Using OOMML or MathML

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** Class available since Release 1.0

Constructor *void* function CreateMath::__construct() *[line 50]*

Construct

- **Access** public

void function CreateMath::createMath($arrArgs[0]) *[line 119]*
Function Parameters:

- *string* **$arrArgs[0]** Math eq

Generate a new MathML eq

- **Access** public

CreateLink function CreateMath::getInstance() *[line 82]*
Singleton, return instance of class

- **Static**
- **Access** public

string function CreateMath::getMathXML() *[line 96]*
Getter. Access to mathXML var

- **Access** public

void function CreateMath::setMathXML($mathML) *[line 108]*
   Function Parameters:

- *string* **$mathML**

Getter. Access to mathXML var

- **Access** public

void function CreateMath::transformMath($mathML) *[line 133]*
   Function Parameters:

- *string* **$mathML** Math eq

Transform a MathML eq using XSL

- **Access** protected

void function CreateMath::__destruct() *[line 60]*
   ### Destruct

- **Access** public

string function CreateMath::__toString() *[line 71]*

Magic method, returns current MathML

- **Access** public

Class CreatePage
[line 29]

Create pages

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** Class available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

CreatePage::$_xml

string = [line 36]

- **Access** protected

Constructor *void* function CreatePage::__construct() *[line 50]*
Construct

- **Access** public

void function CreatePage::createPage() *[line 92]*

Create page

- **Access** public

void function CreatePage::createSection(0) *[line 140]*
  Function Parameters:

- *array* **0** args[0]

Generate section

- **Access** public

void function CreatePage::createSECTPR(0) *[line 103]*
  Function Parameters:

- *array* **0** args[0]

Create sectpr

- **Access** public

void function CreatePage::generateBR([$type = ''］) *[line 164]*
  Function Parameters:

- *string* **$type**

Generate w:br

- **Access** protected

void function CreatePage::generateCOL([$w = ''], [$space = '708']) *[line 180]*
   Function Parameters:

- *string* **$w**
- *string* **$space**

Generate w:col

- **Deprecated**
- **Access** protected

void function CreatePage::generateCOLS([$num = ''], [$sep = ''], [$space = '708'], [$equalWidth = '']) *[line 194]*
   Function Parameters:

- *string* **$num**
- *string* **$sep**
- *string* **$space**
- *string* **$equalWidth**

Generate w:cols

- **Access** protected

void function CreatePage::generateDOCGRID([$linepitch = '360']) *[line 209]*
   Function Parameters:

- *string* **$linepitch**

Generate w:docgrid

- **Access** protected

void function CreatePage::generatePageBreak($type) *[line 123]*
   Function Parameters:

- *string* **$type**

Gnerate pagebreak

- **Access** public

void function CreatePage::generatePGMAR($args[0]) *[line 223]*
   Function Parameters:

- *array* **$args[0]**

Generate w:pgmar

void function CreatePage::generatePGSZ([$w = '11906'], [$h = '16838'], [$orient = '']) *[line 258]*
   Function Parameters:

- *string* **$w**
- *string* **$h**
- *string* **$orient**

Generate w:pgsz

- **Access** protected

void function CreatePage::generateSECTIONSECTPR([$rId = '12240']) *[line 280]*
   Function Parameters:

- *string* **$rId**

Generate w:sectionsectpr

- **Access** protected

void function CreatePage::generateSECTPR([$rId = '12240']) *[line 298]*
   Function Parameters:

- *string* **$rId**

Generate w:sectpr

- **Access** protected

void function CreatePage::generateTITLEPG() *[line 314]*
Generate w:titlepg

- **Access** protected

CreatePage function CreatePage::getInstance() *[line 81]*

- **Static**
- **Access** public

void function CreatePage::__destruct() *[line 60]*
Destruct

- **Access** public

string function CreatePage::__toString() *[line 70]*

- **Access** public

Class CreateProperties
[line 29]

Create properties

- **Package** elements
- **Version** 2.2
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** Class available since Release 2.2
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

CreateProperties::NAMESPACECP

= 'cp' *[line 32]*

CreateProperties::NAMESPACEDC

= 'dc' *[line 31]*

CreateProperties::NAMESPACEVT

= 'vt' *[line 33]*

CreateProperties::PROPERTYID

= 'D5CDD505-2E9C-101B-9397-08002B2CF9AE' *[line 34]*

Constructor *void* function CreateProperties::CreateProperties($args[0]) *[line 101]*
   Function Parameters:

- *mixed* **$args[0]**

Create properties

- **Access** public

Constructor *void* function CreateProperties::__construct() *[line 54]*

Destruct

- **Access** public

void function CreateProperties::createPropertiesApp($args[0]) *[line 128]*
Function Parameters:

- *mixed* **$args[0]**

Create properties

- **Access** public

void function CreateProperties::createPropertiesCustom($args[0]) *[line 147]*
Function Parameters:

- *mixed* **$args[0]**

Create custom properties

- **Access** public

void function CreateProperties::generateCATEGORY($category) *[line 165]*
Function Parameters:

- **$category**

Generate cp:category

- **Access** protected

void function CreateProperties::generateCOMPANY($category) *[line 177]*
  Function Parameters:

- **$category**

Generate Company

- **Access** protected

void function CreateProperties::generateCREATOR($creator) *[line 188]*
  Function Parameters:

- **$creator**

Generate dc:creator

- **Access** protected

void function CreateProperties::generateDESCRIPTION($description) *[line 200]*
  Function Parameters:

- **$description**

Generate cp:description

- **Access** protected

void function CreateProperties::generateKEYWORDS($keywords) *[line 212]*
   Function Parameters:

- **$keywords**

Generate cp:keywords

- **Access** protected

void function CreateProperties::generateLPWSTR($value) *[line 224]*
   Function Parameters:

- **$value**

Generate vt:lpwstr

- **Access** protected

void function CreateProperties::generateMANAGER($manager) *[line 236]*
   Function Parameters:

- **$manager**

Generate Manager

- **Access** protected

void function CreateProperties::generatePROPERTY($title, $pid) *[line 246]*
  Function Parameters:

- **$title**
- **$pid**

Generate property

- **Access** protected

void function CreateProperties::generateSUBJECT($subject) *[line 258]*
  Function Parameters:

- **$subject**

Generate dc:subject

- **Access** protected

void function CreateProperties::generateTITLE($title) *[line 270]*
  Function Parameters:

- **$title**

Generate dc:title

- **Access** protected

CreateText function CreateProperties::getInstance() *[line 87]*
Singleton, return instance of class

- **Static**
- **Access** public

void function CreateProperties::__destruct() *[line 64]*
Destruct

- **Access** public

string function CreateProperties::__toString() *[line 75]*
Magic method, returns current XML

- **Access** public

Class CreateSettings
[line 29]

Create default settings

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** Class available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

CreateSettings::$_xml

mixed = [line 36]

- **Access** protected

Constructor *void* function CreateSettings::__construct() *[line 49]*

Construct

- **Access** public

void function CreateSettings::generateSettings() *[line 92]*

Generate settings

- **Access** public

CreateLink function CreateSettings::getInstance() *[line 81]*
Singleton, return instance of class

- **Static**
- **Access** public

void function CreateSettings::__destruct() *[line 59]*
Destruct

- **Access** public

string function CreateSettings::__toString() *[line 70]*
Magic method, returns current XML

- **Access** public

Class CreateShape
[line 29]

Create shape

- **Package** elements
- **Version** 2.2
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)

- **Link** http://www.phpdocx.com
- **Since** Class available since Release 2.2
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

CreateShape::NAMESPACEWORDSHAPES

= 'v' *[line 31]*

Constructor *void* function CreateShape::__construct() *[line 45]*

Destruct

- **Access** public

void function CreateShape::createShape($args[0], $args[1]) *[line 93]*
Function Parameters:

- *mixed* **$args[0]**
- *array* **$args[1]**

Create shape

- **Access** public

void function CreateShape::generateLINE($args[0]) *[line 112]*
Function Parameters:

- *string* **$args[0]**

Generate v:line

CreateText function CreateShape::getInstance() *[line 78]*
Singleton, return instance of class

- **Static**
- **Access** public

void function CreateShape::__destruct() *[line 55]*
Destruct

- **Access** public

string function CreateShape::__toString() *[line 66]*
Magic method, returns current XML

- **Access** public

Class CreateStyle
[line 31]
Create styles

- **Package** elements
- **Version** 2.1
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** Class available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

CreateStyle::$_xml

string = [line 38]

- **Access** protected

Constructor *void* function CreateStyle::__construct() *[line 51]*
Construct

- **Access** public

void function CreateStyle::addStyle($args[0]) *[line 96]*
Function Parameters:

- *array* **$args[0]**

Add style

- **Access** public

void function CreateStyle::addStyleTabla($param) *[line 1525]*
Function Parameters:

- *array* **$param**

Add table style

- **Access** public

void function CreateStyle::createStyle([$lang = 'en-US']) *[line 452]*
   Function Parameters:

- *string* **$lang**

Create style

- **Access** public

void function CreateStyle::generateAUTOREDEFINE() *[line 1654]*
   Generate w:autoredefine

- **Access** protected

void function CreateStyle::generateB() *[line 2494]*
   Generate w:b

- **Access** protected

void function CreateStyle::generateBASEDON($val) *[line 1582]*
   Function Parameters:

   - *string* **$val**

Generate w:basedon

- **Access** protected

void function CreateStyle::generateBCS() *[line 2507]*
Generate w:bcs

- **Access** protected

void function CreateStyle::generateBOTTOM($w, $type) *[line 2406]*
   Function Parameters:

   - *string* **$w**
   - *string* **$type**

Generate w:bottom

- **Access** protected

void function CreateStyle::generateCOLOR($val, [$themeColor = ''], [$themeShade = '']) *[line 2579]*
  Function Parameters:

  - *string* **$val**
  - *string* **$themeColor**
  - *string* **$themeShade**

Generate w:color

  - **Access** protected

void function CreateStyle::generateCONTEXTUALSPACING() *[line 1920]*
Generate w:contextualspacing

  - **Access** protected

void function CreateStyle::generateI([$val = '']) *[line 2521]*
  Function Parameters:

  - *string* **$val**

Generate w:i

  - **Access** protected

void function CreateStyle::generateICS([$val = '']) *[line 2540]*
  Function Parameters:

- *string* **$val**

Generate w:ics

- **Access** protected

void function CreateStyle::generateILVL($val) *[line 1793]*
Function Parameters:

- *string* **$val**

Generate w:ilvl

- **Access** protected

void function CreateStyle::generateIND($left) *[line 1949]*
Function Parameters:

- *string* **$left**

Generate w:ind

- **Access** protected

void function CreateStyle::generateKEEPLINES() *[line 1807]*
Generate w:keeplines

- **Access** protected

void function CreateStyle::generateKEEPNEXT() *[line 1721]*
Generate w:keepnext

- **Access** protected

void function CreateStyle::generateKERN($val) *[line 1906]*
Function Parameters:

- *string* **$val**

Generate w:kern

- **Access** protected

void function CreateStyle::generateLEFT($w, $type) *[line 2389]*
Function Parameters:

- *string* **$w**
- *string* **$type**

Generate w:left

- **Access** protected

void function CreateStyle::generateLINK($val) *[line 1612]*
  Function Parameters:

- *string* **$val**

Generate w:link

- **Access** protected

void function CreateStyle::generateNAME($val) *[line 1568]*
  Function Parameters:

- *string* **$val**

Generate w:name

- **Access** protected

void function CreateStyle::generateNEXT($val) *[line 1597]*
  Function Parameters:

- *string* **$val**

Generate w:next

- **Access** protected

void function CreateStyle::generateNUMPR() *[line 1779]*
Generate w:numpr

- **Access** protected

void function CreateStyle::generateOUTLINELVL($val) *[line 1934]*
Function Parameters:

- *string* **$val**

Generate w:outlinelvl

- **Access** protected

void function CreateStyle::generatePBDR() *[line 1820]*
Generate w:pbdr

- **Access** protected

void function CreateStyle::generatePBDR_BOTTOM($val, $sz, $space, $color, $themeColor) *[line 1837]*
Function Parameters:

- *string* **$val**
- *string* **$sz**

- *string* **$space**
- *string* **$color**
- *string* **$themeColor**

Generate w:pbdr

- **Access** protected

void function CreateStyle::generatePPR() *[line 1708]*
Generate w:ppr

- **Access** protected

void function CreateStyle::generateQFORMAT() *[line 1667]*
Generate w:qformat

- **Access** protected

void function CreateStyle::generateRFONTS($asciiTheme, $eastAsiaTheme, $hAnsiTheme, $cstheme) *[line 2453]*
  Function Parameters:

- *string* **$asciiTheme**
- *string* **$eastAsiaTheme**
- *string* **$hAnsiTheme**
- *string* **$cstheme**

Generate w:rfonts

- **Access** protected

void function CreateStyle::generateRFONTS2($ascii, $hAnsi, $cs) *[line 2478]*
   Function Parameters:

- *string* **$ascii**
- *string* **$hAnsi**
- *string* **$cs**

Generate w:rfonts

- **Access** protected

void function CreateStyle::generateRIGHT($w, $type) *[line 2423]*
   Function Parameters:

- *string* **$w**
- *string* **$type**

Generate w:right

- **Access** protected

void function CreateStyle::generateRPR() *[line 2436]*
Generate w:rpr

- **Access** protected

void function CreateStyle::generateRPR_SPACING($val) *[line 1891]*
  Function Parameters:

- *string* **$val**

Generate w:spacing

- **Access** protected

void function CreateStyle::generateRSID($val) *[line 1681]*
  Function Parameters:

- *string* **$val**

Generate w:rsid

- **Access** protected

void function CreateStyle::generateSEMIHIDDEN() *[line 1695]*
Generate w:semihidden

- **Access** protected

void function CreateStyle::generateSHD($val, [$color = ''], [$fill = ''], [$themeFill = ''], [$themeFillTint = '']) *[line 1981]*

Function Parameters:

- *string* **$val**
- *string* **$color**
- *string* **$fill**
- *string* **$themeFill**
- *string* **$themeFillTint**

Generate w:shd

- **Access** protected

void function CreateStyle::generateSPACING($before, $after, $line, $lineRule) *[line 1859]*
Function Parameters:

- *string* **$before**
- *string* **$after**
- *string* **$line**
- *string* **$lineRule**

Generate w:spacing

- **Access** protected

void function CreateStyle::generateSTYLE($type, $styleId, [$default = ''], [$customStyle = '']) *[line 1544]*
Function Parameters:

- *string* **$type**
- *string* **$styleId**
- *string* **$default**
- *string* **$customStyle**

Generate w:style

- **Access** protected

void function CreateStyle::generateSZ($val) *[line 2604]*
Function Parameters:

- *string* **$val**

Generate w:sz

- **Access** protected

void function CreateStyle::generateSZCS($val) *[line 2619]*
Function Parameters:

- *string* **$val**

Generate w:szcs

- **Access** protected

void function CreateStyle::generateTABCENTER($pos) *[line 1748]*
Function Parameters:

- *string* **$pos**

Generate w:tabcenter

- **Access** protected

void function CreateStyle::generateTABRIGHT($pos) *[line 1764]*
 Function Parameters:

- *string* **$pos**

Generate w:tabright

- **Access** protected

void function CreateStyle::generateTABS() *[line 1734]*
 Generate w:tabs

- **Access** protected

void function CreateStyle::generateTBLBORDERS() *[line 2069]*
 Generate w:tblborders

- **Access** protected

void function CreateStyle::generateTBLBORDERS_BOTTOM($val, [$sz = ''], [$space = ''], [$color = ''],

[$themeColor = ''], [$themeTint = '']) *[line 2180]*
   Function Parameters:

- *string* **$val**
- *string* **$sz**
- *string* **$space**
- *string* **$color**
- *string* **$themeColor**
- *string* **$themeTint**

Generate w:bottom

- **Access** protected

void function CreateStyle::generateTBLBORDERS_INSIDEH($val, [$sz = ''], [$space = ''], [$color = ''], [$themeColor = ''], [$themeTint = '']) *[line 2272]*
   Function Parameters:

- *string* **$val**
- *string* **$sz**
- *string* **$space**
- *string* **$color**
- *string* **$themeColor**
- *string* **$themeTint**

Generate w:insideh

- **Access** protected

void function CreateStyle::generateTBLBORDERS_INSIDEV($val, [$sz = ''], [$space = ''], [$color = ''], [$themeColor = ''], [$themeTint = '']) *[line 2317]*
   Function Parameters:

- *string* **$val**

- *string* **$sz**
- *string* **$space**
- *string* **$color**
- *string* **$themeColor**
- *string* **$themeTint**

Generate w:insidev

- **Access** protected

void function CreateStyle::generateTBLBORDERS_LEFT($val, [$sz = ''], [$space = ''], [$color = ''], [$themeColor = ''], [$themeTint = '']) *[line 2134]*
 Function Parameters:

- *string* **$val**
- *string* **$sz**
- *string* **$space**
- *string* **$color**
- *string* **$themeColor**
- *string* **$themeTint**

Generate w:left

- **Access** protected

void function CreateStyle::generateTBLBORDERS_RIGHT($val, [$sz = ''], [$space = ''], [$color = ''], [$themeColor = ''], [$themeTint = '']) *[line 2228]*
 Function Parameters:

- *string* **$val**
- *string* **$sz**
- *string* **$space**
- *string* **$color**
- *string* **$themeColor**
- *string* **$themeTint**

Generate w:right

- **Access** protected

void function CreateStyle::generateTBLBORDERS_TOP($val, [$sz = ''], [$space = ''], [$color = ''], [$themeColor = ''], [$themeTint = '']) *[line 2088]*
    Function Parameters:

- *string* **$val**
- *string* **$sz**
- *string* **$space**
- *string* **$color**
- *string* **$themeColor**
- *string* **$themeTint**

Generate w:top

- **Access** protected

void function CreateStyle::generateTBLCELLMAR() *[line 2356]*
Generate w:tblcellmar

- **Access** protected

void function CreateStyle::generateTBLIND($w, $type) *[line 2028]*
    Function Parameters:

- *string* **$w**
- *string* **$type**

Generate w:tblind

- **Access** protected

void function CreateStyle::generateTBLPR() *[line 2014]*
Generate w:tblpr

- **Access** protected

void function CreateStyle::generateTBLSTYLECOLBANDSIZE($val) *[line 2057]*
Function Parameters:

- *string* **$val**

Generate w:tblstylecolbandsize

- **Access** protected

void function CreateStyle::generateTBLSTYLEROWBANDSIZE($val) *[line 2043]*
Function Parameters:

- *string* **$val**

Generate w:tblstylerowbandsize

- **Access** protected

void function CreateStyle::generateTCPR() *[line 1963]*

Generate w:tcpr

- **Access** protected

void function CreateStyle::generateTOP($w, $type) *[line 2372]*

Function Parameters:

- *string* **$w**
- *string* **$type**

Generate w:top

- **Access** protected

void function CreateStyle::generateU([$val = '']) *[line 2559]*

Function Parameters:

- *string* **$val**

Generate w:u

- **Access** protected

void function CreateStyle::generateUIPRIORITY($val) *[line 1627]*
   Function Parameters:

- *string* **$val**

Generate w:uipriority

- **Access** protected

void function CreateStyle::generateUNHIDEWHENUSED() *[line 1641]*
Generate w:unhidewhenused

- **Access** protected

void function CreateStyle::generateVERTALIGN([$val = 'superscript']) *[line 2634]*
   Function Parameters:

- *string* **$val**

Generate w:vertAlign

- **Access** protected

CreateStyle function CreateStyle::getInstance() *[line 82]*

- **Static**
- **Access** public

void function CreateStyle::__destruct() *[line 61]*
Destruct

- **Access** public

string function CreateStyle::__toString() *[line 71]*

- **Access** public

Class CreateStyleTable
[line 29]

Create style table

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** Class available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

CreateStyleTable::$_xml

string = *[line 36]*

- **Access** protected

Constructor *void* function CreateStyleTable::__construct() *[line 49]*
Construct

- **Access** public

void function CreateStyleTable::addStyleTable($args[0]) *[line 94]*
Function Parameters:

- *array* **$args[0]**

Add table style

- **Access** public

void function CreateStyleTable::generateSHD($val, [$color = ''], [$fill = ''], [$themeFill = ''], [$themeFillTint = '']) *[line 518]*
Function Parameters:

- *string* **$val**
- *string* **$color**
- *string* **$fill**
- *string* **$themeFill**
- *string* **$themeFillTint**

Generate w:shd

- **Access** protected

void function CreateStyleTable::generateTBLPR() *[line 465]*
Generate w:tblPr

- **Access** protected

void function CreateStyleTable::generateTBLSTYLEPR($type) *[line 452]*
Function Parameters:

- *string* **$type**

Generate w:tblStylePr

- **Access** protected

void function CreateStyleTable::generateTCBORDERS() *[line 497]*
Generate w:tcBorders

- **Access** protected

void function CreateStyleTable::generateTCPR() *[line 481]*
Generate w:tcPr

- **Access** protected

CreateStyleTable function CreateStyleTable::getInstance() *[line 80]*

- **Static**
- **Access** public

void function CreateStyleTable::__destruct() *[line 59]*
Destruct

- **Access** public

string function CreateStyleTable::__toString() *[line 69]*

- **Access** public

Class CreateTable
[line 29]

Create tables

- **Package** elements
- **Version** 1.0

- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** Class available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

Constructor *void* function CreateTable::__construct() *[line 44]*

Construct

- **Access** public

void function CreateTable::addList($list) *[line 204]*
Function Parameters:

- *string* **$list**

Add list

- **Access** protected

void function CreateTable::createTable(0) *[line 90]*
Function Parameters:

- *array* **0** args[0]

Create table

- **Access** public

void function CreateTable::generateGRIDCOLS($w) *[line 215]*
Function Parameters:

- *string* **$w**

Generate w:gridcols

- **Access** protected

void function CreateTable::generateHMERGE([$val = '']) *[line 230]*
Function Parameters:

- *string* **$val**

Generate w:hmerge

- **Deprecated**
- **Access** protected

void function CreateTable::generateJC([$val = '']) *[line 241]*
Function Parameters:

- *string* **$val**

Generate w:jc

- **Access** protected

void function CreateTable::generateP() *[line 254]*
Generate w:p

- **Access** protected

void function CreateTable::generateSHD([$val = 'horz-cross'], [$color = 'ff0000'], [$fill = ''], [$bgcolor = ''], [$themeFill = '']) *[line 271]*
Function Parameters:

- *string* **$val**
- *string* **$color**
- *string* **$fill**
- *string* **$bgcolor**
- *string* **$themeFill**

Generate w:shd

- **Access** protected

void function CreateTable::generateTBL() *[line 324]*
Generate w:tbl

- **Access** protected

void function CreateTable::generateTBLBORDERS() *[line 289]*
Generate w:tblborders

- **Access** protected

void function CreateTable::generateTBLBOTTOM([$val = "single"], [$sz = "4"], [$space = '0'], [$color = 'auto']) *[line 306]*
    Function Parameters:

- *string* **$val**
- *string* **$sz**
- *string* **$space**
- *string* **$color**

Generate w:tblbottom

- **Access** protected

void function CreateTable::generateTBLCELLSPACING([$w = ''], [$type = '']) *[line 353]*
    Function Parameters:

- *string* **$w**
- *string* **$type**

Generate w:tblcellspacing

- **Access** protected

void function CreateTable::generateTBLGRID() *[line 370]*
Generate w:tblgrid

- **Access** protected

void function CreateTable::generateTBLINSIDEH([$val = "single"], [$sz = "4"], [$space = '0'], [$color = 'auto']) *[line 388]*
    Function Parameters:

- *string* **$val**
- *string* **$sz**
- *string* **$space**
- *string* **$color**

Generate w:tblinsideh

- **Access** protected

void function CreateTable::generateTBLINSIDEV([$val = "single"], [$sz = "4"], [$space = '0'], [$color = 'auto']) *[line 410]*
    Function Parameters:

- *string* **$val**
- *string* **$sz**
- *string* **$space**
- *string* **$color**

Generate w:tblinsidev

- **Access** protected

void function CreateTable::generateTBLLEFT([$val = "single"], [$sz = "4"], [$space = '0'], [$color = 'auto']) *[line 431]*
    Function Parameters:

- *string* **$val**
- *string* **$sz**
- *string* **$space**
- *string* **$color**

Generate w:tblleft

- **Access** protected

void function CreateTable::generateTBLLOOK([$val = '000001E0']) *[line 449]*
    Function Parameters:

- *string* **$val**

Generate w:tbllook

- **Access** protected

void function CreateTable::generateTBLOVERLAP([$val = 'never']) *[line 463]*
    Function Parameters:

- *string* **$val**

Generate w:tbloverlap

- **Access** protected

void function CreateTable::generateTBLPR() *[line 476]*

Generate w:tblpr

- **Access** protected

void function CreateTable::generateTBLRIGHT([$val = 'single'], [$sz = '4'], [$space = '0'], [$color = 'auto']) *[line 496]*
Function Parameters:

- *string* **$val**
- *string* **$sz**
- *string* **$space**
- *string* **$color**

Generate w:tblright

- **Access** protected

void function CreateTable::generateTBLSTYLE([$strVal = 'Tablaconcuadrcula']) *[line 337]*
Function Parameters:

- *string* **$strVal**

Generate w:tblstyle

- **Access** protected

void function CreateTable::generateTBLTOP([$val = 'single'], [$sz = '4'], [$space = '0'], [$color = 'auto']) *[line 517]*
   Function Parameters:

- *string* **$val**
- *string* **$sz**
- *string* **$space**
- *string* **$color**

Generate w:tbltop

- **Access** protected

void function CreateTable::generateTBLW([$type = 'auto'], [$w = '0']) *[line 536]*
   Function Parameters:

- *string* **$type**
- *string* **$w**

Generate w:tblw

- **Access** protected

void function CreateTable::generateTC() *[line 550]*
Generate w:tc

- **Access** protected

void function CreateTable::generateTCPR() *[line 562]*

Generate w:tcpr

- **Access** protected

void function CreateTable::generateTCW([$w = ''], [$type = 'dxa']) *[line 577]*
Function Parameters:

- *string* **$w**
- *string* **$type**

Generate w:tcw

- **Access** protected

void function CreateTable::generateTR() *[line 591]*

Generate w:tr

- **Access** protected

void function CreateTable::generateTRHEIGHT([$val = '']) *[line 605]*
Function Parameters:

- *string* **$val**

Generate w:trheight

- **Access** protected

void function CreateTable::generateTRPR() *[line 618]*
Generate w:trpr

- **Access** protected

void function CreateTable::generateVMERGE([$val = ''']) *[line 633]*
  Function Parameters:

- *<type>* **$val**

Generate w:vmerge

- **Deprecated**
- **Access** protected

CreateTable function CreateTable::getInstance() *[line 76]*

- **Static**
- **Access** public

void function CreateTable::__destruct() *[line 54]*
Destruct

- **Access** public

string function CreateTable::__toString() *[line 64]*

- **Access** public

Class CreateTableContents
[line 29]

Create table of contents

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** Class available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

CreateTableContents::$_xml

string = [line 36]

- **Access** protected

Constructor *void* function CreateTableContents::__construct() *[line 51]*

Construct

* **Access** public

void function CreateTableContents::createTableContents($font) *[line 97]*
   Function Parameters:

* *string* **$font**

Create table of contents

* **Access** public

void function CreateTableContents::generateFLDSIMPLE([$instr = 'TOC \o "1-4" \h \z \u'], $instr.) *[line 118]*
   Function Parameters:

* *string* **$instr.** Optional, 'TOC \o "1-4" \h \z \u'   as default
* **$instr**

Generate w:fldsimple

* **Access** protected

CreateTableContents function CreateTableContents::getInstance() *[line 83]*

* **Static**
* **Access** public

void function CreateTableContents::__destruct() *[line 61]*

Destruct

- **Access** public

string function CreateTableContents::__toString() *[line 72]*

Magic method, returns current XML

- **Access** public

Class CreateTemplate
[line 28]

Use DOCX as templates

- **Package** elements
- **Version** 05.26.2011
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** Class available since Release 1.7
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

CreateTemplate::$embedFiles

array = array() *[line 36]*

- **Static**
- **Access** public

CreateTemplate::$path

string = *[line 42]*

- **Static**
- **Access** public

CreateTemplate::$placeholderImages

array = array() *[line 48]*

- **Static**
- **Access** public

CreateTemplate::$ridInitTemplateCharts

int = *[line 54]*

- **Static**
- **Access** public

CreateTemplate::$totalTemplateCharts

int = *[line 60]*

- **Static**
- **Access** public

Constructor *void* function CreateTemplate::__construct() *[line 151]*

Construct

- **Access** public

void function CreateTemplate::addContentTypes($args[0]) *[line 283]*

Function Parameters:

- *string* **$args[0]**

Add content types

- **Static**
- **Access** public

void function CreateTemplate::addRelationship($args[0]) *[line 310]*

Function Parameters:

- *string* **$args[0]**

Add relationship

- **Static**
- **Access** public

void function CreateTemplate::deleteAllBlocks() *[line 331]*

clear all the placeholders which start with 'BLOCK_'

- **Access** public

void function CreateTemplate::deleteBlock($blockName) *[line 381]*
  Function Parameters:

- *string* **$blockName** Block name

Clear a specific placeholder which starts with 'BLOCK_'

- **Access** public

boolean function CreateTemplate::getBlnTemplate() *[line 187]*
Check if DOCX is a template

- **Static**
- **Access** public

string function CreateTemplate::getContentTypes() *[line 271]*
Return current content types

- **Static**
- **Access** public

string function CreateTemplate::getDocument() *[line 199]*

Return current document word

- **Static**
- **Access** public

string function CreateTemplate::getFooter() *[line 223]*
  Return current document footer

- **Static**
- **Access** public

string function CreateTemplate::getHeader() *[line 211]*
  Return current document header

- **Static**
- **Access** public

CreateTemplate function CreateTemplate::getInstance() *[line 172]*

- **Static**
- **Access** public

string function CreateTemplate::getRelsDocumentXMLRels() *[line 259]*
  Return current rels document xml rels

- **Static**

- **Access** public

string function CreateTemplate::getTemplateSymbol() *[line 235]*

Getter. Return template symbol

- **Static**
- **Access** public

void function CreateTemplate::mergeFiles($path1, $path2) *[line 406]*

Function Parameters:

- *$path1* **$path1** File path
- *$path2* **$path2** File path

Merge the content, the footer and the header from two files

- **Access** public

void function CreateTemplate::openTemplate($args[0]) *[line 488]*

Function Parameters:

- *string* **$args[0]**

Open current template

- **Static**
- **Access** public

void function CreateTemplate::parseBlock($blockName) *[line 544]*
    Function Parameters:

- *string* **$blockName** Block name

Prepare the placeholder. Clear the wordXML code between the characters of the placeholder.

- **Access** public

void function CreateTemplate::replaceChart($args[0]) *[line 562]*
    Function Parameters:

- *string* **$args[0]**

Replace chart in template

- **Static**
- **Access** public

void function CreateTemplate::replaceCheckbox($checkName, $value) *[line 609]*
    Function Parameters:

- *string* **$value** Value
- *string* **$checkName** checkName Checkbox variable name

Replace a placeholder with a checkbox

* **Access** public

void function CreateTemplate::replaceImage($args[0], $args[1]) *[line 661]*
    Function Parameters:

* *string* **$args[0]**
* *string* **$args[1]**

Replace image in template

* **Static**
* **Access** public

void function CreateTemplate::replaceImages(&$docxTemplate, $docxTemplate) *[line 691]*
    Function Parameters:

* *ZipArchive* **$docxTemplate**
* **&$docxTemplate**

Replace images in template

* **Static**
* **Access** public

void function CreateTemplate::replaceVariable($args[0]., $args[1], $args[2].) *[line 721]*
    Function Parameters:

* *mixed* **$args[0].** Array or string
* *mixed* **$args[1]**
* *array* **$args[2].** Optional. Settings template

Replace variables in template.

Allows text strings and array of values as variables.

- **Static**
- **Access** public

void function CreateTemplate::replaceVariableChart($chart, $i, $args[0]) *[line 1075]*
  Function Parameters:

- *string* **$args[0]**
- **$chart**
- **$i**

Replace variable char in template

- **Static**
- **Access** public

array function CreateTemplate::returnVariables() *[line 1092]*
Return template variables

- **Access** public

void function CreateTemplate::setTemplateSymbol($templateSymbol) *[line 247]*
  Function Parameters:

- *string* **$templateSymbol**

Setter. Set template symbol

- **Static**
- **Access** public

void function CreateTemplate::__destruct() *[line 161]*
Destruct

- **Access** public

Class CreateText
[line 29]

Create text

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** Class available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

CreateText::IDTITLE

= 229998237 *[line 31]*

Constructor *void* function CreateText::__construct() *[line 50]*

Construct

- **Access** public

void function CreateText::createEmbeddedText($args[0], $args[1]) *[line 98]*
Function Parameters:

- *array* **$args[0]**
- *array* **$args[1]**

Create embedded text

- **Access** public

void function CreateText::createText($args[0], $args[1]) *[line 167]*
Function Parameters:

- *mixed* **$args[0]**
- *array* **$args[1]**

Create text

- **Access** public

void function CreateText::createTitle($arrArgs[0], $arrArgs[1]) *[line 300]*
Function Parameters:

- *string* **$arrArgs[0]**
- *array* **$arrArgs[1]**

Create title

- **Access** public

void function CreateText::generateBOOKMARKEND($id) *[line 375]*
  Function Parameters:

- *int* **$id**

Generate w:bookmarkend

- **Access** protected

void function CreateText::generateBOOKMARKSTART($id, $name) *[line 391]*
  Function Parameters:

- *int* **$id**
- *string* **$name**

Generate w:bookmarkstart

- **Access** protected

void function CreateText::generateCOLOR([$val = '000000']) *[line 408]*
   Function Parameters:

- *string* **$val**

Generate w:color

- **Access** protected

void function CreateText::generateI([$val = 'single']) *[line 423]*
   Function Parameters:

- *string* **$val**

Generate w:i

- **Access** protected

void function CreateText::generateJC([$val = '']) *[line 438]*
   Function Parameters:

- *string* **$val**

Generate w:jc

- **Access** protected

void function CreateText::generatePAGEBREAKBEFORE([$val = 'on']) *[line 453]*
   Function Parameters:

- *string* **$val**

Generate w:pagebreakbefore

- **Access** protected

void function CreateText::generatePPR() *[line 468]*
Generate w:ppr

- **Access** protected

void function CreateText::generatePSTYLE([$val = 'Ttulo']) *[line 482]*
   Function Parameters:

- *string* **$val**

Generate w:pstyle

- **Access** protected

void function CreateText::generateSPACING([$line = '240']) *[line 497]*
   Function Parameters:

- **$line**

Generate w:spacing

- **Access** protected

void function CreateText::generateSZ([$val = '11']) *[line 511]*
Function Parameters:

- *string* **$val**

Generate w:sz

- **Access** protected

void function CreateText::generateT($dat, [$spaces = 0]) *[line 528]*
Function Parameters:

- *string* **$dat**
- *int* **$spaces**

Generate w:t

- **Access** protected

void function CreateText::generateTABS() *[line 550]*

Generate w:abs

- **Access** protected

void function CreateText::generateU([$val = 'single']) *[line 564]*
   Function Parameters:

- *string* **$val**

Generate w:u

- **Access** protected

void function CreateText::generateWIDOWCONTROL([$val = 'on']) *[line 579]*
   Function Parameters:

- *string* **$val**

Generate w:widowcontrol

- **Access** protected

void function CreateText::generateWORDWRAP([$val = 'on']) *[line 595]*
   Function Parameters:

- *string* **$val**

Generate w:wordwrap

- **Access** protected

CreateText function CreateText::getInstance() *[line 83]*
Singleton, return instance of class

- **Static**
- **Access** public

void function CreateText::initText($args[0]) *[line 362]*
Function Parameters:

- *array* **$args[0]**

Init text

- **Access** public

void function CreateText::__destruct() *[line 60]*
Destruct

- **Access** public

string function CreateText::__toString() *[line 71]*
Magic method, returns current XML

- **Access** public

Class CreateTextBox
[line 29]

Create text box

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** Class available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

CreateTextBox::NAMESPACEWORD

= 'v' *[line 31]*

Constructor *void* function CreateTextBox::__construct() *[line 165]*
Construct

- **Access** public

void function CreateTextBox::addText($dat, [$style = '']) *[line 337]*
Function Parameters:

- *mixed* **$dat**
- *array* **$style**

Create text in textbox

- **Access** protected

void function CreateTextBox::createEmbeddedTextBox() *[line 230]*
Create embedded textbox

- **Access** public

void function CreateTextBox::createTextBox($dat, [$style = '']) *[line 280]*
Function Parameters:

- *array* **$dat**
- *array* **$style**

Create textbox

- **Access** public

void function CreateTextBox::generatePATH([$gradientshapeok = 't'], [$connecttype = 'rect']) *[line 393]*
Function Parameters:

- *string* **$gradientshapeok**

- *string* **$connecttype**

Generate w:path

- **Access** protected

void function CreateTextBox::generateSHAPE($args[0]) *[line 411]*
Function Parameters:

- *array* **$args[0]**

Generate w:shape

- **Access** protected

void function CreateTextBox::generateSHAPETYPE([$id = '_x0000_t202'], [$coordsize = '21600,21600'], [$spt = '202'], [$path = 'm,l,21600r21600,l21600,xe']) *[line 356]*
Function Parameters:

- *string* **$id**
- *string* **$coordsize**
- *string* **$spt**
- *string* **$path**

Generate w:shapetype

- **Access** protected

void function CreateTextBox::generateSTROKE([$joinstyle = 'miter']) *[line 376]*
 Function Parameters:

- *string* **$joinstyle**

Generate w:stroke

- **Access** protected

void function CreateTextBox::generateTEXTBOX([$style = 'mso-fit-shape-to-text:t']) *[line 465]*
 Function Parameters:

- *string* **$style**

Generate w:textbox

- **Access** protected

void function CreateTextBox::generateTXBXCONTENT() *[line 480]*
Generate w:txbxcontent

- **Access** protected

void function CreateTextBox::generateWRAP($args[0]) *[line 495]*
 Function Parameters:

- *array* **$args[0]**

Generate w:wrap

- **Access** protected

CreateTextBox function CreateTextBox::getInstance() *[line 217]*
Singleton, return instance of class

- **Static**
- **Access** public

void function CreateTextBox::initTextBox($args[0]) *[line 305]*
Function Parameters:

- *array* **$args[0]**

Init text box

- **Access** public

void function CreateTextBox::__destruct() *[line 194]*
Destruct

- **Access** public

string function CreateTextBox::__toString() *[line 205]*
Magic method, returns current XML

- **Access** public

Class CreateTheme1
[line 29]

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** Class available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

CreateTheme1::NAMESPACEWORD

 = 'a' *[line 31]*

CreateTheme1::$_xml

string = *[line 45]*

- **Access** protected

Constructor *void* function CreateTheme1::__construct() *[line 52]*
Construct

- **Access** public

void function CreateTheme1::createTheme($font) *[line 97]*
   Function Parameters:

- *string* **$font**

Create theme

- **Access** public

void function CreateTheme1::generateACCENT1() *[line 440]*
Generate a:accent1

- **Access** protected

void function CreateTheme1::generateACCENT2() *[line 453]*
Generate a:accent2

- **Access** protected

void function CreateTheme1::generateACCENT3() *[line 466]*
Generate a:accent3

- **Access** protected

void function CreateTheme1::generateACCENT4() *[line 479]*
Generate a:accent4

- **Access** protected

void function CreateTheme1::generateACCENT5() *[line 492]*
Generate a:accent5

- **Access** protected

void function CreateTheme1::generateACCENT6() *[line 505]*
Generate a:accent6

- **Access** protected

void function CreateTheme1::generateALPHA($val) *[line 1061]*
  Function Parameters:

- *string* **$val**

Generate a:alpha

- **Access** protected

void function CreateTheme1::generateBEVELT($w, $h) *[line 1161]*
  Function Parameters:

- *string* **$w**
- *string* **$h**

Generate a:bevelt

- **Access** protected

void function CreateTheme1::generateBGFILLSTYLELST() *[line 1174]*
  ## Generate a:bgfillstylelst

- **Access** protected

void function CreateTheme1::generateCAMERA($prst) *[line 1100]*
  Function Parameters:

- *string* **$prst**

Generate a:camera

- **Access** protected

void function CreateTheme1::generateCLRSCHEME([$name = 'Office']) *[line 340]*
  Function Parameters:

- *string* **$name**

Generate a:clrscheme

- **Access** protected

void function CreateTheme1::generateCS([$typeface = '']) *[line 609]*
  Function Parameters:

- *string* **$typeface**

Generate a:cs

- **Access** protected

void function CreateTheme1::generateDK1() *[line 359]*
Generate a:dk1

- **Access** protected

void function CreateTheme1::generateDK2() *[line 401]*
Generate a:dk2

- **Access** protected

void function CreateTheme1::generateEA([$typeface = '']) *[line 594]*
   Function Parameters:

- *string* **$typeface**

Generate a:ea

- **Access** protected

void function CreateTheme1::generateEFFECTLST() *[line 1014]*
Generate a:effectlst

- **Access** protected

void function CreateTheme1::generateEFFECTLST2() *[line 1074]*
Generate a:effectlst2

- **Access** protected

void function CreateTheme1::generateEFFECTSTYLE() *[line 981]*
Generate a:effectstyle

- **Access** protected

void function CreateTheme1::generateEFFECTSTYLE2() *[line 999]*
Generate a:effectstyle2

- **Access** protected

void function CreateTheme1::generateEFFECTSTYLELST() *[line 967]*
Generate a:effectstylest

- **Access** protected

void function CreateTheme1::generateEXTRACLRSCHEMELST() *[line 1257]*
Generate a:extraclrschemelst

- **Access** protected

void function CreateTheme1::generateFILLSTYLELST() *[line 705]*
Generate a:fillstylelst

- **Access** protected

void function CreateTheme1::generateFILLTORECT($l, $t, $r, $b) *[line 1225]*
  Function Parameters:

- *string* **$l**
- *string* **$t**
- *string* **$r**
- *string* **$b**

Generate a:filltorect

- **Access** protected

void function CreateTheme1::generateFMTSCHEME($name) *[line 690]*
  Function Parameters:

- *string* **$name**

Generate a:fmtscheme

- **Access** protected

void function CreateTheme1::generateFOLHLINK() *[line 531]*
Generate a:folhlink

- **Access** protected

void function CreateTheme1::generateFONT([$script = ''], [$typeface = '']) *[line 626]*
  Function Parameters:

- *string* **$script**
- *string* **$typeface**

Generate a:font

- **Access** protected

void function CreateTheme1::generateFONT2([$script = ''], [$typeface = '']) *[line 643]*
  Function Parameters:

- *string* **$typeface**
- *string* **$script** script

Generate a:font

- **Access** protected

void function CreateTheme1::generateFONT3([$script = ''], [$typeface = '']) *[line 661]*
  Function Parameters:

- *string* **$script**
- *string* **$typeface**

Generate a:font

- **Access** protected

void function CreateTheme1::generateFONTSCHEMA([$name = 'Office']) *[line 545]*
    Function Parameters:

- *string* **$name**

Generate a:fontschema

- **Access** protected

void function CreateTheme1::generateGRADFILL($rotWithShape) *[line 751]*
    Function Parameters:

- *string* **$rotWithShape**

Generate a:gradfill

- **Access** protected

void function CreateTheme1::generateGRADFILL2($rotWithShape) *[line 767]*
    Function Parameters:

- *string* **$rotWithShape**

Generate a:gradfill

- **Access** protected

void function CreateTheme1::generateGS($pos) *[line 793]*
Function Parameters:

- *string* **$pos**

Generate a:gs

- **Access** protected

void function CreateTheme1::generateGS2($pos) *[line 807]*
Function Parameters:

- *string* **$pos**

Generate a:gs

- **Access** protected

void function CreateTheme1::generateGSLST() *[line 780]*
Generate a:gslst

- **Access** protected

void function CreateTheme1::generateHLINK() *[line 518]*
Generate a:hlink

- **Access** protected

void function CreateTheme1::generateLATIN([$typeface = 'cambia']) *[line 578]*
  Function Parameters:

- *string* **$typeface**

Generate a:latin

- **Access** protected

void function CreateTheme1::generateLIGHTRIG($rig, $dir) *[line 1132]*
  Function Parameters:

- *string* **$rig**
- *string* **$dir**

Generate a:lightrig

- **Access** protected

void function CreateTheme1::generateLIN($ang, $scaled, $val) *[line 875]*
  Function Parameters:

- *string* **$val**
- *string* **$scaled**
- **$ang**

Generate a:lin

- **Access** protected

void function CreateTheme1::generateLN($w, $cap, $cmpd, $algn) *[line 907]*
   Function Parameters:

- *string* **$w**
- *string* **$cap**
- *string* **$cmpd**
- *string* **$algn**

Generate a:ln

- **Access** protected

void function CreateTheme1::generateLN2($w, $cap, $cmpd, $algn) *[line 925]*
   Function Parameters:

- *string* **$w**
- *string* **$cap**
- *string* **$cmpd**
- *string* **$algn**

Generate a:ln

- **Access** protected

void function CreateTheme1::generateLNSTYLELST() *[line 888]*
Generate a:lnstylelst

- **Access** protected

void function CreateTheme1::generateLT1() *[line 388]*
Generate a:lt1

- **Access** protected

void function CreateTheme1::generateLT2() *[line 427]*
Generate a:lt2

- **Access** protected

void function CreateTheme1::generateMAYORFONT() *[line 562]*
Generate a:mayorfont

- **Access** protected

void function CreateTheme1::generateMINORFONT() *[line 676]*
Generate a:minorfont

- **Access** protected

void function CreateTheme1::generateOBJECTDEFAULTS() *[line 1239]*
Generate a:objectdefaults

- **Access** protected

void function CreateTheme1::generateOUTERSHDW($blurRad, $dist, $dir, $rotWithShape) *[line 1031]*
   Function Parameters:

- *string* **$blurRad**
- *string* **$dist**
- *string* **$dir**
- *string* **$rotWithShape**

Generate a:outershdw

- **Access** protected

void function CreateTheme1::generatePATH($path) *[line 1207]*
   Function Parameters:

- *string* **$path** @path

Generate a:path

- **Access** protected

void function CreateTheme1::generatePRSTDASH($val) *[line 954]*
  Function Parameters:

- *string* **$val**

Generate a:prstdash

- **Access** protected

void function CreateTheme1::generateROT($lat, $lon, $rev) *[line 1117]*
  Function Parameters:

- *string* **$lat**
- *string* **$lon**
- *string* **$rev** @rev

Generate a:rot

- **Access** protected

void function CreateTheme1::generateSATMOD($val) *[line 861]*
  Function Parameters:

- *string* **$val**

Generate a:satmod

- **Access** protected

void function CreateTheme1::generateSCENE3D() *[line 1086]*

- **Access** protected

void function CreateTheme1::generateSCHEMECLR($val) *[line 737]*
  Function Parameters:

- *string* **$val**

Generate a:schemeclr

- **Access** protected

void function CreateTheme1::generateSCHEMECLR2($val) *[line 820]*
  Function Parameters:

- *string* **$val**

Generate a:schemeclr

- **Access** protected

void function CreateTheme1::generateSCHEMECLR3($val) *[line 940]*

Function Parameters:

- *string* **$val**

Generate a:schemeclr3

- **Access** protected

void function CreateTheme1::generateSHADE($val) *[line 848]*
   Function Parameters:

- *string* **$val**

Generate a:shade

- **Access** protected

void function CreateTheme1::generateSOLIDFILL() *[line 719]*
Generate a:solidfill

- **Access** protected

void function CreateTheme1::generateSP3D() *[line 1146]*
Generate a:sp3d

- **Access** protected

void function CreateTheme1::generateSRGBCLR([$val = 'windowText']) *[line 415]*
   Function Parameters:

- *string* **$val**

Generate a:srgbclr

- **Access** protected

void function CreateTheme1::generateSRGBCLR2($val) *[line 1047]*
   Function Parameters:

- *string* **$val**

Generate a:srgbclr2

- **Access** protected

void function CreateTheme1::generateSYSCLR([$val = 'windowText'], [$lastClr = '000000']) *[line 375]*
   Function Parameters:

- *string* **$val**
- *string* **$lastClr**

Generate a:sysclr

- **Access** protected

void function CreateTheme1::generateTHEMEELEMENTS() *[line 325]*

Generate a:themeelements

- **Access** protected

void function CreateTheme1::generateTINT($val) *[line 834]*
  Function Parameters:

- *string* **$val**

Generate a:tint

- **Access** protected

void function CreateTheme1::generateTINT2($val) *[line 1193]*
  Function Parameters:

- *string* **$val**

Generate a:tint2

- **Access** protected

CreateTheme1 function CreateTheme1::getInstance() *[line 83]*

- **Static**
- **Access** public

void function CreateTheme1::__destruct() *[line 62]*

Destruct

- **Access** public

string function CreateTheme1::__toString() *[line 72]*

- **Access** public

Class CreateWebSettings
[line 29]

Create default websettings XML

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** Class available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

CreateWebSettings::$_xml

mixed = *[line 36]*

- **Access** protected

Constructor *void* function CreateWebSettings::__construct() *[line 49]*
Construct

- **Access** public

void function CreateWebSettings::generateWebSettings() *[line 94]*
Main tags of websettings XML

- **Access** public

CreateWebSettings function CreateWebSettings::getInstance() *[line 81]*
Singleton, return instance of class

- **Static**
- **Access** public

void function CreateWebSettings::__destruct() *[line 59]*
Destruct

- **Access** public

string function CreateWebSettings::__toString() *[line 70]*

Magic method, returns current XML

- **Access** public

Class CreateXlsx
[line 28]

Create XLSX

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** Class available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

Constructor *void* function CreateXlsx::__construct() *[line 67]*

Construct

- **Access** public

void function CreateXlsx::addSharedStrings($args[0], $args[1]) *[line 196]*
   Function Parameters:

- *array* **$args[0]**
- *array* **$args[1]**

Add shared strings

- **Access** protected

void function CreateXlsx::addSheet($args[0], $args[1]) *[line 211]*
   Function Parameters:

- *array* **$args[0]**
- *array* **$args[1]**

Add sheet

- **Access** protected

void function CreateXlsx::addTable($args[0], $args[1]) *[line 226]*
   Function Parameters:

- *array* **$args[0]**
- *array* **$args[1]**

Add table

- **Access** protected

bool function CreateXlsx::createXlsx() *[line 112]*
Create XLSX

- **Access** public

CreateXlsx function CreateXlsx::getInstance() *[line 98]*

- **Static**
- **Access** public

void function CreateXlsx::__destruct() *[line 77]*
Destruct

- **Access** public

string function CreateXlsx::__toString() *[line 87]*

- **Access** public

Class EmbedDocument
[line 30]
Embed documents in DOCX.

- **Package** elements
- **Version** 23.05.2011
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** Interface available since Release 2.3
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

void function EmbedDocument::embed() *[line 46]*
Embed content or file.

- **Abstract Element**

void function EmbedDocument::generateALTCHUNK() *[line 54]*
Generate w:altChunk.

- **Abstract Element**

void function EmbedDocument::getId() *[line 38]*
Return current Id.

- **Abstract Element**

Class EmbedDOCX
[line 30]

Create DOCX from DOCX file

- **Package** elements
- **Version** 05.24.2011
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** Class available since Release 2.3
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

EmbedDOCX::$_xml

string = '' *[line 49]*

- **Access** protected

Constructor *void* function EmbedDOCX::__construct() *[line 56]*
Construct

- **Access** public

void function EmbedDOCX::embed() *[line 113]*
Embed HTML in DOCX

- **Access** public

void function EmbedDOCX::generateALTCHUNK() *[line 125]*

Generate w:altChunk

- **Access** public

int function EmbedDOCX::getId() *[line 103]*

Getter. Return current HTML ID

- **Access** public

CreateText function EmbedDOCX::getInstance() *[line 89]*

Singleton, return instance of class

- **Static**
- **Access** public

void function EmbedDOCX::__destruct() *[line 66]*

Destruct

- **Access** public

string function EmbedDOCX::__toString() *[line 77]*

Magic method, returns current XML

- **Access** public

Class EmbedHTML
[line 30]

Create DOCX from HTML

- **Package** elements
- **Version** 05.24.2011
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** Class available since Release 2.3
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

EmbedHTML::$_xml

string = '' [line 49]

- **Access** protected

Constructor *void* function EmbedHTML::__construct() *[line 56]*
Construct

- **Access** public

void function EmbedHTML::embed() *[line 113]*
Embed HTML in DOCX

- **Access** public

void function EmbedHTML::generateALTCHUNK() *[line 125]*
Generate w:altChunk

- **Access** public

int function EmbedHTML::getId() *[line 103]*
Getter. Return current HTML ID

- **Access** public

CreateText function EmbedHTML::getInstance() *[line 89]*
Singleton, return instance of class

- **Static**
- **Access** public

void function EmbedHTML::__destruct() *[line 66]*
Destruct

- **Access** public

string function EmbedHTML::__toString() *[line 77]*
Magic method, returns current XML

- **Access** public

Class EmbedRTF
[line 30]

Create DOCX from RTF file

- **Package** elements
- **Version** 05.24.2011
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** Class available since Release 2.3
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

EmbedRTF::$_xml

string = '' *[line 49]*

- **Access** protected

Constructor *void* function EmbedRTF::__construct() *[line 56]*
Construct

- **Access** public

void function EmbedRTF::embed() *[line 113]*
Embed HTML in DOCX

- **Access** public

void function EmbedRTF::generateALTCHUNK() *[line 125]*
Generate w:altChunk

- **Access** public

int function EmbedRTF::getId() *[line 103]*
Getter. Return current HTML ID

- **Access** public

CreateText function EmbedRTF::getInstance() *[line 89]*
Singleton, return instance of class

- **Static**
- **Access** public

void function EmbedRTF::__destruct() *[line 66]*

Destruct

- **Access** public

string function EmbedRTF::__toString() *[line 77]*

Magic method, returns current XML

- **Access** public

Class TransformDoc
[line 33]

Transform DOCX to PDF or XHTML

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** Class available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

TransformDoc::SCHEMA_IMAGEDOCUMENT

=
'http://schemas.openxmlformats.org/officeDocument/2006/relationships/image' *[line 35]*

TransformDoc::SCHEMA_OFFICEDOCUMENT

=
    'http://schemas.openxmlformats.org/officeDocument/2006/relationships/officeDocument' *[line 37]*

Constructor *void* function TransformDoc::__construct() *[line 52]*

Construct

- **Access** public

string function TransformDoc::absoluteZipPath($path) *[line 132]*

Function Parameters:

- **$path**

Return zip path

- **Access** public

void function TransformDoc::cleanXHTML() *[line 156]*

Clean HTML

- **Access** public

void function TransformDoc::generatePDF() *[line 276]*

Convert DOCX to PDF, using dompdf. DOCX->XHTML->PDF

- **Access** public

void function TransformDoc::generateXHTML() *[line 195]*
Convert DOCX to XHTML

- **Access** public

void function TransformDoc::getFileName() *[line 177]*
Return file name

- **Access** public

void function TransformDoc::getstrFile() *[line 72]*
Getter. File

- **Access** public

void function TransformDoc::getStrOutputFile() *[line 92]*
Getter. Output file

- **Access** public

void function TransformDoc::getStrXHTML() *[line 82]*
Getter. XHTML

void function TransformDoc::setstrFile($file) *[line 102]*
  Function Parameters:

- **$file**

Setter. File

- **Access** public

void function TransformDoc::setStrOutputFile($outputFile) *[line 121]*
  Function Parameters:

- *string* **$outputFile**

- **Access** public

void function TransformDoc::setStrXHTML($strXHTML) *[line 112]*
  Function Parameters:

- **$strXHTML**

Setter. XHTML

- **Access** public

void function TransformDoc::validatorXHTML() *[line 298]*

Validate HTML using tidy

- **Access** public

void function TransformDoc::__destruct() *[line 62]*

Destruct

- **Access** public

Package factory Procedural Elements

CreateFactory.inc

Simple factory

- **Package** factory
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** File available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

Package factory Classes

Class CreateFactory
[line 28]

Simple factory, creates objects to add in other elements

- **Package** factory
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** Class available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

mixed function CreateFactory::createObject($type) *[line 39]*
   Function Parameters:

- *string* **$type** Object type

Create an object

- **Static**
- **Access** public

Package license Procedural Elements

GenerateDocx.inc

Check for a valid license

- **Package** license
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** File available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

Package license Classes

Class GenerateDocx
[line 28]

Check for a valid license

- **Package** license
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** Class available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

boolean function GenerateDocx::beginDocx() *[line 37]*

Check for a valid license

- **Static**
- **Access** public

Package loader Procedural Elements

AutoLoader.inc

Autoloader

- **Package** loader
- **Version** 2.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** File available since Release 2.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

Package loader Classes

Class AutoLoader
[line 28]

Autoloader

- **Package** loader
- **Version** 2.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** Class available since Release 2.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

void function AutoLoader::load() *[line 80]*
Main tags of relationships XML

- **Static**
- **Access** public

void function AutoLoader::loadPDF() *[line 86]*

- **Static**
- **Access** public

Package parser Procedural Elements

Parser.inc

Parse DOCX file

- **Package** parser
- **Version** 2.3
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** File available since Release 2.3
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

Package parser Classes

Class Parser
[line 28]

Parse DOCX file

- **Package** parser
- **Version** 2.3
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** File available since Release 2.3
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

Parser::$_newFile

string = NULL *[line 48]*

- **Static**
- **Access** public

void function Parser::getFilePath() *[line 111]*

Getter. File path

- **Access** public

CreateText function Parser::getInstance() *[line 88]*
Singleton, return instance of class

- **Static**
- **Access** public

void function Parser::getXML() *[line 101]*
Getter. XHTML

- **Access** public

void function Parser::mergeFile($path, $newXML) *[line 124]*
Function Parameters:

- *$path* **$path** File path
- *$newXML* **$newXML** New XML

Merge WordML into a DOCX. WordML is added at the end of the document

- **Throws** Exception
- **Access** public

void function Parser::readFile($path) *[line 153]*
Function Parameters:

- *$path* **$path** File path

Read DOCX file and extract WordML content

- **Access** public

void function Parser::__destruct() *[line 65]*
Destruct

- **Access** public

string function Parser::__toString() *[line 76]*
Magic method, returns current XML

- **Access** public

Package transform Procedural Elements

HTML2DOCX.inc

Transform HTML to DOCX

- **Package** transform
- **Version** 2.2
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** File available since Release 1.5
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

require_once **dirname(__FILE__).'/CreateDocx.inc'** *[line 18]*

require_once **dirname(__FILE__).'/TransformDoc.inc'** *[line 19]*

require_once **dirname(__FILE__).'/../lib/VFXP.inc.php'** *[line 20]*

require_once **dirname(__FILE__).'/../lib/cssparser.php'** *[line 21]*

Package transform Classes

Class HTML2DOCX
[line 35]

Create links using text strings

- **Package** transform
- **Version** 2.2
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** http://www.phpdocx.com
- **Since** Class available since Release 1.5
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

Constructor *void* function HTML2DOCX::__construct([$html = null]) *[line 225]*
Function Parameters:

- *string* **$html** HTML

Construct

- **Access** public

void function HTML2DOCX::generateDOCX() *[line 2003]*

Create DOCX

- **Access** public

void function HTML2DOCX::generateXML() *[line 1971]*
Generate XML

- **Access** public

string function HTML2DOCX::getCSS() *[line 248]*
Getter. CSS

- **Access** public

string function HTML2DOCX::getFileName() *[line 258]*
Getter. File name

- **Access** public

string function HTML2DOCX::getHTML() *[line 268]*
Getter. HTML

- **Access** public

string function HTML2DOCX::returnXML() *[line 1992]*

Generate and return XML

- **Access** public

void function HTML2DOCX::setCSS($css) *[line 278]*

Function Parameters:

- *string* **$css**

Setter. CSS

- **Access** public

void function HTML2DOCX::setFileName($fileName) *[line 288]*

Function Parameters:

- *string* **$fileName**

Setter. File name

- **Access** public

void function HTML2DOCX::setHTML($html) *[line 298]*

Function Parameters:

- *string* **$html**

Setter. HTML

- **Access** public

void function HTML2DOCX::__destruct() *[line 237]*
Destruct

- **Access** public

Appendices

Appendix A - Class Trees

Package elements

CreateElement

- [CreateElement](#)
  - [CreateChartRels](#)
  - [CreateEmbeddedElement](#)
  - [CreateEndnote](#)
  - [CreateExcelSharedStrings](#)
  - [CreateExcelSheet](#)
  - [CreateExcelTable](#)
  - [CreateFontTable](#)
  - [CreateFooter](#)
  - [CreateFootnote](#)
  - [CreateGraphic](#)
  - [CreateHeader](#)
  - [CreateImage](#)
  - [CreateLink](#)
  - [CreateList](#)
  - [CreateMacro](#)
  - [CreateMath](#)
  - [CreatePage](#)
  - [CreateProperties](#)
  - [CreateSettings](#)
  - [CreateShape](#)
  - [CreateStyle](#)
    - [CreateStyleTable](#)

  - [CreateTable](#)
  - [CreateTableContents](#)
  - [CreateText](#)
  - [CreateTextBox](#)
  - [CreateTheme1](#)
  - [CreateWebSettings](#)
  - [EmbedDOCX](#)
  - [EmbedHTML](#)
  - [EmbedRTF](#)

CreateTemplate

- [CreateTemplate](#)

CreateXlsx

- [CreateXlsx](#)

EmbedDocument

- [EmbedDocument](#)

TransformDoc

- [TransformDoc](#)

Package factory

CreateFactory

- [CreateFactory](#)

Package license

GenerateDocx

- [GenerateDocx](#)

Package debug

Debug

- [Debug](#)

Package create

CreateDocument

- [CreateDocument](#)
  - [CreateDocx](#)

Package loader

AutoLoader

- [AutoLoader](#)

Package parser

Parser

- [Parser](#)

Package transform

HTML2DOCX

- [HTML2DOCX](#)

Index

D

E

T