Slide 14.20: JavaScript events (cont.) Slide 14.22: JavaScript try...catch statement Home



JavaScript Events (Cont.)

onSubmit

The <u>onSubmit</u> event executes JavaScript code when a submit event occurs; that is, when a user submits a form. The isUpper function will be called when the user clicks the submit button in the form. The following script validates the information in the form and only allow it to be submitted if the requirement (lowercase letters only) is met.

```
<html><head>
 <script type="text/javascript">
  alpha = 'ABCDEFGHIJKLMNOPQRSTUVWXYZ';
  function isUpper( parm ) {
    if ( parm == "" ) return false;
    for ( i = 0; i < parm.length; i++ )
       if ( alpha.indexOf( parm.charAt( i ), 0 ) != -1 ) {
        alert( "Lowercase letters only!" );
        return false;
     return true;
 </script>
</head>
<body>
 <form name="testform" ID="testform" method="POST"</pre>
  action="http://wenchen.cs.und.edu/cgi-bin/unix1.pl"
  onSubmit="return isUpper( testform.command.value )">
  shell> <input type="text" name="command" id="command" value="date">
  <input type="submit" value="Submit">
 </form>
</body>
</html>
```

Display the HTML

Reset

The function isUpper returns either true or false. If it returns true the form will be submitted, otherwise the submit will be cancelled. The notation testform.command.value, a path to find the HTML element, is from DOM (Document Object Model).

Demonstration

The following demonstration shows how the script of HTML and JavaScript is displayed on the Web.

Slide 14.20: JavaScript events (cont.) Slide 14.22: JavaScript try...catch statement Home

