JINGZHANG THICK GROUND

DESIGN PROPOSAL PROVISIONAL

A THICKER PUBLIC GROUND FOR CONNECTION, CLIMATE AND DAILY LIFE

A3 DESIGN BOOKLET / P01 COVER + CORE PROPOSITION

FROM FRAGMENTED GROUND FLOORS TO A SHARED, CLIMATE-RESPONSIVE URBAN GRAMMAR

01 GARDEN

ZHONGZHIYUAN / DAY

ecology + research + low-disturbance testing

02 LEARNING

AI ORIGIN / DUSK

shared street + open ground floor + daily learning

03 STATION-CITY

DAZHONGSI / NIGHT

transfer + urban rooms + accessible public life

THE FIVE-BAND GRAMMAR

G0 MOVE
continuous public movement

G1 STAY
shade, ecology and comfort

G2 THRESHOLD
porch and transitional space

G3 SHARE
active and shared ground floor

G4 SERVICE
support, maintenance and AI

CORE POSITION

AI is an optional enhancement. Continuous, accessible and climate-responsive public ground remains the baseline.

GROUND-FLOOR EVIDENCE + OPPORTUNITY STRUCTURE

DESIGN PROVISIONAL

P02 / What prevents the existing urban ground from becoming continuous, open, shaded and shared?

GROUND-FLOOR OPPORTUNITY STRUCTURE

EVIDENCE DISCIPLINE

This page identifies design opportunities, not official parcels, precise areas or engineering boundaries.

The opportunity structure must be rebuilt on official GIS before measurement or implementation decisions.

THE DIAGNOSTIC QUESTION

Where can the existing city ground become more continuous, open, shaded and shared?

1 **BARRIERS**
weak crossings and interrupted routes

2 **INACTIVE EDGES**
closed or inaccessible ground floors

3 **CLIMATE GAPS**
missing shade, shelter and blue-green stay

4 **SERVICE GAPS**
fragmented public-service connections

WHAT THIS PAGE CAN SUPPORT

- priority questions
- prototype selection

REQUIRED NEXT EVIDENCE

official GIS / ownership / access

building condition / utilities / operations

No scale, area or parcel claim is made here.

THICK-GROUND NETWORK

DESIGN PROVISIONAL

P03 / One continuous urban grammar, deployed through six ground-condition families and three prototypes



Concept network only. Official GIS, boundaries and corridor alignments remain to verify.

SIX DEPLOYMENT FAMILIES

- T1 Heritage ground
- T2 Campus ground
- T3 Innovation ground
- T4 Neighborhood ground
- T5 Station-city ground
- T6 Blue-green ground

THREE PROTOTYPE FAMILIES

GARDEN

ecology + research

LEARNING

street + open ground floor

STATION-CITY

transfer + urban rooms

NETWORK RULE

G0 remains continuous.

AI remains reversible.

No verified dimensions or site boundaries.

FIVE-BAND SECTION GRAMMAR

DESIGN PROVISIONAL

P04 / G0-G4 organizes movement, climate, threshold, shared ground floor and service into one section

THE FIVE BANDS

- **G0** **MOVE** continuous route
- **G1** **STAY** shade + ecology
- **G2** **EDGE** porous threshold
- **G3** **SHARE** active ground floor
- **G4** **SERVE** support + AI layer

BASELINE RULES

1. G0 stays open.
2. G1/G2 adapt.
3. G3 activates.
4. G4 enables.

DESIGN BOUNDARY

illustrative applications
no verified dimensions
sections require survey



Five illustrative section applications: heritage, garden-lab, campus-street, neighborhood interface and station-commercial.

ZHONGZHIYUAN / GARDEN THICK GROUND

P05 / Garden-lab interfaces, blue-green comfort and low-disturbance public testing

GARDEN PROVISIONAL



Concept prototype only. Official campus boundaries, access conditions and utilities remain to verify.

DESIGN PRIORITIES

1 **GARDEN-LAB EDGE**
research meets public landscape

2 **BLUE-GREEN STAY**
shade, rainwater and habitat

3 **CLEAR G0 ROUTE**
continuous accessible movement

4 **TEST GARDEN**
public use remains the baseline

G0-G4 EMPHASIS

G0 continuous garden walk
G1 ecological stay space
G2 lab-garden threshold
G3 shared research ground
G4 reversible test support

OPERATING RULE

Public access first.
Testing remains low-speed and reversible.

No verified scale, area or device commitment.

AI TEST GARDEN / NODE + SECTION + DAY VIEW

GARDEN PROVISIONAL

P06 / A public garden that can host low-disturbance research without surrendering everyday access

FLAGSHIP NODE

GARDEN-LAB SECTION



DAYTIME EXPERIENCE

garden walk + research encounter

shade + play + low-speed testing

DESIGN PROTOCOL

1. G0 public movement remains uninterrupted.
2. Test zones are visible, bounded and reversible.
3. Non-digital wayfinding and staff support remain.
4. Climate comfort works without AI.

TO VERIFY BEFORE OPERATION

safety / liability / access hours

maintenance / research ethics

Illustrative view and section. No operating commitment.

AI ORIGIN / LEARNING THICK GROUND

LEARNING PROVISIONAL

P07 / Shared street, open ground floor and learning courtyards as an everyday innovation environment

Concept prototype only. Building access, ownership, fire safety and service logistics remain to verify.

SIX DESIGN MOVES

01 SHARED STREET
walk, cycle, stay and meet

02 OPEN GROUND FLOOR
learning, making and community use

03 LEARNING COURTYARD
quiet work + informal exchange

04 BLUE-GREEN COMFORT
shade, rainwater and seasonal use

05 MICRO-MOBILITY
safe cycling and parking nodes

06 SERVICE SEPARATION
deliveries and maintenance off G0

DAILY-LIFE BASELINE

The street works without an app.

Ground-floor access is visible and legible.

Human support remains available.

TO VERIFY
ownership / fire access
logistics / opening hours

No verified length, capacity or program target.

OPEN GROUND FLOOR / AXON + NODE + DUSK VIEW

LEARNING PROVISIONAL

P08 / Learning, entrepreneurship and community life share one porous street-ground interface

OPEN GROUND-FLOOR AXONOMETRIC

SHARED-STREET SECTION

SHARED-STREET NODE

DUSK TRANSITION

research day -> learning + social
+ community evening

Illustrative axon, node, section and view. No verified dimensions.

DAZHONGSI / STATION-CITY THICK GROUND

STATION-CITY PROVISIONAL

P09 / A station-city public room system connecting transfer, commerce, community and everyday access

Concept prototype only. Official station entrances, lines, passenger flows and road conditions remain to verify.

FIVE URBAN ROOMS

01 TRANSFER ROOM

clear arrival + accessible interchange

02 MEETING ROOM

waiting, meeting and public information

03 MARKET ROOM

active frontage + evening use

04 COMMUNITY ROOM

local access + everyday services

05 QUIET ROOM

rest, shade and lower-intensity stay

STATION-CITY RULES

G0 transfer remains direct.

G1/G2 create climate shelter.

G3 supports day-night public life.

G4 separates service and delivery.

TRANSPORT EVIDENCE

official entrances / lines / flows required before detailed design

No exit, line, flow or walking-time claim.

FOUR-QUADRANT NODE / SECTION + NIGHT VIEW

STATION-CITY PROVISIONAL

P10 / A mature station-city urban room centered on accessible transfer and warm public life

FOUR-QUADRANT NODE



FOUR QUADRANTS

Q1 ARRIVAL
transfer + information

Q2 MEET
wait + gather

Q3 COMMUNITY
services + local access

Q4 MARKET
frontage + evening use

Quadrant locations are conceptual and require official station data.

STATION-CITY SECTION

Conceptual transfer stack. Underground lines, structures, entrances and technical clearances remain to verify.

24 HOURS x FOUR SEASONS / OPERATING MATRIX

DESIGN | PROVISIONAL

P11 / Thick ground as a time-based public system rather than a fixed spatial object

24 HOURS x FOUR SEASONS

DESIGN TOOL | ILLUSTRATIVE

OPERATIONAL SUMMARY / A0 READING SCALE

Times indicate a design scenario, not an operating commitment.

DAILY RHYTHM

07:00	12:00	18:00	22:00	24:00
G0	G1 G3	G2 G3	G0 G3	G4
MORNING PEAK	**MIDDAY**	**EVENING**	**NIGHT**	**LATE NIGHT**
Move first	Stay + share	Threshold + social	Quiet public use	Service enables
walk / cycle / transfer	shade / lunch / learning	porch / market / event	safe walk / night learning	clean / deliver / secure

SEASONAL PRINCIPLES

SPRING	SUMMER	AUTUMN	WINTER
OPEN + CONNECT	**SHADE + DRAIN**	**CULTURE + MARKET**	**SUN + SHELTER**
reopen gardens	continuous canopy	heritage walk	sun-facing places
community planting + events	rainwater capture + cool routes	public market + outdoor learnin	wind protection + clear paths

THICK-GROUND OPERATING LOGIC

G0 ALWAYS OPEN -> G1/G2 ADAPT -> G3 ACTIVATES -> G4 ENABLES

CONCEPTUAL SCHEDULE / NO OPERATING COMMITMENT / VERIFY WITH USERS, MANAGEMENT AND CLIMATE DATA

Illustrative operating rhythm. Times indicate scenarios to test, not committed opening hours.

OPERATING PRINCIPLES

- G0 **Always legible** — continuous access + fallback
- G1 **Climate responsive** — shade, rain, sun, shelter
- G2 **Threshold adaptable** — open, pause, gather, close
- G3 **Program reversible** — learn, work, meet, rest
- G4 **Service separated** — maintain, deliver, secure

NON-AI BASELINE

Static signs, staffed help, manual management and safe public access

AI+ ENHANCEMENT

Optional sensing and coordination; never a condition for basic use.

VALIDATION LOOP

01 / OBSERVE	02 / CO-DESIGN	03 / PILOT	04 / ADAPT
movement, dwell, comfort	users + operators + owners	reversible schedule + protocol	seasonal review before scaling

THICK-GROUND COMPONENT KIT / L1-L2-L3

TOOLKIT TO VERIFY

P12 / Thirteen repeatable components linked to five ground bands and three intervention intensities

THICK-GROUND COMPONENT KIT

A0 SUMMARY TO VERIFY

FIVE REPRESENTATIVE COMPONENTS + THREE INTERVENTION LEVELS

REPRESENTATIVE KIT

TG-01 / G0
ACCESSIBLE WALK
continuous, clear, legible

TG-03 / G1
RAIN GARDEN
shade, habitat, water

TG-04 / G2
OPEN PORCH
threshold, shelter, pause

TG-05 / G3
ACTIVE GROUND
share, learn, meet, work

TG-11 / G4
SERVICE BAY
deliver, maintain, reverse

Full 13-component reference table moves to A3-P12.

INTERVENTION INTENSITY

L1 / LIGHT TOUCH
seating + shade
wayfinding + paving repair
quick, reversible, low-disruption

L2 / INTERFACE RETROFIT
ground floor + porch
courtyard + crossing
building-public realm coordination

L3 / STRUCTURAL CHANGE
station-city + adaptive reuse
selective new + utilities
conditional, evidence-led, phased

LEVEL DEPENDS ON CONDITION, OWNERSHIP, COST, APPROVAL AND OPERATING CAPACITY

CONCEPT TOOLKIT / SITE FIT AND TECHNICAL PERFORMANCE TO BE VERIFIED

Representative kit. Final dimensions, materials and performance depend on site and technical review.

FULL 13-COMPONENT INDEX

TG-01 / G0	Accessible continuous walk
TG-02 / G1	Shade + seating band
TG-03 / G1	Rain garden
TG-04 / G2	Open porch / threshold
TG-05 / G3	Active ground floor
TG-06 / G3	Shared courtyard
TG-07 / G1+G3	Pocket urban room
TG-08 / G0+G4	Cycle + micro-mobility
TG-09 / G0+G2	Safe crossing
TG-10 / G1+G3	AI Test Garden
TG-11 / G4	Service / delivery bay
TG-12 / G0+G2	Static + smart wayfinding
TG-13 / G3+G4	Reversible AI interface

SELECTION RULE

Choose the smallest intervention that meets public value and safety needs.

AI interfaces remain optional and reversible.

INTERVENTION DECISION GATES

L1 / LIGHT TOUCH
quick, reversible, low disruption

L2 / INTERFACE RETROFIT
building-public realm coordination

L3 / STRUCTURAL CHANGE
conditional, evidence-led and phased

EVIDENCE-LED RENEWAL PATH

P13 / Retain - retrofit - repair - reuse - selective new, before any parcel-level commitment

STRATEGY | TO VERIFY

RETAIN -> RETROFIT -> REPAIR -> REUSE -> SELECTIVE NEW

A0 SUMMARY | TO VERIFY

EVIDENCE-LED RENEWAL PATH / STRATEGY BEFORE PARCEL DECISIONS

FIVE ACTIONS

01 / RETAIN
KEEP WHAT WORKS
maintain sound buildings and useful public space

02 / RETROFIT
OPEN THE INTERFACE
upgrade entrance, porch and active frontage

03 / REPAIR
FIX PUBLIC SPACE
walk, shade, crossing and rainwater continuity

04 / REUSE
ADAPT, DON'T ERASE
transform underused buildings for new use

05 / SELECTIVE NEW
FILL VERIFIED GAPS
new only where structure and evidence require it

PHASED IMPLEMENTATION / NO FIXED DATES

1 QUICK REPAIR
survey + co-design
quick, reversible actions

2 INTERFACE UPGRADE
ground-floor retrofit
access + public-space repair

3 CONDITIONAL CHANGE
adaptive reuse
selective new insertion

STRATEGY FIRST / INVENTORY MAP REMOVED FROM A0
Parcel decisions require ownership, condition, planning, cost and operating evidence.

CONCEPTUAL RENEWAL PATH / NO DEMOLITION OR DEVELOPMENT COMMITMENT

Strategy diagram only. No demolition, development, parcel or schedule commitment is implied.

PARCEL DECISION GATES

01 / CONDITION
structure, use and maintenance

02 / OWNERSHIP + RIGHTS
consent, access and responsibilities

03 / PUBLIC VALUE
access, inclusion and daily benefit

04 / TECHNICAL FIT
safety, utilities, climate and cost

05 / OPERATING CAPACITY
stewardship, funding and feedback

PRIORITY

Repair public ground and interfaces before considering structural change.

Formal inventory mapping follows verified data.

PHASED DELIVERY / NO FIXED DATES

1 QUICK REPAIR
survey + co-design + reversible action

2 INTERFACE UPGRADE
ground floor + access + public realm

3 CONDITIONAL CHANGE
reuse + selective new, only after gates

12 AI+ URBAN-LIFE SCENARIOS

P14 / Spatial action first; AI enhancement optional, reversible and testable

DESIGN PROVISIONAL



3 FLAGSHIP SCENARIOS

SCN-01 / TEST GARDEN
research + public garden
Zhongzhiyuan / day

SCN-04 / SHARED STREET
learning + daily life
AI Origin / dusk

SCN-08 / 4Q TRANSFER
access + station-city room
Dazhongsi / night

9 SUPPORT SCENARIOS

- workday courtyard
- blue-green walk
- night learning corner
- campus-city porch
- low-speed delivery bay
- station meeting lounge
- night retail living room
- adaptive reuse house
- no-app heritage walk

Every scenario requires a non-AI baseline. Equipment and data use remain to verify.

UNIFIED CARD LOGIC

WHO	WHERE	WHEN	SPACE	ACTION	AI+	FALLBACK	TEST

Validation focuses on accessibility, comfort, dwell, safety, satisfaction, energy and maintenance - without presuming a positive AI effect.

5 PERSONAS x 3 PUBLIC LANDMARKS

DESIGN

PROVISIONAL

P15 / Public identity is built through useful spaces, not isolated technology objects

FIVE PUBLICS

01 / young researcher

02 / entrepreneur

03 / older resident

04 / family with children

05 / first-time visitor

THREE LANDMARKS

LM-01 / CENTURY GAUGE

walk + sit + read history

heritage as usable public space

LM-02 / OPEN PORCH

learn + meet + exchange

threshold as shared institution

LM-03 / EXCHANGE HALL

arrive + transfer + receive help

station forecourt as urban room

INCLUSION RULE

Basic navigation, comfort and public service must work without an app.

PERSONA-TO-SPACE TEST

continuous walk | shade + rest | clear wayfinding | accessible service | safe evening use

Each prototype is reviewed through different bodies, times, abilities and reasons for being in the city.

EVIDENCE / METRICS / PHASING / BOUNDARIES

EVIDENCE BOUNDARY

P16 / Final submission discipline: what is known, what is designed and what remains to verify

1 / FOUR EVIDENCE STATES

SOURCE	verified external evidence or official data
DESIGN	project proposition or spatial action
PROVISIONAL	concept geometry or unresolved boundary
TO VERIFY	requires official GIS or technical input

RULE Unverified numbers are removed, not cosmetically qualified.

The asset registry records risk, retained content, verification needs and next action.

2 / METRIC PROTOCOL / NO CLAIMED VALUES

ACCESS
continuity + barriers

COMFORT
shade + shelter + dwell

INCLUSION
abilities + no-app use

PUBLIC LIFE
dwell + mix + satisfaction

OPERATIONS
maintenance + staffing

REVERSIBILITY
fallback + removal

BEFORE / DURING / AFTER

Baseline observation - pilot monitoring - public review - adaptation.

Targets and methods require a later measurement plan and accountable data governance.

3 / CONDITIONAL PHASING

L1 LIGHT TOUCH
repair, seating, shade, signs, pilots

L2 INTERFACE RETROFIT
porch, ground floor, courtyard, crossing

L3 STRUCTURAL CHANGE
reuse, station-city work, selective new

ADVANCE ONLY IF

- public value confirmed
- responsibility assigned
- technical risk resolved
- operations funded
- feedback supports scale

No fixed dates. Sequence follows evidence, consent, approvals and operating readiness.

4 / SUBMISSION + RESPONSIBILITY BOUNDARY

READY AS DESIGN PROPOSAL	method, prototypes, components, scenarios
PROVISIONAL	boundaries, alignments, node locations
NOT TO SCALE	sections, details and equipment interfaces
NOT CLAIMED	area, capacity, cost, traffic, performance
NOT IMPLIED	approval, demolition or operational authority

FINAL PRINCIPLE

A strong proposal can be ambitious in design and precise about the limits of its evidence.

AI-assisted imagery communicates design intent; it does not replace official GIS, survey, engineering, consent or governance.