Overall Design Structure

总体设计结构板 | Corresponding to Ch.01–04

Fig. A0-1-1 General spatial structure: Axis III, 9 corridors, multi-nodes (Core Map 1)

DIRECT ENGLISH FIGURE COMPANION

Overall Spatial Structure: One Axis, Three Zones, Nine Corridors, Multiple Nodes

FROZEN SOURCE FIGURE · SPATIAL / EVIDENCE CONTENT UNCHANGED



ENGLISH TRANSLATION KEY

- 01 ONE AXIS — Jing-Zhang Railway Heritage Park vitality corridor.
- 02 THREE ZONES — Zhongzhiyuan, Beijing AI Origin Community and Dazhongsi.
- 03 NINE EAST–WEST CORRIDORS — concept directions stitching both sides of the railway corridor.
- 04 MULTIPLE NODES — rail-city interfaces, public services, innovation tests and cultural gateways.
- 05 NORTH–SOUTH CONTINUITY — walking, cycling, blue-green space and railway-memory interpretation.
- 06 PROVISIONAL — not official red lines, approved sites or property boundaries.

Direct translation of the design-reading labels. Provisional, conceptual, rights and professional-review limits are unchanged.

DIRECT ENGLISH FIGURE COMPANION

Regional Structure and Innovation-Collaboration Framework

FROZEN SOURCE FIGURE · SPATIAL / EVIDENCE CONTENT UNCHANGED

ENGLISH TRANSLATION KEY

- 01 ONE AXIS · THREE ZONES · TWO WINGS · MULTIPLE AI CROSSINGS.
- 02 Axis — Centennial Jing-Zhang AI Innovation Belt.
- 03 Three zones — Zhongzhiyuan, Beijing AI Origin Community and Dazhongsi.
- 04 Two wings — Zhongguancun Science City and Xiaoyue River ecological application context.
- 05 Three positions — autonomous innovation source, future-city testing ground and AI integration gateway.
- 06 Five functions — innovation source, pilot validation, application demonstration, talent services and cultural exchange.
- 07 Eight flows — land, space, industry, capital, talent, computing power, data and scenarios.

Direct translation of the design-reading labels. Provisional, conceptual, rights and professional-review limits are unchanged.

Fig. A0-1-2 Regional structure & innovation synergy · AI crossings

Key Judgments

- The Jing-Zhang railway heritage is the time axis; the three zones & two wings and AI crossings form the innovation network.
- One axis, three zones, two wings, multi-crossings; three positioning logics translate across physical, aerial and virtual rails.
- Three scopes: integrated study area / overall design scope / three key areas.

Key Metrics

11.4	km² overall design scope (announced) Official ~11.4 km²; temp geom 11.4925 km² see A0-6-2
368.4	ha three key areas combined Official announced / metric:key_areas_announced_total_sqm
3+2	three zones & two wings on-site Ch.03 / brief: 3 positions, 5 functions

DIRECT ENGLISH FIGURE COMPANION

Three-Level Scope Framework and Three Key Areas

FROZEN SOURCE FIGURE · SPATIAL / EVIDENCE CONTENT UNCHANGED

ENGLISH TRANSLATION KEY

- 01 INTEGRATED STUDY SCOPE — regional industry, ecology, mobility and innovation links.
- 02 OVERALL DESIGN SCOPE — the continuous Jing-Zhang corridor used for the concept plan.
- 03 KEY AREA 01 — Zhongzhiyuan AI Autonomous Innovation Source Area; approx. 3.44 km².
- 04 KEY AREA 02 — Beijing AI Origin Community; approx. 1.03 km².
- 05 KEY AREA 03 — Dazhongsi AI Industry Cluster; approx. 2.21 km².
- 06 PROVISIONAL — calibrated from written limits, order and approximate areas; not official boundaries.

Direct translation of the design-reading labels. Provisional, conceptual, rights and professional-review limits are unchanged.

Fig. A0-1-3 Three-level scope working framework

DIRECT ENGLISH FIGURE COMPANION

AI Innovation Ecosystem and Eight-Factor Resource Flow

FROZEN SOURCE FIGURE · SPATIAL / EVIDENCE CONTENT UNCHANGED



ENGLISH TRANSLATION KEY

- 01 Eight resources — land, space, industry, capital, talent, computing power, data and scenarios.
- 02 01 Multiple actors — government, universities, institutes, enterprises, communities and the public.
- 03 02 Eight-factor resource pool — registered, authorized and routed inputs.
- 04 03 AI decision support — identify needs, match resources and simulate alternatives.
- 05 04 Three spatial carriers — Zhongzhiyuan, AI Origin Community and Dazhongsi.
- 06 05 Future-city scenarios — innovation, public services, culture and ecology.
- 07 Feedback — public response, operational evaluation, data return and iterative exit/redeployment.

Direct translation of the design-reading labels. Provisional, conceptual, rights and professional-review limits are unchanged.

Fig. A0-1-4 AI innovation ecosystem: eight-element resource flow

Fig. A0-1-5 Panoramic aerial of the integrated study area

Boundary: The overall design scope and key-area boundaries use a temporary constrained range for schematic spatial organization and calculation only; they are not official precise redlines, tenure boundaries or approval

Fig. values traced to geometry / metrics.json (G-11)

Fig. A0-2-1 General land use & functional structure (Core Map 2)

DIRECT ENGLISH FIGURE COMPANION

Land-Use and Spatial Structure

FROZEN SOURCE FIGURE · SPATIAL / EVIDENCE CONTENT UNCHANGED



ENGLISH TRANSLATION KEY

- 01 Three functions — innovation production, urban services and public support.
- 02 Three carriers — Zhongzhiyuan, Beijing AI Origin Community and Dazhongsi.
- 03 Public-space structure — Jing-Zhang corridor, east–west links, blue-green interfaces and rail-city gateways.
- 04 Transfers the three-level scope into functions, corridors, gateways and key-area actions.
- 05 Does not replace statutory parcel controls; boundaries and proportions remain provisional.

Direct translation of the design-reading labels. Provisional, conceptual, rights and professional-review limits are unchanged.

DIRECT ENGLISH FIGURE COMPANION

Retain–Renovate–Demolish Directions and Spatial Objects

ENGLISH TRANSLATION KEY

- 01 ZHONGZHIYUAN — potential new approved carriers; repair research/station-city interfaces; retain public green/open space; verify all objects.
- 02 AI ORIGIN COMMUNITY — retain universities and railway-memory fabric; low-disturbance renewal; protect public life; verify all objects.
- 03 DAZHONGSI — repair heritage-compatible interfaces; convert existing buildings; conditional demolition only after evidence and approval.
- 04 Six categories — retain, repair/renovate, functional conversion, potential demolition, potential new construction and pending verification.
- 05 Three gates — ownership/parcel/implementer; building survey; statutory and professional conditions.

Fig. A0-2-2 Retain–renovate–demolish classification & directions

Key Judgments

- Urban renewal is the primary spatial path, coordinating land use and intensity within the Jing-Zhang heritage park corridor regulatory framework.
- Retain–renovate–demolish shifts from a single keep/demolish split to six directional categories, now at object / project-cluster depth.
- Where no formal basis exists for intensity or building height, mark as to-be-confirmed; do not fabricate regulatory conclusions.

Key Metrics

6 cat.	retain–renovate–demolish directions Ch.07 7.4 / source:CH7-RENEWAL
29	crossing anchors Ch.04 Fig.4-2 / source:CH7-CHAINS
TBC	build scale & R-R (late calibration) Ch.07 / no implementation promise

DIRECT ENGLISH FIGURE COMPANION

Development-Intensity Zoning and Overall Form Control



ENGLISH TRANSLATION KEY

- 01 LOW — heritage, ecological and public-space interfaces; prioritize openness and view corridors.
- 02 MEDIUM — renewal and mixed-use areas; coordinate blocks, streets and public services.
- 03 CONDITIONAL HIGHER — rail-city and innovation carriers, subject to statutory controls and capacity checks.
- 04 Relative design intensity only.
- 05 Not a statutory zoning map; no parcel FAR, height, density or setback approval.

Direct translation of the design-reading labels. Provisional, conceptual, rights and professional-review limits are unchanged.

Fig. A0-2-3 Development-intensity zoning (Fig.4-5)

DIRECT ENGLISH FIGURE COMPANION

AI Crossing Anchor Distribution

ENGLISH TRANSLATION KEY

- 01 Three generations — G1 physical crossings, G2 digital-service crossings and G3 AI-assisted collaborative crossings.
- 02 Sixteen indicative positions are organized along the Jing-Zhang corridor and nine east–west links.
- 03 Minimum action — north–south continuity, east–west stitching, node reinforcement and break repair.
- 04 Anchor codes index scenarios, key areas and project candidates; they do not confirm construction locations.
- 05 Official GIS, field survey and professional design are required before implementation.

Direct translation of the design-reading labels. Provisional, conceptual, rights and professional-review limits are unchanged.

Fig. A0-2-4 Crossing-anchor distribution (Fig.4-2)

DIRECT ENGLISH FIGURE COMPANION

Overall Urban-Renewal Framework

ENGLISH TRANSLATION KEY

- 01 Five types — heritage setting, adaptive reuse, inefficient space, campus-city interface and public walking/cycling links.
- 02 Priorities — Jing-Zhang Railway Heritage Park, existing carriers, three-zone public interfaces and waterfront stewardship.
- 03 Support — computing/testing services, honor nodes and rail-city integration.
- 04 Proposal recommendations only.
- 05 No retain/demolish decision, property right, investment, phasing or approval is established.

Direct translation of the design-reading labels. Provisional, conceptual, rights and professional-review limits are unchanged.

Fig. A0-2-5 Urban renewal general framework (Fig.4-6)

Boundary: Current depth reaches only object / project-cluster directional level; do not write case leads as specific parcel demolition decisions. Land-balance, six R-R directions and phasing interfaces are

Fig. values traced to geometry / metrics.json (G-11)

Mobility, Blue-Green & Public Space

交通·蓝绿与公共空间板 | Corresponding to Ch.05,06,08,09

Fig. A0-3-1 Transport – Blue-Green public space complex system (Core Map 3)

DIRECT ENGLISH FIGURE COMPANION

Integrated Transport and Blue-Green Public-Space System

FROZEN SOURCE FIGURE · SPATIAL / EVIDENCE CONTENT UNCHANGED

ENGLISH TRANSLATION KEY

- **01** NORTH–SOUTH SPINE — Jing-Zhang Railway Heritage Park walking/cycling and public-space corridor.
- **02** NINE EAST–WEST LINKS — repair breaks at ring roads, walls, stations and water interfaces.
- **03** RAIL-CITY — DK-07 Xuezhiyuan, DK-05 Wudaokou and DK-04 Dazhongsi.
- **04** BLUE-GREEN LIMITS — Qinghe and Xiaoyue River flood-control/ecological conditions take priority.
- **05** AI NODES — co-testing beacon, open-source co-creation star map and heritage–future gateway.
- **06** ACCESS / SERVICES — accessible chains, B+R and infrastructure tiers require professional verification.
- **07** No fixed road, section, bridge/tunnel, entrance, parking capacity or utility alignment is approved.

Direct translation of the design-reading labels. Provisional, conceptual, rights and professional-review limits are unchanged.



Fig. A0-3-2 SC-10 Jing-Zhang railway memory guide

Key Judgments

- North–south is a continuity problem, east–west a reachability problem — the Jing-Zhang park and twin-rail corridor already form the NS backbone.
- The Jing-Zhang heritage park carries the composite public-space task of NS penetration and EW stitching; prioritize repairing slow-traffic breakpoints.
- Municipal, new infrastructure and edge computing express only conceptual spatial interfaces; no engineering-feasibility conclusions.

Key Metrics

4	minimum spatial actions (NS cont./EW stitch/node/break fix) Ch.08,09 / source:CH8-TRANSPORT
9	nine corridors EW stitching (3rd–5th ring, Qinghe, moat...) Ch.08 / depth:traffic_rail_slow_parking
3	AI pilgrimage landmarks (verifiable / public / reversible) Ch.06 Tab.6-4 / data:geometry/public_space

Fig. A0-3-3 AI Origin Wudaokou & central Jing-Zhang Park activity

Fig. A0-3-4 Zhongzhiyuan Xuezhiyuan station–district integration

Fig. A0-3-5 EW-05 Dazhongsi: Ancient–Future Resonance Gateway"

Boundary: Prioritize repairing slow-traffic breakpoints at park entrances, ring-road detours and station connections. Parking, sport, innovation exchange, tech testing and demo enter confirmed public

Fig. values traced to geometry / metrics.json (G-11)

Fig. A0-4-1 Three key areas index & design-task map (Core Map 4)

DIRECT ENGLISH FIGURE COMPANION

Three Key Areas: Index and Design Tasks

FROZEN SOURCE FIGURE · SPATIAL / EVIDENCE CONTENT UNCHANGED

ENGLISH TRANSLATION KEY

- **01** K1 / DK-07 ZHONGZHIYUAN — garden-style AI district, shared pilot-production carrier, Xuezhiyuan rail-city interface and blue-green links.
- **02** K2 / DK-05 BEIJING AI ORIGIN COMMUNITY — university-origin innovation, low-disturbance renewal, open campus-city crossings and a continuous public front.
- **03** K3 / DK-04 DAZHONGSI — culture-led renewal, four-quadrant stitching, adaptive reuse and an AI application gateway.
- **04** Collaboration chain — innovation source → pilot validation → urban application.
- **05** Boundaries are provisional; announcement areas are approximate and project nodes are proposals.

Direct translation of the design-reading labels. Provisional, conceptual, rights and professional-review limits are unchanged.

Fig. A0-4-2 Zhongzhiyuan "AI Co-Test Lighthouse" shared pilot & observation

Key Judgments

- Three areas differentiate N–S: Zhongzhiyuan pilot acceleration / AI Origin incubation translation / Dazhongsi industry cluster, combined ~368.4 ha.
- Zhongzhiyuan "university core + enterprise core + shared-pilot third pole"; AI Origin "result-transfer network + low-disturbance renewal"; Dazhongsi "culture-led → AI import".
- Nine corridors form three EW groups by area: N parks–countryside–waterfront / mid universities–parks–community–stations / S HQ–heritage–commerce–gateway.

Key Metrics

192.1	ha Zhongzhiyuan AI self-innovation accelerator (DK-07) Official announced / key_areas.geojson#PROV-KEY-001
104.3	ha Beijing AI Origin community (DK-05) Official announced / key_areas.geojson#PROV-KEY-002
72.0	ha Dazhongsi AI industry cluster (DK-04) Official announced / key_areas.geojson#PROV-KEY-003



Fig. A0-4-3 Zhongzhiyuan key-area comprehensive detailed design



Fig. A0-4-4 AI Origin community key-area comprehensive detailed design



Fig. A0-4-5 Dazhongsi key-area comprehensive detailed design

Boundary: The three areas differ in risk: Zhongzhiyuan (northern regulatory coverage & ecology); AI Origin (gentrification, heritage, tenure, transport); Dazhongsi (heritage, property, ring-crossing transport.

Fig. values traced to geometry / metrics.json (G-11)

Fig. A0-5-1 AI innovation ecosystem & scenario closure (Ch.06 main map)

DIRECT ENGLISH FIGURE COMPANION

AI Innovation Ecosystem and Scenario Loop

FROZEN SOURCE FIGURE · SPATIAL / EVIDENCE CONTENT UNCHANGED



ENGLISH TRANSLATION KEY

- 01 Eight resources — land, space, industry, capital, talent, computing power, data and scenarios.
- 02 01 AI Origin Community — innovation source.
- 03 02 Zhongzhiyuan — pilot production and validation.
- 04 03 Dazhongsi — cultural and application gateway.
- 05 04 Western wing — research and innovation services.
- 06 05 Eastern wing — ecological and urban application context.
- 07 Operational feedback returns to the AI Crossing; human review, non-digital alternatives and exit/restoration are mandatory.

Direct translation of the design-reading labels. Provisional, conceptual, rights and professional-review limits are unchanged.

Fig. A0-5-2 AI Origin "Open-Source Co-Creation Star Map" public deliberation

Key Judgments

- Five spatial roles receive eight innovation resources, forming the AI innovation ecosystem and scenario closure.
- Human review, non-digital fallback and exit restoration are the shared baseline for scenario opening.
- Phasing follows evidence and governance maturity, not the calendar; unproven success narratives do not trigger expansion.

Key Metrics

12	AI scenario cards (SC-01–SC-12) Ch.06 / source:CH6-SCENARIO-ASSETS
5	spatial roles & user rhythms Ch.06 Fig.6-2 / source:CH6-SCENARIO-BASELINE
3	AI pilgrimage landmarks (LM-01–LM-03) Ch.06 Tab.6-4

DIRECT ENGLISH FIGURE COMPANION

SC-01 AI Innovation Living Room

FROZEN SOURCE FIGURE · SPATIAL / EVIDENCE CONTENT UNCHANGED

ENGLISH TRANSLATION KEY

- 01 Location — AI Origin Community; communication and collaboration; near-term pilot.
- 02 Flow — event demand → topic/venue matching → human scheduling → collaborative event → review and improvement.
- 03 Inputs — public event catalogue, participant-submitted needs and venue availability only.
- 04 Human control — operators confirm publication and venue allocation.
- 05 Fallback / exit — manual scheduling; close interfaces, dispose of expired registration data and restore shared space.

Direct translation of the design-reading labels. Provisional, conceptual, rights and professional-review limits are unchanged.

Fig. A0-5-3 SC-01 AI Innovation Living Room scenario card

DIRECT ENGLISH FIGURE COMPANION

Daily Rhythms of Five Personas

FROZEN SOURCE FIGURE · SPATIAL / EVIDENCE CONTENT UNCHANGED



ENGLISH TRANSLATION KEY

- 01 01 AI R&D worker — commute, research, testing and evening exchange.
- 02 02 University student — learning, research collaboration, open-source activity and daily life.
- 03 03 Entrepreneur — meetings, prototype validation, service access and networking.
- 04 04 Community worker — public-service coordination, field response and resident communication.
- 05 05 Older resident / visitor — walking, health/community services, culture and rest.
- 06 Shared timeline — 06:00 / 09:00 / 12:00 / 18:00 / 21:00 / 24:00; conceptual, not personal profiles or service promises.

Direct translation of the design-reading labels. Provisional, conceptual, rights and professional-review limits are unchanged.

Fig. A0-5-4 Daily rhythm of five user categories



Fig. A0-5-5 Phasing logic: three stages by evidence maturity

Metrics Recalculation & Compliance

指标复核与合规响应板 | Corresponding to Ch.11,12,13

Fig. A0-6-1 Core-indicator recalculation & task evidence chain (Core Map 5)

DIRECT ENGLISH FIGURE COMPANION

Core Metric Recalculation and Task Evidence Chain

FROZEN SOURCE FIGURE · SPATIAL / EVIDENCE CONTENT UNCHANGED

ENGLISH TRANSLATION KEY

- **01** SOURCE — announcement, Agent taskbook, approved public sources and participant evidence.
- **02** GEOMETRY — overall scope, land use, public space, roads and key-area layers.
- **03** RECALCULATION — EPSG:4548, topology checks, unique objects and one reproducible formula.
- **04** METRIC — spatial/industrial indicators, capacity assumptions and operational performance.
- **05** REVIEW — required tasks 23/23; drawing indicators 6/6; design-depth tasks 15/15.
- **06** Current values — area 11.4925 km²; green 13.505068%; public space 4.368577%; provisional / low confidence.

Direct translation of the design-reading labels. Provisional, conceptual, rights and professional-review limits are unchanged.



Fig. A0-6-2 Source–claim–space–metric–output evidence chain

Key Judgments

- Build a four-layer system: announced-task metrics → spatial-model metrics → industry-operation metrics → compliance-review metrics.
- Recalculation derives from submitted GeoJSON under EPSG:4548; it is a low-confidence schematic model value.
- Task matrix covers 23 mandatory items and agent.1–agent.6; standard matrix has 7 items (6 mandatory), all 6/6 mandatory items responded.

Key Metrics

11.49	km² overall scope geometric recalc metric:site_area_sqm / known·low confidence
368.79	ha three key areas combined recalc Ch.11 / temp constrained scope
6/6	mandatory standards responded (7 total·6 mandatory) Ch.11 / 23 mandatory + agent.1–6

Fig. A0-6-3 Regional innovation synergy process



Fig. A0-6-4 SC-04 Public computing-power service window



Fig. A0-6-5 SC-09 Xiaoyue River eco-sensing & waterfront warning

Boundary: The overall scope and three key areas still use a temporary constrained range; recalculation results are low-confidence schematic model values, not official precise redlines, statutory planning indicators,

Fig. values traced to geometry / metrics.json (G-11)