


Do not draw another belt of land: one continuous public-space spine and five urban relation transects raise the exchange conditions between assets that already exist.




Board 2 - Land use and urban renewal

The zoning logic is not to re-parcel land but to give the relation framework a surface; renewal projects are organised by relation action, not by parcel.



Three-level scope transmission and the conceptual land-use structure (11 cells covering the provisional extent)



From problem to mechanism to action: where the twelve renewal projects come from




Five transects: problem index and role matrix

Board 3 - Transport, rail, walking and utilities


Stations are dense, arrival is not; the line is continuous, crossing it is not. What is added is paths and frontages, not more facilities, and no alignment conclusion is drawn.



Grey infrastructure: network and barrier in one body; crossings in three verification states




Station catchment against barrier, crossing and measured detour



Existing section and the North 3rd Ring window; the relative levels of the two elevated systems are unverified

Board 4 - The Jing-Zhang park activity belt and blue-green public space


Ecological continuity is not continuity of public use: the point is not more green but turning the existing ecological frame into public space that can be entered, reached and used.




Mobility, blue-green public space and locatable AI scenario nodes



Two continuities: structural continuity beside walked access




15-minute access, everyday services and the education negative result



Campus walkability and access rules: physical access is not institutional openness

Board 5 - Detailed design of the three key areas


The method is taken all the way through in one place, Dazhongsi, rather than a third of the way in three; the difference in depth is declared, not averaged away.



The three key areas: differing roles and the declared difference in design depth




T1 Dazhongsi: the fact base and its strict three-way inventory



Scale transmission: overall area to transect to object

Board 6 - AI scenarios, mechanisms, implementation and operation


All twelve scenario cards grow from existing spatial relations without new building complexes; three are industry testing scenarios, and all of them prohibit face recognition and individual tracking.



Four mechanisms by three modes: the nature and responsible party of every action



Five transects in three layers: plan strip, section and mechanism response



Research, translation and industry: the spatial basis of the AI innovation ecosystem

Board 7 - Metric verification and compliance response

Every known metric is recomputed programmatically from this package's GeoJSON in EPSG:4548; no unknown metric is given a design-model number.

FIG. 5 Metric provenance, recomputation chain, and self-check status

Which layer and formula produce each of the three core visual metrics, which metrics stay unknown for lack of official data, and what each local gate checks

DESIGN JUDGEMENT			
Every known metric is recomputed from this package's GeoJSON in EPSG:4548; no unknown metric is given a design-model number.			
EVIDENCE · GEOJSON site_boundary.geojson green_space.geojson public_space.geojson	RECOMPUTATION · EPSG:4548 area of the SITE-001 polygon sum of 79 green polygons + site_area_sqm sum of 7 conceptual bands + site_area_sqm	METRIC · METRICS.JSON site_area_sqm 11,412,825.386 m² green_ratio 0.067066 public_space_ratio 0.091441	DISPLAY · HTML AND DRAWINGS 11.41 km² 6.71 % 9.14 % HTML data-value matches digit for digit status = known, confidence = low (provisional extent) HTML data-value matches digit for digit status = known, confidence = low (provisional extent) HTML data-value matches digit for digit status = known, confidence = low (provisional extent)
The three formal core visual metrics must be recomputable from this package's geometry and cannot be bypassed with a placeholder. All three are known finite values; the underlying geometry is provisional, so confidence is declared low.			
OTHER KNOWN METRICS (also recomputed from package layers)			
building_footprint_area_sqm 1,937,922 m²	buildings 765,414 m²	land_use_coverage_gap_sqm 0.111 m²	land_use % site 1591
green_space_area_sqm 765,414 m²	green_space existing_building_count 311	existing_building_count 311	roads
public_space_area_sqm 1,043,597 m²	public_space road_segment_count 3	road_segment_count 3	phasing
key_area_count 3	key_areas phase_count 5	phase_count 5	land_use transect_id
land_use_cell_count 11	land_use urban_relation_transect_count	urban_relation_transect_count	
All values come from metrics.json, recomputed from this package's layers in EPSG:4548.			
HELD UNKNOWN BECAUSE OFFICIAL DATA IS MISSING (value = null)			
floor_area_ratio official regulatory FAR is not published building_height_limit_m official height control is not published retain_renovate_demolish_parcel_count tenure and acquisition policy are non-public data These three appear in the HTML, as text and a reason, never as a formatted data value. No design-model number is substituted for a statutory control.			
WHAT EACH LOCAL GATE CHECKS (scripts/self_check_submission.py)			
1 · deterministic validation val_data.py, submission.py boundary trust, key-area topology and non-overlap, contract, non-empty drawings, PNG decode budget	2 · trusted spatial review spatial_review.py boundary trust, key-area topology and non-overlap, land-use coverage, metric recomputability	3 · visual packaging check visual_review.py offline safety, 14 required content markers, three core metrics consistent with metrics.json	4 · professional evidence review professional_review.py evidence citations, coverage of the three matrices, design-depth completeness

This figure does not pre-declare any gate result. All four gates and participant_preight must pass before submission; the authoritative record is the re-readable self_check.json, not this figure.

Data sources
This package's metrics.json, geometry/*.geojson and self_check.json; recomputation CRS EPSG:4548
per brief/site-package/design_brief.json [source:SITE-PACKAGE] Metric formulas are in
proposal.md.

Provisional extent and standing
Provisional boundary: every extent line here comes from the organiser's provisional rough boundary
[official_boundary=false, geometry_role=provisional_constraint,
boundary_precision=provisional, rough], drawn as a faint dashed line. It is not an official planning
boundary and cannot support approval or precise area claims. Every layer and metric is recomputed

Metric provenance, the recomputation chain and what each of the four local gates checks

三个系统的问题，落在哪里



三系统交互问题落图 (六类最终问题-全部可回溯 B02-B07 证据)

为什么需要这张图

灰、社会、绿三个系统各自完成“结构—证据—问题”之后，
大多数规划问题产生于系统交互处：
灰设施决定社会系统能否到达骨架；
灰设施造成绿网大多数结构断点；
社会系统与骨架的关系取决于绿色空间界面。

六类最终规划问题


FP1 站区到达链断裂〔灰×社〕 | 大钟寺/北京北
FP2 建成邻接未接入〔社，灰数因〕 | 就业带/明光村/T2西
FP3 边界性邻近-贴而不通〔社×绿〕 | T3 高校带
FP4 横穿公共性分展不足〔灰〕 | 金线横向
FP5 绿网结构断点〔灰×绿〕 | 站体/切点/北端
FP6 骨架消级工程界面〔灰×绿〕 | 金线分段

T1 是多类问题在同一段叠合的唯一段落——这是其“整体重组”
定位的依据；五道口为三系统样本，结论是维护而非再建设。

四年京张AI创新带 城市关系重组

Composite problem map: every conclusion traces back to an evidence board

附录 | 步行网络结构 (自定义代理指标)



这张图回答什么

步行网络中各街道的穿越潜力与局部连接规模
——作为金线网络结构的背景读法。

关键发现

京张当前不是城市步行网络中的主要穿越性路径；
东西向高潜力街道仅成府路、知春路等少数。

使用边界 (重要)

本图为自定义代理指标 (非标准空间句法)：
·不能推断真实人流量或使用强度；
·低穿行度≠低使用；
·未做角度加权，与标准句法数值不可比。

本页仅作结构背景，全规划判断均以
真实步行证据 (腹地/骑行/等时圈) 为准。

(KEEP_PENDING_USER_REVIEW: 本页信息完整性审计恢复，是否保留待用户裁定)

四年京张AI创新带 城市关系重组

Appendix: walking network structure, a proxy indicator with declared reduced weight