

JING-ZHANG HANDOVER LINE

Turn the disused railway into a civic comb: AI production space and an enterable, stoppable, staffed public service grow in pairs along one continuous spine.

ONE COMB • THREE YARDS • EIGHT TEETH • TWENTY PAIRED CELLS

URBAN FRAME / ONE PUBLIC SPINE STITCHES BOTH SIDES

F / 01

JING-ZHANG HANDOVER LINE

Intelligence moves. Responsibility stays visible.

Handover Line main axis

East-west stitch links

Handover yard node

Provisional boundary

01

Build handover yard

BUILD→VERIFY

02

Share handover yard

VERIFY→SHARE

03

Serve handover yard

SHARE→SERVE

CIVIC LANDMARKS

◆ 01 Handover Bell

Both duty holders confirm version, boundary and shutdown state at every public handover; no popularity ranking is kept

◆ 02 Public Handover Table

Shows the reproducible method, positive and negative results, licence, objections and the next duty role

◆ 03 Century Logbook

Records contribution, repair, withdrawal and unresolved dispute as correctable receipts, under real name, pseudonym or anonymity

◆ 04 Takeover Booth Zero

Anyone can physically shut the smart layer down here and move to the human desk, with no download or registration

All four are design proposals; enablement gates and rollback states in public_space.geotjson

02 km

PROVISIONAL BOUNDARY / EPSG:4548 METRICS

HANDOVER PROTOCOL

01 / BUILD TO VERIFY

Models, robots, compute and data enter tests with versions, risks and shutdown rules.

02 / VERIFY TO SHARE

Results, licences, failures and limits travel together; open source never means exposing personal data.

03 / SHARE TO SERVE

Civic services retain a human desk, a no-AI equivalent, appeal and exit records.

04 / RETURN THE PROBLEM

Complaints, repairs and shutdown causes travel back to research as public learning.

Human takeover is not a fallback feature.

It is civic infrastructure.

Source: submitted geometry and metrics.json; provisional boundary, conceptual design only

JING-ZHANG HANDOVER LINE / PACKAGE v2.0

KEY DESIGN / THREE YARDS, THREE URBAN CHARACTERS

F / 03

THREE YARDS • THREE SECTIONS

FROM CONTROLLED TESTING TO A CIVIC ROOM • MACHINE SPACE RECEDES AS THE HUMAN EDGE DEEPENS

01 ZHONGZHIYUAN • BUILD YARD

BUILD→VERIFY

ASPECT 2.16

LONG TEST CORRIDOR

MACHINES TO ONE SIDE • PUBLIC PATH CONTINUES

REFERENCE SECTION / NOT A ROAD REDLINE

STAFFED

15.4 m

A

B

C

D

E

6.0 HUMAN

1.435 RAIL

1.5 BUFFER

2.5 MACHINE

4 SHADE

SMART LAYER OFF

COUNTER + PATH + RAIL TRACE + SHADE REMAIN

A

B

C

D

E

02 AI ORIGIN • OPEN YARD

VERIFY→SHARE

ASPECT 1.18

SQUARE COLLABORATION FIELD

TECH • COMMUNITY • RECORDS SHARE ONE PLANE

REFERENCE SECTION / NOT A ROAD REDLINE

STAFFED

17.1 m

A

B

C

D

E

8.0 HUMAN

0.6 RAIL

1.5 BUFFER

2 MACHINE

5 SHADE

SMART LAYER OFF

COUNTER + PATH + RAIL TRACE + SHADE REMAIN

A

B

C

D

E

03 DAZHONGSI • CIVIC YARD

SHARE→SERVE

ASPECT 0.59

TRANSVERSE CIVIC ROOM

MACHINE LANE ZERO • WAITING AND SHADE LEAD

REFERENCE SECTION / NOT A ROAD REDLINE

STAFFED

15.1 m

A

B

C

D

E

8.5 HUMAN

0.6 RAIL

0 BUFFER

0 MACHINE

6 SHADE

SMART LAYER OFF

COUNTER + PATH + RAIL TRACE + SHADE REMAIN

A

B

C

D

E

CONCEPT DIMENSIONS • REDLINES, GRADIENT, ACCESSIBILITY, FIRE, HERITAGE AND STRUCTURE REQUIRE AUTHORISED PROFESSIONAL REVIEW

JING-ZHANG HANDOVER LINE / PACKAGE v2.0

9.5 km

continuous public spine

8

east-west stitch links

20

industry / civic paired cells

6 × 6 m

P0 reversible patch

8 + 3

public cap + role seats

0 / 12

field tasks; authority pending

P0 PRE-FEASIBILITY / PARTICIPANT SENSITIVITY • NOT QUOTES OR AN APPROVED BUDGET

7.2 × 7.2 m CONTROL • QUEUE STOP AT 6 • CNY 0.12-0.29m / 90 DAYS • CNY 0.30-0.65m / YEAR • 4 ALTERNATIVES • 4 h REMOVAL TARGET UNTESTED

OFFLINE 12/12 • TAKEOVER 48/48 | FIELD 0/12 • QUOTES 0/3 • INSURANCE / FORMAL BUDGET NULL • SIGN-OFF 0


Machine space recedes from north to south; the staffed counter, continuous path, rail trace and shade remain.
PROVISIONAL EXTENT / CONCEPT DIMENSIONS / NOT A REDLINE, TITLE, APPROVAL OR AS-BUILT CLAIM

JING-ZHANG HANDOVER LINE / PACKAGE v2.0
01-08

Three Scopes, Land-use Topology and Key Areas

Full coverage without statutory fiction; three yards, three shifts of duty

Land-use topology and three scopes



LAND USE

- 0802 R&D / validation
- 0804 Learning / open source
- 09 Tech services / business
- 0701 Talent living
- 0702 Community service
- 0803 Culture / civic service
- 1401 Continuous parkland
- Handover Line main axis
- Handover yard node

43.6 km² → **11.4 km²** → **3 YARDS**
RESEARCH Industry + future city OVERALL DESIGN Spatial + delivery system KEY AREAS Detailed validation




Design recommendation: all zones recalculate when official boundaries arrive; no ownership or statutory land-use claim.

Data: land_use.geojson and site_boundary.geojson; codes from the public MNR subset

Three handover yards, three shifts of duty


Each key area answers programme, space, scenario and human-takeover gates
Extents from key_areas.geojson; points from public_space.geojson; one shared scale

- Handover Line main axis
- East-west stitch links
- Public scenario / landmark



Ecosystem Map and Regional Innovation Synergy

Eight shared stacks x three areas, two wings; synergy across belt-city- municipal-regional tiers



EIGHT SHARED STACKS / INTERFACE AND DUTY OWNER VISIBLE	
Land	Zhongzhiyuan
Reversible space supply	
Space	All three
Open labs, validation workshops, community rooms	
Industry	Zhongzhiyuan
Model, chip, robot and vertical-app interfaces	
Finance	Services wing
Transparent navigation; no subsidy promised	
Talent	Origin Community
Universities, developers, maintainers, residents	
Compute	Zhongzhiyuan
Edge metering first, access on demand	
Data	All three
Consent, minimisation, withdrawal, audit	
Scenarios	Scenario wing
Problems, test rules, results, exit records	
No company list, investment or output figures: industry metrics are defined, not assigned	

WITHIN BELT	Three areas and two wings organise the research-validation-service loop; objections and shutdown reasons travel back north.
WITHIN CITY	Connects to the official “two zones and one belt” framework, matching Zhongguancun technology supply to this belt’s validation and scenario demand.
MUNICIPAL	Future Science City, Huairou Science City and BDA form an original-research / engineering-validation / scale-delivery division; this belt is the public-validation output end.
REGIONAL	Compute, energy and scenario interfaces reserved toward Zhangjiakou and other Beijing-Tianjin-Hebei nodes; feasibility to be confirmed by authorities.

Eight stacks x three areas / two wings — placement matrix

Shared stack	Zhongzhiyuan	Origin Community	Dazhongsi	Services wing	Scenario wing
Land					
Space					
Industry					
Finance					
Talent					
Compute					
Data					
Scenarios					

Placement follows the duty-owner tags at upper right; "All three" = one dot each in Zhongzhiyuan, Origin Community and Dazhongsi, not a separate fourth owner

Phase gates (three sequential gates, no calendar commitment)

PHASE 1 / PHASE-001 4.84 km² Baseline and southern civic service pilot Entry condition Official boundary and key-area extents available; once condition, ownership, user and accessibility baselines are complete, low-risk human-led pilots may begin. Rollback: withdraw the temporary intelligent layer; keep fixed wayfinding, lighting, access and human service.	PHASE 2 / PHASE-002 3.55 km² Share handover yard and the middle link Entry condition Inherit Gate 1's outcomes; once ownership, fire safety, community consultation, accessibility and ongoing operating duties clear review, first-floor opening and result relay may proceed. Rollback: revert to Gate 1 usable state; halt expansion and restore ordinary ground floor and community human service.	PHASE 3 / PHASE-003 3.03 km² Build handover yard and belt operations Entry condition Inherit Gate 2's outcomes; once transport, utilities, heritage, privacy, safety, emergency response and ongoing budget clear professional review, cross-area validation networks may be discussed. Rollback: retract to validated segments; halt cross-area linkage and keep basic civic service and heritage interpretation.
--	--	--

Renewal structure and building decisions


One spine, eight stitches, three yards; priority areas in three tiers, buildings in four steps

F / 07

Renewal structure and priority renewal areas

One spine, eight stitches, three yards; three tiers, operate first, reversible next, fixed last

Renewal spatial structure



Handover Line / renewal spine

East-west stitch links ×8

Handover yards ×3

Priority renewal tiers

Tier 1

The three handover yards and their walkable surrounds

Led by a coordinating body, multiple owners join by agreement

Tier 2

Stitch-spine junctions and low-efficiency space beside the heritage park

Renewal units bundled by district, one public interface

Tier 3

The remaining frontage along the line

Signage, shade and frontage tidying only; ownership untouched

Twenty typology test units (10 per side)

Verify workshop

5

26.6%

Shared service stack

5

26.6%

Open R&D house

5

23.4%

Community co-op house

5

23.4%

Retain-first adaptive reuse 14 • investigate building by building 6

Source: submitted geometry buildings/roads/key_areas/phasing; conceptual structure, no demolish-or-keep conclusion

JING-ZHANG HANDOVER LINE / PACKAGE v1.15

R / RETAIN

Keep in use

Keep in use and complete the condition record.

A / ADAPT

Low-impact repair

Fire safety, energy, accessibility and open ground floor first.

I / INSERT

Removable trial

Removable elements and short-term use only.

D / INVESTIGATE

Not demolition

Awaits survey, structure, ownership, fire and heritage review.


Twelve reversible scenarios and human takeover

Movement, blue-green ground, human takeover and no-AI equivalents

F / 04

One spine, eight stitch links, twelve takeover points

The smart layer is removable; basic access and human service stay available



MOVEMENT / SERVICE

- Continuous walk-cycle spine
- East-west stitch links (8)
- Blue-green comfort ground
- Human-takeover scenario node (SCN)
- Civic landmark point

A OFFLINE BY DEFAULT

Static signs, light, tactile maps and human help do not rely on a model.

B GRADED TAKEOVER

Low confidence, boundary breach, objection or outage calls the duty person.

C EXIT IS RECORDED

Shutdown cause, deletion and service continuity enter the public logbook.

SECTION The handover section: order and adjacency only, no dimensions

Handover counter	Accessible walk	Takeover Kiosk Zero	Retained track	Machine-only lane	Planting and rest
Walking surface (continuous, no level change) The staffed counter precedes the smart interface and still works once the smart layer is removed	Never interrupted by equipment, advertising, temporary occupation or charging posts	The physical stop control is reachable from the footway without downloading or registering	Set flush in the paving, a trace rather than an obstacle	Separated from walking; crossing the edge stops the machine, safety staff take priority	Non-commercial dwelling; seats and shade carry no spending condition

Adjacency rule: counter, walk and stop control stay continuously reachable; the machine lane never comes between them

Conceptual connectivity, not road redlines or engineering feasibility; lengths calculated in EPSG:4548

JING-ZHANG HANDOVER LINE / PACKAGE v1.15

SCN-01

Model red-team desk

Human review + paper risk log

SCN-02

Robot right-of-way sandbox

Safety staff + physical stop

SCN-03

Edge energy test station

Manual shutdown + offline meter

SCN-04

Data-consent rehearsal

Paper consent + deletion desk

SCN-05

Accessible-route copilot

Tactile map + human direction

SCN-06

Public translation desk

Human desk + multilingual paper

SCN-07

Campus research relay

Human curation + open catalogue

SCN-08

Visible maintenance stop

Phone report + human dispatch

SCN-09

Community care roster

Staff telephone roster

SCN-10

Night-shift safety light

Fixed light + human patrol

SCN-11

Jing-Zhang oral-history booth

Human guide + paper catalogue

SCN-12

Global Handover Week route

Fixed signs + volunteers

Recalculable, exitable, continuable

Metrics, phasing, risk, sources and professional review gates

F / 05

The first pilot already has a reviewable proof chain

PUBLIC HANDOVER TABLE P0 | 12/12 OFFLINE TASKS | 48/48 TAKEOVER ASSERTIONS | 0 FIELD TASKS

PARTICIPANT-CONTROLLED OFFLINE TABLETOP

12/12

OFFLINE TASKS

48/48

TAKEOVER ASSERTIONS

0/12

FIELD TASKS

The tabletop rehearsal is not presented as field evidence

12 SCENARIOS x 4 TAKEOVER CHECKS

01	02	03	04
05	06	07	08
09	10	11	12

SMART LAYER OFF HUMAN TAKEOVER SYNTHETIC DATA CLEARED HUMAN SERVICE RESTORE

P0 PUBLIC HANDOVER TABLE / FIRST PILOT UNIT

Six components form one launchable, removable and auditable S-class pilot package

C1

STAFFED DESK

Before smart UI

C2

NO-AI EQUAL

Same outcome/access

C3

VISIBLE STOP

No app or sign-up

C4

APPEAL + EXIT

One place to begin

C5

DUAL LOGBOOK

Giver + receiver

C6

ACCESS ROUTE

Continuous, clear

COST S = removable equipment E + maintenance M + training T + independent verification V + 10% contingency

SIX DUTY TYPES: space operator | community service | accessibility | privacy/data | independent review | public-realm maintenance

01

SPACE

P0 TABLE

02

USER

RESIDENT/VISITOR

03

ROLE PAIR

GIVER+RECEIVER

04

COST

CLASS S

05

GATES

ALL SIX

06

REHEARSAL

12/12

07

ROLLBACK

HUMAN SERVICE

PROVES: readable structure, auditable ledger and a complete offline takeover route.
DOES NOT PROVE: field safety, measured accessibility, public acceptance or authority approval.


simulation.json × metrics.json × assumptions.json; synthetic offline tabletop, no live service or personal data

JING-ZHANG HANDOVER LINE / PACKAGE v1.15

PHASE 01	Return to baseline: official data, inventory, wayfinding and three low-risk human-led pilots.
PHASE 02	Open-source yard: ground floors, research relay and community service after ownership and community review.
PHASE 03	Belt-wide operation: complex validation networks only after transport, utilities, heritage, privacy and safety conditions.

Unknown by design: FAR, height, ownership, road redlines, utility capacity, investment and output.

The concept table does not substitute for engineering design. Siting, coordinated design, procurement, operation, opening and closeout are decomposed into recalculable and rejectable evidence interfaces for future duty holders.



5 / 4

drawing scales / release states

9 / 6 / 11

projects / packages / modules

12 HOLD / 0

documentary gates / receipts

12 / 16 / 8

roles / unpriced lines / judgeable-now checks

NAMED APPOINTMENTS 0 • FORMAL RATES 0 • CONSTRUCTION OR OPENING RELEASES 0 • FIELD TASKS 0

THREE SEATS • FOUR PEOPLE • TWO KEYS TO OPEN

Without a real site, workload, dual veto, package acceptance, failure fallback, commissioning/retirement and future sampling forms are made recalculable and rejectable while appointments, execution and observations remain zero.

F / 07 • OPERATING-READINESS CONTROL PLANE

THREE SEATS • FOUR PEOPLE • TWO KEYS TO OPEN

ROSTER MATH × DUAL VETO × PACKAGE ACCEPTANCE × FALLBACK × COMMISSIONING × FUTURE BASELINE

DESIGN READY / EXTERNAL NOT STARTED

0 APPOINTED / 0 EXECUTED / 0 OBSERVED

THREE-SEAT COVERAGE • TURN OPEN HOURS INTO RECALCULABLE LABOUR

1,000 h
planned public hours / year

× 3
simultaneous role seats

3,000 h
staffed seat-hours / year

÷ 1,680 × 1.2
productive time +
leave/training

2.143 → 3 FTE
calculated floor + planning
cover

MIN 4 PEOPLE
three seats + break cover

NAMED PEOPLE 0 • APPOINTMENT RECEIPTS 0 • TARGET UNCOVERED HOURS 0 (PLAN, NOT PERFORMANCE)

TWO-KEY RELEASE • ONE MISSING KEY OR ONE VETO KEEPS THE SMART LAYER OFF

K1 SERVICE CONTINUITY
FUTURE R10
human floor / roster / maintenance / rollback

K2 RIGHTS + SAFETY VETO
FUTURE R11
safety / access / refusal / minimum data

0 / 2 VALID RECEIPTS • HOLDERS NULL • SMART LAYER OFF

SIX DELIVERY PACKAGES • EACH HAS A QUANTITY BASIS + ACCEPTANCE TEST

WP01 AUTHORITY + TITLE
BASIS ✓ TEST ✓ STATUS HOLD

WP02 FIELD BASELINE
BASIS ✓ TEST ✓ STATUS HOLD

WP03 COORDINATED DESIGN
BASIS ✓ TEST ✓ STATUS HOLD

WP04 BUDGET + BUY
BASIS ✓ TEST ✓ STATUS HOLD

WP05 PREASSEMBLY
BASIS ✓ TEST ✓ STATUS HOLD

WP06 OPERATE + RETIRE
BASIS ✓ TEST ✓ STATUS HOLD

FOUR CARRIERS • ADVANTAGES MUST BIND TO NAMED FALLBACK GATES

A0 EXISTING HUMAN FLOOR
ANY GATE HOLD

A1 MOBILE CART
G07 / G08

A2 TWO-FACE TABLE
ALL G03-G12

A3 BORROWED ROOM
G08

0 / 8 8 COMMISSIONING / RETIREMENT CHECKS

OFF-SITE CONFIG • ASSEMBLY + OPENINGS • 3 SEATS / 4 PEOPLE • NO-DEVICE SAME TASK • TWO-KEY ROLLBACK • DELETE + COMPLAINT • STRESS • REMOVE + RESTORE

5 × 7 5 PERIODS × 7 FUTURE BASELINE FORMS

ORDINARY / PEAK / WEATHER / LOW LIGHT / OUTAGE × ROUTE / QUEUE / NO-AI / ACCESS / STOP-DELETE / MAINTENANCE / RESTORE

EVIDENCE BOUNDARY

EXECUTED 0/8 • AUTHORISED PARTICIPANTS 0 • FIELD OBSERVATIONS 0 • VALUES NULL • QUOTES 0/3 • BUDGET NULL • INSURANCE 0 • SIGN-OFF 0

PARTICIPANT OPERATING-READINESS DESIGN / NOT APPOINTMENT, COMMISSIONING RECORD, FIELD OBSERVATION, QUOTE, BUDGET, PERMIT OR SIGN-OFF

JING-ZHANG HANDOVER LINE / PACKAGE v2.0 / F07

3,000 → 2.143 → 3

seat-hours / FTE floor / planning FTE

4 / 0

minimum roster people / named people

2 / 0

required independent keys / valid receipts

6 / 4 / 8 / 5 × 7

package tests / fallbacks / checks / future baseline

APPOINTMENT RECEIPTS 0 • VALID KEYS 0/2 • EXECUTED 0/8 • AUTHORISED PARTICIPANTS 0 • FIELD OBSERVATIONS 0 • VALUES NULL