

JING-ZHANG HANDOVER LINE

Turn the disused railway into a civic comb: AI production space and an enterable, stoppable, staffed public service grow in pairs along one continuous spine.

ONE COMB • THREE YARDS • EIGHT TEETH • TWENTY PAIRED CELLS

URBAN FRAME / ONE PUBLIC SPINE STITCHES BOTH SIDES

F / 01

JING-ZHANG HANDOVER LINE

Intelligence moves. Responsibility stays visible.

Handover Line main axis

East-west stitch links

Handover yard node

Provisional boundary

Build handover yard

BUILD→VERIFY

Share handover yard

VERIFY→SHARE

Serve handover yard

SHARE→SERVE

CIVIC LANDMARKS

◆ 01 Handover Bell

Both duty holders confirm version, boundary and shutdown state at every public handover; no popularity ranking is kept

◆ 02 Public Handover Table

Shows the reproducible method, positive and negative results, licence, objections and the next duty role

◆ 03 Century Logbook

Records contribution, repair, withdrawal and unresolved dispute as correctable receipts, under real name, pseudonym or anonymity

◆ 04 Takeover Booth Zero

Anyone can physically shut the smart layer down here and move to the human desk, with no download or registration

All four are design proposals; enablement gates and rollback states in public_space.geojson

0

2 km

PROVISIONAL BOUNDARY / EPSG:4548 METRICS

HANDOVER PROTOCOL

01 / BUILD TO VERIFY

Models, robots, compute and data enter tests with versions, risks and shutdown rules.

02 / VERIFY TO SHARE

Results, licences, failures and limits travel together; open source never means exposing personal data.

03 / SHARE TO SERVE

Civic services retain a human desk, a no-AI equivalent, appeal and exit records.

04 / RETURN THE PROBLEM

Complaints, repairs and shutdown causes travel back to research as public learning.

Human takeover is not a fallback feature.

It is civic infrastructure.

Source: submitted geometry and metrics.json; provisional boundary, conceptual design only

JING-ZHANG HANDOVER LINE / PACKAGE v2.0

KEY DESIGN / THREE YARDS, THREE URBAN CHARACTERS

F / 03

THREE YARDS • THREE SECTIONS

FROM CONTROLLED TESTING TO A CIVIC ROOM • MACHINE SPACE RECEDES AS THE HUMAN EDGE DEEPENS

ONE PROTOCOL • THREE URBAN CHARACTERS

01 ZHONGZHIYUAN • BUILD YARD

BUILD→VERIFY

ASPECT 2.16

LONG TEST CORRIDOR

MACHINES TO ONE SIDE • PUBLIC PATH CONTINUES

REFERENCE SECTION / NOT A ROAD REDLINE

A

B

C

D

E

6.0 HUMAN

1.435 RAIL

1.5 BUFFER

2.5 MACHINE

4 SHADE

15.4 m

SMART LAYER OFF

COUNTER + PATH + RAIL TRACE + SHADE REMAIN

A

B

C

D

E

02 AI ORIGIN • OPEN YARD

VERIFY→SHARE

ASPECT 1.18

SQUARE COLLABORATION FIELD

TECH • COMMUNITY • RECORDS SHARE ONE PLANE

REFERENCE SECTION / NOT A ROAD REDLINE

A

B

C

D

E

8.0 HUMAN

0.6 RAIL

1.5 BUFFER

2 MACHINE

5 SHADE

17.1 m

SMART LAYER OFF

COUNTER + PATH + RAIL TRACE + SHADE REMAIN

A

B

C

D

E

03 DAZHONGSI • CIVIC YARD

SHARE→SERVE

ASPECT 0.59

TRANSVERSE CIVIC ROOM

MACHINE LANE ZERO • WAITING AND SHADE LEAD

REFERENCE SECTION / NOT A ROAD REDLINE

A

B

C

D

E

8.5 HUMAN

0.6 RAIL

0 BUFFER

0 MACHINE

6 SHADE

15.1 m

SMART LAYER OFF

COUNTER + PATH + RAIL TRACE + SHADE REMAIN

A

B

C

D

E

CONCEPT DIMENSIONS • REDLINES, GRADIENT, ACCESSIBILITY, FIRE, HERITAGE AND STRUCTURE REQUIRE AUTHORISED PROFESSIONAL REVIEW

JING-ZHANG HANDOVER LINE / PACKAGE v2.0

9.5 km

continuous public spine

8

east-west stitch links

20

industry / civic paired cells

6 × 6 m

P0 reversible patch

8 + 3

public cap + role seats

0 / 12

field tasks; authority pending

P0 PRE-FEASIBILITY / PARTICIPANT SENSITIVITY • NOT QUOTES OR AN APPROVED BUDGET

7.2 × 7.2 m CONTROL • QUEUE STOP AT 6 • CNY 0.12-0.29m / 90 DAYS • CNY 0.30-0.65m / YEAR • 4 ALTERNATIVES • 4 h REMOVAL TARGET UNTESTED

OFFLINE 12/12 • TAKEOVER 48/48 | FIELD 0/12 • QUOTES 0/3 • INSURANCE / FORMAL BUDGET NULL • SIGN-OFF 0

Machine space recedes from north to south; the staffed counter, continuous path, rail trace and shade remain.


PROVISIONAL EXTENT / CONCEPT DIMENSIONS / NOT A REDLINE, TITLE, APPROVAL OR AS-BUILT CLAIM

JING-ZHANG HANDOVER LINE / PACKAGE v2.0

01-15

Full coverage, no statutory fiction

Topological land-use partition + three scopes + three areas, two wings



LAND USE

- 0802 R&D / validation
- 0804 Learning / open source
- 09 Tech services / business
- 0701 Talent living
- 0702 Community service
- 0803 Culture / civic service
- 1401 Continuous parkland
- Handover Line main axis
- Handover yard node

43.6 km²

RESEARCH
Industry + future city

11.4 km²

OVERALL DESIGN
Spatial + delivery system

3 YARDS

KEY AREAS
Detailed validation

Design recommendation: all zones recalculate when official boundaries arrive; no ownership or statutory land-use claim.

Data: land_use.geojson and site_boundary.geojson; codes from the public MNR subset

Official positions land in space, synergy lands in interfaces

Three positions, five functions, three areas and two wings x within belt- within city- municipal- regional

POSITION 01

Centennial Jing- Zhang Culture Belt

Century Logbook, oral- history booth and the Tsinghuayuan Station anchor form one continuous public record.

POSITION 02

Urban AI Life Experience Belt

Twelve reversible scenarios sit on continuous public handover ground: enterable, refusable, exitable.

POSITION 03

AI Integrated Innovation Belt

Eight shared stacks interface across the three areas in a build-verify-share-serve-feedback loop.

WITHIN BELT

Three areas and two wings organise the research-validation-service loop; objections and shutdown reasons travel back north.

WITHIN CITY

Connects to the official "two zones and one belt" framework, matching Zhongguancun technology supply to this belt's validation and scenario demand.

MUNICIPAL

Future Science City, Huairou Science City and BDA form an original-research / engineering-validation / scale-delivery division; this belt is the public-validation output end.

REGIONAL

Compute, energy and scenario interfaces reserved toward Zhangjiakou and other Beijing- Tianjin- Hebei nodes; feasibility to be confirmed by authorities.

FIVE FUNCTIONS x SPATIAL CARRIER

Source: proposal.en.md taskbook-response table, overall research scope section

F01

Full-stack self-reliant AI system

→ Zhongzhiyuan Build-Verify Yard: red-team desk, robot right-of-way sandbox, edge-compute energy station

F02

World-class AI innovation ecosystem

→ AI Origin Community Verify-Share Yard plus the Zhongguancun technology-services wing

F03

AI+ scenario empowerment paradigm

→ Four controlled validation sandboxes and eight civic scenarios under one launch-review-exit rule

F04

Intelligent, vibrant AI city

→ Xiaoyuehe scenario-enablement wing carrying civic, environmental and everyday-life tests

F05

Global voice in AI governance

→ Public duty logbook, four ledgers and Global Handover Week as a reviewable governance record

Mark, colour and brand application

Two rails, a baton and a signal bracket; five fields must always appear together

F / 08

Mark, colour and brand application system

Two rails, a handover baton, a signal bracket; missing any of the five fields makes the mark incomplete

主标识 / PRIMARY MARK



JING-ZHANG HANDOVER LINE

Jing-Zhang Handover Line

Mark rule: five fields, any one missing makes it incomplete

STATION

SHIFT

VERSION

DUTY

UPDATED

Event IPs / one shared identity

Open handover

Night-shift maintainers

Global Handover Week

Annual review shift

Colour semantics: each colour is bound to a decision, never decoration

#161918

#161918

auditable responsibility

#E24A3B

#E24A3B

must stop; a human decides

#00A7A0

#00A7A0

open interface

#F1ECDF

#F1ECDF

readable public record

Licence: free for non-commercial public communication, academic and community use; commercial use needs separate permission; no implication of government endorsement

Source: identity direction original to this proposal; no third-party typeface, trademark or protected layout used

JING-ZHANG HANDOVER LINE / PACKAGE v1.15

PROVISIONAL BOUNDARY / CONCEPT ADVICE / PENDING PROFESSIONAL REVIEW

JING-ZHANG HANDOVER LINE / PACKAGE v2.0 / 04-13


A reversible city: versioned renewal and agent separation

Reversibility precedes adaptivity; perceivable is not surveillance

F / 09

A rollbackable city: versioned change and multi-agent checks

Adaptation presupposes rollback; the three phases are merge gates, not a timetable



Source: agent_taskbook.json co-creation charter and announcement 1.5(1); a method proposal, not a substitute for statutory procedure

JING-ZHANG HANDOVER LINE / PACKAGE v1.15


Eight shared stacks, handed to the next shift

Land, space, industry, finance, talent, compute, data, scenarios: interface and duty owner visible

F / 06

Eight shared stacks hand capability to the next shift

Land, space, industry, capital, talent, compute, data, scenarios — interfaces and owners stay visible




Source: agent_taskbook.json three-area two-wing and eight-element mechanism; a conceptual proposal, not investment promotion or policy

JING-ZHANG HANDOVER LINE / PACKAGE v1.15

Three yards, three shifts of duty

Each key area answers programme, space, scenario, human takeover and delivery gate



Twelve reversible AI scenarios

Four controlled validation sandboxes; every scenario keeps human takeover and a no-AI equivalent

SCN-01 Model red-team desk Human review + paper risk log	SCN-02 Robot right-of-way sandbox Safety staff + physical stop	SCN-03 Edge energy test station Manual shutdown + offline meter	SCN-04 Data-consent rehearsal Paper consent + deletion desk
SCN-05 Accessible-route copilot Tactile map + human direction	SCN-06 Public translation desk Human desk + multilingual paper	SCN-07 Campus research relay Human curation + open catalogue	SCN-08 Visible maintenance stop Phone report + human dispatch
SCN-09 Community care roster Staff telephone roster	SCN-10 Night-shift safety light Fixed light + human patrol	SCN-11 Jing-Zhang oral-history book Human guide + paper catalogue	SCN-12 Global Handover Week route Fixed signs + volunteers


Movement and blue-green public ground

The smart layer is removable; ordinary movement and human service stay online

F / 04

One spine, eight stitch links, twelve takeover points

The smart layer is removable; basic access and human service stay available



MOVEMENT / SERVICE

- Continuous walk-cycle spine
- East-west stitch links (8)
- Blue-green comfort ground
- Human-takeover scenario node (SCN)
- Civic landmark point

A OFFLINE BY DEFAULT

Static signs, light, tactile maps and human help do not rely on a model.

B GRADED TAKEOVER

Low confidence, boundary breach, objection or outage calls the duty person.

C EXIT IS RECORDED

Shutdown cause, deletion and service continuity enter the public logbook.

SECTION The handover section: order and adjacency only, no dimensions

Handover counter	Accessible walk	Takeover Kiosk Zero	Retained track	Machine-only lane	Planting and rest
Walking surface (continuous, no level change) The staffed counter precedes the smart interface and still works once the smart layer is removed	Never interrupted by equipment, advertising, temporary occupation or charging posts	The physical stop control is reachable from the footway without downloading or registering	Set flush in the paving, a trace rather than an obstacle	Separated from walking; crossing the edge stops the machine, safety staff take priority	Non-commercial dwelling; seats and shade carry no spending condition

Adjacency rule: counter, walk and stop control stay continuously reachable; the machine lane never comes between them

Conceptual connectivity, not road redlines or engineering feasibility; lengths calculated in EPSG:4548

JING-ZHANG HANDOVER LINE / PACKAGE v1.15

Renewal structure and priority areas


One spine, eight stitches, three yards; priority areas in three tiers

F / 07

Renewal structure and priority renewal areas

One spine, eight stitches, three yards; three tiers, operate first, reversible next, fixed last

Renewal spatial structure



Handover Line / renewal spine
East-west stitch links × 8
Handover yards × 3

Priority renewal tiers

Tier 1
The three handover yards and their walkable surrounds
Led by a coordinating body, multiple owners join by agreement

Tier 2
Stitch-spine junctions and low-efficiency space beside the heritage park
Renewal units bundled by district, one public interface

Tier 3
The remaining frontage along the line
Signage, shade and frontage tidying only; ownership untouched

Twenty typology test units (10 per side)

Verify workshop	Shared service stack	Open R&D house	Community co-op house
5 26.6%	5 26.6%	5 23.4%	5 23.4%

Retain-first adaptive reuse 14 • investigate building by building 6

Source: submitted geometry buildings/roads/key_areas/phasing; conceptual structure, no demolish-or-keep conclusion

JING-ZHANG HANDOVER LINE / PACKAGE v1.15

Building renewal and condition-triggered phasing


Inventory first, temporary use second, fixed work last

R / RETAIN Keep in use Keep in use and complete the condition record.	A / ADAPT Low-impact repair Fire safety, energy, accessibility and open ground floor first.	I / INSERT Removable trial Removable elements and short-term use only.	D / INVESTIGATE Not demolition Awaits survey, structure, ownership, fire and heritage review.
--	--	---	--

PHASE 01	Return to baseline: official data, inventory, wayfinding and three low-risk human-led pilots.
PHASE 02	Open-source yard: ground floors, research relay and community service after ownership and community review.
PHASE 03	Belt-wide operation: complex validation networks only after transport, utilities, heritage, privacy and safety conditions.

Core metrics and the evidence chain

Known values recompute; FAR, height, AI innovation index, talent density and output scale stay unknown



The planning indicator system gives definitions and data preconditions only; one model assigns them once official data exists.

Risk, copyright and the next shift

Open co-design advice; it does not replace statutory planning or professional approval

DATA	Full recalculation once official boundaries, controls, ownership, roads, utilities, fire and heritage data exist.
PUBLIC	People without a phone, without Chinese, with disabilities, older people and those declining AI keep equivalent service.
COPYRIGHT	Original graphics, text and layout; external cases paraphrased only, no reused image, mark or protected chart.


Intelligence moves. Responsibility stays visible.

F / 06 • PROFESSIONAL IMPLEMENTATION HANDOFF ANNEX

FROM 1:500 SCREENING TO 1:20 INTERFACES

EXTERNAL HOLD
NOT STARTED

The concept table does not substitute for engineering design. Siting, coordinated design, procurement, operation, opening and closeout are decomposed into recalculable and rejectable evidence interfaces for future duty holders.



5 / 4
drawing scales / release states

9 / 6 / 11
projects / packages / modules

12 HOLD / 0
documentary gates / receipts

12 / 16 / 8
roles / unpriced lines / judgeable-now checks

NAMED APPOINTMENTS 0 • FORMAL RATES 0 • CONSTRUCTION OR OPENING RELEASES 0 • FIELD TASKS 0

THREE SEATS • FOUR PEOPLE • TWO KEYS TO OPEN

Without a real site, workload, dual veto, package acceptance, failure fallback, commissioning/retirement and future sampling forms are made recalculable and rejectable while appointments, execution and observations remain zero.

