



One-Belt Concept Overview

Qinghuayuan Station Anchor

Three Districts–Two Wings + three nodes / spatial–function–actor loop (concept)

Three positions: Centennial Jingzhang Culture • Urban AI Life Experience • AI Integration

Five functions: full-stack autonomy • global ecology • AI+ scenarios • active city • governance voice



Three Key Nodes and Actor Loops

L1/L2/L3 are provisional concept locations, not built landmarks



space → function → actor → indicator


reversible capacity → public value → content/data/safety/maintenance ownership → continue, fix, archive or exit

The three AI cultural landmarks are concept roles, not permanent construction, official honors or partnerships

CONCEPT ONLY · PROVISIONAL GEOMETRY · NOT AN OFFICIAL REDLINE · RECOMPUTE WITH OFFICIAL DATA

AI Ecology Map • Six Capability Layers + Verification Queue

Eight global entries are research queues only; no performance, partnership, ranking or rights claim



External coordination separately listed: Beiwei • Future Science City • Huairou • E-Town • Beijing–Tianjin–Hebei (all to verify)

CONCEPT ONLY • PROVISIONAL GEOMETRY • NOT AN OFFICIAL REDLINE • RECOMPUTE WITH OFFICIAL DATA

Metric Evidence Layers • Unified Status and Meaning

Areas = provisional geometry monitors; counts = provisional concept records; none are outcomes, statutory indicators or authorized pilots

Geometry monitors (known / low-confidence)

site_area_sqm
11,412,825.4 sqm
boundary polygon area

green_space_area_sqm
1,393,756.2 sqm
concept green union

public_space_area_sqm
36,150.0 sqm
concept public-space union

building_footprint_area_sqm
111,600.0 sqm
concept envelope union

Package counts (known / low-confidence)

global_case_count
8
to_verify queue

scenario_card_count
12
C01-C12 concept cards

industry_test_scenario_count
3
T1-T3 protocols

landmark_count
3
concept landmarks

persona_count
5
concept persona categories

phase_count
3
P1-P3 concept stages

scenario_node_count
8
concept nodes/landmarks

Every value is recomputable from package geometry or text; official data, authorization or a site pilot triggers full recalculation.