



UNITED STATES INTERNATIONAL UNIVERSITY – AFRICA
(USIU-Africa)

School of Science and Technology
Department of Computing



END OF SEMESTER PROJECT REPORT

PROJECT

Smart Health Symptom Checker and Doctor Recommendation System

Course	SWE3090XA – Software Engineering Final Project
Submitted by	Amy Wanjugu Njau
Registration number	669008
Supervisor	Mr Fredrick Ogore
Submission date	August 2026

Summer Semester 2026

Table of Contents

Declaration	4
Acknowledgement	5
Acronyms and Definitions	6
Abstract	7
Chapter One: Introduction	8
1.1 Background of the Study	8
1.2 Emerging Issues	8
1.3 Problem Statement	8
1.4 Objectives	8
1.5 Justification and Significance	9
1.6 Scope and Limitations	9
Chapter Two: Literature Review	10
2.1 Review of Existing Systems	10
2.2 Comparative Analysis	10
2.3 Identified Gaps	11
2.4 Unique Contributions	11
Chapter Three: Methodology	12
3.1 Development Approach	12
3.2 Project Timeline	12
3.3 Resources and Tools	12
3.4 Requirements	12
Chapter Four: System Design	14
4.1 Architecture	14
4.2 Context Diagram	14
4.3 Data Flow Diagram	15
4.4 Entity Relationship Diagram	15
4.5 API Contract	16
4.6 Security and Privacy Design	17
Chapter Five: Implementation	18
5.1 Codebase Structure	18
5.2 Symptom-Condition Knowledge Base	18
5.3 Diagnostic Engine	18
5.4 API Endpoint	19
5.5 Provider Recommendation	19
5.6 Mobile Client	19
5.7 User Interface	20
5.8 Key Modules and Algorithms	23
Chapter Six: Testing and Validation	24
6.1 Testing Strategy	24
6.2 Automated Test Results	24
6.3 Acceptance Test Cases	24
6.4 Ranking Evaluation	25

6.5 Non-Functional Verification	25
Chapter Seven: Results and Discussion	26
7.1 Objectives Achieved	26
7.2 Discussion	26
7.3 Limitations	26
Chapter Eight: Conclusions	28
8.1 Conclusions	28
8.2 Recommendations	28
8.3 Closing Remarks	28
References	29
Appendices	30
Appendix A: Repository	30
Appendix B: Running the System	30
Appendix C: Knowledge Base Coverage	30

Declaration

I, Amy Wanjugu Njau, registration number 669008, declare that this report is my own original work and that it has not been submitted, in whole or in part, for any other award at this or any other university. All sources consulted have been acknowledged in the text and listed in the references. Where the work of others has been used, it is cited accordingly.

The application described in this report is a guidance tool developed for academic purposes. Its knowledge base has not been clinically validated and it is not a medical device.

Signature: Date:

Amy Wanjugu Njau (669008)

Supervisor's approval

This report has been submitted for examination with my approval as the university supervisor.

Signature: Date:

Mr Fredrick Ogore

Acknowledgement

I thank my supervisor, Mr Fredrick Ogore, for his guidance and feedback throughout this project, and the faculty of the School of Science and Technology at USIU-Africa for the grounding that made the work possible. I am grateful to my family and colleagues for their encouragement over the course of the semester.

Acronyms and Definitions

Term	Meaning
API	Application Programming Interface, the contract through which the client and server exchange data
DFD	Data Flow Diagram
ERD	Entity Relationship Diagram
HTTPS	Hypertext Transfer Protocol Secure, HTTP carried over an encrypted connection
JSON	JavaScript Object Notation, the data-interchange format used by the API
Knowledge base	The declarative set of conditions and their weighted symptoms that the engine scores against
mHealth	Mobile health, the delivery of health services and information via mobile devices
REST	Representational State Transfer, the architectural style of the API
Rule-based engine	Inference that applies explicit, human-readable rules rather than a learned model
Specialist routing	Mapping a probable condition to the type of practitioner who treats it
Top-1 hit rate	The proportion of test cases where the expected condition is ranked first
UAT	User Acceptance Testing

Keywords: mHealth, symptom checker, rule-based inference, explainable systems, specialist recommendation, geolocation, Flutter, REST API.

Abstract

Access to timely medical guidance remains constrained in many developing regions, where low doctor-to-patient ratios, travel distance, and consultation cost combine to delay care. This project delivers the Smart Health Symptom Checker and Doctor Recommendation System: a cross-platform mobile application that accepts user-reported symptoms, returns a ranked list of probable conditions together with the reasoning behind each ranking, recommends the appropriate medical specialist, and locates nearby qualified providers using the user's real-time position.

The system is built on a three-tier architecture: a Flutter mobile client, a Node.js and Express REST API hosting a rule-based diagnostic engine, and a swappable data and location tier. The diagnostic engine scores each candidate condition by summing the weights of the symptoms the user reported and dividing by that condition's maximum possible weight, producing a normalised confidence value. Every score therefore traces back to specific named symptoms, which the interface surfaces to the user. This explainability is the project's central design commitment and the principal reason a rule-based approach was chosen over an opaque machine-learning model in a safety-sensitive domain.

The delivered system implements a knowledge base of 15 conditions, 35 symptoms, and 9 specialist types, exposes five REST endpoints, and is verified by an automated suite of 15 tests, all of which pass. Functional and non-functional requirements defined at the midterm stage were met, including deterministic results, graceful degradation when location permission is denied, and a guidance disclaimer attached centrally to every diagnosis response so that it cannot be omitted. The report documents the requirements, design, implementation, testing, and results, and sets out the security hardening, clinical validation, and persistence work required before any real-world deployment.

Chapter One: Introduction

1.1 Background of the Study

Access to timely and accurate medical guidance remains a major challenge across many parts of the world, and particularly in developing regions where the ratio of doctors to patients is critically low. According to the World Health Organization (2023), large populations in low- and middle-income countries continue to face shortages of healthcare workers, long travel distances to facilities, and high out-of-pocket consultation costs. As a result, many individuals delay seeking professional medical attention, not because they are unwilling, but because they are uncertain about the severity of their symptoms or do not know which type of practitioner to consult.

At the same time, mobile-phone penetration in these regions has grown rapidly, placing internet-connected devices in the hands of populations that were previously difficult to reach through conventional healthcare infrastructure. This convergence creates a meaningful opportunity for mobile health solutions to bridge part of the gap between symptom onset and appropriate care, an approach the World Health Organization (2021) sets out as a priority in its global strategy on digital health.

The Smart Health Symptom Checker and Doctor Recommendation System responds to this opportunity by providing a digital-first tool that helps users make informed health decisions. By entering their symptoms into a mobile application, users receive condition suggestions generated through a transparent rule-based analysis engine. The system then advises which type of medical specialist to consult, and recommends nearby qualified providers based on the user's real-time location. The application acts as an accessible first point of guidance: not a replacement for professional care, but a bridge toward it.

1.2 Emerging Issues

Several emerging issues motivate and shape this project.

Rising demand for self-directed care. Patients increasingly turn to online sources to interpret their symptoms before deciding whether and where to seek help. Unstructured web searches, however, often produce alarming or contradictory information.

Proliferation of digital symptom checkers. A growing number of commercial symptom-checking applications exist, but many are designed for high-income contexts, require constant connectivity, or do not connect the user to local, reachable care.

Localisation gap. Few existing tools account for the realities of developing regions: nearby facilities, locally available specialists, and low-bandwidth conditions.

Trust, safety, and explainability. As automated health tools become more common, there is increased scrutiny of how recommendations are generated. Rule-based systems offer transparency that opaque models cannot easily match, which is valuable in a sensitive domain such as health.

Data privacy expectations. Handling even limited health-related data raises legitimate concerns around consent, storage, and confidentiality that any responsible solution must address.

1.3 Problem Statement

Many individuals lack access to timely, affordable, and location-aware medical guidance, leading to delayed diagnoses and preventable deterioration of their health. Existing solutions are either too generic to be trustworthy, too expensive for the average user, or not localised to the user's context, failing to connect them to qualified care that is actually within reach.

There is therefore a need for an accessible mobile application that can interpret a user's symptoms, suggest probable conditions in an explainable manner, recommend the appropriate type of specialist, and direct the user to nearby qualified healthcare providers, all through a simple interface usable by people with varying levels of digital literacy.

1.4 Objectives

1.4.1 MAIN OBJECTIVE

To design and develop a cross-platform mobile application that accepts user-reported symptoms, returns a ranked list of probable medical conditions, recommends an appropriate medical specialist, and identifies nearby qualified healthcare providers based on the user's real-time location.

1.4.2 SPECIFIC OBJECTIVES

1. To design and develop a mobile application that accepts user-inputted symptoms and returns a ranked list of possible medical conditions.
2. To implement a rule-based diagnostic engine capable of mapping symptom combinations to probable diseases with reasonable accuracy.
3. To integrate a specialist recommendation module that suggests the appropriate type of doctor based on the predicted condition.
4. To incorporate location-based services that identify and recommend nearby qualified healthcare providers or medical facilities.
5. To provide a simple, intuitive user interface accessible to users with varying levels of digital literacy.

1.5 Justification and Significance

This project is justified by the persistent gap between the demand for healthcare guidance and the supply of accessible professional care in developing regions. By combining symptom analysis with localised, location-aware provider recommendation, the system addresses a need that existing tools only partially serve.

For users, it provides a free, easy-to-use first point of guidance that reduces uncertainty, encourages earlier care-seeking, and helps users reach the right kind of practitioner faster. For the healthcare system, guiding patients toward the appropriate specialist and nearby facilities can reduce mis-directed visits and ease pressure on overstretched general services. For underserved communities, the emphasis on localisation and a lightweight, explainable approach suits low-connectivity environments that commercial alternatives often overlook. Academically, the project demonstrates the practical application of software-engineering principles, including requirements engineering, system design, rule-based inference, API integration, automated testing, and Agile delivery, to a real-world problem of social value.

1.6 Scope and Limitations

The delivered system covers the full path from symptom entry to nearby-provider recommendation on Android, with an architecture that permits an iOS build without a rewrite. It does not extend to telemedicine consultation, appointment booking, electronic health records, payments, or prescription handling.

Three limitations are stated plainly here and revisited in Section 7.3. First, the knowledge base is an educational rule set curated for this project and has not been clinically validated; the application is a guidance tool and not a medical device. Second, the query log is held in memory and is therefore lost when the server restarts. Third, the deployed prototype has no user authentication, so query history is held in memory in the app rather than being persisted or tied to an account, and is lost when the application closes.

Chapter Two: Literature Review

This chapter reviews existing symptom-checker and digital-health systems, compares their capabilities against the goals of this project, identifies the gaps they leave open, and states the unique contributions of the delivered system.

2.1 Review of Existing Systems

2.1.1 WEBMD SYMPTOM CHECKER

WebMD (2024) provides a widely used web-based symptom checker that allows users to select symptoms on a body map and returns a list of possible conditions with accompanying articles. It is information-rich but primarily an educational reference; it does not connect users to specific local practitioners and is oriented toward a North American audience and healthcare context.

2.1.2 ADA HEALTH

Ada Health (2024) is a mobile symptom-assessment application that conducts a structured, conversational interview and returns possible causes together with guidance on next steps. It is well designed and clinically informed, but it is built primarily for connected, higher-income markets, does not focus on surfacing nearby local providers, and its underlying assessment logic is largely opaque to the end user.

2.1.3 BABYLON HEALTH

Babylon Health (2023) combined symptom checking with telemedicine consultations, allowing users to speak with clinicians remotely. While powerful, it depends on reliable connectivity, an available clinician network, and a subscription or payment model, which limits its accessibility in low-resource settings.

2.1.4 BUOY HEALTH AND K HEALTH

Buoy Health (2024) and K Health (2024) both use data-driven approaches to triage symptoms and suggest next steps, with K Health additionally drawing on large clinical datasets. These tools illustrate the value of structured triage but, like the others, are tailored to specific national healthcare systems and do not provide localised facility recommendation for developing-region users.

2.1.5 ACADEMIC EVALUATIONS

Independent academic audits of symptom checkers, notably the BMJ audit study by Semigran et al. (2015), found that the diagnostic and triage accuracy of these tools varies considerably. Later work reached similar conclusions: Chambers et al. (2019) reviewed digital and online symptom checkers used for urgent care and reported wide variation in accuracy and safety, while Wallace et al. (2022) found diagnostic accuracy in symptom checkers to remain inconsistent across conditions. That body of work underpins two design principles adopted here: such tools should be positioned explicitly as guidance rather than diagnosis, and an explainable, well-validated rule base is preferable to an opaque one in a safety-sensitive domain.

2.2 Comparative Analysis

The table below compares representative existing systems against the core capabilities targeted by this project.

System	Symptom analysis	Specialist recommendation	Location-aware providers	Explainable logic	Suited to low connectivity
WebMD Symptom Checker	Yes	Partial	No	Partial	No
Ada Health	Yes	Partial	No	No	No
Babylon Health	Yes	Yes, via clinician	Partial	No	No
Buoy Health / K Health	Yes	Partial	No	No	No
Smart Health (this project)	Yes	Yes	Yes	Yes	Partial

Table 2.1: Comparative analysis of existing symptom-checker systems.

2.3 Identified Gaps

The review reveals four consistent gaps. Most tools are designed for specific high-income healthcare systems and do not surface nearby, reachable providers relevant to a developing-region user. Few systems explicitly translate a probable condition into a clear recommendation of which type of specialist to consult. Many modern tools provide little visibility into how a recommendation was produced, which undermines trust in a sensitive domain. Finally, solutions depending on continuous connectivity, large models, or paid consultations are poorly suited to low-resource environments.

2.4 Unique Contributions

The delivered system addresses those gaps through four contributions. It provides integrated end-to-end guidance in a single workflow, moving the user from symptom entry to probable condition, to the right specialist, to a nearby provider. It uses real-time geolocation to recommend providers within reach of the user. It applies explainable rule-based inference over a transparent weighted symptom-condition matrix whose reasoning is surfaced in the interface rather than hidden. And it is deliberately lightweight, targeting varying digital-literacy levels and lower-connectivity conditions.

Chapter Three: Methodology

3.1 Development Approach

The project followed an Agile software-development methodology implemented through short, iterative sprints. Agile was selected over a strictly sequential approach such as Waterfall because a health-guidance tool benefits from continuous testing, frequent feedback, and incremental refinement, particularly for the diagnostic rule base, which had to be validated and tuned progressively rather than fixed up front.

Development was organised into four phases. The requirements and research phase reviewed existing symptom-checker solutions, defined the symptom-condition rule base, and settled the architecture. The design phase produced the data models, the API contract, and the inference design. The development and integration phase built the mobile application, implemented the diagnostic engine, added geolocation, and connected the backend. The testing phase covered unit, integration, and acceptance testing.

3.2 Project Timeline

The schedule spanned approximately ten weeks. All milestones are complete.

Week	Activity	Deliverable	Status
1-2	Requirements gathering and literature review	Requirements document	Complete
3-4	System design, data models, API contract	Design models and wireframes	Complete
5-6	Database design, backend setup, rule-engine development	Working rule engine	Complete
7-8	Mobile UI development: symptom input and results	Alpha build	Complete
9	Geolocation integration and specialist recommendation	Beta build with location	Complete
10	End-to-end testing, fixes, documentation, submission	Tested application and report	Complete

Table 3.1: Project timeline and final status.

3.3 Resources and Tools

Development used a personal computer, an Android device, and the Android emulator for testing. The software stack is summarised below.

Category	Technology	Purpose
Frontend	Flutter (Dart)	Cross-platform mobile interface, Android first, iOS-ready
Backend	Node.js with Express	REST API and integration mediator
Diagnostic logic	Rule-based inference engine	Weighted symptom-condition scoring
Data	JSON data store, Firebase Firestore ready	Knowledge base, specialists, providers, query log
Location	Google Maps Platform, device geolocation	Nearby provider discovery
Testing	Node.js built-in test runner	Automated unit and integration tests
Version control	Git and GitHub	Source-code management
Tooling	VS Code, Android Studio	Development, debugging, emulation

Table 3.2: Tools and technologies.

3.4 Requirements

3.4.1 FUNCTIONAL REQUIREMENTS

The system shall allow users to input symptoms through structured selection; analyse them with the rule-based engine and return a ranked list of probable conditions; recommend the appropriate specialist for the top-ranked condition; detect the user's location with permission and recommend nearby providers; display a clear disclaimer that the application provides guidance

only; and handle denial of location permission gracefully while still providing symptom and specialist guidance.

3.4.2 NON-FUNCTIONAL REQUIREMENTS

Usability requires an interface that is simple for users with varying digital literacy. Performance requires symptom analysis to return within a few seconds on a typical mobile connection. Reliability requires the engine to produce consistent results for identical input and to degrade gracefully when services are unavailable. Security and privacy require health and location data to be handled with consent, minimisation, and confidentiality. Portability requires an Android-first architecture that permits iOS extension without a rewrite. Maintainability requires the rule base to accept new symptoms, conditions, and specialists without changes to core logic.

Chapter Four: System Design

4.1 Architecture

The system adopts a three-tier architecture. The presentation layer is the Flutter mobile application, responsible for symptom input, displaying ranked results and specialist advice, and listing nearby providers. The application layer is the Node.js and Express backend, which exposes REST endpoints, hosts the rule-based engine, performs specialist mapping, and orchestrates calls to the location service. The data layer holds the knowledge base, specialist mappings, provider records, and an anonymised query log, with the Google Maps Platform supplying external place data.

A deliberate design decision is that the mobile client contains no diagnostic logic whatsoever. It collects input, calls the API, and maps JSON responses into typed models. All reasoning lives behind the API boundary, which keeps the client thin, makes the engine independently testable, and allows the rule base to be corrected without shipping a new app version.




Figure 4.1: High-level architecture of the delivered system.

This figure describes the system as delivered, in which the data tier is the file-backed local store. The Firestore implementation exists as a documented stub behind the same interface and is not active; Section 7.3 records this, and Section 8.2 lists completing it as the next data-tier task.

4.2 Context Diagram

The context diagram represents the system as a single process interacting with its external entities: the user, who submits symptoms and location permission and receives guidance; the Google Maps Platform, which receives location and specialty queries and returns nearby places; and the data store, which supplies symptom-condition rules and specialist mappings.




Figure 4.2: Context diagram, level-0 data flow.

4.3 Data Flow Diagram

The level-1 diagram decomposes the system into five processes: capture symptoms, analyse symptoms with the rule engine, recommend a specialist, recommend nearby providers, and present results. Data stores comprise the knowledge base, the specialist mapping, the provider store, and the anonymised query log.




Figure 4.3: Level-1 data flow diagram.

4.4 Entity Relationship Diagram

The data model is organised around seven entities. The associative entity Condition_Symptom carries the rule weight, which is what makes the knowledge base tunable without schema changes.

Entity	Key fields	Relationship
User	<code>user_id</code> (PK), name, location, created_at	Initiates many queries
Symptom	<code>symptom_id</code> (PK), name, category	Linked to conditions, many-to-many
Condition	<code>condition_id</code> (PK), name, description, severity	Linked to symptoms; maps to one specialist
Condition_Symptom	<code>condition_id</code> (FK), <code>symptom_id</code> (FK), weight	Associative entity holding the rule weight
Specialist	<code>specialist_id</code> (PK), type, description	Recommended by many conditions
Provider	<code>provider_id</code> (PK), name, specialty, latitude, longitude, rating	Offers one or more specialist types
Query	<code>query_id</code> (PK), <code>user_id</code> (FK), symptoms, result, timestamp	Belongs to one user

Table 4.1: Core entities of the data model.




Figure 4.4: Entity relationship diagram.

4.5 API Contract

The API boundary is the integration contract between client and server. Five endpoints are exposed.

Method and path	Purpose
POST <code>/api/diagnose</code>	Accepts a symptom set; returns ranked conditions, specialist, disclaimer
POST <code>/api/providers</code>	Accepts specialist and coordinates; returns ranked nearby providers
GET <code>/api/symptoms</code>	Returns the symptom catalogue for the input screen
GET <code>/api/specialists</code>	Returns the specialist catalogue
GET <code>/api/health</code>	Liveness check used by the test suite and monitoring

Table 4.2: REST API surface.

The end-to-end exchange is shown in Figure 4.5.




Figure 4.5: End-to-end data flow between client, API, engine and services.

4.6 Security and Privacy Design

Three measures are implemented in the delivered system. The Google Maps Platform key is held server-side in environment variables and is never exposed to the client, which is why every Maps call is made by the backend rather than the app. Request bodies are validated before processing, and malformed requests are rejected with a 400 status and a clear message. The error handler never leaks internal detail on a server error.

Transport security is a design requirement that the prototype does not yet meet. The architecture assumes HTTPS between client and server, but the development build communicates over plain HTTP against a local backend, so TLS termination remains a deployment task rather than a delivered feature. It is recorded as such in Section 7.3 rather than presented as done.

Data minimisation is applied to the query log: it records the symptom set and the outcome for analytics but is not tied to an identified person in the prototype. Location is read only after explicit user permission, and denial is a supported path rather than an error.

Section 7.3 records honestly the hardening that remains outstanding, since the prototype was assessed against a production security bar and did not yet meet it.

Chapter Five: Implementation

5.1 Codebase Structure

The repository is organised into three top-level areas: `backend/` for the API and engine, `mobile/` for the Flutter client, and `docs/` for the design figures and reports. Within the backend, the engine is isolated from all input and output so that it can be tested directly.

Path	Responsibility
<code>src/services/diagnosisEngine.js</code>	Pure scoring logic, no input or output
<code>src/services/diagnosisService.js</code>	Orchestrates engine, specialist lookup, query log, disclaimer
<code>src/services/providerService.js</code>	Mock and Google provider lookup with a cache
<code>src/routes/</code>	The diagnose, providers and catalogue endpoints
<code>src/middleware/validate.js</code>	Request-body validation returning 400 responses
<code>src/repositories/</code>	Data-store factory, local and Firestore implementations
<code>src/data/</code>	Knowledge base, symptoms, specialists, providers
<code>src/config/index.js</code>	All environment reads and the central disclaimer
<code>src/app.js</code>	Wires the routers together and serves <code>GET /api/health</code>

Table 5.1: Backend codebase structure.

5.2 Symptom-Condition Knowledge Base

The knowledge base encodes each condition as a set of weighted symptoms, where the weight expresses how strongly a symptom indicates that condition. Keeping it declarative means new conditions can be added without touching engine code, which satisfies the maintainability requirement directly.

```
{
  "id": "malaria",
  "name": "Malaria",
  "specialist": "General Physician",
  "severity": "high",
  "description": "A mosquito-borne infectious disease causing cyclical fever, chills, and flu-like illness.",
  "symptoms": {
    "fever": 0.9,
    "chills": 0.8,
    "headache": 0.5,
    "fatigue": 0.4,
    "nausea": 0.4,
    "sweating": 0.6,
    "muscle_aches": 0.4
  }
}
```

The delivered base holds 15 conditions spanning three severity levels, 35 symptoms, and 9 specialist types. Its metadata block states explicitly that the rule set is educational and not clinically validated.

5.3 Diagnostic Engine

The engine is the core contribution. For each condition it sums the weights of the symptoms the user reported, divides by that condition's maximum possible weight, and returns both the normalised score and the list of symptoms that contributed to it.

```
function scoreCondition(condition, userSymptoms) {
  const weights = condition.symptoms || {};
  const maxScore = Object.values(weights).reduce((a, b) => a + b, 0);
  if (maxScore <= 0) return { score: 0, matched: [] };

  let matchedWeight = 0;
  const matched = [];
  for (const symptom of userSymptoms) {
    if (Object.prototype.hasOwnProperty.call(weights, symptom)) {
      matchedWeight += weights[symptom];
      matched.push(symptom);
    }
  }
  return { score: matchedWeight / maxScore, matched };
}
```

Ranking then filters below a configurable threshold of 0.2, sorts by descending confidence, and caps the result count. Input is de-duplicated defensively before scoring, which is what makes repeated symptom submissions safe.

A worked example makes the arithmetic concrete. A user reporting fever, headache, and chills matches malaria on weights 0.9, 0.5, and 0.8, summing to 2.2. The maximum possible weight for malaria is 4.0. The normalised confidence is therefore $2.2 / 4.0$, or 55 per cent, and the interface reports exactly those three symptoms as the reason. Nothing about the number is hidden from the user.

5.4 API Endpoint

The route layer is deliberately thin: validation runs as middleware, the service performs the work, and errors are delegated to the central handler.

```
router.post('/', validateDiagnoseBody, async (req, res, next) => {
  try {
    const { symptoms } = req.body;
    const payload = await runDiagnosis(symptoms);
    res.json(payload);
  } catch (err) {
    next(err);
  }
});
```

5.5 Provider Recommendation

The provider service supports two interchangeable sources selected by configuration. The mock source ranks the bundled provider records by haversine distance from the user. The Google source queries the Maps Platform Nearby Search server-side using the specialist's search keywords (Google Developers, 2024), and caches responses for a configured period to contain both latency and billing. Because both sources satisfy the same interface, neither the routes nor the client change when the source is switched.

5.6 Mobile Client

The Flutter client presents a tabbed shell with Home, Check, History, and Profile. The symptom-input screen collects a symptom set, the results screen renders ranked conditions with their explainability chips, and the providers screen lists nearby practices with a working directions action. A single service class is the only point of contact with the API.

```
/// POST /api/diagnose -> ranked conditions + specialist + disclaimer.
Future<DiagnosisResult> getDiagnosis(List<String> symptoms) async {
  final res = await _post('/api/diagnose', {'symptoms': symptoms});
  return DiagnosisResult.fromJson(res);
}
```

Error handling is centralised in the private helpers rather than repeated at each call site, which is what allows the interface to show a readable message with a retry action instead of crashing when the backend is unreachable.

```
Map<String, dynamic> _decode(http.Response res) {  
  final decoded = res.body.isNotEmpty  
    ? jsonDecode(res.body) as Map<String, dynamic>  
    : <String, dynamic>{};  
  if (res.statusCode >= 200 && res.statusCode < 300) {  
    return decoded;  
  }  
  final message = decoded['error']?.toString() ?? 'Request failed (${res.statusCode}).';  
  throw ApiException(message);  
}
```

5.7 User Interface




Figure 5.1: Home dashboard.




Figure 5.2: Symptom input screen.




Figure 5.3: Ranked conditions with the symptoms that produced each score.




Figure 5.4: Nearby provider recommendations.




Figure 5.5: Query history.

5.8 Key Modules and Algorithms

The knowledge-base module stores conditions declaratively so the rule set can grow without code changes. The engine module implements the weighted scoring described in Section 5.3 and is pure, which is what allows it to be unit-tested without a server. The specialist module translates the top-ranked condition into a concrete practitioner type, turning an abstract result into an actionable next step. The provider module converts that specialist type plus coordinates into a ranked shortlist of reachable facilities. The safety module attaches the guidance disclaimer centrally in configuration, so no response path can omit it, and severity is carried through to the interface so that high-severity results can be visually emphasised.

Chapter Six: Testing and Validation

6.1 Testing Strategy

Validation combined three levels. Unit tests exercise the diagnostic engine in isolation, confirming that scores are computed, normalised, filtered, and ranked correctly for known symptom sets. Integration tests drive the HTTP API with the engine, data store, and provider service wired together. Acceptance testing walked the complete user journey on an Android emulator against a live backend.

The engine was written as a pure function specifically so that the most safety-critical logic could be tested exhaustively without network, database, or user interface in the way.

6.2 Automated Test Results

The automated suite comprises 15 tests and is executed with `npm test`. All 15 pass. The suite is listed in full below because it constitutes the primary evidence that the functional and reliability requirements are met.

Test	Level	Requirement verified	Result
<code>GET /api/health</code> reports ok	Integration	Service liveness	Pass
<code>POST /api/diagnose</code> returns ranked conditions, specialist, disclaimer	Integration	Functional requirements 2, 3, 5	Pass
<code>POST /api/diagnose</code> rejects empty symptoms with 400	Integration	Input validation	Pass
<code>POST /api/providers</code> returns providers ranked by distance	Integration	Functional requirement 4	Pass
<code>POST /api/providers</code> rejects missing coordinates with 400	Integration	Input validation	Pass
<code>GET /api/symptoms</code> returns the catalogue	Integration	Symptom input support	Pass
<code>scoreCondition</code> returns 1.0 when all symptoms match	Unit	Scoring upper bound	Pass
<code>scoreCondition</code> normalises a partial match	Unit	Normalisation	Pass
<code>scoreCondition</code> ignores unknown symptoms	Unit	Robustness to bad input	Pass
<code>diagnose</code> ranks conditions by confidence descending	Unit	Ranking	Pass
<code>diagnose</code> drops conditions below the threshold	Unit	Threshold filtering	Pass
<code>diagnose</code> returns explainable matched symptoms	Unit	Explainability	Pass
<code>diagnose</code> is deterministic for the same input	Unit	Reliability requirement	Pass
<code>diagnose</code> de-duplicates repeated symptoms	Unit	Input hygiene	Pass
<code>diagnose</code> respects maxResults	Unit	Result capping	Pass

Table 6.1: Automated test suite, 15 of 15 passing.

6.3 Acceptance Test Cases

ID	Scenario	Expected outcome	Result
T1	Submit a valid symptom set	Ranked conditions and specialist returned	Pass
T2	Submit an empty symptom list	400 with a clear validation message	Pass
T3	Request providers with valid coordinates	Ranked nearby providers returned	Pass
T4	Deny location permission	Flow continues with symptom and specialist guidance	Pass
T5	Simulate network failure on the client	Readable error with retry, no crash	Pass
T6	Complete journey from symptoms to providers	Workflow completes without data loss	Pass

Table 6.2: Acceptance test cases.

6.4 Ranking Evaluation

The automated suite verifies that scoring is arithmetically correct, but not that the ranking is useful. To assess that, twelve symptom vignettes were constructed, one per condition, each listing the symptoms a person with that condition would plausibly report. Each vignette was passed through the engine and the rank of the expected condition was recorded.

Vignette (expected condition)	Symptoms	Engine's top result	Confidence	Rank of expected
Malaria	4	Malaria	70.0%	1
Common Cold	4	Common Cold	76.3%	1
Influenza	5	Influenza (Flu)	77.3%	1
COVID-19	4	COVID-19	67.4%	1
Migraine	3	Migraine	67.6%	1
Gastroenteritis	4	Gastroenteritis	87.9%	1
Asthma	4	Asthma	100.0%	1
Pneumonia	4	Pneumonia	73.7%	1
Urinary tract infection	3	Urinary Tract Infection	88.0%	1
Conjunctivitis	3	Conjunctivitis (Pink Eye)	50.0%	1
Tonsillitis	4	Tonsillitis	100.0%	1
Dengue fever	5	Dengue Fever	87.8%	1

Table 6.3: Ranking evaluation over twelve symptom vignettes.

The expected condition ranked first in 12 of 12 vignettes, giving a top-1 and top-3 hit rate of 100 per cent on this set.

That number must be read with its limitation stated clearly. The vignettes were written by the author from the same knowledge base the engine scores against, so this measures the engine's internal consistency, not its clinical accuracy. It establishes that the weighting and ranking behave as designed for characteristic symptom sets; it does not establish that the rule set is medically correct. Only the clinical review recommended in Section 8.2 can do that, and until it happens the application remains a guidance tool.

6.5 Non-Functional Verification

Reliability is verified directly by the determinism test, which asserts that identical input produces identical output. Performance was observed on the emulator against a local backend, where diagnosis responses returned well within the few-seconds target; the engine itself completes in under a millisecond, as the unit-test timings show, so latency is dominated by network and rendering rather than by inference. Graceful degradation is verified by test T4, in which denying location permission still yields symptom and specialist guidance rather than an error state. Maintainability was demonstrated in practice: conditions were added to the knowledge base during development without a single change to engine code.

Chapter Seven: Results and Discussion

7.1 Objectives Achieved

Objective	Outcome	Evidence
Mobile app returning ranked conditions	Achieved	Figures 5.2 and 5.3; integration tests
Rule-based diagnostic engine	Achieved for internal consistency	Section 5.3; nine unit tests; Table 6.3
Specialist recommendation module	Achieved	Diagnose response; Table 6.1
Location-based provider recommendation	Achieved	Figure 5.4; provider tests
Simple interface, accessibility untested	Partially achieved	Figures 5.1 to 5.5; no user testing conducted

Table 7.1: Achievement of the specific objectives.

Four of the five specific objectives were met in full. The second is met in the sense the project can evidence: the engine ranks the expected condition first on every vignette tested (Table 6.3), but “reasonable accuracy” in the clinical sense cannot be claimed without the validation set out in Section 8.2.

The fifth is reported as partially achieved, deliberately. The interface was built to the usability requirement and the complete journey was walked end to end, but the structured testing with users of varying digital literacy that the midterm committed to was not carried out. Screenshots and developer-run tests are evidence that the interface works; they are not evidence that it is accessible to the intended users. That distinction is preserved here rather than glossed over, and the outstanding work is listed in Section 8.2.

7.2 Discussion

The most important result is that explainability cost nothing in capability. The weighted rule base produced sensible rankings across the tested symptom sets while remaining fully inspectable: every percentage the user sees can be recomputed by hand from the knowledge base, as demonstrated in Section 5.3. In a domain where an unexplained recommendation may be ignored or, worse, trusted blindly, that property is worth more than a marginal accuracy gain from an opaque model.

The second result concerns architecture. Placing all reasoning behind an API boundary, and defining both the data store and the provider source as interchangeable implementations of a fixed interface, meant that the mock and live location paths could be switched by configuration alone. This is why the project could be developed and demonstrated reliably without incurring Maps billing, while remaining ready for real keys.

The third observation is about safety engineering. Attaching the disclaimer in central configuration rather than at each call site converts a discipline problem into a structural guarantee: no future endpoint can forget it. The same reasoning motivated making the engine pure, since the component with the highest consequence of failure became the easiest to test.

7.3 Limitations

Six limitations are stated plainly.

The knowledge base is educational and has not been reviewed by a qualified clinician, so the system must not be used for real medical decisions, and the evaluation in Section 6.4 measures internal consistency rather than clinical accuracy.

The query log is held in memory and does not survive a restart; the Firestore implementation remains a documented stub.

The prototype has no authentication, and query history is held in memory in the app rather than persisted, so it is lost when the application is closed.

Transport is not yet encrypted. The development build talks to the backend over plain HTTP, and HTTPS with certificate validation is required before any deployment.

The API, assessed against a production bar, still needs hardening: origin restriction, security headers, rate limiting on the unauthenticated endpoints, bounds on request payloads, and eviction policies for the in-memory cache and log.

Usability was not tested with users. The interface meets the stated usability requirement by construction, but the structured testing with participants of varying digital literacy promised at midterm was not conducted, so no claim of demonstrated accessibility is made.

Two smaller scope decisions are recorded for completeness. Free-text symptom entry, listed as a functional requirement at midterm, was descope in favour of structured selection so that every input maps unambiguously to a knowledge-base identifier. Offline operation was not implemented: every diagnosis is a network round trip, which follows from the decision to keep all reasoning server-side.

Chapter Eight: Conclusions

8.1 Conclusions

The project set out to close a specific gap: the absence of a tool that combines explainable symptom analysis, specialist routing, and localised provider recommendation in a form suited to low-connectivity, developing-region contexts. The delivered system does so end to end, and its behaviour is backed by an automated suite of 15 tests, all passing.

The rule-based approach proved to be the correct choice for this problem. It produced ranked, defensible results; it made the reasoning available to the user instead of hiding it; and it kept the highest-risk component small enough to test exhaustively. The three-tier architecture, with a thin client and swappable data and location tiers, kept the system adaptable: the data store and the provider source can each be replaced without touching engine, route, or interface code.

8.2 Recommendations

The immediate priority is security hardening of the API, since the system is otherwise feature-complete: restrict cross-origin access, add security headers, apply rate limiting to the unauthenticated endpoints, clamp request parameters, and bound the in-memory cache and query log. Next, implement the Firestore data store against the existing interface so the query log survives restarts, and wire live Maps credentials while keeping the key server-side. Clinical review of the knowledge base by a qualified practitioner should precede any real use, and the reviewer and date should be recorded. Beyond that, adding authentication would make history per-user, a continuous-integration pipeline would validate every change automatically, and multilingual and offline support would extend reach in the target context.

8.3 Closing Remarks

The system delivers a working, testable, and honest prototype: honest in that its limitations are documented as precisely as its capabilities, and that it tells every user, on every response, that it offers guidance rather than diagnosis. Acting on the recommendations above would carry it from a sound prototype to a deployable product.

References

Ada Health. (2024). *Ada: Your health companion*.

https://ada.comSMARTPANTS_PRESERVED_2082SMARTPANTS_PRESERVED_2083

Babylon Health. (2023). *Babylon: Digital-first healthcare*.

https://www.babylonhealth.comSMARTPANTS_PRESERVED_2088SMARTPANTS_PRESERVED_2089

Buoy Health. (2024). *Buoy Health: Check symptoms and find the right care*.

https://www.buoyhealth.comSMARTPANTS_PRESERVED_2094SMARTPANTS_PRESERVED_2095

Chambers, D., Cantrell, A. J., Johnson, M., Preston, L., Baxter, S. K., Booth, A., & Turner, J. (2019). Digital and online symptom checkers and health assessment/triage services for urgent health problems: Systematic review. *BMJ Open*, 9(8), e027743.

https://doi.org/10.1136/bmjopen-2018-027743SMARTPANTS_PRESERVED_2100SMARTPANTS_PRESERVED_2101

Google Developers. (2024). *Maps Platform documentation*.

https://developers.google.com/maps/documentationSMARTPANTS_PRESERVED_2106SMARTPANTS_PRESERVED_2107

K Health. (2024). *K Health: Primary care powered by AI*.

https://khealth.comSMARTPANTS_PRESERVED_2112SMARTPANTS_PRESERVED_2113

Semigran, H. L., Linder, J. A., Gidengil, C., & Mehrotra, A. (2015). Evaluation of symptom checkers for self-diagnosis and triage: Audit study. *BMJ*, 351, h3480.

https://doi.org/10.1136/bmj.h3480SMARTPANTS_PRESERVED_2118SMARTPANTS_PRESERVED_2119

Wallace, W., Chan, C., Chidambaram, S., Hanna, L., Iqbal, F. M., Acharya, A., Normahani, P., Ashrafian, H., Markar, S. R., Sounderajah, V., & Darzi, A. (2022). The diagnostic and triage accuracy of digital and online symptom checker tools: A systematic review. *npj Digital Medicine*, 5(1), 118. https://doi.org/10.1038/s41746-022-00667-wSMARTPANTS_PRESERVED_2124SMARTPANTS_PRESERVED_2125

WebMD. (2024). *Symptom checker*.

https://symptoms.webmd.comSMARTPANTS_PRESERVED_2130SMARTPANTS_PRESERVED_2131

World Health Organization. (2021). *Global strategy on digital health 2020-2025*.

https://www.who.int/publications/i/item/9789240020924SMARTPANTS_PRESERVED_2136SMARTPANTS_PRESERVED_2137

World Health Organization. (2023). *Primary health care*. https://www.who.int/health-topics/primary-health-careSMARTPANTS_PRESERVED_2142SMARTPANTS_PRESERVED_2143

Appendices

Appendix A: Repository

The complete source code, including the backend, the mobile client, the design figures, and the report sources, is available at github.com/AmyNjau/SWE3090XA-Project.

Appendix B: Running the System

The backend is started from the `backend/` directory with `npm run setup` followed by `npm start`, which serves the API on port 3000. The mobile client is run against it with the API base URL supplied at build time. Full instructions are held in `LAUNCH.md` in the repository.

Appendix C: Knowledge Base Coverage

The delivered knowledge base covers 15 conditions: [malaria](#), [common cold](#), [influenza](#), [COVID-19](#), [migraine](#), [gastroenteritis](#), [hypertension](#), [asthma](#), [allergic rhinitis](#), [pneumonia](#), [urinary tract infection](#), [tonsillitis](#), [dengue fever](#), [typhoid fever](#), and [conjunctivitis](#). These are mapped across 9 specialist types through 35 distinct symptoms.