PRINTABLE / BLANK ASSESSMENT RECORD

Windows 11 Home Assessment Workbook

Use with the Windows 11 Home implementation guide

WINDOWS 11 HOME | Version 1.0.0 | Author: Amyashi

Use with the matching guide	This workbook follows the Windows 11 Home guide in the same order. Do not use it with the other edition.
Never write secrets	Do not record recovery keys, passwords, tokens, raw logs, unredacted paths, account names, serials, addresses, or device identifiers.

Assessment instructions

Device label: _____ Assessment owner: _____
Start date: _____ Scope/exclusions: _____

Complete cards in numerical order. A configured value is not PASS until the matching guide verification and required workflows pass.

STATE	USE IT ONLY WHEN
NOT ASSESSED	No current conclusion has been reached.
OBSERVED	A current value was seen, but effectiveness was not proved.
CONFIGURED	The intended setting was selected, but runtime effect or compatibility was not proved.
PASS	The stated target and test passed with a date and minimal evidence.
HOLD	A prerequisite, ownership question, instability, or safety issue blocks work.
EXCEPTION	A scoped, owned, time-bounded deviation has been accepted and scheduled for review.
N/A	A documented edition, hardware, or use-case reason makes the item unavailable or irrelevant.

Restart record For every restart-dependent change, stop at the reboot gate, verify the one change, run affected workflows, and record the result before continuing.

Ordered step record

Use one card per guide step. Preserve sensitive supporting evidence outside this printable record.

STEP 01 - Confirm edition, authority, and a stable starting point GOV-01, OPS-03, PLT-01 | P0 | INITIAL STATUS: NOT ASSESSED	
Result: _____	**Date:** _____
Prior state: _____	**New state:** _____
Restart completed: _____	**Owner:** _____
Sanitized result / evidence reference:	**HOLD / exception / rollback:**
Required workflows: _____	**Next review:** _____

STEP 02 - Create the minimal evidence and change record GOV-02, OPS-02 | P0 | INITIAL STATUS: NOT ASSESSED	
Result: _____	**Date:** _____
Prior state: _____	**New state:** _____
Restart completed: _____	**Owner:** _____
Sanitized result / evidence reference:	**HOLD / exception / rollback:**
Required workflows: _____	**Next review:** _____

STEP 03 - Make and test an independent backup REC-01 | P0 | INITIAL STATUS: NOT ASSESSED	
Result: _____	**Date:** _____
Prior state: _____	**New state:** _____
Restart completed: _____	**Owner:** _____
Sanitized result / evidence reference:	**HOLD / exception / rollback:**
Required workflows: _____	**Next review:** _____

STEP 04 - Prove encryption recovery, Windows RE, and recovery administration REC-02, REC-03, ID-01 | P0 | INITIAL STATUS: NOT ASSESSED	
Result: _____	**Date:** _____
Prior state: _____	**New state:** _____
Restart completed: _____	**Owner:** _____
Sanitized result / evidence reference:	**HOLD / exception / rollback:**
Required workflows: _____	**Next review:** _____

STEP 05 - Define the tests that every material change must pass OPS-02, PERF-01, PERF-02 | P0 | INITIAL STATUS: NOT ASSESSED	
Result: _____	**Date:** _____
Prior state: _____	**New state:** _____
Restart completed: _____	**Owner:** _____
Sanitized result / evidence reference:	**HOLD / exception / rollback:**
Required workflows: _____	**Next review:** _____

STEP 06 - Capture the minimum platform inventory PLT-01, PLT-02, PLT-03, PLT-04, PLT-05 | P1 | INITIAL STATUS: NOT ASSESSED	
Result: _____	**Date:** _____
Prior state: _____	**New state:** _____
Restart completed: _____	**Owner:** _____
Sanitized result / evidence reference:	**HOLD / exception / rollback:**
Required workflows: _____	**Next review:** _____

STEP 07 - Install supported Windows, Defender, Store, and application updates PLT-01, DEF-01 | P1 | INITIAL STATUS: NOT ASSESSED	
Result: _____	**Date:** _____
Prior state: _____	**New state:** _____
Restart completed: _____	**Owner:** _____
Sanitized result / evidence reference:	**HOLD / exception / rollback:**
Required workflows: _____	**Next review:** _____

STEP 08 - Service firmware only from the exact-model source PLT-05, OPS-02 | P1 | INITIAL STATUS: NOT ASSESSED	
Result: _____	**Date:** _____
Prior state: _____	**New state:** _____
Restart completed: _____	**Owner:** _____
Sanitized result / evidence reference:	**HOLD / exception / rollback:**
Required workflows: _____	**Next review:** _____

STEP 09 - Establish Home platform trust PLT-02, PLT-03, PLT-04 | P0/P2 | INITIAL STATUS: NOT ASSESSED	
Result: _____	**Date:** _____
Prior state: _____	**New state:** _____
Restart completed: _____	**Owner:** _____
Sanitized result / evidence reference:	**HOLD / exception / rollback:**
Required workflows: _____	**Next review:** _____

STEP 10 - Separate daily work from administration and keep UAC visible ID-01, ID-03, REC-03 | P1 | INITIAL STATUS: NOT ASSESSED	
Result: _____	**Date:** _____
Prior state: _____	**New state:** _____
Restart completed: _____	**Owner:** _____
Sanitized result / evidence reference:	**HOLD / exception / rollback:**
Required workflows: _____	**Next review:** _____

STEP 11 - Strengthen sign-in and independent account recovery ID-02 | P1 | INITIAL STATUS: NOT ASSESSED	
Result: _____	**Date:** _____
Prior state: _____	**New state:** _____
Restart completed: _____	**Owner:** _____
Sanitized result / evidence reference:	**HOLD / exception / rollback:**
Required workflows: _____	**Next review:** _____

STEP 12 - Enable Home Device Encryption when the device supports it PLT-06, REC-02 | P1 | INITIAL STATUS: NOT ASSESSED	
Result: _____	**Date:** _____
Prior state: _____	**New state:** _____
Restart completed: _____	**Owner:** _____
Sanitized result / evidence reference:	**HOLD / exception / rollback:**
Required workflows: _____	**Next review:** _____

STEP 13 - Establish a healthy antimalware foundation DEF-01, DEF-02, DEF-03, DEF-04 | P1 | INITIAL STATUS: NOT ASSESSED	
Result: _____	**Date:** _____
Prior state: _____	**New state:** _____
Restart completed: _____	**Owner:** _____
Sanitized result / evidence reference:	**HOLD / exception / rollback:**
Required workflows: _____	**Next review:** _____

STEP 14 - Turn on reputation protection and keep application defaults APP-01 | P1 | INITIAL STATUS: NOT ASSESSED	
Result: _____	**Date:** _____
Prior state: _____	**New state:** _____
Restart completed: _____	**Owner:** _____
Sanitized result / evidence reference:	**HOLD / exception / rollback:**
Required workflows: _____	**Next review:** _____

STEP 15 - Keep every Windows Firewall profile enabled NET-01 | P1 | INITIAL STATUS: NOT ASSESSED	
Result: _____	**Date:** _____
Prior state: _____	**New state:** _____
Restart completed: _____	**Owner:** _____
Sanitized result / evidence reference:	**HOLD / exception / rollback:**
Required workflows: _____	**Next review:** _____

STEP 16 - Remove unused Home remote-support and management paths NET-02 | P1 | INITIAL STATUS: NOT ASSESSED	
Result: _____	**Date:** _____
Prior state: _____	**New state:** _____
Restart completed: _____	**Owner:** _____
Sanitized result / evidence reference:	**HOLD / exception / rollback:**
Required workflows: _____	**Next review:** _____

STEP 17 - Remove SMB1 and refuse insecure guest access NET-03 | P1 | INITIAL STATUS: NOT ASSESSED	
Result: _____	**Date:** _____
Prior state: _____	**New state:** _____
Restart completed: _____	**Owner:** _____
Sanitized result / evidence reference:	**HOLD / exception / rollback:**
Required workflows: _____	**Next review:** _____

STEP 18 - Document DNS and network transitions NET-04 | P2 | INITIAL STATUS: NOT ASSESSED	
Result: _____	**Date:** _____
Prior state: _____	**New state:** _____
Restart completed: _____	**Owner:** _____
Sanitized result / evidence reference:	**HOLD / exception / rollback:**
Required workflows: _____	**Next review:** _____

STEP 19 - Review and narrow security exceptions before advanced controls OPS-01 | P1 | INITIAL STATUS: NOT ASSESSED	
Result: _____	**Date:** _____
Prior state: _____	**New state:** _____
Restart completed: _____	**Owner:** _____
Sanitized result / evidence reference:	**HOLD / exception / rollback:**
Required workflows: _____	**Next review:** _____

STEP 20 - Stage the vulnerable-driver blocklist and Memory integrity APP-02, PLT-04, PERF-01, PERF-02, OPS-02 | P2 | INITIAL STATUS: NOT ASSESSED	
Result: _____	**Date:** _____
Prior state: _____	**New state:** _____
Restart completed: _____	**Owner:** _____
Sanitized result / evidence reference:	**HOLD / exception / rollback:**
Required workflows: _____	**Next review:** _____

Independent informational aid | CC BY-NC-ND 4.0 controlled-author terms in LICENSE.md | Do not record secrets

STEP 21 - Deploy Attack Surface Reduction rules one at a time DEF-05, OPS-02 | P2 | INITIAL STATUS: NOT ASSESSED	
Result: _____	**Date:** _____
Prior state: _____	**New state:** _____
Restart completed: _____	**Owner:** _____
Sanitized result / evidence reference:	**HOLD / exception / rollback:**
Required workflows: _____	**Next review:** _____

STEP 22 - Stage Controlled Folder Access DEF-06, OPS-02, PERF-02 | P2 | INITIAL STATUS: NOT ASSESSED	
Result: _____	**Date:** _____
Prior state: _____	**New state:** _____
Restart completed: _____	**Owner:** _____
Sanitized result / evidence reference:	**HOLD / exception / rollback:**
Required workflows: _____	**Next review:** _____

STEP 23 - Keep local logging proportionate and privacy-aware LOG-01, LOG-02, LOG-03 | P2 | INITIAL STATUS: NOT ASSESSED	
Result: _____	**Date:** _____
Prior state: _____	**New state:** _____
Restart completed: _____	**Owner:** _____
Sanitized result / evidence reference:	**HOLD / exception / rollback:**
Required workflows: _____	**Next review:** _____

Independent informational aid | CC BY-NC-ND 4.0 controlled-author terms in LICENSE.md | Do not record secrets

STEP 24 - Run final acceptance and schedule reassessment OPS-01, OPS-02, OPS-03, OPS-04, PERF-01, PERF-02 | P1 | INITIAL STATUS: NOT ASSESSED	
Result: _____	**Date:** _____
Prior state: _____	**New state:** _____
Restart completed: _____	**Owner:** _____
Sanitized result / evidence reference:	**HOLD / exception / rollback:**
Required workflows: _____	**Next review:** _____

Final sign-off summary

Complete this only after the final guide acceptance step. Keep sensitive supporting evidence outside this workbook.

Overall disposition	PASS / HOLD / EXCEPTION: _____
Unresolved steps, controls, or exception references	
Reviewed / approved by	_____ Date: _____
Next reassessment	Date or event trigger: _____

Home edition-excluded register

These capabilities are preclassified as outside the Home procedure. Do not spend assessment time trying to enable them.

CONTROL / COMPONENT	NOT IN THE HOME PROCEDURE	WHY
DEF-07	Microsoft Defender Network Protection	Microsoft currently lists Windows 10/11 Pro or Enterprise, not Home, in the Windows requirements.
PLT-04 component	Kernel DMA Protection	Microsoft's edition table lists Pro and higher. Home still evaluates CPU virtualization, VBS, and Memory integrity.
PLT-06 component	BitLocker Drive Encryption management	Home uses Device Encryption when the device supports it. The full BitLocker management workflow is Pro and higher.
NET-02 component	Incoming Remote Desktop host	Home can be a Remote Desktop client but cannot host incoming Remote Desktop sessions.
LOG-02 component	Pro Local Group Policy command-line capture workflow	The Home path does not prescribe the Pro Local Group Policy method. Command-line capture remains off by default.

Exception and review register

Every retained exception needs an exact scope, owner, reason, compensating measure where useful, approval date, and next review.

STEP / CONTROL	EXACT SCOPE AND REASON	OWNER / APPROVAL	NEXT REVIEW