WINDOWS 11 ACTION RUNBOOK

LG Monitor Companion-Software Cleanup and Recurrence Mitigation

11
HOME

Windows 11 Home Edition
Preflight -> confirm exact LG package -> remove -> restart -> verify
Home path: cleanup, recurrence reduction, verification and recovery

Author: Amyashi | v1.0.0 | Reviewed 29 July 2026

Home status: documentation-derived and structurally validated; not field-tested on Windows 11 Home.

Independent, unofficial and unaffiliated; not endorsed by LG or Microsoft; not support, certification or a guarantee. Guide materials: CC BY-NC-ND 4.0; see LICENSE.md.

Core path

0. Preflight and capture state
1. Apply this edition's metadata control
2. Remove only the exact LG package
2A. Decide about LG OnScreen Control separately
3. Restart once and verify
4. Stop when every core result passes

Home boundary

Windows 11 Home does not include the tested local AppLocker-management path used in the Pro guide. Do not install third-party Group Policy or Local Security Policy hacks. Use the failure ladder if the package returns.

READ BEFORE USE

Use only on a personally administered PC or with the responsible administrator's approval. All-user package removal affects every current user and future-user provisioning and requires reinstallation to undo. Confirm that no firmware update is running and that a working remote, physical control path or accepted loss of software-only controls exists.

DOCUMENTED EXAMPLE AND ELIGIBILITY

Home validation status: This edition is documentation-derived and structurally validated, but has not been field-tested on a Windows 11 Home machine. Confirm each effective result locally and stop on mismatch. This procedure was developed from an LG 45GR95QE-B case involving the Microsoft Store product **LG Monitor App Installer** (Store ID `9PM9N6F47JB8`, package `LGElectronics.LGMonitorApp`) and the separate LG OnScreen Control desktop application. Other LG monitor models can use different software or delivery paths. Confirm the exact model's official LG support page and stop if the exact package is absent, its Store publisher is not LG Electronics Inc., or a different LG-named package appears. Never substitute another package name into these commands. [25] [23]

1. Step 0 - preflight and preserve the before-state

Complete this page before changing Windows. Keep the same elevated PowerShell window open through the cleanup step.

PHYSICAL AND RECOVERY CHECK

Confirm that **no LG monitor firmware update is running**. Record the exact monitor model and open its official LG support page. Confirm a working remote or physical control path, or deliberately accept losing software-only controls. Policy backups do not reinstall removed software. [23] [24]

A - CONFIRM EDITION, ADMINISTRATOR AND DOMAIN STATE

```
# Run in Windows PowerShell 5.1 as Administrator.
$ErrorActionPreference = 'Stop'
$ExpectedEdition = 'Windows 11 Home'
$Os = Get-CimInstance Win32_OperatingSystem
$Computer = Get-CimInstance Win32_ComputerSystem
$Identity = [Security.Principal.WindowsIdentity]::GetCurrent()
$Principal = [Security.Principal.WindowsPrincipal]$Identity
$IsAdmin = $Principal.IsInRole(
    [Security.Principal.WindowsBuiltInRole]::Administrator)
[pscustomobject]@{
    WindowsEdition = $Os.Caption
    Version = $Os.Version
    Build = $Os.BuildNumber
    Administrator = $IsAdmin
    DomainJoined = $Computer.PartOfDomain
}
if (-not $IsAdmin) { throw 'STOP: reopen PowerShell as Administrator.' }
if ($Computer.PartOfDomain) { throw 'STOP: use the managed-device workflow.' }
if ($Os.Caption -notmatch [regex]::Escape($ExpectedEdition)) {
    throw "STOP: this is the $ExpectedEdition guide; detected $($Os.Caption)."
}
$RunId = '{0}-{1}' -f (Get-Date -Format 'yyyyMMdd-HHmmss'),
    ([guid]::NewGuid().ToString('N').Substring(0,8))
$RunDir = Join-Path ([Environment]::GetFolderPath('Desktop')) "LG-Run-$RunId"
New-Item -ItemType Directory -Path $RunDir -ErrorAction Stop | Out-Null
$RunDir
```

B - CAPTURE THE EXACT CORE BEFORE-STATE

```
$Package = 'LGElectronics.LGMonitorApp'
$Types = 'Main','Framework','Resource','Bundle','Optional'
Start-Process SystemPropertiesHardware.exe
# Hardware > Device Installation Settings: note the selected Yes/No option.
$HomeChoice = Read-Host 'Type the exact selected Yes/No option'
if ([string]::IsNullOrWhiteSpace($HomeChoice)) {
    throw 'STOP: record the Home preference before continuing.'
}
[pscustomobject]@{ DeviceInstallationSettingsChoice = $HomeChoice } |
    Export-Clixml "$RunDir\Device-Installation-Settings-Before.clixml"
Get-AppxPackage -AllUsers -Name $Package -PackageTypeFilter $Types |
    Export-Clixml "$RunDir\Registered-Before.clixml"
Get-AppxProvisionedPackage -Online |
    Where-Object DisplayName -eq $Package |
    Export-Clixml "$RunDir\Provisioned-Before.clixml"
Get-MpPreference | Select-Object PUAProtection |
    Export-Clixml "$RunDir\Defender-Before.clixml"
Get-ChildItem -LiteralPath $RunDir |
    Select-Object Name,Length,LastWriteTime
```

GO / STOP

Open every saved file, then copy the complete `LG-Run-...` folder to separate administrator-controlled storage. Record the current Device Installation Settings choice before changing it. Open **Settings > Accounts > Access work or school**. Continue only when the edition matches this guide, Administrator is True, DomainJoined is False, no organization manages the PC, the recovery copy opens, and the exact Store product and publisher have been confirmed. Unknown package or publisher identity means stop.

2. Step 1 - reduce metadata-associated app retrieval

Use the Windows 11 Home Device Installation Settings preference, then reopen it to verify the saved choice.

DO THIS - WINDOWS 11 HOME

1. Run `SystemPropertiesHardware.exe` or open Control Panel > System > Advanced system settings > Hardware.
2. Select **Device Installation Settings**.
3. Choose the option that does not automatically download manufacturer apps and custom icons, then save.
4. Reopen the dialog and confirm that the choice persisted. [27]

EXPECTED RESULT AND UNDO

Pass: the dialog reopens with the chosen preference still selected. This is not the Pro policy and no Pro registry value is expected.

Undo: reopen the same dialog and restore the exact choice recorded in Step 0.

Restart? Not yet. Continue to package cleanup.

CONTROL BOUNDARY

The Home control is a broader, weaker user preference; it is not equivalent to the documented Pro policy. Neither control is a universal block for Microsoft Store/manual acquisition, Windows Update drivers, OEM provisioning, Driver Package Container Metadata, driver-INF `AddSoftware` or conventional Win32 installers. Microsoft also marks the legacy device-metadata path as deprecated. [21] [26] [22]

3. Step 2 - remove the exact LG package

This Windows 11 Home procedure targets only LGElectronics.LGMonitorApp. Zero packages at the start means already clean, not an error.

IDENTITY AND RECOVERY GATE

Before running removal, open Microsoft Store product `9PM9N6F47JB8` and confirm **LG Monitor App Installer**, publisher **LG Electronics Inc.** The command then displays the exact installed name, publisher, publisher ID, family and full package identity before asking for `REMOVE`. It fails closed unless the registered signer is `CN=4A5401D9-32C2-486E-A8CB-EFECB124AF89`, the publisher ID is `cfnzzhwkr8z5w` and the family is `LGElectronics.LGMonitorApp_cfnzzhwkr8z5w`. These are tested identity values, not a promise about a future LG release. Stop and revalidate if the Store reference or any installed identity differs, or if another LG package appears. This is an all-user action: it removes registrations for current users and provisioning for future users. Never substitute another package name, delete WindowsApps files manually, or reinstall an absent package merely to create a rule. [25] [09] [10]

A - REMOVE EXISTING REGISTRATIONS AND FUTURE-USER PROVISIONING

```
$Package = 'LGElectronics.LGMonitorApp'
$ExpectedPublisher = 'CN=4A5401D9-32C2-486E-A8CB-EFECB124AF89'
$ExpectedPublisherId = 'cfnzzhwkr8z5w'
$ExpectedFamily = "${Package}_${ExpectedPublisherId}"
$Types = 'Main','Framework','Resource','Bundle','Optional'
$Targets = @(Get-AppxPackage -AllUsers -Name $Package `
    -PackageTypeFilter $Types -ErrorAction Stop)
$Provisioned = @(Get-AppxProvisionedPackage -Online -ErrorAction Stop |
    Where-Object DisplayName -eq $Package)
$Targets | Select-Object Name,Publisher,PublisherId,PackageFamilyName,PackageFullName
$Provisioned | Select-Object DisplayName,PublisherId,PackageName
if ($Targets.Count -eq 0 -and $Provisioned.Count -eq 0) {
    'Already clean: no registered or provisioned target was found.'
} else {
    if (@($Targets | Where-Object {
        $_.Publisher -ne $ExpectedPublisher -or
        $_.PublisherId -ne $ExpectedPublisherId -or
        $_.PackageFamilyName -ne $ExpectedFamily
    }).Count -gt 0) {
        throw 'STOP: registered signer or package family is not the tested identity.'
    }
    if (@($Provisioned | Where-Object {
        $_.PublisherId -ne $ExpectedPublisherId
    }).Count -gt 0) {
        throw 'STOP: provisioned publisher ID is not the tested identity.'
    }
    $Confirm = Read-Host "Type REMOVE to remove only $Package from all users"
    if ($Confirm -cne 'REMOVE') { throw 'STOP: removal was not confirmed.' }
    if ($Targets.Count -gt 0) {
        $Bundles = @(Get-AppxPackage -AllUsers -Name $Package `
            -PackageTypeFilter Bundle -ErrorAction Stop)
        $Mains = @(Get-AppxPackage -AllUsers -Name $Package `
            -PackageTypeFilter Main -ErrorAction Stop)
        $Parents = if ($Bundles.Count -gt 0) { $Bundles } else { $Mains }
        if ($Parents.Count -eq 0) {
            throw 'STOP: child packages exist without a removable parent.'
        }
        $Parents | Sort-Object PackageFullName -Unique | ForEach-Object {
            Remove-AppxPackage -Package $_.PackageFullName -AllUsers `
                -ErrorAction Stop
        }
    }
    $Provisioned | ForEach-Object {
        Remove-AppxProvisionedPackage -Online -AllUsers `
            -PackageName $_.PackageName -ErrorAction Stop | Out-Null
    }
}
```

B - VERIFY BOTH STORES OF PACKAGE STATE

```
$Package = 'LGElectronics.LGMonitorApp'
$Types = 'Main','Framework','Resource','Bundle','Optional'
$Registered = @(Get-AppxPackage -AllUsers -Name $Package `
    -PackageTypeFilter $Types -ErrorAction Stop)
$Provisioned = @(Get-AppxProvisionedPackage -Online -ErrorAction Stop |
    Where-Object DisplayName -eq $Package)
[pscustomobject]@{
    RegisteredPackageCount = $Registered.Count
    ProvisionedPackageCount = $Provisioned.Count
}
```

STEP 2A - DECIDE ABOUT LG ONSCREEN CONTROL

Action: Keep OnScreen Control if you use it for firmware, presets or settings. Remove it only through **Settings > Apps > Installed apps**, only when no firmware update is running and another accepted control path works.

Expected result: the chosen remote, physical or software control path works and no firmware update was interrupted.

Restart: no separate restart now; continue to Step 3.

If it fails / undo: stop. Reinstall only the official model-specific LG version, then retest the functions you use. [24] [23]

PASS RESULT

Both counts are **0**. Registered removal clears existing users; provisioning removal clears the online image used for future users. Both checks are required. [10] [11] [12]

4. Step 3 - restart once, then verify

Restart Windows now. Sign in normally, wait for the desktop to settle, then run the block in an elevated Windows PowerShell 5.1 window.

POST-RESTART CORE VERIFICATION

```
$Package = 'LGElectronics.LGMonitorApp'
$Types = 'Main','Framework','Resource','Bundle','Optional'
$Registered = @(Get-AppxPackage -AllUsers -Name $Package `
    -PackageTypeFilter $Types -ErrorAction Stop)
$Provisioned = @(Get-AppxProvisionedPackage -Online -ErrorAction Stop |
    Where-Object DisplayName -eq $Package)
[pscustomobject]@{
    WindowsEdition = (Get-CimInstance Win32_OperatingSystem).Caption
    RegisteredPackageCount = $Registered.Count
    ProvisionedPackageCount = $Provisioned.Count
    DefenderRealTime = (Get-MpComputerStatus).RealTimeProtectionEnabled
}
```

CHECK	WINDOWS 11 HOME PASS	IF IT DOES NOT MATCH
Registered package	0	Return to Section 3; display identity again and stop on any mismatch.
Provisioned package	0	Return to Section 3; do not delete WindowsApps files manually.
Metadata control	Recorded Home preference is still selected	Return to Section 2 and restore or reapply through the same control surface.
Defender health	True when Microsoft Defender is the active antivirus	Identify the active antivirus authority before changing PUA settings.
Monitor baseline	Every recorded function actually used still works	Restore only the smallest changed layer; use Section 7.

Everything passed

Stop here. The core mitigation is complete. Do not add third-party policy tools or change Defender without a documented requirement. Record the date and keep the recovery folder.

Something failed

Continue to the failure ladder on the next page. Preserve the exact output and time. Do not repeat removal blindly, add broad exclusions or delete application folders.

FUNCTIONAL MONITOR CHECK

Compare against the pre-change baseline for this exact LG model: native resolution, intended maximum refresh rate, adaptive sync if supported, HDR if supported and used, audio, USB hub or KVM, input switching, firmware access and the chosen remote/physical/software control path. A clean package count is not a pass if a used monitor function was unintentionally lost.

5. Use the failure ladder - do not skip ahead

Choose the row matching the observed result. Windows 11 Home uses the documented cleanup and verification path; do not add unofficial policy tools.

OBSERVED RESULT	NEXT ACTION	DECISION GATE
Registered or provisioned count is nonzero	Display package name, publisher, type and full name again. Close the app; confirm other users are signed out; rerun only the exact removal block.	Still nonzero: stop and inspect package state. Never delete WindowsApps manually.
The exact package returns later	Record the time, edition, package identity and observed delivery path. Reopen Device Installation Settings and confirm the recorded Home preference persisted.	Remove only the reconfirmed exact package again. If recurrence continues, collect the time and source and contact LG or Microsoft support. Do not install Group Policy or Local Security Policy hacks.
A different LG-named package appears	Stop. Record its full name, family, publisher and delivery time.	Do not substitute its name into this guide. Use the exact monitor model's official LG support page and obtain product-specific guidance.
OnScreen Control was needed	Use the official LG support source to reinstall the intended version.	Recheck firmware/settings access and the full monitor functional baseline.
A different app or device is affected	Restore the edition-specific metadata setting through the same control plane used to change it.	Restart and verify the recorded before-state.
DefenderRealTime is False	Check whether another antivirus is active or the PC is managed.	Do not change PUA settings until the antivirus authority is understood. [14]

HOME EDITION BOUNDARY

Microsoft documents AppLocker support on current Windows 11 editions, but this guide deliberately omits the tested local authoring workflow because standard Home installations cannot be assumed to include the required local console and cmdlets. Do not install third-party Group Policy, Local Security Policy or AppLocker hacks. A returning package is evidence to trace the delivery path, not permission to improvise an enforcement rule. [02] [03]

6. Detached option - Defender PUA protection

Stop after the core path passes. This separate, general Windows control is not LG-specific and is not required for package cleanup.

STOP CONDITIONS - READ BEFORE THE COMMAND

Skip this change when another antivirus is active, Defender is passive, policy is organization-managed, Tamper Protection prevents the write or compatibility is unclear. Do not add broad game-library or application exclusions as a substitute for investigating a specific detection. [13] [14]

CHECK FIRST; NEVER WEAKEN AN ALREADY ENABLED STATE

```
$RunDir = '<paste exact LG-Run-... folder path>'
$AuditStartPath = Join-Path $RunDir 'PUA-Audit-Started.clixml'
$Status = Get-MpComputerStatus
$Before = (Get-MpPreference).PUAProtection
$Status | Select-Object AMRunningMode,AntivirusEnabled,
    RealTimeProtectionEnabled
[pscustomobject]@{ PUAProtection = $Before }
# Decision:
# 1: keep blocking; 2: keep Audit; 0: stage Audit only if active/unmanaged.
# Preserve the first audit-start timestamp across reruns.
if ($Before -in 0,2 -and
    -not (Test-Path -LiteralPath $AuditStartPath)) {
    [pscustomobject]@{ Captured=Get-Date; PUAProtection=[int]$Before } |
        Export-Clixml $AuditStartPath
}
if ($Before -eq 0 -and $Status.AMRunningMode -eq 'Normal' -and
    $Status.AntivirusEnabled -and $Status.RealTimeProtectionEnabled) {
    Set-MpPreference -PUAProtection AuditMode
}
(Get-MpPreference).PUAProtection
```

VALUE	MEANING	ACTION
0	Disabled	If Defender is active and unmanaged, Audit mode is the cautious first change.
1	Enabled / blocking	Pass. Keep it. Do not lower it to reproduce this guide.
2	Audit mode	Keep it while testing. Review only events created after the recorded audit start.

IF VALUE IS 2, TEST NORMAL USE, THEN REVIEW ONLY NEW AUDIT EVENTS

```
$RunDir = '<paste exact LG-Run-... folder path>'
$AuditStartPath = Join-Path $RunDir 'PUA-Audit-Started.clixml'
if (-not (Test-Path -LiteralPath $AuditStartPath)) {
    throw 'STOP: the audit-start record is missing.'
}
$Start = (Import-Clixml $AuditStartPath).Captured
if ($null -eq $Start) { throw 'STOP: invalid audit-start record.' }
Get-WinEvent -FilterHashtable @{
    LogName='Microsoft-Windows-Windows Defender/Operational'
    Id=1160
    StartTime=$Start
} -ErrorAction SilentlyContinue |
    Select-Object TimeCreated,Id,Message
```

ONLY AFTER A CLEAN AUDIT: ENABLE, UPDATE, SCAN AND VERIFY

```
Set-MpPreference -PUAProtection Enabled
Update-MpSignature
$ScanRequested = Get-Date
Start-MpScan -ScanType QuickScan
$Status = Get-MpComputerStatus
[pscustomobject]@{
    PUAProtection = (Get-MpPreference).PUAProtection
    QuickScanEndTime = $Status.QuickScanEndTime
    FreshScanCompleted = $Status.QuickScanEndTime -ge $ScanRequested
}
```

Expected result, restart and recovery

`PUAProtection = 1` and `FreshScanCompleted = True`. No restart is normally required; follow any Windows Security prompt. If either result fails, remain in Audit mode or restore the recorded prior value in Rollback. Smart App Control is separate; this guide neither requires nor changes it.

7. Rollback - reverse the smallest layer first

Rollback should restore the recorded before-state, not merely make an error disappear. Removed applications require reinstallation.

PROBLEM	FIRST RECOVERY ACTION	PASS RESULT
Metadata side effect	Reopen Device Installation Settings and restore the exact choice recorded before the change.	The recorded setting and affected peripheral workflow return.
PUA compatibility issue	Run the exact-state restore block. Do not create a broad exclusion.	PUAProtection equals the value recorded before the guide.
Needed LG function was removed	Reinstall only the intended application from the recorded official LG source.	Firmware/settings access works; package state is re-inventoried. [23]

RESTORE THE EXACT PRIOR DEFENDER PUA VALUE

```
$RunDir = '<paste exact LG-Run-... folder path>'
$Before = Import-Clixml "$RunDir\Defender-Before.clixml"
Set-MpPreference -PUAProtection ([int]$Before.PUAProtection)
(Get-MpPreference).PUAProtection
```

HOME RECOVERY BOUNDARY

Do not install policy editors or security-policy hacks to reproduce the Pro rollback. Restore only the Home preference, Defender value or LG software layer actually changed, then restart only when the affected workflow requires it.

8. Authoritative references

Microsoft and LG primary documentation reviewed for guide version 1.0.0 on 29 July 2026. Current vendor documentation takes precedence if it changes.

#	SOURCE	URL
02	AppLocker requirements and supported Windows editions	Open official source
03	KB5024351: removal of Windows edition checks for AppLocker	Open official source
09	Get-AppxPackage	Open official source
10	Remove-AppxPackage	Open official source
11	Get-AppxProvisionedPackage	Open official source
12	Remove-AppxProvisionedPackage	Open official source
13	Detect and block potentially unwanted applications	Open official source
14	Microsoft Defender Antivirus compatibility modes	Open official source
21	Automatic installation for UWP device apps	Open official source
22	INF AddSoftware directive	Open official source
23	LG product support, manuals, software and drivers	Open official source
24	LG Monitor OnScreen Control: update monitor software	Open official source
25	Microsoft Store: LG Monitor App Installer	Open official source
26	Driver Package Container Metadata	Open official source
27	System Configuration tools in Windows	Open official source