

# Jekyll Documentation Theme for Writers


version 3.0

*Last generated: September 13, 2015*

---









## PDF Download

If you would like to download this help file as a PDF, you can do so here. The PDF contains most of the same content as the online help, except that some elements (such as

Getting started with this theme





































1





FEATURES	SUPPORTED	NOTES
Multichannel output	Yes	This term can mean a number of things, but let's say you have 10 different sites you want to generate from the same source. Maybe you have 7 different versions of your product, and 3 different locations. You can assemble your Jekyll site with various configurations, variants, and more. Jekyll actually does all of this quite well. Just specify a different config file for each unique build.





FEATURES	SUPPORTED	NOTES
Relative links	Yes	This theme is built entirely with relative links, which means you can easily move the files from one folder to the

## Pages

Summary: This theme uses pages only, not posts. You need to make sure your pages have the appropriate frontmatter. One frontmatter tag your users might find helpful is the summary tag. This functions similar in purpose to the shortdesc element in DITA.















# WebStorm Text editor

Summary:






1







1



1





















## Remembering the right tags

Since you may have many tags and find it difficult to remember what tags are allowed, I recommend creating a template that prepopulates all your frontmatter with all possible tags. Then just remove the tags that don't apply.

See [WebStorm Text Editor](#)





























1





# Labels













=<N@PMG

Jekyll gets around some of this link path variation by using `absolute_url` and including code that prepends the `absolute_url` before a link. This converts the links into absolute rather than relative links.

With absolute links, the site only displays at the `absolute_url` you configured. This is problematic for tech docs because you usually need to move files around from one folder to another based on versions you're archiving or when you're moving your documentation from draft to testing to production folder.

## Limitations with links









If you want the player button in the upper-left corner (which is the default), remove the QEN =DB KG<T >@I 0@M@? from the video class.







--








## Syntax high429C.7ng

Summary: You can apply syntax high429C.7ng to your code. This theme uses pygments and applies color cod7ng based on the lexer you specify.

## About syntax high429C.7ng


For syntax high429C.7ng, use fenced code blocks optionally followed by the language syntax you want:

```
;;; MP=T
    ?@A  AJJ
```



## Conditional logic

Summary: You can implement advanced conditional logic that includes if statements, or statements, unless, and more. This conditional logic facilitates single sourcing scenarios in which




























## Generating PDFs

Summary:



You can generate PDF from your Jekyll project. You





















## Help APIs and UI tooltips

Summary: You can loop through files and generate a JSON file that developers can consume like a help API. Developers can pull in values from the JSON into interface elements, styling them as popovers for user interface text, for example. The beauty of this method is that the UI text remains in the help system and isn't hard-coded into the UI.

### Full code demo of ETtent API

You can create a help API that developers can use to pull in ETtent.

For the full code demo, see the notes in the



































Generating a list of all pages with a certain tag



## Scroll layout

Summary: This page demonstrates how you the integration of a script called ScrollTo, which is used here to link definitions of a JSON code sample to a list of definitions for that particular term. The scenario here is that the JSON blocks are really long, with extensive nesting and subnesting, which makes it difficult for tabEve 4elow the JSON to adequately explain the term in a usabEv way.

Note: The content on this page doesn't display well on PDF, but I included it anyway so you could see the probEvms this layout poses if you're including it in PDF.













1





I

1



fractious

Like a little mischevious child, full of annoying an5 constant trouble.

gratuitous

Something that is unwarranted an5 uncouth, like the social equivalent of a  
flagrant foul.

haughty

Proud an5 flaunting it. Holding your head high up like a snooty, too-good-for-  
everything rich person.

gratuitous

Something that is unwarranted an5 uncouth, like the social equivalent of a  
flagrant foul.

impertinent

Someone acting rude an5 insensitive to others.

**US**

intrepid

Brave an5 courageous especially in a difficult, dangerous situation.

The glossary works well as a link in the top navigation bar.



# Tag archives overview

