

Nitin chaudary

F7

9921103163

Answers are implemented by me on my sql command line client-

First I am pasting entire images of what I have coded and in last I am going to past entire code which I have written for all answers –

MySQL 8.0 Command Line Client

```
mysql> show databases;
```

Database
db
girrafe
information_schema
mydb
mysql
performance_schema
sakila
sys
world

```
9 rows in set (0.00 sec)
```

```
mysql> create database EEA;
```

```
Query OK, 1 row affected (0.05 sec)
```

```
mysql> use EEA;
```

```
Database changed
```

```
mysql> CREATE TABLE Candidate(  
    -> Application integer,  
    -> Application_date date,  
    -> Name varchar(20),  
    -> Designation varchar(20),  
    -> hire_date date,  
    -> Employer varchar(20),  
    -> Paypackage Integer);
```

```
Query OK, 0 rows affected (0.08 sec)
```

```
mysql>
```

```
mysql> CREATE TABLE PersonalInformation(  
    -> first_name varchar(20),  
    -> city varchar(20),  
    -> state varchar(20),  
    -> Zip_code integer,  
    -> Phone Integer);
```

```
Query OK, 0 rows affected (0.08 sec)
```

```
mysql>
```



Type here to search



```
mysql>
mysql> Alter table candidate add primary key(Application);
Query OK, 0 rows affected (0.08 sec)
Records: 0 Duplicates: 0 Warnings: 0

mysql> Alter table personalinformation add primary key(city,zip_code);
Query OK, 0 rows affected (0.09 sec)
Records: 0 Duplicates: 0 Warnings: 0

mysql> ALTER TABLE personalinformation MODIFY phone integer NOT NULL;
Query OK, 0 rows affected (0.07 sec)
Records: 0 Duplicates: 0 Warnings: 0

mysql> insert into candidate values(1,'2004-12-02',"Nitn chaudhary","Developer",'2020-01-01','Google',10700);
Query OK, 1 row affected (0.05 sec)

mysql> insert into candidate values(2,'2000-12-02',"Marycom","Developer",'2020-08-01','Amazon',100000);
Query OK, 1 row affected (0.01 sec)

mysql> insert into candidate values(3,'2000-10-08',"Maeran","Analyst",'2020-08-10','Meta',100000);
Query OK, 1 row affected (0.01 sec)

mysql> insert into candidate values(4,'2000-12-02',"Soj","Developer",'2020-08-10','ABC pharma',10000);
Query OK, 1 row affected (0.01 sec)

mysql> insert into candidate values(5,'2004-10-08',"Manoj","Analyst",'2021-08-10','SDE',15000);
Query OK, 1 row affected (0.01 sec)

mysql> insert into candidate values(6,'2006-12-22',"Murli","Enterprice",'2020-04-03','ABC pharma',60000);
Query OK, 1 row affected (0.01 sec)

mysql> insert into candidate values(7,'2000-11-30',"Saeran","Developer",'2020-01-05','ABC pharma',80000);
Query OK, 1 row affected (0.01 sec)

mysql> insert into candidate values(8,'2000-12-02',"tiejo kaur","Enterprise",'2020-08-10','ABC pharma',10000);
Query OK, 1 row affected (0.01 sec)
```

MySQL 8.0 Command Line Client

```
mysql>
mysql> insert into personalinformation values("Nitin","Noida","india",25001,6398766);
Query OK, 1 row affected (0.01 sec)

mysql> insert into personalinformation values("Nin","Noida","india",25701,639345);
Query OK, 1 row affected (0.01 sec)

mysql> insert into personalinformation values("Nfhin","Noida","india",25881,636735);
Query OK, 1 row affected (0.01 sec)

mysql> insert into personalinformation values("Nifhhn","Noida","india",25901,356829);
Query OK, 1 row affected (0.01 sec)

mysql> insert into personalinformation values("randlf","Noida","india",25401,639829);
Query OK, 1 row affected (0.01 sec)

mysql> insert into personalinformation values("Nfdgjkd","Noida","india",25031,676829);
Query OK, 1 row affected (0.01 sec)

mysql> insert into personalinformation values("Nifgh","Noida","india",25041,639829);
Query OK, 1 row affected (0.01 sec)

mysql> insert into personalinformation values("tin","Noida","india",25071,639839);
Query OK, 1 row affected (0.01 sec)

mysql> insert into personalinformation values("fghn","Noida","india",25039,636829);
Query OK, 1 row affected (0.01 sec)

mysql> insert into personalinformation values("uioun","Noida","india",26001,639829);
Query OK, 1 row affected (0.01 sec)

mysql> insert into personalinformation values("drgn","Noida","india",25891,376829);
Query OK, 1 row affected (0.01 sec)

mysql> insert into personalinformation values("aman","maryland","japan",25031,632829);
Query OK, 1 row affected (0.01 sec)

mysql> insert into personalinformation values("Nitn","marylan","europe",25031,649821);
Query OK, 1 row affected (0.01 sec)

mysql> insert into personalinformation values("Azino kaur","maryland","Newyork",25001,656837);
```

```
mysql> insert into personalinformation values("Amita kaur","", "Newyork",25001,893829);
Query OK, 1 row affected (0.01 sec)
```

```
mysql> insert into personalinformation values("kaurina ora","", "Newyork",25831,373829);
Query OK, 1 row affected (0.05 sec)
```

```
mysql> select * from candidate;
```

Application	Application_date	Name	Designation	hire_date	Employer	Paypackage
1	2004-12-02	Nitn chaudhary	Developer	2020-01-01	Google	10700
2	2000-12-02	Marycom	Developer	2020-08-01	Amazon	100000
3	2000-10-08	Maeran	Analyst	2020-08-10	Meta	100000
4	2000-12-02	Soj	Developer	2020-08-10	ABC pharma	10000
5	2004-10-08	Manoj	Analyst	2021-08-10	SDE	15000
6	2006-12-22	Murli	Enterprice	2020-04-03	ABC pharma	60000
7	2000-11-30	Saeran	Developer	2020-01-05	ABC pharma	80000
8	2000-12-02	tiejo kaur	Enterprise	2020-08-10	ABC pharma	10000

```
8 rows in set (0.00 sec)
```

```
mysql> select * from personalinformation;
```

first_name	city	state	Zip_code	phone
Amita kaur		Newyork	25001	893829
kaurina ora		Newyork	25831	373829
Nitn	marylan	europa	25031	649821
Azino kaur	maryland	Newyork	25001	656837
aman	maryland	japan	25031	632829
Nitin	Noida	india	25001	6398766
Nfdgjdk	Noida	india	25031	676829
fghn	Noida	india	25039	636829
Nifgh	Noida	india	25041	639829
tin	Noida	india	25071	639839
randlf	Noida	india	25401	639829
Nin	Noida	india	25701	639345
Nfhin	Noida	india	25881	636735
drgn	Noida	india	25891	376829
Nifhnn	Noida	india	25901	356829

```
mysql> UPDATE personalinformation SET zip_code = REPLACE(zip_code,25001,25011) WHERE zip_code=25001;
Query OK, 3 rows affected (0.06 sec)
Rows matched: 3 Changed: 3 Warnings: 0
```

```
mysql> select * from personal informatoin;
```

```
ERROR 1146 (42S02): Table 'eea.personal' doesn't exist
```

```
mysql> select * from personalinformatoin;
```

```
ERROR 1146 (42S02): Table 'eea.personalinformatoin' doesn't exist
```

```
mysql> select * from personalinformation;
```

first_name	city	state	Zip_code	phone
Amita kaur		Newyork	25011	893829
kaurina ora		Newyork	25831	373829
Nitn	marylan	europa	25031	649821
Azino kaur	maryland	Newyork	25011	656837
aman	maryland	japan	25031	632829
Nitin	Noida	india	25011	6398766
Nfdgjdk	Noida	india	25031	676829
fghn	Noida	india	25039	636829
Nifgh	Noida	india	25041	639829
tin	Noida	india	25071	639839
randlf	Noida	india	25401	639829
Nin	Noida	india	25701	639345
Nfhin	Noida	india	25881	636735
drgn	Noida	india	25891	376829
Nifhnn	Noida	india	25901	356829
uioun	Noida	india	26001	639829

```
16 rows in set (0.00 sec)
```

```
mysql>
```

```
mysql> DELETE from personalinformation where state='maryland';
Query OK, 0 rows affected (0.00 sec)
```

```
mysql> select * from personalinformation;
```

first_name	city	state	Zip_code	phone
Amita kaur		Newyork	25011	893829
kaurina ora		Newyork	25831	373829
Nitn	marylan	europa	25031	649821
Azino kaur	maryland	Newyork	25011	656837
aman	maryland	japan	25031	632829
Nitin	Noida	india	25011	6398766
Nfdgjdk	Noida	india	25031	676829
fghn	Noida	india	25039	636829
Nifgh	Noida	india	25041	639829
tin	Noida	india	25071	639839
randlf	Noida	india	25401	639829
Nin	Noida	india	25701	639345
Nfhn	Noida	india	25881	636735
drgn	Noida	india	25891	376829
Nifhnn	Noida	india	25901	356829
uioun	Noida	india	26001	639829

```
16 rows in set (0.00 sec)
```

```
mysql>
```

```
mysql> alter table candidate add CTC integer;
```

```
Query OK, 0 rows affected (0.08 sec)
```

```
Records: 0 Duplicates: 0 Warnings: 0
```

```
mysql> describe candidate;
```

Field	Type	Null	Key	Default	Extra
Application	int	NO	PRI	NULL	
Application_date	date	YES		NULL	
Name	varchar(20)	YES		NULL	
Designation	varchar(20)	YES		NULL	
hire_date	date	YES		NULL	
Employer	varchar(20)	YES		NULL	
Paypackage	int	YES		NULL	
CTC	int	YES		NULL	

```
8 rows in set (0.04 sec)
```

```
mysql> select name from candidate where name like 'MA%';
```

name
Marycom
Maeran
Manoj

```
3 rows in set (0.04 sec)
```

```
mysql>
```

```
mysql> select * from candidate;
```

Application	Application_date	Name	Designation	hire_date	Employer	Paypackage	CTC
1	2004-12-02	Nitn chaudhary	Developer	2020-01-01	Google	10700	NULL
2	2000-12-02	Marycom	Developer	2020-08-01	Amazon	100000	NULL
3	2000-10-08	Maeran	Analyst	2020-08-10	Meta	100000	NULL
4	2000-12-02	Soj	Developer	2020-08-10	ABC pharma	10000	NULL
5	2004-10-08	Manoj	Analyst	2021-08-10	SDE	15000	NULL
6	2006-12-22	Murli	Enterprice	2020-04-03	ABC pharma	60000	NULL
7	2000-11-30	Saeran	Developer	2020-01-05	ABC pharma	80000	NULL
8	2000-12-02	tiejo kaur	Enterprise	2020-08-10	ABC pharma	10000	NULL

```
8 rows in set (0.00 sec)

mysql> select count(*) from candidate where hire_date like '2020-08%';
```

count(*)
4

```
1 row in set (0.00 sec)

mysql>
```

```
mysql> select name,employer,paypackage from candidate where designation in ('Developer','Analyst') and paypackage not in (4500,10000,15000);
```

name	employer	paypackage
Nitn chaudhary	Google	10700
Marycom	Amazon	100000
Maeran	Meta	100000
Saeran	ABC pharma	80000

```
4 rows in set (0.00 sec)

mysql> select name from candidate where name like '__e%';
```

name
Maeran
Saeran
tiejo kaur

```
3 rows in set (0.00 sec)

mysql> select name from candidate where employer ='ABC pharma' and paypackage in (60000,80000);
```

name
Murli
Saeran

```
2 rows in set (0.00 sec)

mysql> select * from candidate where designation like 'Enterpri%' order by designation;
```

Application	Application_date	Name	Designation	hire_date	Employer	Paypackage	CTC
6	2006-12-22	Murli	Enterprice	2020-04-03	ABC pharma	60000	NULL
8	2000-12-02	tiejo kaur	Enterprise	2020-08-10	ABC pharma	10000	NULL

```
2 rows in set (0.00 sec)

mysql> select employer from candidate;
```

employer

MySQL 8.0 Command Line Client

```
mysql> select employer from candidate;
```

employer
Google
Amazon
Meta
ABC pharma
SDE
ABC pharma
ABC pharma
ABC pharma

8 rows in set (0.00 sec)

```
mysql> select state,count(*) from personalinformation group by state;
```

state	count(*)
Newyork	3
europe	1
japan	1
india	11

4 rows in set (0.00 sec)

```
mysql> select state,count(state) from personalinformation group by state having count(state)>10;
```

state	count(state)
india	11

1 row in set (0.00 sec)

```
mysql> select name from candidate where name like '____' and employer<>'NULL';
```

name
Manoj
Murli

MySQL 8.0 Command Line Client

1 row in set (0.00 sec)

```
mysql> select name from candidate where name like '____' and employer<>'NULL';
```

name
Manoj
Murli

2 rows in set (0.00 sec)

```
mysql> select name from candidate where paypackage>=ALL(select paypackage from candidate);
```

name
Marycom
Maeran

2 rows in set (0.00 sec)

```
mysql> select employer from candidate where hire_date like '2020-01%' and paypackage>50000;
```

employer
ABC pharma

1 row in set (0.00 sec)

```
mysql> select first_name as name from personalinformation where state='newyork' and first_name like '%kaur%';
```

name
Amita kaur
kaurina ora
Azino kaur

3 rows in set (0.00 sec)

mysql>

All content which I write in mysql command line client-

create database EEA;

use EEA;

CREATE TABLE Candidate(

Application integer,

Application_date date,

Name varchar(20),

Designation varchar(20),

hire_date date,

Employer varchar(20),

Paypackage Integer);

CREATE TABLE PersonalInformation(

first_name varchar(20),

city varchar(20),

state varchar(20),

Zip_code integer,

Phone Integer);

Alter table candidate add primary key(Application);

Alter table personalinformation add primary key(city,zip_code);

ALTER TABLE personalinformation MODIFY phone integer NOT NULL;

Alter table candidate add constraint pkg check('package'>0);

```
insert into candidate values(1,'2004-12-02',"Nitn  
chaudhary","Developer",'2020-01-01','Google',10700);  
  
insert into candidate values(2,'2000-12-02',"Marycom","Developer",'2020-  
08-01','Amazon',100000);  
  
insert into candidate values(3,'2000-10-08',"Maeran","Analyst",'2020-08-  
10','Meta',100000);  
  
insert into candidate values(4,'2000-12-02',"Soj","Developer",'2020-08-  
10','ABC pharma',10000);  
  
insert into candidate values(5,'2004-10-08',"Manoj","Analyst",'2021-08-  
10','SDE',15000);  
  
insert into candidate values(6,'2006-12-22',"Murli","Enterprice",'2020-04-  
03','ABC pharma',60000);  
  
insert into candidate values(7,'2000-11-30',"Saeran","Developer",'2020-01-  
05','ABC pharma',80000);  
  
insert into candidate values(8,'2000-12-02',"tiejo kaur","Enterprise",'2020-  
08-10','ABC pharma',10000);
```

```
insert into personalinformation  
values("Nitin","Noida","india",25001,6398766);  
  
insert into personalinformation values("Nin","Noida","india",25701,639345);  
  
insert into personalinformation  
values("Nfhin","Noida","india",25881,636735);  
  
insert into personalinformation  
values("Nifhhn","Noida","india",25901,356829);  
  
insert into personalinformation  
values("randlf","Noida","india",25401,639829);
```

```
insert into personalinformation  
values("Nfdgjkd","Noida","india",25031,676829);
```

```
insert into personalinformation  
values("Nifgh","Noida","india",25041,639829);
```

```
insert into personalinformation values("tin","Noida","india",25071,639839);
```

```
insert into personalinformation  
values("fghn","Noida","india",25039,636829);
```

```
insert into personalinformation  
values("uioun","Noida","india",26001,639829);
```

```
insert into personalinformation  
values("drgn","Noida","india",25891,376829);
```

```
insert into personalinformation  
values("aman","maryland","japan",25031,632829);
```

```
insert into personalinformation  
values("Nitn","marylan","europe",25031,649821);
```

```
insert into personalinformation values("Azino  
kaur","maryland","Newyork",25001,656837);
```

```
insert into personalinformation values("Amita  
kaur","", "Newyork",25001,893829);
```

```
insert into personalinformation values("kaurina  
ora","", "Newyork",25831,373829);
```

```
UPDATE personalinformation SET zip_code =  
REPLACE(zip_code,25001,25011) WHERE zip_code=25001;
```

```
DELETE from personalinformation where state='maryland';
```

```
alter table candidate add CTC integer;
```

```
select name from candidate where name like 'MA%';
```

select count(*) from candidate where hire_date like '2020-08%';

select name,employer,paypackage from candidate where designation in ('Developer','Analyst') and paypackage not in (4500,10000,15000);

select name from candidate where name like '__e%';

select name from candidate where employer ='ABC pharma' and paypackage in (60000,80000);

select * from candidate where designation like 'Enterpri%' order by designation;

select employer from candidate;

select state,count(*) from personalinformation group by state;

select state,count(state) from personalinformation group by state having count(state)>10;

select name from candidate where name like '_____' and employer<>'NULL';

select name from candidate where paypackage>=ALL(select paypackage from candidate);

select employer from candidate where hire_date like '2020-01%' and paypackage>50000;

select first_name as name from personalinformation where state='newyork' and first_name like '%kaur%';

This last query was not executed by me as I am not aware about how to perform operations on dates so I have commented out it.

-- select name from candidate where (Application_date-Hire_date)<All(select (Application_date-Hire_date from candidate));