Errata For Text

Chapter 3

Page 84, Example 3.40

Change the formula $C = B \times SNR_{dB}$ to $C = B \times SNR_{dB} / 3$.

Page 86, Example 3.45 (Solution)

Change 10,000 to 1000 in the shaded box as shown below:

Propagation time =
$$(12,000 \times 1000) / (2.4 \times 2^8) = 50 \text{ ms}$$

Chapter 4

Page 103, Example 4.4

Change 10 Mbps to **1** Mbps as shown below:

A system is using NRZ-I to transfer 1 Mbps data ...

Chapter 8

Page 225, Example 8.4 (Solution) Changes are shown in red.

each with 20×20 crosspoints. In the third stage we have 20 crosspoints each with 19×10 crosspoints. The total number of crosspoints is $20 (10 \times 19) + 19 (20 \times 20) = 15200$. If we use a single-stage switch, we need $200 \times 200 = 40,000$ crosspoints. The number of crosspoints in this three-state switch is 38 percent that of a

Chapter 10

Page 290, Problem 10-16

Change Table 10.7 to **Table 10.4**.

Page 290, Problem 10-17

Change Table 10.7 to **Table 10.4**.

Chapter 11

Page 321, Problem 11-5

Change Figure 11.9 to Figure 11.11.

Page 322, Problem 11-8

Change Figure 11.12 to Figure 11.13.

Chapter 12

Page 349, shaded box

Change 1 to 0. Change is shown in red.

$$[-1 - 1 - 3 + 1] \bullet [+1 - 1 + 1 - 1] = -4/4 \rightarrow \text{bit } 0$$

Page 355, Q12-12

Change Aloha to **CSMA/CD**.

Page 355, Q12-13

Change Aloha to **CSMA/CA**.

Chapter 13

Page 433, delete problem P14-12 (it is duplicate).

Chapter 15

Page 442 Figure 15.7, delete extra circle after the last ACK.

Chapter 19

Page 567, correct the shaded box as:

```
Wrapped sum = sum / modulus + sum % modulus
```

Checksum = FFFF - Wrapped sum

Chapter 20

Page 662, Problem P21-7:

Change Network to **Router** (second line).

Change 13.23.0.0/6 to **134.23.0.0/6** (third line).

Chapter 22

Page 662, Problem P22-15:

Change site local to Unique Local Unicast Block.

Chapter 25

Page 844, Table 25.6:

Line 7: change mist to mysite.

Line 7: change tachypnea to **getByName**

Chapter 30

Page 1075, Programming Assignment:

Change Prg30-21 to Prg30-1.

Change Prg30-22 to Prg30-2.