


(a) Completion time

Mean and 95% interval



Site A



Site B




Site C



(b) Missed deadlines

Mean and 95% interval


Site A



Site B



Site C



(c) Incumbent damage

Mean and 95% interval


Site A




Site B




Site C




(a) Site A



(b) Site B



(c) Site C



(d) Air selection (%)

	B1	B2	B4b
A: Other timely	100	67	67
B: Speed / service	100	0	60
C: No timely options	100	35	50

(e) Air selection (%)

	B1	B2	B4b
A: Other timely	100	100	100
B: Speed / service	100	100	95
C: No timely options	—	—	—


(f) Air selection (%)

	B1	B2	B4b
A: Other timely	100	100	100
B: Speed / service	100	100	100
C: No timely options	100	100	100

Row A: timely alternatives without the specific speed–preemption conflict

◆ Preemptive air ● Other air


(a) Site A



Path restored / affected

B1 200 / 200
B2 200 / 200
B4b 191 / 191


(b) Site B



Path restored / affected

B1 200 / 200
B2 200 / 200
B4b 199 / 199

(c) Site C



Path restored / affected

B1 200 / 200
B2 200 / 200
B4b 201 / 201

(a) Site A

	L1	L2	L3	L4
B0	240	240	240	240
B1	0	240	0	120
B2	0	240	0	120
B4b	6	240	1.7	123.4

(b) Site B


	L1	L2	L3	L4
B0	240	240	375	375
B1	0	120	135	255
B2	0	120	135	255
B4b	0	120	135	255

(c) Site C


	L1	L2	L3	L4
B0	240	240	375	375
B1	240	240	135	375
B2	240	240	135	375
B4b	240	240	135	375




(d) B4b – B0



(e) B4b – B0




(f) B4b – B0




Paired change in SWL (negative values indicate lower loss)

(a) Observation interval




B2 = B4b at every interval
180 s service window

(b) Execution wait




B1 = B2 = B4b at 0–30 s
B2 = B4b at 60 s

(c) Input burden



Four active aircraft
5–50 total records

(a) B0: repeated ground command



(b) B4b: air replaced by ground

