

ONLINE BOOKSTORE

An E-Commerce Platform for Buying and Selling Books Online

Phase 1: Requirements

Software Requirements Specification and Validation Specification (Planning)

Members	Anagha N (PES1UG24CS058) Manasvi B (PES1UG24CS261) Meda Sahasra Siri (PES1UG24CS267) Monika (PES1UG24CS274)
Course	Software Engineering
Technology Stack	MERN (MongoDB, Express.js, React, Node.js)
Repository	https://github.com/Ana-9211/Software-Engineering-Project-
Document Version	1.0 (Phase 1 submission)

2. Problem Statement Analysis and Feasibility

2.1 Problem Statement

Readers who buy books online mostly depend on a few large marketplaces, where niche titles are hard to find. Independent sellers and small bookstores lack an inexpensive channel for listing stock and reaching buyers. Online Bookstore is a web platform on which customers discover, purchase and review physical books, sellers list and fulfil them, and administrators govern the platform.

2.2 Scope

In scope: catalog browsing and search; user accounts; cart and wishlist; checkout with online payment; order tracking and cancellation; ratings and reviews; seller registration, listings, inventory and order processing; administrator moderation and reporting; email notifications.

Out of scope (this release): e-books and audio books, native mobile applications, multiple currencies, recommendation engine, live chat.

2.3 Feasibility Analysis

Dimension	Assessment	Conclusion
Technical	MERN is a mature stack and the team works in JavaScript. Payment providers offer a test (sandbox) mode. The main technical challenge is consistent stock updates under concurrent orders, which MongoDB transactions address.	Feasible
Economic	The planned tooling (MongoDB Atlas free tier, free-tier hosting, payment sandbox, open-source test tools) has no licence cost.	Feasible
Schedule	Five course phases with fixed due dates. Requirements carry MoSCoW priorities so that Could/Should items can be deferred if the schedule tightens.	Feasible with scope control
Operational	Standard e-commerce interaction model with three user roles; no special training required.	Feasible
Legal and security	Card data is handled by the payment gateway and is never stored by the system. Passwords are stored hashed. Only test data is used.	Feasible

2.4 Key Risks

ID	Risk	Planned mitigation
R1	Overselling stock under concurrent orders	Atomic stock decrement inside a database transaction (FR-30)
R2	Payment gateway sandbox unavailable during testing	Gateway accessed through a replaceable adapter so a mock can be substituted
R3	Scope growth from the seller (marketplace) features	MoSCoW priorities; Could-priority items deferred first
R4	Security weaknesses found late	Security validation planned from Phase 1 (Section 9.4)
R5	Free-tier hosting idles or sleeps during evaluation	Keep-alive mechanism (VFR-09)

3. SRS List / Requirements

Requirements are specified in Section 4. This section defines the conventions used and summarises the requirement set.

3.1 Conventions

Item	Convention
Functional requirement ID	FR-nn
Non-functional requirement (VFR) ID	VFR-nn
Use case ID	UC-nn
Test case ID	TC-FR-nn and TC-VFR-nn, one per requirement, detailed in later phases
Priority (MoSCoW)	M = Must, S = Should, C = Could
Verification method	T = Test, I = Inspection, A = Analysis, D = Demonstration

Each requirement uses "shall", states a single verifiable condition, and has a unique ID.

3.2 Summary

Category	Must	Should	Could	Total
Functional (FR)	18	9	3	30
Non-Functional (VFR)	8	7	0	15
Total	26	16	3	45

4. Categorization into Functional Requirements and Non-Functional Requirements (VFR)

4.1 Functional Requirements (FR)

ID	Requirement	Pri	Method
FR-01	The system shall let a guest register with a name, a unique email address and a password of at least 8 characters, and shall send an email verification link.	M	T
FR-02	The system shall authenticate users by email and password and issue a session token that expires after 60 minutes.	M	T
FR-03	The system shall let a user reset a forgotten password through an emailed link that is valid for 30 minutes and can be used once.	S	T
FR-04	The system shall display the book catalog paginated at 20 books per page.	M	T
FR-05	The system shall search books by title, author or ISBN using partial, case-insensitive matching.	M	T
FR-06	The system shall filter books by category, price range, rating and language, and sort them by price, rating and newest.	S	T
FR-07	The book detail page shall show title, author, ISBN, price, description, cover image, stock status and average rating.	M	T, I
FR-08	A logged-in customer shall be able to add books to, change quantities in, and remove books from a cart, and the cart shall persist across sessions.	M	T

ID	Requirement	Pri	Method
FR-09	The system shall reject a cart quantity greater than the available stock and display a message.	M	T
FR-10	A customer shall be able to add books to and remove books from a wishlist.	C	T
FR-11	At checkout, a customer shall select or enter a shipping address.	M	T
FR-12	The order summary shall show subtotal, tax, shipping and total, computed correctly to 2 decimal places.	M	T
FR-13	The system shall take payment through an online payment gateway, and an order shall be confirmed only after payment succeeds.	M	T, D
FR-14	The system shall email an order confirmation within 60 seconds of an order being confirmed.	S	T
FR-15	A customer shall be able to view order history and the current status of each order (Placed, Packed, Shipped, Delivered, Cancelled).	M	T
FR-16	A customer shall be able to cancel an order before it is shipped; the system shall restore stock and initiate a refund.	S	T
FR-17	A customer shall be able to rate (1 to 5) and review a book only if the customer has purchased and received it.	S	T
FR-18	A user shall be able to edit profile details and manage up to 5 saved addresses.	S	T
FR-19	A customer shall be able to apply to become a seller, and the seller role shall be activated only after administrator approval.	M	T
FR-20	A seller shall be able to create, edit and delete own book listings (title, author, ISBN, price, stock, images).	M	T
FR-21	The system shall mark a listing "Out of stock" when its stock reaches 0 and alert the seller when stock falls below a seller-defined threshold.	S	T
FR-22	A seller shall be able to view orders containing the seller's books and update their fulfilment status.	M	T
FR-23	A seller shall be able to view a sales report for a selected date range.	C	T
FR-24	An administrator shall be able to suspend and reactivate user accounts, and a suspended user shall not be able to log in.	M	T
FR-25	An administrator shall be able to approve or reject seller applications and new book listings.	M	T
FR-26	An administrator shall be able to add, rename and delete book categories.	S	T
FR-27	An administrator shall be able to remove inappropriate reviews.	S	T
FR-28	An administrator shall be able to view platform reports of orders, revenue and the 10 best-selling books for a selected date range.	C	T
FR-29	The system shall enforce role-based access so that Customer, Seller and Administrator users can access only the functions of their own role.	M	T
FR-30	The system shall decrement stock atomically when an order is confirmed, so that stock never becomes negative under concurrent orders.	M	T

4.2 Non-Functional Requirements (VFR)

ID	Category	Requirement	Pri	Method
VFR-01	Performance	Page load time shall be 3 seconds or less at the 95th percentile with 100 concurrent users.	M	T
VFR-02	Performance	Search and browse API responses shall be 500 ms or less at the 95th percentile.	M	T
VFR-03	Capacity	The system shall support 100 concurrent users with an error rate below 1%.	S	T
VFR-04	Security	Passwords shall be stored only as salted hashes (bcrypt, cost factor 10 or higher), never in plaintext.	M	I
VFR-05	Security	All client-server traffic shall use HTTPS (TLS 1.2 or higher).	M	T, I
VFR-06	Security	The system shall be protected against injection, cross-site scripting (XSS) and cross-site request forgery (CSRF), with zero high or critical findings in an OWASP ZAP baseline scan.	M	T
VFR-07	Security	After 5 consecutive failed login attempts, the account shall be locked for 15 minutes.	S	T
VFR-08	Security	Card data shall never be stored or logged by the system.	M	I
VFR-09	Availability	The deployed system shall maintain at least 99% availability during the evaluation window, with a keep-alive mechanism configured to prevent unintended idling or sleep. Availability shall be measured using periodic health checks at intervals of 5 minutes or less.	S	T, A
VFR-10	Usability	The user interface shall be responsive from 360 px to 1920 px viewport width, and a first-time user shall be able to complete a purchase in 6 steps or fewer.	M	T, D
VFR-11	Accessibility	The Lighthouse accessibility score of the main customer pages shall be 90 or higher.	S	T
VFR-12	Compatibility	The system shall work on the latest 2 versions of Chrome, Firefox, Edge and Safari.	S	T
VFR-13	Maintainability	Unit test line coverage shall be 70% or higher and the linter shall report zero errors.	M	T, I
VFR-14	Reliability	Order and payment records shall be written transactionally, and the database shall be backed up daily.	S	I, T
VFR-15	Interoperability	The REST API shall be documented in OpenAPI format and every endpoint shall be listed.	S	I

5. Requirements Traceability Matrix (RTM)

The Design/Code column is completed in Phases 2 and 3. Test case details are defined in the Validation Specification, which is refined in later phases. All entries are currently **Planned**.

Req	Pri	Use case(s)	Actor(s)	Design / Code	Test case	Status
FR-01	M	UC-04, UC-25	Guest, Email Service	TBD	TC-FR-01	Planned
FR-02	M	UC-05	Customer, Seller, Administrator	TBD	TC-FR-02	Planned

Req	Pri	Use case(s)	Actor(s)	Design / Code	Test case	Status
FR-03	S	UC-14, UC-25	Customer, Email Service	TBD	TC-FR-03	Planned
FR-04	M	UC-01	Guest, Customer	TBD	TC-FR-04	Planned
FR-05	M	UC-02	Guest, Customer	TBD	TC-FR-05	Planned
FR-06	S	UC-02	Guest, Customer	TBD	TC-FR-06	Planned
FR-07	M	UC-03	Guest, Customer	TBD	TC-FR-07	Planned
FR-08	M	UC-06	Customer	TBD	TC-FR-08	Planned
FR-09	M	UC-06	Customer	TBD	TC-FR-09	Planned
FR-10	C	UC-07	Customer	TBD	TC-FR-10	Planned
FR-11	M	UC-08	Customer	TBD	TC-FR-11	Planned
FR-12	M	UC-08	Customer	TBD	TC-FR-12	Planned
FR-13	M	UC-08, UC-09	Customer, Payment Gateway	TBD	TC-FR-13	Planned
FR-14	S	UC-08, UC-25	Customer, Email Service	TBD	TC-FR-14	Planned
FR-15	M	UC-10	Customer	TBD	TC-FR-15	Planned
FR-16	S	UC-11	Customer, Payment Gateway	TBD	TC-FR-16	Planned
FR-17	S	UC-12	Customer	TBD	TC-FR-17	Planned
FR-18	S	UC-13	Customer	TBD	TC-FR-18	Planned
FR-19	M	UC-15, UC-21	Customer, Administrator	TBD	TC-FR-19	Planned
FR-20	M	UC-16	Seller	TBD	TC-FR-20	Planned
FR-21	S	UC-17	Seller	TBD	TC-FR-21	Planned
FR-22	M	UC-18	Seller	TBD	TC-FR-22	Planned
FR-23	C	UC-19	Seller	TBD	TC-FR-23	Planned
FR-24	M	UC-05, UC-20	Administrator, Customer, Seller	TBD	TC-FR-24	Planned

Req	Pri	Use case(s)	Actor(s)	Design / Code	Test case	Status
FR-25	M	UC-21	Administrator	TBD	TC-FR-25	Planned
FR-26	S	UC-23	Administrator	TBD	TC-FR-26	Planned
FR-27	S	UC-22	Administrator	TBD	TC-FR-27	Planned
FR-28	C	UC-24	Administrator	TBD	TC-FR-28	Planned
FR-29	M	UC-05 to UC-24 (all role-restricted use cases)	Customer, Seller, Administrator	TBD	TC-FR-29	Planned
FR-30	M	UC-08	Customer	TBD	TC-FR-30	Planned
VFR-01	M	UC-01, UC-02, UC-03	Guest, Customer	TBD	TC-VFR-01	Planned
VFR-02	M	UC-01, UC-02	Guest, Customer	TBD	TC-VFR-02	Planned
VFR-03	S	UC-01 to UC-25 (system-wide)	All	TBD	TC-VFR-03	Planned
VFR-04	M	UC-04, UC-05, UC-14	Guest, Customer, Seller, Administrator	TBD	TC-VFR-04	Planned
VFR-05	M	UC-01 to UC-25 (system-wide)	All	TBD	TC-VFR-05	Planned
VFR-06	M	UC-01 to UC-25 (system-wide)	All	TBD	TC-VFR-06	Planned
VFR-07	S	UC-05	Customer, Seller, Administrator	TBD	TC-VFR-07	Planned
VFR-08	M	UC-09	Customer, Payment Gateway	TBD	TC-VFR-08	Planned
VFR-09	S	UC-01 to UC-25 (system-wide)	All	TBD	TC-VFR-09	Planned
VFR-10	M	UC-01, UC-02, UC-03, UC-06, UC-08, UC-09	Guest, Customer	TBD	TC-VFR-10	Planned
VFR-11	S	UC-01, UC-02, UC-03, UC-06, UC-08, UC-09	Guest, Customer	TBD	TC-VFR-11	Planned
VFR-12	S	UC-01 to UC-25 (system-wide)	All	TBD	TC-VFR-12	Planned
VFR-13	M	UC-01 to UC-25 (system-wide)	All	TBD	TC-VFR-13	Planned
VFR-14	S	UC-08, UC-09, UC-11	Customer, Payment Gateway	TBD	TC-VFR-14	Planned
VFR-15	S	UC-01 to UC-25 (system-wide)	All	TBD	TC-VFR-15	Planned

Coverage statement. The RTM contains 45 rows: 30 functional requirements (FR-01 to FR-30) and 15 non-functional requirements (VFR-01 to VFR-15). Every requirement, including all 26 Must

requirements, maps to at least one use case and one planned test case. Every use case UC-01 to UC-25 is referenced by at least one requirement.

6. Actors

Six actors are identified: four primary (human) actors and two external system actors.

#	Actor	Type	Description
A1	Guest	Primary	Unregistered, unauthenticated visitor who browses, searches and can register an account.
A2	Customer	Primary	Registered, authenticated buyer who browses, orders and reviews books. A Customer may apply to become a Seller.
A3	Seller	Primary	Registered user whose seller application has been approved by an Administrator. Lists books, manages inventory and fulfils orders.
A4	Administrator	Primary	Platform operator who manages users, approvals, categories, reviews and reports.
A5	Payment Gateway	External system	Processes payments and refunds for the system.
A6	Email Service	External system	Delivers email notifications on behalf of the system.

7. Use Cases Grouped by Actor

7.1 Grouping

Actor	Use cases
Guest	UC-01 Browse catalog UC-02 Search and filter books UC-03 View book details UC-04 Register account
Customer	UC-01 Browse catalog UC-02 Search and filter books UC-03 View book details UC-05 Log in / log out UC-06 Manage cart UC-07 Manage wishlist UC-08 Checkout and place order UC-10 View and track orders UC-11 Cancel order UC-12 Rate and review book UC-13 Manage profile and addresses UC-14 Reset password UC-15 Apply as seller
Seller	UC-05 Log in / log out UC-16 Manage book listings UC-17 Manage inventory UC-18 Process orders UC-19 View sales report

Actor	Use cases
Administrator	UC-05 Log in / log out UC-20 Manage users UC-21 Approve sellers and listings UC-22 Moderate reviews UC-23 Manage categories UC-24 View platform reports
Payment Gateway (secondary)	UC-09 Pay online UC-11 Cancel order (refund)
Email Service (secondary)	UC-25 Send notification

Notes: - Guest and Customer are separate actors with no generalization between them. UC-01, UC-02 and UC-03 are associated explicitly with both, because both can browse, search and view books. - UC-04 Register account is associated with Guest only, because a Customer is already registered. - UC-05 is associated with Customer, Seller and Administrator. Guest is not associated with UC-05, because a Guest is by definition not authenticated. - UC-15 Apply as seller is associated with Customer; Seller is the role granted after UC-21 approval. - UC-09 Pay online and UC-25 Send notification are not initiated directly by a human actor. They are included use cases (Section 7.2).

7.2 Use Case Catalogue and Include Relationships

UC	Name	Primary actor	Secondary actor	Includes	Requirements
UC-01	Browse catalog	Guest, Customer			FR-04
UC-02	Search and filter books	Guest, Customer			FR-05, FR-06
UC-03	View book details	Guest, Customer			FR-07
UC-04	Register account	Guest		UC-25	FR-01
UC-05	Log in / log out	Customer, Seller, Administrator			FR-02, FR-24, FR-29
UC-06	Manage cart	Customer			FR-08, FR-09
UC-07	Manage wishlist	Customer			FR-10
UC-08	Checkout and place order	Customer		UC-09, UC-25	FR-11, FR-12, FR-13, FR-14, FR-30
UC-09	Pay online	(included by UC-08)	Payment Gateway		FR-13
UC-10	View and track orders	Customer			FR-15
UC-11	Cancel order	Customer	Payment Gateway		FR-16
UC-12	Rate and review book	Customer			FR-17

UC	Name	Primary actor	Secondary actor	Includes	Requirements
UC-13	Manage profile and addresses	Customer			FR-18
UC-14	Reset password	Customer		UC-25	FR-03
UC-15	Apply as seller	Customer			FR-19
UC-16	Manage book listings	Seller			FR-20
UC-17	Manage inventory	Seller			FR-21
UC-18	Process orders	Seller			FR-22
UC-19	View sales report	Seller			FR-23
UC-20	Manage users	Administrator			FR-24
UC-21	Approve sellers and listings	Administrator			FR-19, FR-25
UC-22	Moderate reviews	Administrator			FR-27
UC-23	Manage categories	Administrator			FR-26
UC-24	View platform reports	Administrator			FR-28
UC-25	Send notification	(included by UC-04, UC-08, UC-14)	Email Service		FR-01, FR-03, FR-14

8. Use Case Diagram

8.1 UML Use Case Diagram (primary)

The diagram below is the primary use case diagram. Its PlantUML source is reproduced in Section 8.3 and provided as `use-case-diagram.puml`.




Figure 1. Use case diagram for Online Bookstore. Actors are associated explicitly with their use cases; there is no generalization between actors. Dashed arrows labelled «include» show included use cases.

8.2 Mermaid Version (for GitHub preview)

Mermaid has no native UML use case notation, so this version is an approximation using flowchart syntax. It carries the same actors, use cases and relationships as Figure 1.

```
flowchart LR
    Guest([Guest])
    Customer([Customer])
    Seller([Seller])
    Admin([Administrator])
    Pay([Payment Gateway])
    Mail([Email Service])

    subgraph System["Online Bookstore"]
        UC01(UC-01 Browse catalog)
        UC02(UC-02 Search and filter books)
        UC03(UC-03 View book details)
        UC04(UC-04 Register account)
        UC05(UC-05 Log in / log out)
        UC06(UC-06 Manage cart)
        UC07(UC-07 Manage wishlist)
        UC08(UC-08 Checkout and place order)
        UC09(UC-09 Pay online)
        UC10(UC-10 View and track orders)
        UC11(UC-11 Cancel order)
        UC12(UC-12 Rate and review book)
        UC13(UC-13 Manage profile and addresses)
        UC14(UC-14 Reset password)
        UC15(UC-15 Apply as seller)
        UC16(UC-16 Manage book listings)
        UC17(UC-17 Manage inventory)
        UC18(UC-18 Process orders)
        UC19(UC-19 View sales report)
        UC20(UC-20 Manage users)
        UC21(UC-21 Approve sellers and listings)
        UC22(UC-22 Moderate reviews)
        UC23(UC-23 Manage categories)
        UC24(UC-24 View platform reports)
        UC25(UC-25 Send notification)
    end

    Guest --- UC01 & UC02 & UC03 & UC04
    Customer --- UC01 & UC02 & UC03 & UC05 & UC06 & UC07 & UC08 & UC10 & UC11 & UC12 & UC13 & UC14 & UC15
    Seller --- UC05 & UC16 & UC17 & UC18 & UC19
    Admin --- UC05 & UC20 & UC21 & UC22 & UC23 & UC24

    UC08 -. include .-> UC09
    UC08 -. include .-> UC25
    UC04 -. include .-> UC25
    UC14 -. include .-> UC25

    UC09 --- Pay
    UC11 --- Pay
    UC25 --- Mail
```

8.3 PlantUML Source

Source of Figure 1. It can be rendered with any PlantUML tool.

```

@startuml
title Online Bookstore - Use Case Diagram
left to right direction
skinparam shadowing false
skinparam dpi 150
skinparam defaultFontName Arial
skinparam defaultFontSize 13
skinparam packageStyle rectangle
skinparam ranksep 40
skinparam nodesep 14
skinparam usecase {
    BackgroundColor #FFFFFF
    BorderColor #000000
    ArrowColor #000000
}
skinparam actor {
    BackgroundColor #FFFFFF
    BorderColor #000000
}
skinparam rectangle {
    BackgroundColor #FAFAFA
    BorderColor #000000
}

actor "Guest" as Guest
actor "Customer" as Customer
actor "Seller" as Seller

rectangle "Online Bookstore" {
    usecase "UC-01\nBrowse catalog" as UC01
    usecase "UC-02\nSearch and filter books" as UC02
    usecase "UC-03\nView book details" as UC03
    usecase "UC-04\nRegister account" as UC04
    usecase "UC-05\nLog in / log out" as UC05
    usecase "UC-06\nManage cart" as UC06
    usecase "UC-07\nManage wishlist" as UC07
    usecase "UC-08\nCheckout and place order" as UC08
    usecase "UC-09\nPay online" as UC09
    usecase "UC-10\nView and track orders" as UC10
    usecase "UC-11\nCancel order" as UC11
    usecase "UC-12\nRate and review book" as UC12
    usecase "UC-13\nManage profile and addresses" as UC13
    usecase "UC-14\nReset password" as UC14
    usecase "UC-15\nApply as seller" as UC15
    usecase "UC-16\nManage book listings" as UC16
    usecase "UC-17\nManage inventory" as UC17
    usecase "UC-18\nProcess orders" as UC18
    usecase "UC-19\nView sales report" as UC19
    usecase "UC-20\nManage users" as UC20
    usecase "UC-21\nApprove sellers and listings" as UC21
    usecase "UC-22\nModerate reviews" as UC22
    usecase "UC-23\nManage categories" as UC23
    usecase "UC-24\nView platform reports" as UC24
    usecase "UC-25\nSend notification" as UC25
}

actor "Administrator" as Admin
actor "Payment Gateway" as Pay
actor "Email Service" as Mail

Guest -- UC01
Guest -- UC02
Guest -- UC03

```

```

Guest -- UC04

Customer -- UC01
Customer -- UC02
Customer -- UC03
Customer -- UC05
Customer -- UC06
Customer -- UC07
Customer -- UC08
Customer -- UC10
Customer -- UC11
Customer -- UC12
Customer -- UC13
Customer -- UC14
Customer -- UC15

Seller -- UC05
Seller -- UC16
Seller -- UC17
Seller -- UC18
Seller -- UC19

Admin -- UC05
Admin -- UC20
Admin -- UC21
Admin -- UC22
Admin -- UC23
Admin -- UC24

UC08 ..> UC09 : <<include>>
UC08 ..> UC25 : <<include>>
UC04 ..> UC25 : <<include>>
UC14 ..> UC25 : <<include>>

UC09 -- Pay
UC11 -- Pay
UC25 -- Mail
@enduml

```

9. Validation Specification (Planning Level)

This section plans how the requirements will be validated. It contains no test results; execution happens in later phases and will be recorded in the Validation Report. The Validation Specification will be updated after the Architecture and Design documents (Phase 2) and during implementation (Phase 3).

9.1 Objectives and Approach

Aspect	Plan
Objective	Demonstrate that every requirement in Section 4 is met, using the RTM (Section 5) as the checklist.
Test levels	Unit, API/integration, system (UI), and acceptance (use case walkthroughs).
Candidate tooling	Jest or Mocha (unit), Supertest or Postman (API), Cypress or Playwright (UI), k6 or JMeter (load), Lighthouse (performance, accessibility), OWASP ZAP (security). Final tool selection is made in Phase 2.
Test case derivation	At least one test case per requirement, with positive, negative and boundary cases where applicable. Example for FR-09: stock of 3, request quantity 4, expect rejection.
Traceability	The RTM is updated at the end of each phase to link design, code and test results.

9.2 Functional Validation Plan

Area	Requirements	Approach
Accounts and access	FR-01 to FR-03, FR-18, FR-24, FR-29	Functional tests per use case; role-based access tests with each role
Catalog and search	FR-04 to FR-07	Tests with seeded catalog data covering match, no match and boundary page sizes
Cart and orders	FR-08 to FR-16, FR-30	End-to-end purchase flow tests; concurrent-order test for stock consistency (FR-30)
Reviews	FR-17, FR-27	Eligibility tests (purchased vs. not purchased)
Seller functions	FR-19 to FR-23	Tests for approval gating, listing lifecycle and fulfilment updates
Administration	FR-24 to FR-28	Tests for each administrative action and its effect on user-facing behaviour

9.3 Non-Functional (VFR) Validation Plan

Area	Requirements	Approach
Performance and capacity	VFR-01 to VFR-03	Load tests with 100 concurrent virtual users for a fixed duration; record p95 latency and error rate
Availability	VFR-09	Inspect the keep-alive configuration; run periodic health checks at 5-minute intervals or less during the evaluation window and compute availability as successful checks divided by total checks
Usability and accessibility	VFR-10, VFR-11	Task-based walkthrough of the purchase flow; automated accessibility audit
Compatibility	VFR-12	Manual check matrix across the 4 specified browsers
Maintainability and interoperability	VFR-13, VFR-15	Coverage and lint reports; review of the OpenAPI document against implemented endpoints
Reliability	VFR-14	Inspection of transactional writes and backup configuration

9.4 Security Validation Plan

Activity	Requirements	Approach
Authentication and credential handling	VFR-04, VFR-07	Inspect password storage; test lockout after 5 failed logins
Transport security	VFR-05	Verify HTTPS-only access and TLS version
Web vulnerability testing	VFR-06	OWASP ZAP baseline scan; manual injection, XSS and CSRF probes
Access control	FR-29	Attempt to call seller and administrator functions as a lower-privileged role
Payment data handling	VFR-08	Inspect data stores and logs to confirm no card data is stored
Dependency review	VFR-06	Dependency vulnerability audit of project packages

9.5 Entry and Exit Criteria

Criterion	Definition
Entry	The requirement is approved, has a unique ID and has a verification method.

Criterion	Definition
Exit	All Must requirements verified as met; all Should requirements verified or formally deferred with justification; no open critical or high severity defects.
Defect handling	Defects are recorded with severity and the affected requirement ID.