
Industry runs 83,5% of studies with Romanian sites, and new studies reached a high of 201 in 2025

New studies started per year

Studies with at least one Romanian site, actual start date



2026 is a partial year (data up to 26 October 2026)


Share of studies by sponsor type (%)

Academic and other: universities, hospitals, networks and other non-industry sponsors



Top 15 industry sponsors by number of studies

Subsidiaries are grouped with their parent company when the registry name says so (for example, Genzyme, a Sanofi company)



Oncology phase 3 is the most crowded field, and about 1 in 5 phase 2 and 3 studies is stopped


Active studies by therapeutic area and phase

Active = recruiting, active not recruiting, enrolling by invitation or not yet recruiting. One study can belong to several areas, so rows and columns are not additive. Grey numbers: fewer than 5 studies (limited data)

Area	No phase	Phase 1	Phase 1/2	Phase 2	Phase 2/3	Phase 3	Phase 4
Blood and lymphatic	1	5	3	8	2	56	1
Cardiovascular	12	4	1	7	2	48	1
Digestive	6	2	2	20	5	52	
Immune system	2	11	2	20	3	87	4
Infections	5	2	1	10	2	16	
Mental health	8		1	3		21	
Metabolic and endocrine	6		2	7	2	45	2
Musculoskeletal	4	6		3	1	16	2
Nervous system	10	4		10	3	41	1
Not classified	22	3	2	13		34	1
Oncology	7	7	10	24	20	177	2
Respiratory	4		6	25	6	85	2
Skin and connective tissue		10	1	13	2	70	3
Urogenital	5	1	2	4	4	37	1

Stop rate by phase (%)

Stopped = terminated early or withdrawn, among studies started 2015-2021 that reached a final status. Grey bars: fewer than 30 studies



Competition details by area and phase


Click a cell in the matrix to filter. Named centres exclude sites without a real name, so they are a minimum

Area	Phase	Active studies	Not yet recruiting	Sponsors	Cities	Named centres
Blood and lymphatic	Phase 4	1	0	1	1	0
Oncology	Phase 4	2	0	2	3	0
Blood and lymphatic	No phase	1	0	1	1	1
Mental health	Phase 1/2	1	0	1	1	1
Musculoskeletal	Phase 4	2	0	2	2	1
Nervous system	Phase 4	1	0	1	1	1
Not classified	Phase 4	1	0	1	1	1
Urogenital	Phase 4	1	0	1	1	1
Blood and lymphatic	Phase 2/3	2	0	2	2	2
Cardiovascular	Phase 1/2	1	0	1	2	2
Musculoskeletal	Phase 2/3	1	0	1	2	2
Not classified	Phase 1	3	0	3	2	2
Respiratory	Phase 4	2	0	2	10	2
Skin and connective tissue	Phase 1/2	1	0	1	2	2
Urogenital	Phase 1	1	0	1	2	2
Urogenital	Phase 1/2	2	0	2	4	2
Blood and lymphatic	Phase 1/2	3	0	3	2	3
Cardiovascular	Phase 4	1	0	1	2	3
Immune system	Phase 1/2	2	0	2	2	3
Metabolic and endocrine	Phase 1/2	2	0	2	2	3
Digestive	Phase 1	2	0	2	2	4
Digestive	Phase 1/2	2	0	2	6	4
Immune system	Phase 2/3	3	0	3	1	4
Infections	Phase 1	2	0	2	2	4
Infections	Phase 1/2	1	0	1	2	4
Musculoskeletal	No phase	4	1	4	3	4
Nervous system	Phase 2/3	3	0	3	1	4
Cardiovascular	Phase 1	4	0	3	2	5
Immune system	Phase 4	4	0	4	10	5
Mental health	Phase 2	3	0	3	4	5

Three cities cover 91% of studies with Romanian sites, and Bucharest alone reaches 70

Studies reached by the largest cities (%)

Each bar adds one city to those on its left. A study counts once, if it has a site in any of these cities



Top 15 centres by number of studies

Named centres only: about 38% of sites have no real name, so this is a partial ranking

Centre	City	Studies
Oncology Institute Cluj (Chiricuta)	Cluj-Napoca	106
Sf. Nectarie Oncology Centre	Craiova	98
Fundeni Clinical Institute	Bucharest	92
Colentina Clinical Hospital	Bucharest	76
Neomed Brasov	Brasov	60
Regional Institute of Oncology Iasi	Iasi	60
Oncomed Timisoara	Timisoara	52
Medisprof	Cluj-Napoca	43
Delta Health Care	Bucharest	37
Spitalul Universitar de Urgenta Bucuresti	Bucharest	36
Coltea Clinical Hospital	Bucharest	35
Babes Bolyai University	Cluj-Napoca	33

Number of studies by city

Bubble size = studies with at least one site in the city. Coordinates are the median point p

