

WHITMORE, Harold James

DOB: March 8, 1945 | Age: 78 yrs | Sex: Male | MRN: SMC-04471932

Encounter Date: June 8, 2023 | Provider: Helen Cho, MD — Ophthalmology | Doc ID: EYE-2023-0608-CAT

Ophthalmic Surgery Report

Phacoemulsification with Intraocular Lens — Right Eye

Procedure

Surgeon	Helen Cho, MD — Ophthalmology
Eye / Procedure	Right eye (OD) — phacoemulsification cataract extraction with posterior-chamber IOL
Anesthesia	Topical + intracameral lidocaine
IOL	Monofocal posterior-chamber lens, +21.0 D

Indication

Progressive visually significant nuclear sclerotic cataract OD reducing acuity to 20/70, impairing reading and night driving; superimposed mild non-proliferative diabetic retinopathy (stable). Anticoagulation (apixaban) continued — not stopped for topical-anesthesia cataract surgery.

Procedure & Outcome

Clear corneal incision, capsulorhexis, phacoemulsification of nucleus, cortical cleanup, and in-the-bag IOL placement without complication. No posterior capsule rupture. Postoperative day-1 acuity OD 20/30. Mild expected corneal edema.

Post-op Plan

- Prednisolone acetate 1% drops and a topical antibiotic, tapering over 4 weeks; an NSAID drop to reduce macular edema risk in a diabetic eye.
- Shield at night 1 week; avoid heavy lifting/bending.
- Continue apixaban and all systemic medications.
- Dilated exam in 1 month to monitor retinopathy and macula; plan left-eye cataract surgery later if progresses.

Post-operative Eye Drops (OD)

Medication	Dose	Route	Frequency	Indication
Prednisolone acetate 1%	1 drop	Topical OD	QID, taper 4 wks	Inflammation
Moxifloxacin 0.5%	1 drop	Topical OD	QID x1 week	Infection prophylaxis
Ketorolac 0.5%	1 drop	Topical OD	TID x3 weeks	Macular edema prophylaxis