

FUZZY_COMPARE

Returns similarity measure between two strings, with a choice of 3 different comparison methods.

Syntax

```
FUZZY_COMPARE("STRING_A"; "STRING_B" [; MODE])
```

STRING_A: first string to compare.

STRING_B: second string to compare.

MODE (optional): a number indicating the mode to select, which determines how text strings are compared; if not specified, mode 3 is selected by default:

- **1**: Levenshtein mode, which will show the minimum number of character operations required to transform one string into another.
- **2**: Trigrams mode, which will display the number of matching trigrams in both strings.
- **3**: Mix of the two previous modes, which will display the normalized similarity value between the two strings.

Examples

```
=FUZZY_COMPARE("casa"; "caza"; 1) returns 1
```

```
=FUZZY_COMPARE("casa"; "caza"; 2) returns 1
```

```
=FUZZY_COMPARE("casa"; "caza"; 3) returns 0.78
```

=FUZZY_COMPARE("LibreOffice"; "Libre Office"; 1)
returns 1

=FUZZY_COMPARE("LibreOffice"; "Libre Office"; 2)
returns 8

=FUZZY_COMPARE("LibreOffice"; "Libre Office"; 3)
returns 0.89

=FUZZY_COMPARE("algoritmo"; "logaritmo"; 1)
returns 3

=FUZZY_COMPARE("algoritmo"; "logaritmo"; 2)
returns 3

=FUZZY_COMPARE("algoritmo"; "logaritmo"; 3)
returns 0.54