

# **PREMIUM AUDIT**

NAME OF PROJECT	wagetoken	
TOKEN BEP20 ADDRESS	0x7be609C5Cd3f0a132e15C081af48260B70467287	
WEBSITE / TELEGRAM	https://fightneverends.com	



DISCLAIMER: PLEASE READ FULL AUDIT



#### **IMPORTANT DISCLAIMER**

I. NOT RESPONSABLE Our audit report is not responsible for anything if the project audited turn into a scam.

II. NOT GUARANTEE

Analytix Audit in no way guarantees that a project will not remove liquidity, sell off team tokens, or exit scam.

III. INFORMATION

Analytix Audit do a research and provides public information about the project in an easy-to-understand format for the common person.

IV.

AUDIT AGREE

Agreeing to an audit in no way guarantees that a team will not remove all liquidity ("Rug Pull"), remove liquidity slowly, sell off tokens, quit the project, or completely exit scam

٧.


ENCOURAGE INVESTMENT Analytix Audit in no way takes responsibility for any losses, nor does Analytix Audit encourage any speculative investments

۷١.

INFORMATION

The information provided in this audit is for information purposes only and should not be considered investment advice. Analytix Audit does not endorse, recommend, support, or suggest any projects that have been audited.

## **TOKENOMICS - OVERVIEW**



(This comment refers to when the audit was carried out maybe team locked tokens later)

### **CONTRACT CODE - OVERVIEW**

# **QUICK REVIEW**

- Owner can't modify fees
- Owner can't set Tx Limits.
- Contract have a permit function

### **Owner Privileges:**

```
* Requirements:

* * - the calling contract must have an ETH balance of at least 'value'.

* - the called Solidity function must be 'payable'.

* - the called Solidity function must be 'payable'.

* - the called Solidity function must be 'payable'.

* - Available since v3.1._

*/

function functionCallWithValue(

address target,

bytes memory data,

uint256 value

) internal returns (bytes memory) {

return functionCallWithValue(target, data, value, "Address: low-level call with value failed");

* @dev Same as (xref-Address-functionCallWithValue-address-bytes-uint256-)['functionCallWithValue'], but

* with 'errorWessage' as a fallback revert reason when 'target' reverts.

* Available since v3.1._

*/

function functionCallWithValue(

address target,

bytes memory data,

uint256 value,

string memory errorMessage

546

) internal returns (bytes memory) {

require(address(chis).balance >= value, "Address: insufficient balance for call");

require(isContract(target), "Address: call to non-contract");

*/

**

**(bool success, bytes memory returndata) = target.call{value: value}(data);
```

N/A

Owner has no privileges

# **Issue Checking:**

Ν°	Issue description.	Checking Status.
1	Compiler Errors	Passed
2	Race conditions and Reentrancy. Cross-function race conditions.	Passed
3	Possible delays in data delivery.	Passed
4	Oracle calls.	Passed
5	Front running.	Passed
6	Timestamp dependence.	Passed
7	Integer Overflow and Underflow.	Passed
8	DoS with Revert.	Passed
9	DoS with block gas limit.	Passed
10	Methods execution permissions.	Passed
11	Economy model.	Passed
12	The impact of the exchange rate on the logic.	Passed
13	Private user data leaks.	Passed
14	Malicious Event log	Passed
15	Scoping and Declarations.	Passed
16	Uninitialized storage pointers.	Passed
17	Arithmetic accuracy.	Passed
18	Design Logic.	Passed
19	Cross-function race conditions.	Passed
20	Safe Zeppelin module	Passed
21	Fallback function security.	Passed

#### **Audit Result:**

**PASSED** 

#### **WEBSITE - OVERVIEW**



# Domain Registration: 2022-03-09

1 day old

**SSL CERTIFICATE: A+** 

(https://www.ssllabs.com)

### **SOCIAL MEDIA - OVERVIEW**



WAGETOKEN



FIGHTNEVERENDS.COM