

# PREMIUM AUDIT

NAME	PinkLock
FILES .SOL AUDITED	Files - Overview*
WEBSITE / TELEGRAM	https://www.pinksale.finance/





#### **IMPORTANT DISCLAIMER**

I. NOT RESPONSIBLE

Analytix Audit holds no responsibility for any actions from the project in this audit.

II. NOT GUARANTEE

Analytix Audit in no way guarantees that a project will not remove liquidity, sell off team tokens, or exit scam.

INFORMATION

Analytix Audit researches and provides public information about the project in an easy-to-understand format for the common person.

IV.

**AUDIT AGREEMENT** This audit agreement does not guarantee ANY illicit actions by the project team and does not serve as an advocation for the project.

٧.

NO ADVICE

Analytix Audit in no way takes responsibility for any losses, not does Analytix Audit encourage any speculative investments.

۷١.

DISCLAIMER

The information provided in this audit is for information purposes only and should not be considered investment advice. Analytix Audit does not endorse, recommend, support, or suggest any projects that have been audited.

## FILES - OVERVIEW



**FullMath.sol** 

IUniswapV2Factory.sol

IUniswapV2Pair

IUniswapV2Router02.sol

PinkLock02.sol

Address.sol

**IERC20.sol** 

**EnumerableSet.sol** 

**Context.sol** 

SafeERC20.sol

## **CONTRACT CODE - OVERVIEW**

```
* Requirements:

* * - the calling contract must have an ETH balance of at least `value`.

* - the called Solidity function must be `payable`.

* - the called Solidity function must be `payable`.

* _ Available since v3.1._

*/

function functionCallWithValue(
    address target,
    bytes memory data,
    uint256 value

) internal returns (bytes memory) {
    return functionCallWithValue(target, data, value, "Address: low-level call with value failed");

}

* @dev Same as {xref-Address-functionCallWithValue-address-bytes-uint256-}[`functionCallWithValue`], but

* with `errorMessage` as a fallback revert reason when `target` reverts.

* _ Available since v3.1._

*/

function functionCallWithValue(
    address target,
    bytes memory data,
    uint256 value,

string memory errorMessage

) internal returns (bytes memory) {
    require(address(this).balance >= value, "Address: insufficient balance for call");
    require(isContract(target), "Address: call to non-contract");

(bool success, bytes memory returndata) = target.call{value: value}(data);
```

# **QUICK REVIEW**

PinkLock source code does not contain owner privileges that can compromise decentralized purpose.

# **Owner Privileges:**

Owner / authorized wallets haven't privileges

#### **SECURITY - SCORE**

Critical Level Security Issues: 0


High Level Security Issues: 0

Medium Level Security Issues: 0

**Low Level** Security Issues: 0

Info Level Security Issues: ✓ All Resolved

#### **OVERALL SCORE**




# **Issue Checking:**

Ν°	Issue description.	Checking Status.
1	Compiler Errors	Passed
2	Race conditions and Reentrancy. Cross-function race conditions.	Passed
3	Possible delays in data delivery.	Passed
4	Oracle calls.	Passed
5	Front running.	Passed
6	Timestamp dependence.	Passed
7	Integer Overflow and Underflow.	Passed
8	DoS with Revert.	Passed
9	DoS with block gas limit.	Passed
10	Methods execution permissions.	Passed
11	Economy model.	Passed
12	The impact of the exchange rate on the logic.	Passed
13	Private user data leaks.	Passed
14	Malicious Event log	Passed
15	Scoping and Declarations.	Passed
16	Uninitialized storage pointers.	Passed
17	Arithmetic accuracy.	Passed
18	Design Logic.	Passed
19	Cross-function race conditions.	Passed
20	Safe Zeppelin module	Passed
21	Fallback function security.	Passed

## **Audit Result:**

**PASSED** 

#### **WEBSITE - OVERVIEW**



## Domain Registration: 2021-05-17

358 days old

**SSL CERTIFICATE: A** 

(https://www.ssllabs.com)

## **SOCIAL MEDIA - OVERVIEW**



**PINKECOSYSTEM** 



PINKECOSYSTEM





PINKSALE.FINANCE