

PREMIUM AUDIT

NAME OF PROJECT	BoolishDreamZ
TOKEN BEP20 ADDRESS	0xe8c3DfaAF2237f2818c3E54B0E924fF255BA20B6
WEBSITE / TELEGRAM	http://BoolishDreamZ.com



DISCLAIMER: PLEASE READ FULL AUDIT



IMPORTANT DISCLAIMER

NOT RESPONSABLE

Our audit report is not responsible for anything if the project audited turn into a scam.

II. NOT GUARANTEE

Analytix Audit in no way guarantees that a project will not remove liquidity, sell off team tokens, or exit scam.

INFORMATION

Analytix Audit do a research and provides public information about the project in an easy-to-understand format for the common person.

IV.

AUDIT AGREE

Agreeing to an audit in no way guarantees that a team will not remove all liquidity ("Rug Pull"), remove liquidity slowly, sell off tokens, quit the project, or completely exit scam

٧.


ENCOURAGE INVESTMENT Analytix Audit in no way takes responsibility for any losses, nor does Analytix Audit encourage any speculative investments

۷١.

INFORMATION

The information provided in this audit is for information purposes only and should not be considered investment advice. Analytix Audit does not endorse, recommend, support, or suggest any projects that have been audited.

TOKENOMICS - OVERVIEW



More than 15% of the tokens are unlocked

(This comment refers to when the audit was carried out maybe team locked tokens later)

CONTRACT CODE - OVERVIEW

```
* Requirements:

* * - the calling contract must have an ETH balance of at least `value`.

* - the called Solidity function must be `payable`.

* * _Available since v3.1._

*/

function functionCallWithValue(
    address target,
    bytes memory data,
    uint256 value

531    internal returns (bytes memory) {
    return functionCallWithValue(target, data, value, "Address: low-level call with value failed");

533    }

534

535    **

* @dev Same as {xref-Address-functionCallWithValue-address-bytes-uint256-}[`functionCallWithValue`], but

537    * with `errorMessage` as a fallback revert reason when `target` reverts.

* * _Available since v3.1._

*/

function functionCallWithValue(
    address target,
    bytes memory data,
    uint256 value,

546    string memory errorMessage

547    internal returns (bytes memory) {
    require(address(this).balance >* value, "Address: insufficient balance for call");
    require(isContract(target), "Address: call to non-contract");

549

550    (bool success, bytes memory returndata) = target.call{value}: value}(data);
```

QUICK REVIEW

- Owner can't set Tx Limits.
 - Owner can't modify fees
- Owner can toggle auto rebase status

Owner Privileges:

```
* Requirements:

* - the calling contract must have an ETH balance of at least 'value'.

* - the called Solidity function must be 'payable'.

* - the called Solidity function must be 'payable'.

* Available since v3.1.

*/

function functionCallWithValue(
    address target,
    bytes memory data,
    uint256 value

) internal returns (bytes memory) {
    return functionCallWithValue(target, data, value, "Address: low-level call with value failed");

}

*/

* Ødev Same as {xref-Address-functionCallWithValue-address-bytes-uint256-)['functionCallWithValue'], but

* * with 'errorMessage' as a fallback revert reason when 'target' reverts.

* * _ Available since v3.1.

*/

* function functionCallWithValue(

address target,

bytes memory data,
    uint256 value,

* string memory errorMessage

) internal returns (bytes memory) {
    require(address(this).balance >= value, "Address: insufficient balance for call");
    require(isContract(target), "Address: call to non-contract");

* (bool success, bytes memory returndata) = target.call{value: value}(data);
```

```
function renounceOwnership() public virtual onlyOwner {
function transferOwnership(address newOwner) public virtual onlyOwner {
function withdrawAllToTreasury() external swapping onlyOwner {
function setAutoRebase(bool _flag) external onlyOwner {
function setAutoAddLiquidity(bool _flag) external onlyOwner {
function setWhitelist(address _addr) external onlyOwner {
function setBotBlacklist(address _botAddress, bool _flag) external onlyOwner {
function setPairAddress(address _pairAddress) public onlyOwner {
function setLP(address _address) external onlyOwner {
function setNormalFees() external onlyOwner {
function setZeroFees() external onlyOwner {
```

Issue Checking:

Ν°	Issue description.	Checking Status.
1	Compiler Errors	Passed
2	Race conditions and Reentrancy. Cross-function race conditions.	Passed
3	Possible delays in data delivery.	Passed
4	Oracle calls.	Passed
5	Front running.	Passed
6	Timestamp dependence.	Passed
7	Integer Overflow and Underflow.	Passed
8	DoS with Revert.	Passed
9	DoS with block gas limit.	Passed
10	Methods execution permissions.	Passed
11	Economy model.	Passed
12	The impact of the exchange rate on the logic.	Passed
13	Private user data leaks.	Passed
14	Malicious Event log	Passed
15	Scoping and Declarations.	Passed
16	Uninitialized storage pointers.	Passed
17	Arithmetic accuracy.	Passed
18	Design Logic.	Passed
19	Cross-function race conditions.	Passed
20	Safe Zeppelin module	Passed
21	Fallback function security.	Passed

Audit Result:

PASSED

WEBSITE - OVERVIEW



Domain Registration: 2022-01-01

91 days old

SSL CERTIFICATE: A

(https://www.ssllabs.com)

SOCIAL MEDIA - OVERVIEW



BOOLISHDREAMZ



BOOLISHDREAMZ



BOOLISHDREAMZ



BOOLISHDREAMZ.COM