

PREMIUM AUDIT

| NAME OF PROJECT | Crytpo Elden Ring | |
|---------------------|--|--|
| TOKEN BEP20 ADDRESS | 0xC54Db304C5D5b26f28Bc4f4a42a98316Af5790F1 | |
| WEBSITE / TELEGRAM | https://www.cryptoeldenring.io/ | |



DISCLAIMER: PLEASE READ FULL AUDIT



IMPORTANT DISCLAIMER

NOT RESPONSABLE

Our audit report is not responsible for anything if the project audited turn into a scam.

II. NOT GUARANTEE

Analytix Audit in no way guarantees that a project will not remove liquidity, sell off team tokens, or exit scam.

INFORMATION

Analytix Audit do a research and provides public information about the project in an easy-to-understand format for the common person.

IV.

AUDIT AGREE

Agreeing to an audit in no way guarantees that a team will not remove all liquidity ("Rug Pull"), remove liquidity slowly, sell off tokens, quit the project, or completely exit scam

٧.


ENCOURAGE INVESTMENT Analytix Audit in no way takes responsibility for any losses, nor does Analytix Audit encourage any speculative investments

۷١.

INFORMATION

The information provided in this audit is for information purposes only and should not be considered investment advice. Analytix Audit does not endorse, recommend, support, or suggest any projects that have been audited.

TOKENOMICS - OVERVIEW



(This comment refers to when the audit was carried out maybe team locked tokens later)

CONTRACT CODE - OVERVIEW

```
* Requirements:

* * the calling contract must have an ETH balance of at least `value`.

* * the called Solidity function must be `payable`.

* * Available since v3.1._

*/

function functionCallWithValue(
    address target,
    bytes memory data,
    uint256 value

* internal returns (bytes memory) {

return functionCallWithValue(target, data, value, "Address: low-level call with value failed");

* * @dev Same as (xref-Address-functionCallWithValue-address-bytes-uint256-)[`functionCallWithValue'], but

* with `errorMessage' as a fallback revert reason when `target' reverts.

* * Available since v3.1._

* //

* function functionCallWithValue(
    address target,
    bytes memory data,
    uint256 value,

* string memory errorMessage

internal returns (bytes memory) {
    require(address(this).balance >= value, "Address: insufficient balance for call");
    require(address(this).balance >= value, "Address: insufficient balance for call");
    require(isContract(target), "Address: call to non-contract");

(bool success, bytes memory returndata) = target.call{value: value}(data);
```

QUICK REVIEW

- Owner can't change Tx Limits.
- Owner can change fees up to 100%

Owner Privileges:

```
* Requirements:

* - the calling contract must have an ETH balance of at least `value`.

* - the called Solidity function must be `payable`.

* - the called Solidity function must be `payable`.

* Available since v3.1._

*/

function functionCallWithValue(
    address target,
    bytes memory data,
    uint256 value

530    uint256 value

531    j internal returns (bytes memory) {
        return functionCallWithValue(target, data, value, "Address: low-level call with value failed");

533    }

534

535

/**

* @dev Same as {xref-Address-functionCallWithValue-address-bytes-uint256-}[`functionCallWithValue`], but

* with `errorMessage` as a fallback revert reason when `target` reverts.

* _Available since v3.1._

*/

function functionCallWithValue(
    address target,
    bytes memory data,
    uint256 value,
    string memory errorNessage

j internal returns (bytes memory) {
        require(address(this).balance >= value, "Address: insufficient balance for call");
        require(isContract(target), "Address: call to non-contract");

(bool success, bytes memory returndata) = target.call{value: value}(data);
```

function removeSniper(address account) external onlyOwner {

Issue Checking:

| Ν° | Issue description. | Checking Status. |
|----|---|------------------|
| 1 | Compiler Errors | Passed |
| 2 | Race conditions and Reentrancy. Cross-function race conditions. | Passed |
| 3 | Possible delays in data delivery. | Passed |
| 4 | Oracle calls. | Passed |
| 5 | Front running. | Passed |
| 6 | Timestamp dependence. | Passed |
| 7 | Integer Overflow and Underflow. | Passed |
| 8 | DoS with Revert. | Passed |
| 9 | DoS with block gas limit. | Passed |
| 10 | Methods execution permissions. | Passed |
| 11 | Economy model. | Passed |
| 12 | The impact of the exchange rate on the logic. | Passed |
| 13 | Private user data leaks. | Passed |
| 14 | Malicious Event log | Passed |
| 15 | Scoping and Declarations. | Passed |
| 16 | Uninitialized storage pointers. | Passed |
| 17 | Arithmetic accuracy. | Passed |
| 18 | Design Logic. | Passed |
| 19 | Cross-function race conditions. | Passed |
| 20 | Safe Zeppelin module | Passed |
| 21 | Fallback function security. | Passed |

Audit Result:

PASSED

WEBSITE - OVERVIEW



① Domain Registration: 2022-03-22

6 days old

SSL CERTIFICATE: B

(https://www.ssllabs.com)

SOCIAL MEDIA - OVERVIEW



CRYPTOELDENRING_OFFICIAL



 $C_{ELDENRING}$



CRYPTOELDENRING.10