PREMIUM AUDIT

NAME OF PROJECT	BAD BOYS Official
TOKEN BEP20 ADDRESS	0x34279f126A830e1e43125B4Dc207459011A195CD
WEBSITE / TELEGRAM	https://www.badboysbsc.com/

DISCLAIMER: PLEASE READ FULL AUDIT

IMPORTANT DISCLAIMER

|		
I.	**NOT RESPONSABLE**	Our audit report is not responsible for anything if the project audited turn into a scam.
II.	**NOT GUARANTEE**	Analytix Audit in no way guarantees that a project will not remove liquidity, sell off team tokens, or exit scam.
III.	**INFORMATION**	Analytix Audit do a research and provides public information about the project in an easy-to-understand format for the common person.
IV.	**AUDIT AGREE**	Agreeing to an audit in no way guarantees that a team will not remove all liquidity ("Rug Pull"), remove liquidity slowly, sell off tokens, quit the project, or completely exit scam
V.	**ENCOURAGE INVESTMENT**	Analytix Audit in no way takes responsibility for any losses, nor does Analytix Audit encourage any speculative investments
VI.	**INFORMATION**	The information provided in this audit is for information purposes only and should not be considered investment advice. Analytix Audit does not endorse, recommend, support, or suggest any projects that have been audited.

TOKENOMICS - OVERVIEW

Bad boys Token Holders

Range: Top 100

The top 100 holders collectively own 100.00% (1,000,000,000.00 Tokens) of Bad boys

Token Total Supply: 1,000,000,000.00 Token | Total Token Holders: 1

Bad boys Top 100 Token Holders

Source: BscScan.com

OTHER ACCOUNTS

0x14e5ee4d388c486bc39bea72c272ddba8a0dcf30

(A total of 1,000,000,000.00 tokens held by the top 100 accounts from the total supply of 1,000,000,000.00 token)

Rank	Address	Quantity (Token)	Percentage
1	0x14e5ee4d388c486bc39bea72c272ddba8a0dcf30	1,000,000,000	100.0000%

• More than 15% of the tokens are unlocked

(This comment refers to when the audit was carried out maybe team locked tokens later)

CONTRACT CODE - OVERVIEW

```
520        * Requirements:
521        *
522        * - the calling contract must have an ETH balance of at least `value`.
523        * - the called Solidity function must be `payable`.
524        *
525        * _Available since v3.1._
526        */
527       function functionCallWithValue(
528           address target,
529           bytes memory data,
530           uint256 value
531       ) internal returns (bytes memory) {
532           return functionCallWithValue(target, data, value, "Address: low-level call with value failed");
533       }
534
535       /**
536        * @dev Same as {xref-Address-functionCallWithValue-address-bytes-uint256-}[`functionCallWithValue`], but
537        * with `errorMessage` as a fallback revert reason when `target` reverts.
538        *
539        * _Available since v3.1._
540        */
541       function functionCallWithValue(
542           address target,
543           bytes memory data,
544           uint256 value,
545           string memory errorMessage
546       ) internal returns (bytes memory) {
547           require(address(this).balance >= value, "Address: insufficient balance for call");
548           require(isContract(target), "Address: call to non-contract");
549
550           (bool success, bytes memory returndata) = target.call{value: value}(data);
```

QUICK REVIEW

- Owner can set fees up to 100%
- Owner can't set Tx Limits.

Owner Privileges:

```
520    * Requirements:
521    *
522    * - the calling contract must have an ETH balance of at least `value`.
523    * - the called Solidity function must be `payable`.
524    *
525    * _Available since v3.1._
526    */
527    function functionCallWithValue(
528        address target,
529        bytes memory data,
530        uint256 value
531    ) internal returns (bytes memory) {
532        return functionCallWithValue(target, data, value, "Address: low-level call with value failed");
533    }
534
535    /**
536    * @dev Same as {xref-Address-functionCallWithValue-address-bytes-uint256-}[`functionCallWithValue`], but
537    * with `errorMessage` as a fallback revert reason when `target` reverts.
538    *
539    * _Available since v3.1._
540    */
541    function functionCallWithValue(
542        address target,
543        bytes memory data,
544        uint256 value,
545        string memory errorMessage
546    ) internal returns (bytes memory) {
547        require(address(this).balance >= value, "Address: insufficient balance for call");
548        require(isContract(target), "Address: call to non-contract");
549
550        (bool success, bytes memory returndata) = target.call{value: value}(data);
```

modifier onlyOwner() {
function renounceOwnership() public virtual onlyOwner {
function transferOwnership(address newOwner) public virtual onlyOwner {
function distributeDogeCoinDividends(uint256 amount) public onlyOwner{
function updateDividendTracker(address newAddress) public onlyOwner {
function updateUniswapV2Router(address newAddress) public onlyOwner {
function excludeFromFees(address account, bool excluded) public onlyOwner {
function excludeMultipleAccountsFromFees(address[] calldata accounts, bool excluded) public onlyOwner {
function setMarketingWallet(address payable wallet) external onlyOwner{
function setBuybackWallet(address payable wallet) external onlyOwner{
function setDogeCoinRewardsFee(uint256 value) external onlyOwner{
function setLiquiditFee(uint256 value) external onlyOwner{
function setMarketingFee(uint256 _marketingFee) external onlyOwner{
function setBuybackFee(uint256 _buybackFee) external onlyOwner{
function setAutomatedMarketMakerPair(address pair, bool value) public onlyOwner {
function blacklistAddress(address account, bool value) external onlyOwner{
(Owner can blacklist address)
function updateGasForProcessing(uint256 newValue) public onlyOwner {
function updateClaimWait(uint256 claimWait) external onlyOwner {
function excludeFromDividends(address account) external onlyOwner{
function setBalance(address payable account, uint256 newBalance) external onlyOwner {
function processAccount(address payable account, bool automatic) public onlyOwner returns (bool) {

Issue Checking:

N°	Issue description.	Checking Status.
1	Compiler Errors	Passed
2	Race conditions and Reentrancy. Cross-function race conditions.	Passed
3	Possible delays in data delivery.	Passed
4	Oracle calls.	Passed
5	Front running.	Passed
6	Timestamp dependence.	Passed
7	Integer Overflow and Underflow.	Passed
8	DoS with Revert.	Passed
9	DoS with block gas limit.	Passed
10	Methods execution permissions.	Passed
11	Economy model.	Passed
12	The impact of the exchange rate on the logic.	Passed
13	Private user data leaks.	Passed
14	Malicious Event log	Passed
15	Scoping and Declarations.	Passed
16	Uninitialized storage pointers.	Passed
17	Arithmetic accuracy.	Passed
18	Design Logic.	Passed
19	Cross-function race conditions.	Passed
20	Safe Zeppelin module	Passed
21	Fallback function security.	Passed

Audit Result:

PASSED

WEBSITE - OVERVIEW

⊙ **Domain Registration: 2022-03-11**

5 days old

SSL CERTIFICATE: A

(https://www.ssllabs.com)

SOCIAL MEDIA - OVERVIEW

BADBOYSBSC

BADBOYSBSC

BADBOYSBSC