PREMIUM AUDIT

NAME OF PROJECT	Yingbi
TOKEN BEP20 ADDRESS	0x7910307319e9a222041da67702dc8631575ba9f2
WEBSITE / TELEGRAM	https://yingbi.sg

DISCLAIMER: PLEASE READ FULL AUDIT

IMPORTANT DISCLAIMER

| I.	**NOT RESPONSABLE**	Our audit report is not responsible for anything if the project audited turn into a scam.
II.	**NOT GUARANTEE**	Analytix Audit in no way guarantees that a project will not remove liquidity, sell off team tokens, or exit scam.
III.	**INFORMATION**	Analytix Audit do a research and provides public information about the project in an easy-to-understand format for the common person.
IV.	**AUDIT AGREE**	Agreeing to an audit in no way guarantees that a team will not remove all liquidity ("Rug Pull"), remove liquidity slowly, sell off tokens, quit the project, or completely exit scam
V.	**ENCOURAGE INVESTMENT**	Analytix Audit in no way takes responsibility for any losses, nor does Analytix Audit encourage any speculative investments
VI.	**INFORMATION**	The information provided in this audit is for information purposes only and should not be considered investment advice. Analytix Audit does not endorse, recommend, support, or suggest any projects that have been audited.

TOKENOMICS - OVERVIEW

Yingbi Token Holders

Range: Top 100

The top 100 holders collectively own 100.00% (500,000.00 Tokens) of Yingbi

Token Total Supply: 500,000.00 Token | Total Token Holders: 1

Yingbi Top 100 Token Holders
Source: BscScan.com

OTHER ACCOUNTS

0x34c4127488dd37f93cc6de61b19b72bc0ba41c86

(A total of 500,000.00 tokens held by the top 100 accounts from the total supply of 500,000.00 token)

Rank	Address	Quantity (Token)	Percentage
1	0x34c4127488dd37f93cc6de61b19b72bc0ba41c86	500,000	100.0000%

- More than 15% of the tokens are unlocked

(This comment refers to when the audit was carried out maybe team locked tokens later)

CONTRACT CODE - OVERVIEW

```
520     * Requirements:
521     *
522     * - the calling contract must have an ETH balance of at least `value`.
523     * - the called Solidity function must be `payable`.
524     *
525     * _Available since v3.1._
526     */
527    function functionCallWithValue(
528        address target,
529        bytes memory data,
530        uint256 value
531    ) internal returns (bytes memory) {
532        return functionCallWithValue(target, data, value, "Address: low-level call with value failed");
533    }
534
535    /**
536     * @dev Same as {xref-Address-functionCallWithValue-address-bytes-uint256-}[`functionCallWithValue`], but
537     * with `errorMessage` as a fallback revert reason when `target` reverts.
538     *
539     * _Available since v3.1._
540     */
541    function functionCallWithValue(
542        address target,
543        bytes memory data,
544        uint256 value,
545        string memory errorMessage
546    ) internal returns (bytes memory) {
547        require(address(this).balance >= value, "Address: insufficient balance for call");
548        require(isContract(target), "Address: call to non-contract");
549
550        (bool success, bytes memory returndata) = target.call{value: value}(data);
```

QUICK REVIEW

• Owner can't set Tx Limits.

• Owner can't modify fees

• Owner can toggle auto rebase status

Owner Privileges:

```
520      * Requirements:
521      *
522      * - the calling contract must have an ETH balance of at least `value`.
523      * - the called Solidity function must be `payable`.
524      *
525      * _Available since v3.1._
526      */
527     function functionCallWithValue(
528         address target,
529         bytes memory data,
530         uint256 value
531     ) internal returns (bytes memory) {
532         return functionCallWithValue(target, data, value, "Address: low-level call with value failed");
533     }
534
535     /**
536      * @dev Same as {xref-Address-functionCallWithValue-address-bytes-uint256-}[`functionCallWithValue`], but
537      * with `errorMessage` as a fallback revert reason when `target` reverts.
538      *
539      * _Available since v3.1._
540      */
541     function functionCallWithValue(
542         address target,
543         bytes memory data,
544         uint256 value,
545         string memory errorMessage
546     ) internal returns (bytes memory) {
547         require(address(this).balance >= value, "Address: insufficient balance for call");
548         require(isContract(target), "Address: call to non-contract");
549
550         (bool success, bytes memory returndata) = target.call{value: value}(data);
```

function renounceOwnership() public virtual onlyOwner {
function transferOwnership(address newOwner) public virtual onlyOwner {
function withdrawAllToTreasury() external swapping onlyOwner {
function setAutoRebase(bool _flag) external onlyOwner {
function setAutoAddLiquidity(bool _flag) external onlyOwner {
function setFeeReceivers(
function setWhitelist(address _addr) external onlyOwner {
function setBotBlacklist(address _botAddress, bool _flag) external onlyOwner {
function setPairAddress(address _pairAddress) public onlyOwner {
function setLP(address _address) external onlyOwner {

Issue Checking:

N°	Issue description.	Checking Status.
1	Compiler Errors	Passed
2	Race conditions and Reentrancy. Cross-function race conditions.	Passed
3	Possible delays in data delivery.	Passed
4	Oracle calls.	Passed
5	Front running.	Passed
6	Timestamp dependence.	Passed
7	Integer Overflow and Underflow.	Passed
8	DoS with Revert.	Passed
9	DoS with block gas limit.	Passed
10	Methods execution permissions.	Passed
11	Economy model.	Passed
12	The impact of the exchange rate on the logic.	Passed
13	Private user data leaks.	Passed
14	Malicious Event log	Passed
15	Scoping and Declarations.	Passed
16	Uninitialized storage pointers.	Passed
17	Arithmetic accuracy.	Passed
18	Design Logic.	Passed
19	Cross-function race conditions.	Passed
20	Safe Zeppelin module	Passed
21	Fallback function security.	Passed

Audit Result:

PASSED

WEBSITE - OVERVIEW

🕐 **Domain Registration: 2022-01-18**

77 days old

SSL CERTIFICATE: A

(https://www.ssllabs.com)

SOCIAL MEDIA - OVERVIEW

YINGBI_CRYPTO

YINGBICRYPTO

YINGBI.SG