



PREMIUM AUDIT

| | |
|---------------------|---|
| NAME OF PROJECT | GRP Token |
| TOKEN BEP20 ADDRESS | 0x47daf4b9B73F92a5a9a1633b129E724CEFEBC0A9 |
| WEBSITE / TELEGRAM | https://game-x.co/ |



DISCLAIMER: PLEASE READ FULL AUDIT



IMPORTANT DISCLAIMER

I.

NOT RESPONSIBLE

Our audit report is not responsible for anything if the project audited turn into a scam.

II.

NOT GUARANTEE

Analytix Audit in no way guarantees that a project will not remove liquidity, sell off team tokens, or exit scam.

III.

INFORMATION

Analytix Audit do a research and provides public information about the project in an easy-to-understand format for the common person.

IV.

AUDIT AGREE

Agreeing to an audit in no way guarantees that a team will not remove all liquidity ("Rug Pull"), remove liquidity slowly, sell off tokens, quit the project, or completely exit scam

V.

ENCOURAGE INVESTMENT


Analytix Audit in no way takes responsibility for any losses, nor does Analytix Audit encourage any speculative investments

VI.

INFORMATION

The information provided in this audit is for information purposes only and should not be considered investment advice. Analytix Audit does not endorse, recommend, support, or suggest any projects that have been audited.

TOKENOMICS - OVERVIEW



CONTRACT CODE - OVERVIEW



QUICK REVIEW

- Owner can mint new tokens
 - Owner can set Tx Limits.
- Owner can change fees up to 100%

Owner Privileges:

```
520 * Requirements:
521 *
522 * - the calling contract must have an ETH balance of at least `value`.
523 * - the called Solidity function must be `payable`.
524 *
525 * _Available since v3.1._
526 */
527 function functionCallWithValue(
528     address target,
529     bytes memory data,
530     uint256 value
531 ) internal returns (bytes memory) {
532     return functionCallWithValue(target, data, value, "Address: low-level call with value failed");
533 }
534
535 /**
536 * @dev Same as {xref-Address-functionCallWithValue-address-bytes-uint256-}[`functionCallWithValue`], but
537 * with `errorMessage` as a fallback revert reason when `target` reverts.
538 *
539 * _Available since v3.1._
540 */
541 function functionCallWithValue(
542     address target,
543     bytes memory data,
544     uint256 value,
545     string memory errorMessage
546 ) internal returns (bytes memory) {
547     require(address(this).balance >= value, "Address: insufficient balance for call");
548     require(isContract(target), "Address: call to non-contract");
549
550     (bool success, bytes memory returndata) = target.call(value: value)(data);
```

```
modifier onlyOwner() {
    function renounceOwnership() public onlyOwner {
function transferOwnership(address newOwner) public onlyOwner {
    function setTxLimit(uint256 _limit) external onlyOwner {
        function triggerTax() public onlyOwner {
            function pause() public onlyOwner {
                function unpause() public onlyOwner {
                    function burn(uint256 amount) public onlyOwner {
                        function enableBlacklist(address account) public onlyOwner {
                            function disableBlacklist(address account) public onlyOwner {
                                function exclude(address account) public onlyOwner {
                                    function removeExclude(address account) public onlyOwner {
function setBuyTax(uint256 dev, uint256 marketing, uint256 liquidity, uint256 charity) public
    onlyOwner {
function setSellTax(uint256 dev, uint256 marketing, uint256 liquidity, uint256 charity) public
    onlyOwner {
function setTaxWallets(address dev, address marketing, address charity) public onlyOwner {
    function mint(uint256 amount) public onlyOwner returns (bool) {
        function enableTax() public onlyOwner {
            function disableTax() public onlyOwner {
```


Issue Checking:

| N° | Issue description. | Checking Status. |
|----|---|------------------|
| 1 | Compiler Errors | Passed |
| 2 | Race conditions and Reentrancy. Cross-function race conditions. | Passed |
| 3 | Possible delays in data delivery. | Passed |
| 4 | Oracle calls. | Passed |
| 5 | Front running. | Passed |
| 6 | Timestamp dependence. | Passed |
| 7 | Integer Overflow and Underflow. | Passed |
| 8 | DoS with Revert. | Passed |
| 9 | DoS with block gas limit. | Passed |
| 10 | Methods execution permissions. | Passed |
| 11 | Economy model. | Passed |
| 12 | The impact of the exchange rate on the logic. | Passed |
| 13 | Private user data leaks. | Passed |
| 14 | Malicious Event log | Passed |
| 15 | Scoping and Declarations. | Passed |
| 16 | Uninitialized storage pointers. | Passed |
| 17 | Arithmetic accuracy. | Passed |
| 18 | Design Logic. | Passed |
| 19 | Cross-function race conditions. | Passed |
| 20 | Safe Zeppelin module | Passed |
| 21 | Fallback function security. | Passed |

Audit Result:

PASSED

WEBSITE - OVERVIEW



🕒 **Domain Registration: 2021-05-25**

293 days old

SSL CERTIFICATE: A

(<https://www.ssllabs.com>)

SOCIAL MEDIA - OVERVIEW



GAMEXTOKENOFFICIAL



GAMEXOFFICIAL



GAME-X.CO